

Daniel Ackermann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7444237/publications.pdf>

Version: 2024-02-01

39
papers

1,641
citations

361413
20
h-index

315739
38
g-index

39
all docs

39
docs citations

39
times ranked

3958
citing authors

#	ARTICLE	IF	CITATIONS
1	Uromodulin, Salt, and 24-Hour Blood Pressure in the General Population. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2021, 16, 787-789.	4.5	11
2	Heritability and association with distinct genetic loci of erythropoietin levels in the general population. <i>Haematologica</i> , 2021, 106, 2499-2501.	3.5	3
3	Sex- and age-specific reference intervals for diagnostic ratios reflecting relative activity of steroidogenic enzymes and pathways in adults. <i>PLoS ONE</i> , 2021, 16, e0253975.	2.5	2
4	The International Database of Central Arterial Properties for Risk Stratification: Research Objectives and Baseline Characteristics of Participants. <i>American Journal of Hypertension</i> , 2021, . .	2.0	6
5	Investigating the Relations Between Caffeine-Derived Metabolites and Plasma Lipids in 2 Population-Based Studies. <i>Mayo Clinic Proceedings</i> , 2021, 96, 3071-3085.	3.0	2
6	Changes of lipoprotein(a) levels with endogenous steroid hormones. <i>European Journal of Clinical Investigation</i> , 2021, , e13699.	3.4	1
7	Parathyroid Hormone and Plasma Phosphate Are Predictors of Soluble β -Klotho Levels in Adults of European Descent. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, e1135-e1143.	3.6	8
8	Sodium Intake Is Associated With Renal Resistive Index in an Adult Population-Based Study. <i>Hypertension</i> , 2020, 76, 1898-1905.	2.7	4
9	Cardiovascular End Points and Mortality Are Not Closer Associated With Central Than Peripheral Pulsatile Blood Pressure Components. <i>Hypertension</i> , 2020, 76, 350-358.	2.7	33
10	Ambulatory Blood Pressure in Relation to Plasma and Urinary Manganese. <i>Hypertension</i> , 2020, 75, 1133-1139.	2.7	8
11	Renal Resistive Index Is Associated With Inactive Matrix Gla (β -Carboxyglutamate) Protein in an Adult Population-Based Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013558.	3.7	5
12	Tumor necrosis factor stimulates fibroblast growth factor 23 levels in chronic kidney disease and non-renal inflammation. <i>Kidney International</i> , 2019, 96, 890-905.	5.2	56
13	Urinary Sex Steroid and Glucocorticoid Hormones Are Associated With Muscle Mass and Strength in Healthy Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019, 104, 2195-2215.	3.6	14
14	Reference intervals for the urinary steroid metabolome: The impact of sex, age, day and night time on human adult steroidogenesis. <i>PLoS ONE</i> , 2019, 14, e0214549.	2.5	38
15	Use of day and night urinary iodine excretion to estimate the prevalence of inadequate iodine intakes via the estimated average requirement cut-point method. <i>Swiss Medical Weekly</i> , 2019, 149, w20090.	1.6	2
16	Urinary Cadmium Excretion Is Associated With Increased Synthesis of Cortico- and Sex Steroids in a Population Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 748-758.	3.6	18
17	Association of 24-Hour Blood Pressure With Urinary Sodium Excretion in Healthy Adults. <i>American Journal of Hypertension</i> , 2018, 31, 784-791.	2.0	9
18	Five-year outcomes in kidney transplant patients randomized to everolimus with cyclosporine withdrawal or low-exposure cyclosporine versus standard therapy. <i>American Journal of Transplantation</i> , 2018, 18, 2965-2976.	4.7	11

#	ARTICLE	IF	CITATIONS
19	Associations of Urinary Caffeine and Caffeine Metabolites With Arterial Stiffness in a Large Population-Based Study. <i>Mayo Clinic Proceedings</i> , 2018, 93, 586-596.	3.0	17
20	Genome-Wide Meta-Analysis Unravels Interactions between Magnesium Homeostasis and Metabolic Phenotypes. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 335-348.	6.1	34
21	Urinary steroid profiling in women hints at a diagnostic signature of the polycystic ovary syndrome: A pilot study considering neglected steroid metabolites. <i>PLoS ONE</i> , 2018, 13, e0203903.	2.5	31
22	FO044UROMODULIN REFLECTS NEPHRON MASS IN THE GENERAL POPULATION AND KIDNEY DONORS. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, i36-i36.	0.7	0
23	Uromodulin and Nephron Mass. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 1556-1557.	4.5	44
24	A population-based approach to assess the heritability and distribution of renal handling of electrolytes. <i>Kidney International</i> , 2017, 92, 1536-1543.	5.2	20
25	Fibroblast growth factor 23 and markers of mineral metabolism in individuals with preserved renal function. <i>Kidney International</i> , 2016, 90, 648-657.	5.2	51
26	Relation of 24-hour urinary caffeine and caffeine metabolite excretions with self-reported consumption of coffee and other caffeinated beverages in the general population. <i>Nutrition and Metabolism</i> , 2016, 13, 81.	3.0	19
27	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. <i>Diabetes</i> , 2016, 65, 803-817.	0.6	131
28	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. <i>Nature Communications</i> , 2016, 7, 10023.	12.8	412
29	Sociodemographic, behavioral and genetic determinants of allostatic load in a Swiss population-based study. <i>Psychoneuroendocrinology</i> , 2016, 67, 76-85.	2.7	50
30	CYP17A1 Enzyme Activity Is Linked to Ambulatory Blood Pressure in a Family-Based Population Study. <i>American Journal of Hypertension</i> , 2016, 29, 484-493.	2.0	13
31	Associations of Ambulatory Blood Pressure With Urinary Caffeine and Caffeine Metabolite Excretions. <i>Hypertension</i> , 2015, 65, 691-696.	2.7	36
32	New anthropometry-based age- and sex-specific reference values for urinary 24-hour creatinine excretion based on the adult Swiss population. <i>BMC Medicine</i> , 2015, 13, 40.	5.5	57
33	Inactive Matrix Gla-Protein Is Associated With Arterial Stiffness in an Adult Population-Based Study. <i>Hypertension</i> , 2015, 66, 85-92.	2.7	85
34	Copeptin Is Associated with Kidney Length, Renal Function, and Prevalence of Simple Cysts in a Population-Based Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 1415-1425.	6.1	48
35	Epidemiology of Masked and White-Coat Hypertension: The Family-Based SKIPOGH Study. <i>PLoS ONE</i> , 2014, 9, e92522.	2.5	56
36	Reference Values and Factors Associated With Renal Resistive Index in a Family-Based Population Study. <i>Hypertension</i> , 2014, 63, 136-142.	2.7	97

#	ARTICLE	IF	CITATIONS
37	Heritability, determinants and reference values of renal length: a family-based population study. <i>European Radiology</i> , 2013, 23, 2899-2905.	4.5	47
38	Inhibition of 11 β -hydroxysteroid dehydrogenase by bile acids in rats with cirrhosis. <i>Hepatology</i> , 1999, 30, 623-629.	7.3	49
39	Low bone mass in idiopathic renal stone formers: Magnitude and significance. <i>Journal of Bone and Mineral Research</i> , 1994, 9, 1525-1532.	2.8	113