Taishiro Kishimoto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7447915/publications.pdf

Version: 2024-02-01

130 papers 6,601 citations

38 h-index 77 g-index

142 all docs

142 docs citations

times ranked

142

7267 citing authors

#	Article	IF	CITATIONS
1	Deletion of Crhr2 reveals an anxiolytic role for corticotropin-releasing hormone receptor-2. Nature Genetics, 2000, 24, 415-419.	21.4	477
2	Long-Acting Injectable Versus Oral Antipsychotics in Schizophrenia. Journal of Clinical Psychiatry, 2013, 74, 957-965.	2.2	371
3	A sauvagine/corticotropin-releasing factor receptor expressed in heart and skeletal muscle Proceedings of the National Academy of Sciences of the United States of America, 1995, 92, 1108-1112.	7.1	358
4	Non-adherence to medication in patients with psychotic disorders: epidemiology, contributing factors and management strategies. World Psychiatry, 2013, 12, 216-226.	10.4	356
5	Long-Acting Injectable vs Oral Antipsychotics for Relapse Prevention in Schizophrenia: A Meta-Analysis of Randomized Trials. Schizophrenia Bulletin, 2014, 40, 192-213.	4.3	332
6	Single-dose infusion ketamine and non-ketamine $\langle i \rangle N \langle i \rangle$ -methyl- $\langle scp \rangle d \langle scp \rangle$ -aspartate receptor antagonists for unipolar and bipolar depression: a meta-analysis of efficacy, safety and time trajectories. Psychological Medicine, 2016, 46, 1459-1472.	4.5	292
7	Bifidobacterium-Rich Fecal Donor May Be a Positive Predictor for Successful Fecal Microbiota Transplantation in Patients with Irritable Bowel Syndrome. Digestion, 2017, 96, 29-38.	2.3	266
8	Glutamatergic neurometabolite levels in major depressive disorder: a systematic review and meta-analysis of proton magnetic resonance spectroscopy studies. Molecular Psychiatry, 2019, 24, 952-964.	7.9	225
9	Gut microbiota and major depressive disorder: A systematic review and meta-analysis. Journal of Affective Disorders, 2020, 266, 1-13.	4.1	217
10	Adjunctive Use of Nonsteroidal Anti-inflammatory Drugs for Schizophrenia: A Meta-analytic Investigation of Randomized Controlled Trials. Schizophrenia Bulletin, 2013, 39, 1230-1241.	4.3	168
11	Long-acting injectable versus oral antipsychotics for the maintenance treatment of schizophrenia: a systematic review and comparative meta-analysis of randomised, cohort, and pre–post studies. Lancet Psychiatry,the, 2021, 8, 387-404.	7.4	160
12	Worldwide Differences in Regulations of Clozapine Use. CNS Drugs, 2016, 30, 149-161.	5.9	139
13	Effectiveness of Long-Acting Injectable vs Oral Antipsychotics in Patients With Schizophrenia: A Meta-analysis of Prospective and Retrospective Cohort Studies. Schizophrenia Bulletin, 2018, 44, 603-619.	4.3	137
14	Relapse prevention in schizophrenia: a systematic review and meta-analysis of second-generation antipsychotics versus first-generation antipsychotics. Molecular Psychiatry, 2013, 18, 53-66.	7.9	136
15	The effect of fecal microbiota transplantation on psychiatric symptoms among patients with irritable bowel syndrome, functional diarrhea and functional constipation: An open-label observational study. Journal of Affective Disorders, 2018, 235, 506-512.	4.1	134
16	Electroconvulsive Therapy Modulates Resting-State EEG Oscillatory Pattern and Phase Synchronization in Nodes of the Default Mode Network in Patients With Depressive Disorder. Frontiers in Human Neuroscience, 2019, 13, 1.	2.0	133
17	Assessing the comparative effectiveness of long-acting injectable vs. oral antipsychotic medications in the prevention of relapse provides a case study in comparative effectiveness research in psychiatry. Journal of Clinical Epidemiology, 2013, 66, S37-S41.	5.0	109
18	Safety and tolerability of long-acting injectable versus oral antipsychotics: A meta-analysis of randomized controlled studies comparing the same antipsychotics. Schizophrenia Research, 2016, 176, 220-230.	2.0	97

#	Article	IF	CITATIONS
19	Quantifying Clinical Relevance in the Treatment of Schizophrenia. Clinical Therapeutics, 2011, 33, B16-B39.	2.5	94
20	Effect of electroconvulsive therapy on hippocampal and amygdala volumes: systematic review and meta-analysis. British Journal of Psychiatry, 2018, 212, 19-26.	2.8	94
21	Longâ€term effectiveness of oral secondâ€generation antipsychotics in patients with schizophrenia and related disorders: a systematic review and metaâ€analysis of direct headâ€toâ€head comparisons. World Psychiatry, 2019, 18, 208-224.	10.4	93
22	Osteoporosis and fracture risk in people with schizophrenia. Current Opinion in Psychiatry, 2012, 25, 415-429.	6.3	91
23	Associations between problematic Internet use and psychiatric symptoms among university students in Japan. Psychiatry and Clinical Neurosciences, 2018, 72, 531-539.	1.8	90
24	Actigraphy for evaluation of mood disorders: A systematic review and meta-analysis. Journal of Affective Disorders, 2019, 253, 257-269.	4.1	88
25	Antipsychotic-Induced Hyperprolactinemia Inhibits the Hypothalamo-Pituitary-Gonadal Axis and Reduces Bone Mineral Density in Male Patients With Schizophrenia. Journal of Clinical Psychiatry, 2008, 69, 385-391.	2.2	86
26	Antipsychotic polypharmacy: A survey study of prescriber attitudes, knowledge and behavior. Schizophrenia Research, 2011, 131, 58-62.	2.0	78
27	The Bipolar Prodrome Symptom Interview and Scale–Prospective (<scp>BPSS</scp> â€P): description and validation in a psychiatric sample and healthy controls. Bipolar Disorders, 2014, 16, 505-522.	1.9	77
28	Brain Changes Induced by Electroconvulsive Therapy Are Broadly Distributed. Biological Psychiatry, 2020, 87, 451-461.	1.3	72
29	Changes in telepsychiatry regulations during the COVID-19 pandemic: 17 countries and regions' approaches to an evolving healthcare landscape. Psychological Medicine, 2022, 52, 2606-2613.	4.5	72
30	Deficits in microRNA-mediated Cxcr4/Cxcl12 signaling in neurodevelopmental deficits in a 22q11 deletion syndrome mouse model. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 17552-17557.	7.1	65
31	Virtual reality exposure therapy for social anxiety disorder: a systematic review and meta-analysis. Psychological Medicine, 2020, 50, 2487-2497.	4.5	64
32	Sleep and mood disorders in dry eye disease and allied irritating ocular diseases. Scientific Reports, 2016, 6, 22480.	3.3	58
33	Evaluating depression with multimodal wristband-type wearable device: screening and assessing patient severity utilizing machine-learning. Heliyon, 2020, 6, e03274.	3.2	58
34	Internet-Based Cognitive Behavioral Therapy With Real-Time Therapist Support via Videoconference for Patients With Obsessive-Compulsive Disorder, Panic Disorder, and Social Anxiety Disorder: Pilot Single-Arm Trial. Journal of Medical Internet Research, 2018, 20, e12091.	4.3	52
35	Acute and long-term effects of electroconvulsive therapy on human dentate gyrus. Neuropsychopharmacology, 2019, 44, 1805-1811.	5.4	48
36	Ambiguous findings concerning potential advantages of depot antipsychotics. Current Opinion in Psychiatry, 2015, 28, 216-221.	6.3	47

3

#	Article	IF	CITATIONS
37	Electroconvulsive Therapy for Parkinson's Disease: A Systematic Review and Metaâ€Analysis. Movement Disorders, 2021, 36, 50-58.	3.9	47
38	Smartphone viewing distance and sleep: an experimental study utilizing motion capture technology. Nature and Science of Sleep, 2017, Volume 9, 59-65.	2.7	44
39	The Relationship of Dry Eye Disease with Depression and Anxiety: A Naturalistic Observational Study. Translational Vision Science and Technology, 2018, 7, 35.	2.2	39
40	Sleep Disorders are a Prevalent and Serious Comorbidity in Dry Eye., 2018, 59, DES143.		38
41	Randomized controlled trials in schizophrenia: opportunities, limitations, and trial design alternatives. Dialogues in Clinical Neuroscience, 2011, 13, 155-172.	3.7	38
42	Hepatoid adenocarcinoma: a new clinicopathological entity and the hypotheses on carcinogenesis. Medical Electron Microscopy: Official Journal of the Clinical Electron Microscopy Society of Japan, 2000, 33, 57-63.	1.8	36
43	Improvement of psychiatrists' clinical knowledge of the treatment guidelines for schizophrenia and major depressive disorders using the †Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE)' project: A nationwide dissemination, education, and evaluation study. Psychiatry and Clinical Neurosciences. 2019. 73. 642-648.	1.8	35
44	Physical and mental health impact of COVID-19 on children, adolescents, and their families: The Collaborative Outcomes study on Health and Functioning during Infection Times - Children and Adolescents (COH-FIT-C&A). Journal of Affective Disorders, 2022, 299, 367-376.	4.1	33
45	A Validation Study of the Remotely Administered Montreal Cognitive Assessment Tool in the Elderly Japanese Population. Telemedicine Journal and E-Health, 2020, 26, 920-928.	2.8	32
46	Prescription patterns in patients with schizophrenia in Japan: Firstâ€quality indicator data from the survey of "Effectiveness of Guidelines for Dissemination and Education in psychiatric treatment (EGUIDE)―project. Neuropsychopharmacology Reports, 2020, 40, 281-286.	2.3	32
47	Early Nonresponse Determined by the Clinical Global Impressions Scale Predicts Poorer Outcomes in Youth with Schizophrenia Spectrum Disorders Naturalistically Treated with Second-Generation Antipsychotics. Journal of Child and Adolescent Psychopharmacology, 2013, 23, 665-675.	1.3	30
48	Antipsychotic polypharmacy: A Japanese survey of prescribers' attitudes and rationales. Psychiatry Research, 2013, 209, 406-411.	3.3	28
49	Sleep and mood disorders in women with dry eye disease. Scientific Reports, 2016, 6, 35276.	3.3	28
50	Switching to antipsychotic monotherapy vs. staying on antipsychotic polypharmacy in schizophrenia: A systematic review and meta-analysis. Schizophrenia Research, 2019, 209, 50-57.	2.0	27
51	Using speech recognition technology to investigate the association between timing-related speech features and depression severity. PLoS ONE, 2020, 15, e0238726.	2.5	27
52	The impact of prolactin-raising antipsychotics on bone mineral density in patients with schizophrenia: Findings from a longitudinal observational cohort. Schizophrenia Research, 2013, 147, 383-386.	2.0	26
53	Attenuated psychotic and basic symptom characteristics in adolescents with ultra-high risk criteria for psychosis, other non-psychotic psychiatric disorders and early-onset psychosis. European Child and Adolescent Psychiatry, 2016, 25, 1091-1102.	4.7	26
54	Attitudes Toward Electroconvulsive Therapy Among Involuntary and Voluntary Patients. Journal of ECT, 2019, 35, 165-169.	0.6	25

#	Article	IF	CITATIONS
55	Effects of Psychotropics on the Microbiome in Patients With Depression and Anxiety: Considerations in a Naturalistic Clinical Setting. International Journal of Neuropsychopharmacology, 2021, 24, 97-107.	2.1	24
56	Effectiveness and safety of long-term benzodiazepine use in anxiety disorders. International Clinical Psychopharmacology, 2019, 34, 211-221.	1.7	23
57	Inhibition of lateral vestibular nucleus neurons by 5-hydroxytryptamine derived from the dorsal raphe nucleus. Brain Research, 1991, 553, 229-237.	2.2	20
58	Unmet needs of patients with major depressive disorder â€" Findings from the â€~scp>Effectiveness of <scp>G</scp> uidelines for <scp>D</scp> issemination and <scp>E</scp> ducation in <scp>P</scp> sychiatric <scp>T</scp> reatment (<scp>EGUIDE</scp>)' project: A nationwide dissemination, education, and evaluation study. Psychiatry and Clinical Neurosciences, 2020, 74,	1.8	20
59	667-669. Personalization of Repetitive Transcranial Magnetic Stimulation for the Treatment of Major Depressive Disorder According to the Existing Psychiatric Comorbidity. Clinical Psychopharmacology and Neuroscience, 2021, 19, 190-205.	2.0	20
60	Frequency and Correlates of DSM-5 Attenuated Psychosis Syndrome in a Sample of Adolescent Inpatients With Nonpsychotic Psychiatric Disorders. Journal of Clinical Psychiatry, 2015, 76, e1449-e1458.	2.2	20
61	Remote neuropsychological assessment of elderly Japanese population using the Alzheimer's Disease Assessment Scale: A validation study. Journal of Telemedicine and Telecare, 2020, 26, 482-487.	2.7	18
62	Improvements in the degree of understanding the treatment guidelines for schizophrenia and major depressive disorder in a nationwide dissemination and implementation study. Neuropsychopharmacology Reports, 2021, 41, 199-206.	2.3	17
63	Neuronal network mechanisms associated with depressive symptom improvement following electroconvulsive therapy. Psychological Medicine, 2021, 51, 2856-2863.	4.5	16
64	Speech Quality Feature Analysis for Classification of Depression and Dementia Patients. Sensors, 2020, 20, 3599.	3.8	16
65	5-HT1A receptor-mediated inhibition of lateral vestibular nucleus neurons projecting to the abducens nucleus. Brain Research, 1994, 644, 47-51.	2.2	15
66	Bone mineral density measurement in female inpatients with schizophrenia. Schizophrenia Research, 2005, 77, 113-115.	2.0	15
67	Survey of the effects of internet usage on the happiness of Japanese university students. Health and Quality of Life Outcomes, 2019, 17, 151.	2.4	15
68	Long-Acting Injectables Versus Oral Antipsychotics. Journal of Clinical Psychopharmacology, 2019, 39, 441-445.	1.4	15
69	Angiotensinogen Gene Variation and Hypertension in a Cohort Study in Japanese Journal of Epidemiology, 2001, 11, 115-119.	2.4	13
70	Factors associated with discontinuation of aripiprazole treatment after switching from other antipsychotics in patients with chronic schizophrenia: A prospective observational study. Psychiatry Research, 2016, 236, 71-74.	3.3	13
71	Indications for and use of long-acting injectable antipsychotics. International Clinical Psychopharmacology, 2017, 32, 161-168.	1.7	13
72	Thalamic volume, resting-state activity, and their association with the efficacy of electroconvulsive therapy. Journal of Psychiatric Research, 2019, 117, 135-141.	3.1	13

#	Article	IF	CITATIONS
73	Volume Increase of the Dentate Gyrus Induced by Electroconvulsive Therapy. Journal of ECT, 2019, 35, e57-e58.	0.6	13
74	Probable Dementia with Lewy Bodies and Risperidone-Induced Delirium. Canadian Journal of Psychiatry, 2002, 47, 976-976.	1.9	12
75	Minocycline as a treatment for schizophrenia: is the discussion truly finished?. Lancet Psychiatry,the, 2018, 5, 856-857.	7.4	12
76	The characteristics of patients receiving psychotropic pro re nata medication at discharge for the treatment of schizophrenia and major depressive disorder: A nationwide survey from the EGUIDE project. Asian Journal of Psychiatry, 2022, 69, 103007.	2.0	12
77	Subjective assessment of participants in education programs on clinical practice guidelines in the field of psychiatry. Neuropsychopharmacology Reports, 2022, 42, 221-225.	2.3	12
78	Regulation of striatal dopamine responsiveness by Notch/RBP-J signaling. Translational Psychiatry, 2017, 7, e1049-e1049.	4.8	11
79	A dissemination and education programme to improve the clinical behaviours of psychiatrists in accordance with treatment guidelines for schizophrenia and major depressive disorders: the Effectiveness of Guidelines for Dissemination and Education in Psychiatric Treatment (EGUIDE) project, BIPsych Open, 2022, 8, e83.	0.7	11
80	Clozapine Treatment Is Associated With Higher Prescription Rate of Antipsychotic Monotherapy and Lower Prescription Rate of Other Concomitant Psychotropics: A Real-World Nationwide Study. International Journal of Neuropsychopharmacology, 2022, 25, 818-826.	2.1	11
81	Fecal Microbial and Metabolomic Change during treatment course for depression: An Observational Study. Journal of Psychiatric Research, 2021, 140, 45-52.	3.1	10
82	Evaluating the severity of depressive symptoms using upper body motion captured by RGB-depth sensors and machine learning in a clinical interview setting: A preliminary study. Comprehensive Psychiatry, 2020, 98, 152169.	3.1	9
83	Efficacy and safety/tolerability of antipsychotics in the treatment of adult patients with major depressive disorder: a systematic review and meta-analysis. Psychological Medicine, 2023, 53, 4064-4082.	4.5	9
84	The 3rd Schizophrenia International Research Society Conference, 14–18 April 2012, Florence, Italy: Summaries of oral sessions. Schizophrenia Research, 2012, 141, e1-e24.	2.0	8
85	The project for objective measures using computational psychiatry technology (PROMPT): Rationale, design, and methodology. Contemporary Clinical Trials Communications, 2020, 19, 100649.	1.1	8
86	Association of electroconvulsive therapy-induced structural plasticity with clinical remission. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2021, 110, 110286.	4.8	8
87	Subjective well-being and month-long LF/HF ratio among deskworkers. PLoS ONE, 2021, 16, e0257062.	2.5	8
88	Transcranial Magnetic Stimulation for Bipolar Disorder with Catatonic Stupor: A Case Report. Brain Stimulation, 2015, 8, 1236-1237.	1.6	7
89	Unobtrusive Sensing Technology for Quantifying Stress and Well-Being Using Pulse, Speech, Body Motion, and Electrodermal Data in a Workplace Setting: Study Concept and Design. Frontiers in Psychiatry, 2021, 12, 611243.	2.6	7
90	Japanese Project for Telepsychiatry Evaluation during COVID-19: Treatment Comparison Trial (J-PROTECT): Rationale, design, and methodology. Contemporary Clinical Trials, 2021, 111, 106596.	1.8	7

#	Article	IF	CITATIONS
91	A practical BCG measuring system with bed sensors and algorithm for heartbeat detection. , 2018, , .		6
92	Predicting Individual Remission After Electroconvulsive Therapy Based on Structural Magnetic Resonance Imaging. Journal of ECT, 2020, 36, 205-210.	0.6	6
93	PCCX1, a Novel DNA-Binding Protein with PHD Finger and CXXC Domain, Is Regulated by Proteolysis. Biochemical and Biophysical Research Communications, 2000, 271, 305-310.	2.1	5
94	Comparison of treatment patterns in schizophrenia between China and Japan (2001â€2009). Asia-Pacific Psychiatry, 2017, 9, e12277.	2.2	5
95	Facial Landmark Activity Features for Depression Screening. , 2019, , .		5
96	Gastrointestinal symptoms and sensory abnormalities associated with behavioral problems in children with neurodevelopmental disorders. Autism Research, 2021, 14, 1996-2001.	3.8	5
97	Current Status and Challenges of the Dissemination of Telemedicine in Japan After the Start of the COVID-19 Pandemic. Telemedicine Journal and E-Health, 2022, 28, 1220-1224.	2.8	5
98	P.3.c.033 Long-acting injectable vs. oral antipsychotics in schizophrenia: a systematic review and meta-analysis of mirror-image and cohort studies. European Neuropsychopharmacology, 2012, 22, S335-S336.	0.7	4
99	Predictors of readmission after successful electroconvulsive therapy for depression: a chart review study. International Journal of Psychiatry in Clinical Practice, 2016, 20, 260-264.	2.4	4
100	Prolonged Post–Electroconvulsive Therapy Delirium Controlled With Donepezil. Journal of ECT, 2019, 35, e29-e30.	0.6	4
101	Autism Spectrum Disorder's Severity Prediction Model Using Utterance Features for Automatic Diagnosis Support. Studies in Computational Intelligence, 2020, , 83-95.	0.9	4
102	Electroconvulsive Therapy for Patients With Depression Who Lack Capacity for Consent. Journal of ECT, 2021, 37, 171-175.	0.6	4
103	Elevated body weight modulates subcortical volume change and associated clinical response following electroconvulsive therapy. Journal of Psychiatry and Neuroscience, 2021, 46, E418-E426.	2.4	4
104	Advantages and disadvantages of the long-term use of telepsychiatry. Irish Journal of Psychological Medicine, 2023, 40, 538-539.	1.0	3
105	An open-label study of algorithm-based treatment versus treatment-as-usual for patients with schizophrenia. Neuropsychiatric Disease and Treatment, 2013, 9, 1553.	2.2	2
106	T154. Electroconvulsive Therapy Induces Age-Dependent Volume Increase in the Human Dentate Gyrus. Biological Psychiatry, 2018, 83, S188.	1.3	2
107	An estimation of heart rate variability from ballistocardiogram measured with bed leg sensors. , 2018, , .		2
108	Large-Scale Dialog Corpus Towards Automatic Mental Disease Diagnosis. Studies in Computational Intelligence, 2020, , 111-118.	0.9	2

#	Article	IF	Citations
109	Long-acting injectable versus oral antipsychotics for schizophrenia – Authors' reply. Lancet Psychiatry,the, 2021, 8, 567.	7.4	2
110	A Survey of Japanese Young Adults' Postures When Using Smartphones before Sleeping. Journal of Mobile Technology in Medicine, 2016, 5, 51-53.	0.5	2
111	Association of work environment with stress and depression among Japanese workers. Work, 2022, , 1-15.	1.1	2
112	Review: most antipsychotic drugs more than double the prolactin levels in children and adolescents. Evidence-Based Mental Health, 2010, 13, 54-54.	4.5	1
113	Psychiatrists' perceptions of medication adherence among patients with schizophrenia: An international survey. Schizophrenia Research, 2019, 211, 105-107.	2.0	1
114	What Can We Tell About the Effect of Electroconvulsive Therapy on the Human Hippocampus?. Clinical EEG and Neuroscience, 2021, , 155005942110440.	1.7	1
115	OUP accepted manuscript. Schizophrenia Bulletin, 2021, , .	4.3	1
116	RENAL AND PELVIC ARTERIOGRAPHY. Japanese Journal of Urology, 1954, 45, 136-146.	0.1	1
117	Characteristics of single-channel electroencephalogram in depression during conversation with noise reduction technology. PLoS ONE, 2022, 17, e0266518.	2.5	1
118	Antipsychotic-induced amenorrhea might lead to loss of bone mineral density. International Clinical Psychopharmacology, 2005, 20, A14.	1.7	0
119	P1-485 Expanding between-school differences in smoking prevalence of high school students in Japan. Journal of Epidemiology and Community Health, 2011, 65, A201-A201.	3.7	0
120	P.3.d.067 Long-acting injectable vs oral antipsychotics for hospitalisation prevention in schizophrenia: a systematic review/meta-analysis of cohort studies. European Neuropsychopharmacology, 2015, 25, S519.	0.7	0
121	F78. The Effect of Fecal Microbiota Transplantation on Psychiatric Symptoms Among Patients With Functional Gastrointestinal Disorders: An Open-Label Observational Study. Biological Psychiatry, 2018, 83, S268.	1.3	0
122	Utilization of Facial Image Analysis Technology for Blink Detection: A Validation Study. Eye and Contact Lens, 2018, 44, S297-S301.	1.6	0
123	F128. Structural Magnetic Resonance Imaging for Individual Predictions for Electroconvulsive Therapy Remission Utilizing Machine Learning. Biological Psychiatry, 2019, 85, S263.	1.3	0
124	P.318 Safety/tolerability of antipsychotics in the treatment of adult patients with major depressive disorder: a systematic review and meta-analysis. European Neuropsychopharmacology, 2020, 40, S184-S185.	0.7	0
125	P.556 Long-acting injectable vs. oral antipsychotics for preventing rehospitalisation in schizophrenia: a meta-analysis of randomised, mirror-image, and cohort studies. European Neuropsychopharmacology, 2020, 40, S315-S316.	0.7	0
126	Examination of Language Characteristics Among Patients With Alzheimer's Disease Using Natural Language Processing. Biological Psychiatry, 2020, 87, S285.	1.3	0

Taishiro Kishimoto

#	Article	IF	CITATIONS
127	Effects of Psychotropics on the Microbiome in Patients With Depression and Anxiety: a Naturalistic Prospective Study. Biological Psychiatry, 2020, 87, S279-S280.	1.3	O
128	Long-acting antipsychotics: is what we know really so? – Authors' reply. Lancet Psychiatry,the, 2021, 8, 651-652.	7.4	0
129	Response to Morina et al.'s criticisms of Horigome et al.'s recent report on the efficacy of virtual reality exposure therapy for social anxiety disorder. Psychological Medicine, 2021, , 1-2.	4.5	0
130	RENAL AND PELVIC ARTERIOGRAPHY. Japanese Journal of Urology, 1954, 45, 404-416.	0.1	0