

# Franky Leung Chan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7452358/publications.pdf>

Version: 2024-02-01

131  
papers

4,296  
citations

94433

37  
h-index

133252

59  
g-index

133  
all docs

133  
docs citations

133  
times ranked

5755  
citing authors

#	ARTICLE	IF	CITATIONS
1	Up-Regulation of TWIST in Prostate Cancer and Its Implication as a Therapeutic Target. <i>Cancer Research</i> , 2005, 65, 5153-5162.	0.9	412
2	Induction of apoptosis in prostate cancer cell lines by a flavonoid, baicalin. <i>Cancer Letters</i> , 2000, 160, 219-228.	7.2	212
3	Transient receptor potential channel TRPC5 is essential for P-glycoprotein induction in drug-resistant cancer cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 16282-16287.	7.1	143
4	Expression and Functional Study of Estrogen Receptor-Related Receptors in Human Prostatic Cells and Tissues. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 1830-1844.	3.6	122
5	The Red Wine Polyphenol Resveratrol Displays Bilevel Inhibition on Aromatase in Breast Cancer Cells. <i>Toxicological Sciences</i> , 2006, 92, 71-77.	3.1	112
6	FK-16 Derived from the Anticancer Peptide LL-37 Induces Caspase-Independent Apoptosis and Autophagic Cell Death in Colon Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e63641.	2.5	109
7	The plant polyphenol butein inhibits testosterone-induced proliferation in breast cancer cells expressing aromatase. <i>Life Sciences</i> , 2005, 77, 39-51.	4.3	91
8	ERR $\beta$ Suppresses Cell Proliferation and Tumor Growth of Androgen-Sensitive and Androgen-Insensitive Prostate Cancer Cells and Its Implication as a Therapeutic Target for Prostate Cancer. <i>Cancer Research</i> , 2007, 67, 4904-4914.	0.9	90
9	Involvement of endothelium/nitric oxide in vasorelaxation induced by purified green tea ( $\alpha^{\prime\prime}$ )epicatechin. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1999, 1427, 322-328.	2.4	87
10	Difference in flavonoid and isoflavone profile between soybean and soy leaf. <i>Biomedicine and Pharmacotherapy</i> , 2002, 56, 289-295.	5.6	86
11	FTY720, a fungus metabolite, inhibits <i>in vivo</i> growth of androgen-independent prostate cancer. <i>International Journal of Cancer</i> , 2005, 117, 1039-1048.	5.1	77
12	The red clover ( <i>Trifolium pratense</i> ) isoflavone biochanin A inhibits aromatase activity and expression. <i>British Journal of Nutrition</i> , 2008, 99, 303-310.	2.3	75
13	Orphan nuclear receptor estrogen-related receptor- $\beta$ suppresses <i>in vitro</i> and <i>in vivo</i> growth of prostate cancer cells via p21 <sup>WAF1</sup> /CIP1 induction and as a potential therapeutic target in prostate cancer. <i>Oncogene</i> , 2008, 27, 3313-3328.	5.9	72
14	ERR $\beta$ augments HIF-1 signalling by directly interacting with HIF-1 in normoxic and hypoxic prostate cancer cells. <i>Journal of Pathology</i> , 2014, 233, 61-73.	4.5	72
15	Urocortin-induced endothelium-dependent relaxation of rat coronary artery: role of nitric oxide and K <sup>+</sup> channels. <i>British Journal of Pharmacology</i> , 2002, 135, 1467-1476.	5.4	71
16	Lamina lucida of basement membrane: An artefact. <i>Microscopy Research and Technique</i> , 1994, 28, 48-59.	2.2	66
17	Vasorelaxant Effects of Cardamonin and Alpinetin from <i>Alpinia henryi</i> K. Schum.. <i>Journal of Cardiovascular Pharmacology</i> , 2001, 37, 596-606.	1.9	65
18	The basement membranes of cryofixed or aldehyde-fixed, freeze-substituted tissues are composed of a lamina densa and do not contain a lamina lucida. <i>Cell and Tissue Research</i> , 1993, 273, 41-52.	2.9	58

#	ARTICLE	IF	CITATIONS
19	Dietary administration of the licorice flavonoid isoliquiritigenin deters the growth of MCF-7 cells overexpressing aromatase. <i>International Journal of Cancer</i> , 2009, 124, 1028-1036.	5.1	56
20	The citrus flavonone hesperetin inhibits growth of aromatase-expressing MCF-7 tumor in ovariectomized athymic mice. <i>Journal of Nutritional Biochemistry</i> , 2012, 23, 1230-1237.	4.2	56
21	A protein kinase C-sensitive channel mediates flow-induced Ca <sup>2+</sup> entry into vascular endothelial cells. <i>FASEB Journal</i> , 2000, 14, 932-938.	0.5	54
22	Epigenetic inactivation of the deleted in lung and esophageal cancer 1 gene in nasopharyngeal carcinoma. <i>Genes Chromosomes and Cancer</i> , 2007, 46, 171-180.	2.8	54
23	Roles of cyclic AMP and Ca <sup>2+</sup> -activated K <sup>+</sup> channels in endothelium-independent relaxation by urocortin in the rat coronary artery. <i>Cardiovascular Research</i> , 2003, 57, 824-833.	3.8	53
24	Ion channel <i>TRPM8</i> promotes hypoxic growth of prostate cancer cells via an O <sub>2</sub> -independent and RACK1-mediated mechanism of HIF1 $\alpha$ stabilization. <i>Journal of Pathology</i> , 2014, 234, 514-525.	4.5	53
25	Prostate targeting: PSP94 gene promoter/enhancer region directed prostate tissue-specific expression in a transgenic mouse prostate cancer model. <i>Gene Therapy</i> , 2002, 9, 1589-1599.	4.5	52
26	Silencing of the retinoid response gene <i>TIG1</i> by promoter hypermethylation in nasopharyngeal carcinoma. <i>International Journal of Cancer</i> , 2005, 113, 386-392.	5.1	50
27	Estrogen-related receptor $\beta$ decreases RHOA stability to induce orientated cell migration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 15108-15113.	7.1	50
28	Inflammatory Cytokine Tumor Necrosis Factor $\beta$ Confers Precancerous Phenotype in an Organoid Model of Normal Human Ovarian Surface Epithelial Cells. <i>Neoplasia</i> , 2009, 11, 529-541.	5.3	48
29	Development of a novel and economical agar-based non-adherent three-dimensional culture method for enrichment of cancer stem-like cells. <i>Stem Cell Research and Therapy</i> , 2018, 9, 243.	5.5	48
30	Raloxifene Relaxes Rat Cerebral Arteries In Vitro and Inhibits L-Type Voltage-Sensitive Ca <sup>2+</sup> Channels. <i>Stroke</i> , 2004, 35, 1709-1714.	2.0	45
31	Development of a three-dimensional culture model of prostatic epithelial cells and its use for the study of epithelial-mesenchymal transition and inhibition of PI3K pathway in prostate cancer. <i>Prostate</i> , 2009, 69, 428-442.	2.3	45
32	Ultrastructural and biochemical observations on the early changes in apoptotic epithelial cells of the rat prostate induced by castration. <i>Cell and Tissue Research</i> , 1999, 298, 123-136.	2.9	43
33	cDNA, Genomic Cloning, and Gene Expression Analysis of Mouse PSP94 (Prostate Secretory Protein of) Tj ETQq1 1 0,784314 rgBT /Over	1.9	42
34	Activation of mitogen-activated protein kinase pathway by the antiandrogen hydroxyflutamide in androgen receptor-negative prostate cancer cells. <i>Cancer Research</i> , 2002, 62, 6039-44.	0.9	42
35	Orphan nuclear receptor <i>TLX</i> functions as a potent suppressor of oncogene-induced senescence in prostate cancer via its transcriptional co-regulation of the <i>CDKN1A</i> ( <i>p21</i> <sup>WAF1</sup> ) and <i>SIRT1</i> genes. <i>Journal of Pathology</i> , 2015, 236, 103-115.	4.5	40
36	Chemopreventive Effect of PSP Through Targeting of Prostate Cancer Stem Cell-Like Population. <i>PLoS ONE</i> , 2011, 6, e19804.	2.5	40

#	ARTICLE	IF	CITATIONS
37	The nucleus of HeLa cells contains tubular structures for Ca <sup>2+</sup> signaling with the involvement of mitochondria. <i>Biochemical and Biophysical Research Communications</i> , 2003, 308, 826-833.	2.1	39
38	Epigenetic Silencing of Cellular Retinol-Binding Proteins in Nasopharyngeal Carcinoma. <i>Neoplasia</i> , 2005, 7, 67-74.	5.3	39
39	Collapsin response mediator protein-1 (CRMP1) acts as an invasion and metastasis suppressor of prostate cancer via its suppression of epithelial-mesenchymal transition and remodeling of actin cytoskeleton organization. <i>Oncogene</i> , 2017, 36, 546-558.	5.9	38
40	In situ hybridization study of PSP94 (prostatic secretory protein of 94 amino acids) expression in human prostates. , 1999, 41, 99-109.		36
41	1,25-Dihydroxyvitamin D <sub>3</sub> suppresses gastric cancer cell growth through VDR- and mutant p53-mediated induction of p21. <i>Life Sciences</i> , 2017, 179, 88-97.	4.3	36
42	Nuclear Receptor LRH-1 Functions to Promote Castration-Resistant Growth of Prostate Cancer via Its Promotion of Intratumoral Androgen Biosynthesis. <i>Cancer Research</i> , 2018, 78, 2205-2218.	0.9	36
43	Nuclear receptor ERR $\alpha$ and transcription factor ERG form a reciprocal loop in the regulation of TMPRSS2:ERG fusion gene in prostate cancer. <i>Oncogene</i> , 2018, 37, 6259-6274.	5.9	36
44	Knockin of SV40 Tag oncogene in a mouse adenocarcinoma of the prostate model demonstrates advantageous features over the transgenic model. <i>Oncogene</i> , 2005, 24, 1510-1524.	5.9	35
45	Estrogen and Tamoxifen Modulate Cerebrovascular Tone in Ovariectomized Female Rats. <i>Hypertension</i> , 2004, 44, 78-82.	2.7	34
46	Increased expression of activated endothelial nitric oxide synthase contributes to antiandrogen resistance in prostate cancer cells by suppressing androgen receptor transactivation. <i>Cancer Letters</i> , 2013, 328, 83-94.	7.2	34
47	Altered expression of extracellular matrix and proteinases in noble rat prostate gland after long-term treatment with sex steroids. <i>Prostate</i> , 2001, 49, 58-71.	2.3	28
48	Expression of olfactory-type cyclic nucleotide-gated channel (CNGA2) in vascular tissues. <i>Histochemistry and Cell Biology</i> , 2003, 120, 475-481.	1.7	28
49	Nuclear receptor HNF4 $\alpha$ performs a tumor suppressor function in prostate cancer via its induction of p21-driven cellular senescence. <i>Oncogene</i> , 2020, 39, 1572-1589.	5.9	27
50	Incidence and risk factors of suicide after a prostate cancer diagnosis: a meta-analysis of observational studies. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 499-508.	3.9	26
51	Proteoglycans associated with the ciliary zonule of the rat eye: a histochemical and immunocytochemical study. <i>Histochemistry and Cell Biology</i> , 1995, 104, 369-381.	1.7	25
52	Cryofixation of basement membranes followed by freeze substitution or freeze drying demonstrates that they are composed of a tridimensional network of irregular cords. <i>The Anatomical Record</i> , 1993, 235, 191-205.	1.8	24
53	Nuclear receptor profiling in prostatospheroids and castration-resistant prostate cancer. <i>Endocrine-Related Cancer</i> , 2018, 25, 35-50.	3.1	24
54	LRH-1 drives hepatocellular carcinoma partially through induction of c-myc and cyclin E1, and suppression of p21. <i>Cancer Management and Research</i> , 2018, Volume 10, 2389-2400.	1.9	24

#	ARTICLE	IF	CITATIONS
55	Contribution of nitric oxide and K <sup>+</sup> channel activation to vasorelaxation of isolated rat aorta induced by procaine. <i>European Journal of Pharmacology</i> , 1999, 367, 231-237.	3.5	23
56	Comparative study of glycoconjugates of the rat prostatic lobes by lectin histochemistry. , 1999, 38, 1-16.		23
57	Differential regulation of K <sup>+</sup> and Ca <sup>2+</sup> channel gene expression by chronic treatment with estrogen and tamoxifen in rat aorta. <i>European Journal of Pharmacology</i> , 2004, 483, 155-162.	3.5	23
58	The emerging roles of orphan nuclear receptors in prostate cancer. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 2016, 1866, 23-36.	7.4	23
59	Association of androgen deprivation therapy with thromboembolic events in patients with prostate cancer: a systematic review and meta-analysis. <i>Prostate Cancer and Prostatic Diseases</i> , 2018, 21, 451-460.	3.9	23
60	PSP94 (or $\gamma$ -microseminoprotein) is a secretory protein specifically expressed and synthesized in the lateral lobe of the rat prostate. , 2000, 42, 219-229.		22
61	Soy Leaf Lowers the Ratio of Non-HDL to HDL Cholesterol in Hamsters. <i>Journal of Agricultural and Food Chemistry</i> , 2003, 51, 4554-4558.	5.2	22
62	The citrus flavonone hesperetin prevents letrozole-induced bone loss in a mouse model of breast cancer. <i>Journal of Nutritional Biochemistry</i> , 2013, 24, 1112-1116.	4.2	22
63	Localization of heparan sulfate proteoglycan in basement membrane by side chain staining with cuproinic blue as compared with core protein labeling with immunogold.. <i>Journal of Histochemistry and Cytochemistry</i> , 1992, 40, 1559-1572.	2.5	21
64	A Comparative Study of Hormonal Regulation of Three Secretory Proteins (Prostatic Secretory) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 39 supported by an RGC Earmarked Research Grant (CUHK 4131/00M) from the Hong Kong Research Grant Council (to F.L.C.) and a grant from the Medical Research Council of Canada (to J.W.X.).. <i>Endocrinology</i> , 2000, 141, 4543-4551.	2.8	21
65	Different role of endothelium/nitric oxide in 17 $\beta$ -estradiol- and progesterone-induced relaxation in rat arteries. <i>Life Sciences</i> , 2001, 69, 1609-1617.	4.3	21
66	Rodent PSP94 Gene Expression Is More Specific to the Dorsolateral Prostate and Less Sensitive to Androgen Ablation than Probasin1. <i>Endocrinology</i> , 2001, 142, 2138-2146.	2.8	20
67	Expression pattern of glycoconjugates in rat retina as analysed by lectin histochemistry. <i>The Histochemical Journal</i> , 2002, 34, 589-600.	0.6	20
68	Hydroxychalcones exhibit differential effects on XRE transactivation. <i>Toxicology</i> , 2005, 207, 303-313.	4.2	20
69	Orphan nuclear receptor TLX contributes to androgen insensitivity in castration-resistant prostate cancer via its repression of androgen receptor transcription. <i>Oncogene</i> , 2018, 37, 3340-3355.	5.9	20
70	Nuclear receptor ERR $\alpha$ contributes to castration-resistant growth of prostate cancer via its regulation of intratumoral androgen biosynthesis. <i>Theranostics</i> , 2020, 10, 4201-4216.	10.0	20
71	Differential effects of estrogen and progesterone on potassium channels expressed in <i>Xenopus</i> oocytes. <i>Steroids</i> , 2008, 73, 272-279.	1.8	19
72	Knockdown of TM9SF4 boosts ER stress to trigger cell death of chemoresistant breast cancer cells. <i>Oncogene</i> , 2019, 38, 5778-5791.	5.9	19

#	ARTICLE	IF	CITATIONS
73	Orphan nuclear receptors as regulators of intratumoral androgen biosynthesis in castration-resistant prostate cancer. <i>Oncogene</i> , 2021, 40, 2625-2634.	5.9	19
74	Cytochemical characterization of cuprolinic blue-stained proteoglycans in the epithelial-stromal interface of the guinea pig lateral prostate. <i>Prostate</i> , 1989, 14, 133-145.	2.3	18
75	Hyaluronan and chondroitin sulfate proteoglycans are colocalized to the ciliary zonule of the rat eye: a histochemical and immunocytochemical study. <i>Histochemistry and Cell Biology</i> , 1997, 107, 289-301.	1.7	18
76	The nuclear tubular invaginations are dynamic structures inside the nucleus of HeLa cells This paper is one of a selection of papers published in this Special Issue, entitled The Nucleus: A Cell Within A Cell.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2006, 84, 477-486.	1.4	17
77	Establishment of a novel immortalized human prostatic epithelial cell line stably expressing androgen receptor and its application for the functional screening of androgen receptor modulators. <i>Biochemical and Biophysical Research Communications</i> , 2009, 382, 756-761.	2.1	17
78	Adipose-derived stem cells and cancer cells fuse to generate cancer stem cell-like cells with increased tumorigenicity. <i>Journal of Cellular Physiology</i> , 2020, 235, 6794-6807.	4.1	17
79	Glycoconjugates of the lateral prostate of the guinea pig: A lectin histochemical study. <i>Prostate</i> , 1991, 19, 155-172.	2.3	16
80	Localization of Prostatic Glycoconjugates by the Lectin-Gold Method. <i>Cells Tissues Organs</i> , 1992, 143, 27-40.	2.3	16
81	Coadministrating Luteolin Minimizes the Side Effects of the Aromatase Inhibitor Letrozole. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 351, 270-277.	2.5	16
82	Targeting prostate cancer stem-like cells by an immunotherapeutic platform based on immunogenic peptide-sensitized dendritic cells-cytokine-induced killer cells. <i>Stem Cell Research and Therapy</i> , 2020, 11, 123.	5.5	16
83	Analysis of glycoconjugate patterns of normal and hormone-induced dysplastic Noble rat prostates, and an androgen-independent Noble rat prostate tumor, by lectin histochemistry and protein blotting. <i>Prostate</i> , 2001, 46, 21-32.	2.3	14
84	Mouse PSP94 expression is prostate tissue-specific as demonstrated by a comparison of multiple antibodies against recombinant proteins. <i>Journal of Cellular Biochemistry</i> , 2003, 88, 999-1011.	2.6	14
85	Molecular cloning and functional study of rat estrogen receptor-related receptor $\hat{1}^3$ in rat prostatic cells. <i>Prostate</i> , 2006, 66, 1600-1619.	2.3	14
86	17-Beta-estradiol induces neoplastic transformation in prostatic epithelial cells. <i>Cancer Letters</i> , 2011, 304, 8-20.	7.2	13
87	Assessing the effect of food mycotoxins on aromatase by using a cell-based system. <i>Toxicology in Vitro</i> , 2014, 28, 640-646.	2.4	13
88	Celecoxib increases miR-222 while deterring aromatase-expressing breast tumor growth in mice. <i>BMC Cancer</i> , 2014, 14, 426.	2.6	13
89	Expression study of three secretory proteins (prostatic secretory protein of 94 amino acids, probasin,) Tj ETQq1 1 0,784314 rgBT /Overl	2.3	12
90	Endolysosomal ion channel MCOLN2 (Mucolipin-2) promotes prostate cancer progression via IL-1 $\hat{1}^2$ /NF- $\hat{1}^{\text{B}}$ pathway. <i>British Journal of Cancer</i> , 2021, 125, 1420-1431.	6.4	12

#	ARTICLE	IF	CITATIONS
91	Role of endothelium in thapsigargin-induced arterial responses in rat aorta. <i>European Journal of Pharmacology</i> , 2000, 392, 51-59.	3.5	10
92	An expression study of hormone receptors in spontaneously developed, carcinogen-induced and hormone-induced mammary tumors in female Noble rats. <i>International Journal of Oncology</i> , 2003, 22, 1383.	3.3	10
93	The relaxant effect of urocortin in rat pulmonary arteries. <i>Regulatory Peptides</i> , 2004, 121, 11-18.	1.9	10
94	Glycoconjugates of the rat ciliary body epithelium: a lectin histochemical and protein blotting study. <i>The Histochemical Journal</i> , 1999, 31, 95-107.	0.6	9
95	Nickel inhibits urocortin-induced relaxation in the rat pulmonary artery. <i>European Journal of Pharmacology</i> , 2004, 488, 169-172.	3.5	9
96	Tamoxifen and estrogen attenuate enhanced vascular reactivity induced by estrogen deficiency in rat carotid arteries. <i>Biochemical Pharmacology</i> , 2007, 73, 1330-1339.	4.4	8
97	Rodent PSP94 Gene Expression Is More Specific to the Dorsolateral Prostate and Less Sensitive to Androgen Ablation than Probasin. <i>Endocrinology</i> , 2001, 142, 2138-2146.	2.8	8
98	Differential expression of PSP94 in rat prostate lobes as demonstrated by an antibody against recombinant GST-PSP94. , 1999, 74, 406-417.		7
99	Isoproterenol amplifies 17 $\beta$ -estradiol-mediated vasorelaxation: role of endothelium/nitric oxide and cyclic AMP. <i>Cardiovascular Research</i> , 2002, 53, 627-633.	3.8	7
100	<p>Chromogranin A is a predictor of prognosis in patients with prostate cancer: a systematic review and meta-analysis</p>. <i>Cancer Management and Research</i> , 2019, Volume 11, 2747-2758.	1.9	7
101	Interplay between orphan nuclear receptors and androgen receptor-dependent or-independent growth signalings in prostate cancer. <i>Molecular Aspects of Medicine</i> , 2021, 78, 100921.	6.4	7
102	A Comparative Study of Hormonal Regulation of Three Secretory Proteins (Prostatic Secretory) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 30 141, 4543-4551.	2.8	7
103	Endothelial nitric oxide synthase (eNOS)-NO signaling axis functions to promote the growth of prostate cancer stem-like cells. <i>Stem Cell Research and Therapy</i> , 2022, 13, 188.	5.5	7
104	Localization of heparan sulfate proteoglycan in basement membranes.. <i>Journal of Histochemistry and Cytochemistry</i> , 1992, 40, 1807-1808.	2.5	6
105	Serum C-peptide concentration and prostate cancer. <i>Medicine (United States)</i> , 2018, 97, e11771.	1.0	6
106	Modulatory Effect of Protein Kinase C Activator on Contractility of Rat Vas deferens. <i>Pharmacology</i> , 2001, 62, 2-9.	2.2	5
107	Determination of the complexity and diversity of the TCR $\beta$ chain CDR3 repertoire in bladder cancer using high-throughput sequencing. <i>Oncology Letters</i> , 2019, 17, 3808-3816.	1.8	5
108	Characterization of glycoconjugates of guinea pig seminal vesicle by lectin histochemistry. , 1998, 30, 447-459.		4

#	ARTICLE	IF	CITATIONS
109	Identification of a specifically expressed modified form of novel PSP-94 protein in the secretion of benign prostatic hyperplasia. <i>Electrophoresis</i> , 2003, 24, 1311-1318.	2.4	4
110	Characterization of the T cell receptor repertoire by deep T cell receptor sequencing in tissues from patients with prostate cancer. <i>Oncology Letters</i> , 2017, 15, 1744-1752.	1.8	4
111	Effect of p-Nitrophenyl- $\beta$ -D-xylopyranoside ( $\beta$ -D-xyloside) on the androgen-induced growth of the lateral prostate of the prepubertally castrated guinea pig. <i>Prostate</i> , 1993, 23, 37-59.	2.3	3
112	Detection of mRNA expression of gonadotropin-releasing hormone and its receptor in normal and neoplastic rat prostates. <i>International Journal of Oncology</i> , 2001, 19, 1193-201.	3.3	3
113	Mitochondrial DNA mutations in chemical carcinogen-induced rat bladder and human bladder cancer. <i>Oncology Reports</i> , 0, , .	2.6	3
114	Effects of cis-4-hydroxy-L-proline on the androgen-induced growth of the prostate of the prepubertally castrated guinea pig. <i>Prostate</i> , 1993, 23, 337-354.	2.3	2
115	Prejunctionally mediated inhibition of neurotransmission by isoprenaline in rat vas deferens. <i>Life Sciences</i> , 1998, 63, 2107-2113.	4.3	2
116	Abolition of endothelium-dependent relaxation in the rat aorta by tetraoctylammonium ions. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2000, 362, 152-159.	3.0	2
117	Towards understanding androgen receptor-independent prostate cancer: an evolving paradigm. <i>Translational Cancer Research</i> , 2020, 9, 415-417.	1.0	2
118	Identification of differently expressed genes in chemical carcinogen-induced rat bladder cancers. <i>Journal of Huazhong University of Science and Technology [Medical Sciences]</i> , 2009, 29, 220-226.	1.0	1
119	Abstract 1385: Orphan nuclear receptor estrogen-related receptor alpha (ERR $\alpha$ ) characterized as a novel transcriptional regulator of the oncogenic fusion gene TMPRSS2:ERG in prostate cancer. , 2014, , .		1
120	Abstract 4771: Regulatory role of an orphan nuclear receptor LRH-1 in castration-resistant growth of prostate cancer cells.. <i>Cancer Research</i> , 2013, 73, 4771-4771.	0.9	1
121	Differential regulation of K <sup>+</sup> and Ca <sup>2+</sup> channel gene expression by chronic treatment with estrogen and tamoxifen in rat aorta. <i>European Journal of Pharmacology</i> , 2003, 483, 155-155.	3.5	0
122	Spontaneous mammary tumors in aging Noble rats. <i>International Journal of Oncology</i> , 2003, 22, 449.	3.3	0
123	Prostate Cancer: The Id1 Story. <i>Acta Histochemica Et Cytochemica</i> , 2004, 37, 331-337.	1.6	0
124	Id-1 Protein as a New Marker for PCA. , 2005, , 197-208.		0
125	Abstract 4543: Nuclear receptor estrogen-related receptor alpha promotes hypoxic growth prostate cancer cells. , 2011, , .		0
126	Abstract 4016: Upregulation of an orphan nuclear receptor TLX may contribute to the development of antiandrogen-resistant prostate cancer. , 2011, , .		0



#	ARTICLE	IF	CITATIONS
127	Abstract 4006: Orphan nuclear receptor tailless TLX performs an oncogenic function in prostate cancer cells via its promotion of androgen-independent growth and induction of epithelial → mesenchymal transition phenotype. , 2011, , .		0
128	Abstract 950: Orphan nuclear receptor DAX1 exhibits suppressive effect on prostate cancer cell growth. , 2012, , .		0
129	Abstract C15: CRMP1 functions to suppress epithelial-mesenchymal transition and invasion capacity of prostate cancer cells. , 2013, , .		0
130	Abstract A21: Orphan nuclear receptor TLX recruits lysine-specific demethylase 1 to repress androgen receptor gene transcription and functions to promote hormone-resistant growth of prostate cancer cells. , 2013, , .		0
131	Abstract 2000: The regulatory role of endothelial nitric oxide synthase signaling in the growth of prostate cancer stem-like cells. , 2018, , .		0