

Craig R McClain

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7455806/publications.pdf>

Version: 2024-02-01

76
papers

4,233
citations

126907

33
h-index

118850

62
g-index

76
all docs

76
docs citations

76
times ranked

4791
citing authors

#	ARTICLE	IF	CITATIONS
1	Extremophiles in Earth's Deep Seas: A View Toward Life in Exo-Oceans. <i>Astrobiology</i> , 2022, 22, 1009-1028.	3.0	3
2	The commonness of rarity in a deep-sea taxon. <i>Oikos</i> , 2021, 130, 863-878.	2.7	16
3	Visible name changes promote inequity for transgender researchers. <i>PLoS Biology</i> , 2021, 19, e3001104.	5.6	13
4	Trait-based diversity of deep-sea benthic megafauna communities near the Deepwater Horizon oil spill site. <i>Marine Ecology</i> , 2020, 41, e12611.	1.1	4
5	A Synthesis of Deep Benthic Faunal Impacts and Resilience Following the Deepwater Horizon Oil Spill. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	17
6	A Blueprint for an Inclusive, Global Deep-Sea Ocean Decade Field Program. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	45
7	Idiographic and nomothetic approaches to heterogeneity are complementary: Response to comments on "Evaluating the influences of temperature, primary production, and evolutionary history on bivalve growth rates". <i>Paleobiology</i> , 2020, 46, 275-277.	2.0	0
8	Ecological variables for developing a global deep-ocean monitoring and conservation strategy. <i>Nature Ecology and Evolution</i> , 2020, 4, 181-192.	7.8	142
9	Metabolic Niches and Biodiversity: A Test Case in the Deep Sea Benthos. <i>Frontiers in Marine Science</i> , 2020, 7, .	2.5	12
10	Evaluating the influences of temperature, primary production, and evolutionary history on bivalve growth rates. <i>Paleobiology</i> , 2019, 45, 405-420.	2.0	22
11	Persistent and substantial impacts of the Deepwater Horizon oil spill on deep-sea megafauna. <i>Royal Society Open Science</i> , 2019, 6, 191164.	2.4	26
12	Alligators in the abyss: The first experimental reptilian food fall in the deep ocean. <i>PLoS ONE</i> , 2019, 14, e0225345.	2.5	9
13	Likes, comments, and shares of marine organism imagery on Facebook. <i>PeerJ</i> , 2019, 7, e6795.	2.0	12
14	Louisiana Universities Marine Consortium (LUMCON). <i>Limnology and Oceanography Bulletin</i> , 2018, 27, 11-13.	0.4	0
15	Energetic tradeoffs control the size distribution of aquatic mammals. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 4194-4199.	7.1	89
16	Is biodiversity energy-limited or unbounded? A test in fossil and modern bivalves. <i>Paleobiology</i> , 2018, 44, 385-401.	2.0	9
17	Increased energy differentially increases richness and abundance of optimal body sizes in deep-sea wood falls. <i>Ecology</i> , 2018, 99, 184-195.	3.2	12
18	Energetic increases lead to niche packing in deep-sea wood falls. <i>Biology Letters</i> , 2018, 14, 20180294.	2.3	11

#	ARTICLE	IF	CITATIONS
19	The Evolution of Energetic Scaling across the Vertebrate Tree of Life. <i>American Naturalist</i> , 2017, 190, 185-199.	2.1	114
20	Abundance–occupancy relationships in deep sea wood fall communities. <i>Ecography</i> , 2017, 40, 1339-1347.	4.5	13
21	Nestedness and species replacement along bathymetric gradients in the deep sea reflect productivity: a test with polychaete assemblages in the oligotrophic north-west Gulf of Mexico. <i>Journal of Biogeography</i> , 2017, 44, 548-555.	3.0	23
22	Practices and promises of Facebook for science outreach: Becoming a “Nerd of Trust”. <i>PLoS Biology</i> , 2017, 15, e2002020.	5.6	48
23	Body Size Evolution Across the Geozoic. <i>Annual Review of Earth and Planetary Sciences</i> , 2016, 44, 523-553.	11.0	64
24	Multiple Processes Generate Productivity-Diversity Relationships in Experimental Wood-Fall Communities. <i>Ecology</i> , 2016, , .	3.2	1
25	On some hypotheses of diversity of animal life at great depths on the sea floor. <i>Marine Ecology</i> , 2015, 36, 849-872.	1.1	84
26	Multiple Processes Generate Productivity-Diversity Relationships in Experimental Wood-Fall Communities. <i>Ecology</i> , 2015, 97, 885-98.	3.2	26
27	Marine extinction risk shaped by trait–environment interactions over 500 million years. <i>Global Change Biology</i> , 2015, 21, 3595-3607.	9.5	31
28	Toward a Conceptual Understanding of β^2 -Diversity in the Deep-Sea Benthos. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2015, 46, 623-642.	8.3	45
29	Evolution of the indoor biome. <i>Trends in Ecology and Evolution</i> , 2015, 30, 223-232.	8.7	75
30	Linking Evolution, Ecology, and Health: TriCEM. <i>BioScience</i> , 2015, 65, 748-749.	4.9	0
31	Ten Simple Rules for Effective Online Outreach. <i>PLoS Computational Biology</i> , 2015, 11, e1003906.	3.2	42
32	Paleontological baselines for evaluating extinction risk in the modern oceans. <i>Science</i> , 2015, 348, 567-570.	12.6	111
33	Assemblage structure is related to slope and depth on a deep offshore Pacific seamount chain. <i>Marine Ecology</i> , 2015, 36, 210-220.	1.1	35
34	Sizing ocean giants: patterns of intraspecific size variation in marine megafauna. <i>PeerJ</i> , 2015, 3, e715.	2.0	104
35	Beta-diversity on deep-sea wood falls reflects gradients in energy availability. <i>Biology Letters</i> , 2014, 10, 20140129.	2.3	52
36	Metabolic dominance of bivalves predates brachiopod diversity decline by more than 150 million years. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133122.	2.6	53

#	ARTICLE	IF	CITATIONS
37	Does energy availability predict gastropod reproductive strategies?. Proceedings of the Royal Society B: Biological Sciences, 2014, 281, 20140400.	2.6	8
38	A critical evaluation of science outreach via social media: its role and impact on scientists. F1000Research, 2014, 3, 300.	1.6	12
39	Contrasting patterns of $\hat{1}$ - and $\hat{2}$ -diversity in deep-sea bivalves of the eastern and western North Atlantic. Deep-Sea Research Part II: Topical Studies in Oceanography, 2013, 92, 157-164.	1.4	33
40	Unravelling the determinants of insular body size shifts. Biology Letters, 2013, 9, 20120989.	2.3	28
41	Science Incubators: Synthesis Centers and Their Role in the Research Ecosystem. PLoS Biology, 2013, 11, e1001468.	5.6	32
42	Dispersal, environmental niches and oceanic-scale turnover in deep-sea bivalves. Proceedings of the Royal Society B: Biological Sciences, 2012, 279, 1993-2002.	2.6	54
43	Extinctions in ancient and modern seas. Trends in Ecology and Evolution, 2012, 27, 608-617.	8.7	221
44	Energetics of life on the deep seafloor. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 15366-15371.	7.1	133
45	A Lack of Attribution: Closing the Citation Gap Through a Reform of Citation and Indexing Practices. Taxon, 2012, 61, 1349-1351.	0.7	7
46	INCREASED ENERGY PROMOTES SIZE-BASED NICHE AVAILABILITY IN MARINE MOLLUSKS. Evolution; International Journal of Organic Evolution, 2012, 66, 2204-2215.	2.3	27
47	Digital Environmentalism: Tools and Strategies for the Evolving Online Ecosystem. , 2012, , 364-372.		14
48	Escargots through time: an energetic comparison of marine gastropod assemblages before and after the Mesozoic Marine Revolution. Paleobiology, 2011, 37, 252-269.	2.0	61
49	Speciesâ€“energy relationships in deep-sea molluscs. Biology Letters, 2011, 7, 718-722.	2.3	71
50	THE GEOZOIC SUPEREON. Palaios, 2011, 26, 251-255.	1.3	5
51	The evolutionary consequences of oxygenic photosynthesis: a body size perspective. Photosynthesis Research, 2011, 107, 37-57.	2.9	107
52	Local-scale faunal turnover on the deep Pacific seafloor. Marine Ecology - Progress Series, 2011, 422, 193-200.	1.9	30
53	Assemblage structure, but not diversity or density, change with depth on a northeast Pacific seamount. Marine Ecology, 2010, 31, 14-25.	1.1	72
54	The dynamics of biogeographic ranges in the deep sea. Proceedings of the Royal Society B: Biological Sciences, 2010, 277, 3533-3546.	2.6	185

#	ARTICLE	IF	CITATIONS
55	Habitat heterogeneity, disturbance, and productivity work in concert to regulate biodiversity in deep submarine canyons. <i>Ecology</i> , 2010, 91, 964-976.	3.2	197
56	An Empire Lacking Food. <i>American Scientist</i> , 2010, 98, 470.	0.1	4
57	Endemicity, Biogeography, Composition, and Community Structure On a Northeast Pacific Seamount. <i>PLoS ONE</i> , 2009, 4, e4141.	2.5	97
58	Biodiversity and body size are linked across metazoans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 2209-2215.	2.6	35
59	Two-phase increase in the maximum size of life over 3.5 billion years reflects biological innovation and environmental opportunity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 24-27.	7.1	260
60	Ichthyofauna on three seamounts off southern and central California, USA. <i>Marine Ecology - Progress Series</i> , 2009, 389, 223-232.	1.9	28
61	Patterns in Deep-Sea Macroecology. , 2009, , 65-100.		26
62	The relationship between the standing stock of deep-sea macrobenthos and surface production in the western North Atlantic. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2007, 54, 1350-1360.	1.4	79
63	Challenges in the application of geometric constraint models. <i>Global Ecology and Biogeography</i> , 2007, 16, 257-264.	5.8	25
64	Seamounts: identity crisis or split personality?. <i>Journal of Biogeography</i> , 2007, 34, 2001-2008.	3.0	113
65	Global bathymetric patterns of standing stock and body size in the deep-sea benthos. <i>Marine Ecology - Progress Series</i> , 2006, 317, 1-8.	1.9	409
66	The island rule and the evolution of body size in the deep sea. <i>Journal of Biogeography</i> , 2006, 33, 1578-1584.	3.0	65
67	Influence of ecological role on bathymetric patterns of deep-sea species: size clines in parasitic gastropods. <i>Marine Ecology - Progress Series</i> , 2006, 320, 161-167.	1.9	2
68	A Source-Sink Hypothesis for Abyssal Biodiversity. <i>American Naturalist</i> , 2005, 165, 163-178.	2.1	227
69	BATHYMETRIC PATTERNS OF MORPHOLOGICAL DISPARITY IN DEEP-SEA GASTROPODS FROM THE WESTERN NORTH ATLANTIC BASIN. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1492-1499.	2.3	32
70	Mid-domain models as predictors of species diversity patterns: bathymetric diversity gradients in the deep sea. <i>Oikos</i> , 2005, 109, 555-566.	2.7	53
71	BATHYMETRIC PATTERNS OF MORPHOLOGICAL DISPARITY IN DEEP-SEA GASTROPODS FROM THE WESTERN NORTH ATLANTIC BASIN. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1492.	2.3	2
72	Bathymetric patterns of morphological disparity in deep-sea gastropods from the western North Atlantic basin. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1492-9.	2.3	4

#	ARTICLE	IF	CITATIONS
73	Connecting species richness, abundance and body size in deep-sea gastropods. <i>Global Ecology and Biogeography</i> , 2004, 13, 327-334.	5.8	59
74	MORPHOLOGICAL DISPARITY AS A BIODIVERSITY METRIC IN LOWER BATHYALAND ABYSSAL GASTROPOD ASSEMBLAGES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 338-348.	2.3	45
75	MOCNESS estimates of the size and abundance of a pelagic gonostomatid fish <i>Cyclothone pallida</i> off the Bahamas. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2001, 81, 869-871.	0.8	8
76	The macrofaunal metropolis in the sediments around the first ever deep-sea alligator fall. <i>Marine Ecology</i> , 0, , .	1.1	0