

# Janusz Rybakowski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7457055/publications.pdf>

Version: 2024-02-01

205  
papers

8,225  
citations

53794

45  
h-index

60623

81  
g-index

235  
all docs

235  
docs citations

235  
times ranked

9102  
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008, 371, 1085-1097.	13.7	964
2	The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.	7.2	579
3	Wilson disease. <i>Nature Reviews Disease Primers</i> , 2018, 4, 21.	30.5	466
4	Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.	13.7	306
5	Cognitive Effects of Antipsychotic Drugs in First-Episode Schizophrenia and Schizophreniform Disorder: A Randomized, Open-Label Clinical Trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009, 166, 675-682.	7.2	284
6	Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.	2.9	182
7	Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.	2.5	156
8	Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.	0.7	152
9	Cytokines and C-reactive protein alterations with respect to cognitive impairment in schizophrenia and bipolar disorder: A systematic review. <i>Schizophrenia Research</i> , 2018, 192, 16-29.	2.0	138
10	The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.	1.9	134
11	Prefrontal cognition in schizophrenia and bipolar illness in relation to Val66Met polymorphism of the brain-derived neurotrophic factor gene. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 70-76.	1.8	105
12	Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.	11.0	102
13	Excellent lithium responders have normal cognitive functions and plasma BDNF levels. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 617-622.	2.1	94
14	Impairment of Endothelial Function in Unipolar and Bipolar Depression. <i>Biological Psychiatry</i> , 2006, 60, 889-891.	1.3	89
15	The prophylactic effect of long-term lithium administration in bipolar patients entering treatment in the 1970s and 1980s. <i>Bipolar Disorders</i> , 2001, 3, 63-67.	1.9	88
16	Administration of ketamine for unipolar and bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 2-12.	2.4	84
17	Are there differences in lipid peroxidation and immune biomarkers between major depression and bipolar disorder: Effects of melancholia, atypical depression, severity of illness, episode number, suicidal ideation and prior suicide attempts. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 372-383.	4.8	82
18	Childhood trauma in mood disorders: Neurobiological mechanisms and implications for treatment. <i>Pharmacological Reports</i> , 2019, 71, 112-120.	3.3	82

#	ARTICLE	IF	CITATIONS
19	Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 27.	2.2	81
20	Single ketamine infusion in bipolar depression resistant to antidepressants: are neurotrophins involved?. <i>Human Psychopharmacology</i> , 2013, 28, 87-90.	1.5	78
21	Response to lithium prophylaxis: Interaction between serotonin transporter and <i>BDNF</i> genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 820-823.	1.7	77
22	Functional polymorphism of the matrix metalloproteinase-9 (MMP-9) gene in schizophrenia. <i>Schizophrenia Research</i> , 2009, 109, 90-93.	2.0	74
23	Association studies of the <i>BDNF</i> and the <i>NTRK2</i> gene polymorphisms with prophylactic lithium response in bipolar patients. <i>Pharmacogenomics</i> , 2008, 9, 1595-1603.	1.3	73
24	Psychiatric manifestations in Wilson's disease: possibilities and difficulties for treatment. <i>Therapeutic Advances in Psychopharmacology</i> , 2018, 8, 199-211.	2.7	68
25	Bipolar mood disorders among Polish psychiatric outpatients treated for major depression. <i>Journal of Affective Disorders</i> , 2005, 84, 141-147.	4.1	66
26	Genetic Influences on Response to Mood Stabilizers in Bipolar Disorder. <i>CNS Drugs</i> , 2013, 27, 165-173.	5.9	66
27	Association study of the glycogen synthase kinase-3 $\beta$ gene polymorphism with prophylactic lithium response in bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 158-161.	2.6	64
28	Response to Lithium in Bipolar Disorder: Clinical and Genetic Findings. <i>ACS Chemical Neuroscience</i> , 2014, 5, 413-421.	3.5	64
29	Increased serum matrix metalloproteinase-9 (MMP-9) levels in young patients during bipolar depression. <i>Journal of Affective Disorders</i> , 2013, 146, 286-289.	4.1	62
30	Matrix Metalloproteinase-9 (MMP9) as a Mediating Enzyme in Cardiovascular Disease, Cancer, and Neuropsychiatric Disorders. <i>Cardiovascular Psychiatry and Neurology</i> , 2009, 2009, 1-7.	0.8	61
31	Polish validation of the TEMPS-A: The profile of affective temperaments in a college student population. <i>Journal of Affective Disorders</i> , 2010, 123, 36-41.	4.1	61
32	Atypical depression: current perspectives. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2447-2456.	2.2	60
33	A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959.	0.7	60
34	Association analysis of the insertion/deletion polymorphism in serotonin transporter gene in patients with affective disorder. <i>European Psychiatry</i> , 2003, 18, 129-132.	0.2	58
35	Polymorphism of circadian clock genes and prophylactic lithium response. <i>Bipolar Disorders</i> , 2014, 16, 151-158.	1.9	58
36	TEMPS-A and long-term lithium response: Positive correlation with hyperthymic temperament. <i>Journal of Affective Disorders</i> , 2013, 145, 187-189.	4.1	57

#	ARTICLE	IF	CITATIONS
37	Lipid Peroxidation and Immune Biomarkers Are Associated with Major Depression and Its Phenotypes, Including Treatment-Resistant Depression and Melancholia. <i>Neurotoxicity Research</i> , 2018, 33, 448-460.	2.7	57
38	Clinical and pathogenic aspects of candidate genes for lithium prophylactic efficacy. <i>Journal of Psychopharmacology</i> , 2012, 26, 368-373.	4.0	54
39	The assessment of orthorexia nervosa among 1899 Polish adolescents using the ORTO-15 questionnaire. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 199-203.	2.4	54
40	Lithium's antiviral effects: a potential drug for CoViD-19 disease?. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 21.	2.2	52
41	Prophylactic effect of lithium in bipolar affective illness may be related to serotonin transporter genotype. <i>Pharmacological Reports</i> , 2005, 57, 124-7.	3.3	51
42	Types of Depression More Frequent in Bipolar than in Unipolar Affective Illness: Results of the Polish DEP-BI Study. <i>Psychopathology</i> , 2007, 40, 153-158.	1.5	49
43	Relationship of suicide rates with climate and economic variables in Europe during 2000-2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.	2.7	48
44	Electroconvulsive therapy and cognitive functions in treatment-resistant depression. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 159-164.	2.6	48
45	The effect of lithium on hematopoietic, mesenchymal and neural stem cells. <i>Pharmacological Reports</i> , 2016, 68, 224-230.	3.3	47
46	Associations of Serum Cytokine Receptor Levels with Melancholia, Staging of Illness, Depressive and Manic Phases, and Severity of Depression in Bipolar Disorder. <i>Molecular Neurobiology</i> , 2017, 54, 5883-5893.	4.0	46
47	Performance on the Wisconsin Card Sorting Test in schizophrenia and genes of dopaminergic inactivation (COMT, DAT, NET). <i>Psychiatry Research</i> , 2006, 143, 13-19.	3.3	45
48	Atypical features in depression: Association with obesity and bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 185, 76-80.	4.1	44
49	Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.	7.9	44
50	Matrix Metalloproteinase-9 Gene and Bipolar Mood Disorder. <i>NeuroMolecular Medicine</i> , 2009, 11, 128-132.	3.4	43
51	Lithium in neuropsychiatry: A 2010 update. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 340-348.	2.6	43
52	Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.	4.1	43
53	Response to prophylactic lithium in bipolar disorder may be associated with a preservation of executive cognitive functions. <i>European Neuropsychopharmacology</i> , 2009, 19, 791-795.	0.7	41
54	Bipolar Mood Disorder, Creativity and Schizotypy: An Experimental Study. <i>Psychopathology</i> , 2011, 44, 296-302.	1.5	40

#	ARTICLE	IF	CITATIONS
55	Bipolarity and inadequate response to antidepressant drugs: Clinical and psychopharmacological perspective. <i>Journal of Affective Disorders</i> , 2012, 136, e13-e19.	4.1	39
56	Polymorphism of circadian clock genes and temperamental dimensions of the TEMPS-A in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 159, 80-84.	4.1	39
57	Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.	3.1	39
58	Challenging the Negative Perception of Lithium and Optimizing Its Long-Term Administration. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 349.	2.9	39
59	Clinical Perspectives of Lithium's Neuroprotective Effect. <i>Pharmacopsychiatry</i> , 2018, 51, 194-199.	3.3	38
60	Selected Cytokine Profiles during Remission in Bipolar Patients. <i>Neuropsychobiology</i> , 2012, 66, 193-198.	1.9	37
61	Psychiatric hospitalizations for affective disorders in Warsaw, Poland: Effect of season and intensity of sunlight. <i>Psychiatry Research</i> , 2015, 229, 287-294.	3.3	37
62	Ketamine augmentation rapidly improves depression scores in inpatients with treatment-resistant bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 99-103.	2.4	37
63	Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394.	3.3	36
64	Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17.	2.2	35
65	Two generations of mood stabilizers. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 709-11.	2.1	33
66	Polish version of the Hypomania Checklist (HCL-32) scale: the results in treatment-resistant depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 139-144.	3.2	33
67	Ketamine Anesthesia, Efficacy of Electroconvulsive Therapy, and Cognitive Functions in Treatment-Resistant Depression. <i>Journal of ECT</i> , 2016, 32, 164-168.	0.6	31
68	Effect of Lithium on Neurocognitive Functioning. <i>Current Alzheimer Research</i> , 2016, 13, 887-893.	1.4	31
69	Factors Associated with Lithium Efficacy in Bipolar Disorder. <i>Harvard Review of Psychiatry</i> , 2014, 22, 353-357.	2.1	30
70	&lt;i>FYN</i> Kinase Gene: Another Glutamatergic Gene Associated with Bipolar Disorder?. <i>Neuropsychobiology</i> , 2009, 59, 178-183.	1.9	28
71	Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 1.	2.2	28
72	Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.	2.6	28

#	ARTICLE	IF	CITATIONS
73	Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 272-277.	4.1	27
74	Suicidal Behavior in Schizophrenia may be Related to Low Lipid Levels. <i>Medical Science Monitor</i> , 2014, 20, 1486-1490.	1.1	27
75	Association studies of 5-HT2A and 5-HT2C serotonin receptor gene polymorphisms with prophylactic lithium response in bipolar patients. <i>Pharmacological Reports</i> , 2005, 57, 761-5.	3.3	27
76	The association study of three <i>FYN</i> polymorphisms with prophylactic lithium response in bipolar patients. <i>Human Psychopharmacology</i> , 2009, 24, 287-291.	1.5	26
77	No association of three <i>GRIN2B</i> polymorphisms with lithium response in bipolar patients. <i>Pharmacological Reports</i> , 2009, 61, 448-452.	3.3	26
78	The utility of Mood Disorder Questionnaire for the detection of bipolar diathesis in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2010, 124, 270-274.	4.1	26
79	A cross-sectional study of thyroid function in 66 patients with bipolar disorder receiving lithium for 10-44 years. <i>Bipolar Disorders</i> , 2015, 17, 375-380.	1.9	26
80	Extrapyramidal symptoms during treatment of first schizophrenia episode: Results from EUFEST. <i>European Neuropsychopharmacology</i> , 2014, 24, 1500-1505.	0.7	25
81	Postpartum depression: Identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. <i>Psychiatry Research</i> , 2014, 215, 69-74.	3.3	25
82	Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.	3.1	25
83	Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.	4.8	25
84	Suicidal behaviour and lipid levels in unipolar and bipolar depression. <i>Acta Neuropsychiatrica</i> , 2014, 26, 315-320.	2.1	24
85	FREE-THYROXINE INDEX AND ABSOLUTE FREE-THYROXINE IN AFFECTIVE DISORDERS. <i>Lancet</i> , The, 1973, 301, 889.	13.7	23
86	Treatment of depression in first episode of schizophrenia: Results from EUFEST. <i>European Neuropsychopharmacology</i> , 2012, 22, 875-882.	0.7	22
87	The association of glycogen synthase kinase-3beta ( <i>GSK-3<math>\beta</math></i> ) gene polymorphism with kidney function in long-term lithium-treated bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 8.	2.2	22
88	Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 11.	2.2	22
89	Increased affective empathy in bipolar patients during a manic episode. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 342-345.	1.7	22
90	Meaningful aspects of the term "mood stabilizer". <i>Bipolar Disorders</i> , 2018, 20, 391-392.	1.9	22

#	ARTICLE	IF	CITATIONS
91	Stem cells, pluripotency and glial cell markers in peripheral blood of bipolar patients on long-term lithium treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 80, 28-33.	4.8	22
92	International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.	3.2	22
93	Mentalization deficit in bipolar patients during an acute depressive and manic episode: association with cognitive functions. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 38.	2.2	21
94	Assessment of Complement Cascade Components in Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 614.	2.6	21
95	Thyroid structure and function in long-term lithium-treated and lithium-naïve bipolar patients. <i>Human Psychopharmacology</i> , 2019, 34, e2708.	1.5	21
96	Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.	1.9	20
97	Novel markers of kidney injury in bipolar patients on long-term lithium treatment. <i>Human Psychopharmacology</i> , 2013, 28, 615-618.	1.5	19
98	A web-based study of bipolarity and impulsivity in athletes engaging in extreme and high-risk sports. <i>Acta Neuropsychiatrica</i> , 2016, 28, 179-183.	2.1	19
99	Kidney, thyroid and other organ functions after 40 years or more of lithium therapy: a case series of five patients. <i>Therapeutic Advances in Psychopharmacology</i> , 2016, 6, 277-282.	2.7	19
100	Sleep deprivation as a method of chronotherapy in the treatment of depression. <i>Psychiatria Polska</i> , 2015, 49, 423-433.	0.5	19
101	Functional polymorphism of matrix metalloproteinase-9 (MMP-9) gene and response to lithium prophylaxis in bipolar patients. <i>Human Psychopharmacology</i> , 2011, 26, 168-171.	1.5	18
102	Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i>, Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.	2.3	18
103	Content overlap analysis of 64 (hypo)mania symptoms among seven common rating scales. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1737.	2.1	18
104	Functional "1149 G/T Polymorphism of the Prolactin Gene in Schizophrenia. <i>Neuropsychobiology</i> , 2012, 65, 41-44.	1.9	17
105	Temperamental dimensions of the TEMPS-A in male and female subjects engaging in extreme or/and high risk sports. <i>Journal of Affective Disorders</i> , 2015, 170, 66-70.	4.1	17
106	The effect of lithium on thyroid function in patients with bipolar disorder.. <i>Psychiatria Polska</i> , 2014, 48, 417-428.	0.5	17
107	Rates of flu-like infection in patients with affective illness. <i>Journal of Affective Disorders</i> , 1998, 47, 177-182.	4.1	16
108	Morningness-eveningness and affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A). <i>Chronobiology International</i> , 2017, 34, 57-65.	2.0	16

#	ARTICLE	IF	CITATIONS
109	Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 154-159.	1.7	16
110	Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021, 11, 36.	4.8	16
111	Negative experiences in childhood and the development and course of bipolar disorder. <i>Psychiatria Polska</i> , 2016, 50, 989-1000.	0.5	16
112	The prevalence of antipsychotic polypharmacy in schizophrenic patients discharged from psychiatric units in Poland. <i>Pharmacological Reports</i> , 2014, 66, 613-617.	3.3	15
113	120th Anniversary of the Kraepelinian Dichotomy of Psychiatric Disorders. <i>Current Psychiatry Reports</i> , 2019, 21, 65.	4.5	15
114	Clinical picture, pathogenesis and psychometric assessment of negative symptoms of schizophrenia. <i>Psychiatria Polska</i> , 2018, 52, 185-197.	0.5	15
115	Increased mRNA expression of peripheral glial cell markers in bipolar disorder: The effect of long-term lithium treatment. <i>European Neuropsychopharmacology</i> , 2016, 26, 1516-1521.	0.7	14
116	Recent advances in the understanding and management of bipolar disorder in adults. <i>F1000Research</i> , 2017, 6, 2033.	1.6	14
117	The role of affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A) in the relationship between morningness-eveningness and bipolarity. <i>Journal of Affective Disorders</i> , 2018, 232, 83-88.	4.1	14
118	No Connection between Long-Term Lithium Treatment and Antithyroid Antibodies. <i>Pharmacopsychiatry</i> , 2019, 52, 232-236.	3.3	14
119	Augmentation of Pharmacotherapy by Sleep Deprivation with Sleep Phase Advance in Treatment-Resistant Depression. <i>Pharmacopsychiatry</i> , 2019, 52, 186-192.	3.3	14
120	Ultra-long-term lithium therapy: all-important matters and a case of successful 50-year lithium treatment. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 407-413.	1.7	14
121	Screening for the markers of kidney damage in men and women on long-term lithium treatment. <i>Medical Science Monitor</i> , 2012, 18, CR656-CR660.	1.1	14
122	Polish version of the Brief Negative Symptom Scale (BNSS). <i>Psychiatria Polska</i> , 2019, 53, 541-549.	0.5	14
123	Temperamental dimensions of the TEMPS-A in females with co-morbid bipolar disorder and bulimia. <i>Journal of Affective Disorders</i> , 2014, 164, 90-93.	4.1	13
124	Editorial: Endophenotypes for Schizophrenia and Mood Disorders: Implications from Genetic, Biochemical, Cognitive, Behavioral, and Neuroimaging Studies. <i>Frontiers in Psychiatry</i> , 2016, 7, 83.	2.6	13
125	Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 20.	2.2	13
126	Transcriptomic profiling as biological markers of depression – A pilot study in unipolar and bipolar women. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 744-756.	2.6	13



#	ARTICLE	IF	CITATIONS
127	Polish version of the Self-evaluation of Negative Symptoms (SNS). <i>Psychiatria Polska</i> , 2019, 53, 551-559.	0.5	13
128	European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.	2.6	13
129	Antiviral, immunomodulatory, and neuroprotective effect of lithium. <i>Journal of Integrative Neuroscience</i> , 2022, 21, 068.	1.7	13
130	Possible usefulness of tianeptine in treatment-resistant depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 313-316.	2.4	12
131	Glucocorticoid receptor polymorphism is associated with lithium response in bipolar patients. <i>Neuroendocrinology Letters</i> , 2011, 32, 545-51.	0.2	12
132	The effect of long-term lithium treatment of bipolar disorder on stem cells circulating in peripheral blood. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 54-62.	2.6	11
133	Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021, 11, 1155.	3.3	11
134	Emotion recognition and theory of mind in chronic schizophrenia: association with negative symptoms. <i>Archives of Psychiatry and Psychotherapy</i> , 2017, 19, 7-12.	0.3	11
135	Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.	2.8	11
136	The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 325-328.	1.7	10
137	Genes involved in stress response influence lithium efficacy in bipolar patients. <i>Bipolar Disorders</i> , 2018, 20, 753-760.	1.9	10
138	The bipolar disorders: A case for their categorically distinct status based on symptom profiles. <i>Journal of Affective Disorders</i> , 2020, 277, 225-231.	4.1	10
139	HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.	3.3	10
140	Regulative theory of temperament versus affective temperaments measured by the temperament evaluation of Memphis, Pisa, Paris and San Diego Auto-questionnaire (TEMPS-A): a study in a non-clinical Polish sample. <i>Current Issues in Personality Psychology</i> , 2017, 2, 73-82.	0.5	9
141	Adult stem cells in psychiatric disorders – New discoveries in peripheral blood. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 80, 23-27.	4.8	9
142	Lithium treatment in the era of personalized medicine. <i>Drug Development Research</i> , 2020, 82, 621-627.	2.9	9
143	Childhood adversity and clinical features of bipolar mood disorder. <i>Archives of Psychiatry and Psychotherapy</i> , 2018, 20, 13-19.	0.3	9
144	Aripiprazole Joins the Family of Second-Generation Mood Stabilizers. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 862-863.	2.2	9

#	ARTICLE	IF	CITATIONS
145	Lithium treatment – the state of the art for 2020. <i>Psychiatria Polska</i> , 2020, 54, 1047-1066.	0.5	9
146	Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.	0.7	9
147	Long-term administration of the low-dose risperidone in schizotaxia subjects. <i>Human Psychopharmacology</i> , 2007, 22, 407-412.	1.5	8
148	Lithium – past, present, future. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 330-340.	2.4	8
149	Differentiating mania/hypomania from happiness using a machine learning analytic approach.. <i>Journal of Affective Disorders</i> , 2021, 281, 505-509.	4.1	8
150	Etiopathogenesis of schizophrenia – the status of knowledge for 2021. <i>Psychiatria Polska</i> , 2021, 55, 261-274.	0.5	8
151	Expression Biomarkers of Pharmacological Treatment Outcomes in Women with Unipolar and Bipolar Depression. <i>Pharmacopsychiatry</i> , 2021, 54, 261-268.	3.3	8
152	Recommendations of the Polish Psychiatric Association for treatment of affective disorders in women of childbearing age. Part I: Treatment of depression. <i>Psychiatria Polska</i> , 2019, 53, 245-262.	0.5	8
153	Renal sonography in bipolar patients on long-term lithium treatment. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 354-359.	0.8	7
154	Negative symptoms in schizophrenia, assessed by the brief negative symptom scale, self-evaluation of negative symptom scale, and social cognition: a gender effect. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 25, 1-6.	2.4	7
155	Recommendations of the Polish Psychiatric Association regarding the treatment of affective disorders in women of childbearing age. Part II: Bipolar disorder. <i>Psychiatria Polska</i> , 2019, 53, 263-276.	0.5	7
156	Peripheral mRNA expression of pluripotency markers in bipolar disorder and the effect of long-term lithium treatment. <i>Pharmacological Reports</i> , 2016, 68, 1042-1045.	3.3	6
157	Metabolic indices in schizophrenia: Association of negative symptoms with higher HDL cholesterol in female patients. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 552-556.	2.6	6
158	Treatment-resistant depression: Neurobiological correlates and the effect of sleep deprivation with sleep phase advance for the augmentation of pharmacotherapy. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 58-69.	2.6	6
159	Etiopathogenesis of bipolar affective illness – the status of knowledge for 2021. <i>Psychiatria Polska</i> , 2021, 55, 481-496.	0.5	6
160	Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.	2.2	6
161	Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89.	0.9	6
162	Lithium. <i>European Neuropsychopharmacology</i> , 2022, 57, 86-87.	0.7	6

#	ARTICLE	IF	CITATIONS
163	The <sc>ADH</sc> gene cluster <sc>SNP</sc> rs1789891 and temperamental dimensions in patients with alcohol dependence and affective disorders. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 420-427.	1.5	5
164	Neurobiology and temperament in the offspring of excellent lithium responders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 272-277.	2.6	5
165	Commentary: Corroboration of a Major Role for Herpes Simplex Virus Type 1 in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 433.	3.4	5
166	Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298.	1.2	5
167	Transcriptome Changes in Three Brain Regions during Chronic Lithium Administration in the Rat Models of Mania and Depression. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1148.	4.1	5
168	Depression with atypical features in various kinds of depression. <i>Psychiatria Polska</i> , 2016, 50, 827-838.	0.5	5
169	Genetic association study reveals impact of interleukin 10 polymorphisms on cognitive functions in schizophrenia. <i>Behavioural Brain Research</i> , 2022, 419, 113706.	2.2	5
170	Mini-review: Anomalous association between lithium data and lithium use. <i>Neuroscience Letters</i> , 2022, 777, 136590.	2.1	5
171	Agomelatine-induced liver injury in a patient with choledocholithiasis. <i>Acta Neuropsychiatrica</i> , 2015, 27, 56-59.	2.1	4
172	Psychotropic drugs and personality changes: A case of lithium. <i>Pharmacological Reports</i> , 2015, 67, 1204-1207.	3.3	4
173	International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476.	1.3	4
174	Lithium and bipolar depression. <i>Bipolar Disorders</i> , 2019, 21, 458-459.	1.9	4
175	Genes involved in glucocorticoid receptor signalling affect susceptibility to mood disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 149-160.	2.6	4
176	Decreased leucocyte telomere length in male patients with chronic bipolar disorder: lack of effect of long-term lithium treatment. <i>Acta Neuropsychiatrica</i> , 2021, 33, 299-306.	2.1	4
177	Painting "Mania". <i>Journal of Affective Disorders</i> , 2011, 128, 319-320.	4.1	3
178	Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.	1.2	3
179	Anticholinergic Mechanisms. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1698-1700.	2.2	3
180	A severe course of the COVID-19 in a patient receiving prophylactically lithium. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 36, 143-148.	0.1	3

#	ARTICLE	IF	CITATIONS
181	A new machine learning-derived screening measure for differentiating bipolar from unipolar mood disorders. <i>Journal of Affective Disorders</i> , 2022, 299, 513-516.	4.1	3
182	Higher indexes of childhood trauma in borderline personality disorder compared with bipolar disorder. <i>Psychiatria Polska</i> , 2022, 56, 7-18.	0.5	3
183	Long-term assessment of the efficacy and tolerability of risperidone in early schizophrenia: An international multicenter study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004, 8, 147-152.	2.4	2
184	Childhood trauma in bipolar disorder. <i>Neuropsychiatria I Neuropsychologia</i> , 2016, 2, 39-46.	0.4	2
185	Markers of Regenerative Processes in Patients with Bipolar Disorder: A Case-control Study. <i>Brain Sciences</i> , 2020, 10, 408.	2.3	2
186	Mood Stabilizers: Lithium. , 2020, , 1-30.		2
187	Symptoms of depression among adults in rural areas of western Poland. <i>Annals of Agricultural and Environmental Medicine</i> , 2015, 22, 152-155.	1.0	2
188	A half-century of participant observation in psychiatry. Part I. Schizophrenia. <i>Psychiatria Polska</i> , 2020, 54, 405-419.	0.5	2
189	A half-century of participant observation in psychiatry. Part II. Affective illnesses.. <i>Psychiatria Polska</i> , 2020, 54, 641-659.	0.5	2
190	Association of Negative Symptoms of Schizophrenia Assessed by the BNSS and SNS Scales With Neuropsychological Performance: A Gender Effect. <i>Frontiers in Psychiatry</i> , 2021, 12, 797386.	2.6	2
191	Assessment of negative symptoms in male and female schizophrenia patients using the Polish version of the Brief Negative Syndrome Scale and Self-evaluation of Negative Symptoms. <i>Neuropsychiatria I Neuropsychologia</i> , 2018, 13, 121-127.	0.4	1
192	Lithium – the benefits of long-term treatment. <i>Bipolar Disorders</i> , 2021, 23, 213-214.	1.9	1
193	Categorical differentiation of the unipolar and bipolar disorders. <i>Psychiatry Research</i> , 2021, 297, 113719.	3.3	1
194	Guides for users and prescribers of lithium. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 29.	2.2	1
195	A half-century of participant observation in psychiatry. Part III: psychopharmacology. <i>Psychiatria Polska</i> , 2020, 54, 845-864.	0.5	1
196	COVID-19 infection in 50 patients receiving lithium. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2021, 37, .	0.1	1
197	Pharmacogenetics of Mood Stabilizers. , 2016, , 93-109.		0
198	Mogens Schou (1918–2005): a scientist, a doctor and a lithium champion. <i>Bipolar Disorders</i> , 2018, 20, 680-682.	1.9	0

#	ARTICLE	IF	CITATIONS
199	The psychopathological potential of early life stress. World Journal of Biological Psychiatry, 2020, 21, 491-492.	2.6	0
200	Lithium therapy in literature and art. Pharmacotherapy in Psychiatry and Neurology, 2021, 36, 271-284.	0.1	0
201	Pharmacotherapy and psychotherapy for bipolar disorder in the context of early childhood trauma. Pharmacotherapy in Psychiatry and Neurology, 2019, 35, 37-50.	0.1	0
202	Biomarkers of lithium efficacy in bipolar disorders. , 2022, , 293-311.		0
203	Long-term pharmacological treatment of bipolar disorders. Neuroendocrinology Letters, 2007, 28 Suppl 1, 71-93.	0.2	0
204	Dysfunction of the Purinergic System in Bipolar Disorder. Neuropsychobiology, 2022, , 1-6.	1.9	0
205	Speech Understanding in Manic and Depressive Episodes of Mood Disorders. Journal of Neuropsychiatry and Clinical Neurosciences, 2022, 34, 414-421.	1.8	0