

# Janusz Rybakowski

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7457055/publications.pdf>

Version: 2024-02-01

205  
papers

8,225  
citations

53794

45  
h-index

60623

81  
g-index

235  
all docs

235  
docs citations

235  
times ranked

9102  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Gender, age at onset, and duration of being ill as predictors for the long-term course and outcome of schizophrenia: an international multicenter study. <i>CNS Spectrums</i> , 2022, 27, 716-723.                                | 1.2 | 3         |
| 2  | A new machine learning-derived screening measure for differentiating bipolar from unipolar mood disorders. <i>Journal of Affective Disorders</i> , 2022, 299, 513-516.  | 4.1 | 3         |
| 3  | Genetic association study reveals impact of interleukin 10 polymorphisms on cognitive functions in schizophrenia. <i>Behavioural Brain Research</i> , 2022, 419, 113706.  | 2.2 | 5         |
| 4  | European Validation of the Self-Evaluation of Negative Symptoms (SNS): A Large Multinational and Multicenter Study. <i>Frontiers in Psychiatry</i> , 2022, 13, 826465.  | 2.6 | 13        |
| 5  | Biomarkers of lithium efficacy in bipolar disorders. , 2022, , 293-311.   |     | 0         |
| 6  | Using polygenic scores and clinical data for bipolar disorder patient stratification and lithium response prediction: machine learning approach. <i>British Journal of Psychiatry</i> , 2022, 220, 219-228.                       | 2.8 | 11        |
| 7  | Higher indexes of childhood trauma in borderline personality disorder compared with bipolar disorder. <i>Psychiatria Polska</i> , 2022, 56, 7-18.   | 0.5 | 3         |
| 8  | Dysfunction of the Purinergic System in Bipolar Disorder. <i>Neuropsychobiology</i> , 2022, , 1-6.  | 1.9 | 0         |
| 9  | Antiviral, immunomodulatory, and neuroprotective effect of lithium. <i>Journal of Integrative Neuroscience</i> , 2022, 21, 068.   | 1.7 | 13        |
| 10 | Mini-review: Anomalous association between lithium data and lithium use. <i>Neuroscience Letters</i> , 2022, 777, 136590.   | 2.1 | 5         |
| 11 | Lithium. <i>European Neuropsychopharmacology</i> , 2022, 57, 86-87.   | 0.7 | 6         |
| 12 | Speech Understanding in Manic and Depressive Episodes of Mood Disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2022, 34, 414-421.  | 1.8 | 0         |
| 13 | Expert consensus recommendations on the use of randomized clinical trials for drug approval in psychiatry- comparing trial designs. <i>European Neuropsychopharmacology</i> , 2022, 60, 91-99.                                    | 0.7 | 9         |
| 14 | Metabolic indices in schizophrenia: Association of negative symptoms with higher HDL cholesterol in female patients. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 552-556.   | 2.6 | 6         |
| 15 | Genes involved in glucocorticoid receptor signalling affect susceptibility to mood disorders. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 149-160.  | 2.6 | 4         |
| 16 | Association of polygenic score for major depression with response to lithium in patients with bipolar disorder. <i>Molecular Psychiatry</i> , 2021, 26, 2457-2470.  | 7.9 | 44        |
| 17 | Treatment-resistant depression: Neurobiological correlates and the effect of sleep deprivation with sleep phase advance for the augmentation of pharmacotherapy. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 58-69. | 2.6 | 6         |
| 18 | Modeling psychological function in patients with schizophrenia with the PANSS: an international multi-center study. <i>CNS Spectrums</i> , 2021, 26, 290-298.   | 1.2 | 5         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Lithium – the benefits of long-term treatment. <i>Bipolar Disorders</i> , 2021, 23, 213-214.  | 1.9 | 1         |
| 20 | Exemplar scoring identifies genetically separable phenotypes of lithium responsive bipolar disorder. <i>Translational Psychiatry</i> , 2021, 11, 36.  | 4.8 | 16        |
| 21 | Prediction of lithium response using genomic data. <i>Scientific Reports</i> , 2021, 11, 1155.  | 3.3 | 11        |
| 22 | Transcriptome Changes in Three Brain Regions during Chronic Lithium Administration in the Rat Models of Mania and Depression. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1148.  | 4.1 | 5         |
| 23 | Differentiating mania/hypomania from happiness using a machine learning analytic approach.. <i>Journal of Affective Disorders</i> , 2021, 281, 505-509.   | 4.1 | 8         |
| 24 | Lithium therapy in literature and art. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2021, 36, 271-284.  | 0.1 | 0         |
| 25 | Categorical differentiation of the unipolar and bipolar disorders. <i>Psychiatry Research</i> , 2021, 297, 113719.  | 3.3 | 1         |
| 26 | Etiopathogenesis of schizophrenia – the status of knowledge for 2021. <i>Psychiatria Polska</i> , 2021, 55, 261-274.  | 0.5 | 8         |
| 27 | Transcriptomic profiling as biological markers of depression – A pilot study in unipolar and bipolar women. <i>World Journal of Biological Psychiatry</i> , 2021, 22, 744-756.                      | 2.6 | 13        |
| 28 | Etiopathogenesis of bipolar affective illness – the status of knowledge for 2021. <i>Psychiatria Polska</i> , 2021, 55, 481-496.  | 0.5 | 6         |
| 29 | Decreased leucocyte telomere length in male patients with chronic bipolar disorder: lack of effect of long-term lithium treatment. <i>Acta Neuropsychiatrica</i> , 2021, 33, 299-306.               | 2.1 | 4         |
| 30 | Ultra-long-term lithium therapy: all-important matters and a case of successful 50-year lithium treatment. <i>Revista Brasileira De Psiquiatria</i> , 2021, 43, 407-413.                            | 1.7 | 14        |
| 31 | Variations in seasonal solar insolation are associated with a history of suicide attempts in bipolar I disorder. <i>International Journal of Bipolar Disorders</i> , 2021, 9, 26.                   | 2.2 | 6         |
| 32 | Expression Biomarkers of Pharmacological Treatment Outcomes in Women with Unipolar and Bipolar Depression. <i>Pharmacopsychiatry</i> , 2021, 54, 261-268.   | 3.3 | 8         |
| 33 | HLA-DRB1 and HLA-DQB1 genetic diversity modulates response to lithium in bipolar affective disorders. <i>Scientific Reports</i> , 2021, 11, 17823.  | 3.3 | 10        |
| 34 | Association of Attention-Deficit/Hyperactivity Disorder and Depression Polygenic Scores with Lithium Response: A Consortium for Lithium Genetics Study. <i>Complex Psychiatry</i> , 2021, 7, 80-89. | 0.9 | 6         |
| 35 | Combining schizophrenia and depression polygenic risk scores improves the genetic prediction of lithium response in bipolar disorder patients. <i>Translational Psychiatry</i> , 2021, 11, 606.     | 4.8 | 25        |
| 36 | COVID-19 infection in 50 patients receiving lithium. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2021, 37, .   | 0.1 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Association of Negative Symptoms of Schizophrenia Assessed by the BNSS and SNS Scales With Neuropsychological Performance: A Gender Effect. <i>Frontiers in Psychiatry</i> , 2021, 12, 797386.   | 2.6 | 2         |
| 38 | International Consortium on the Genetics of Electroconvulsive Therapy and Severe Depressive Disorders (Gen-ECT-ic). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 921-932.   | 3.2 | 22        |
| 39 | Markers of Regenerative Processes in Patients with Bipolar Disorder: A Case-control Study. <i>Brain Sciences</i> , 2020, 10, 408.  | 2.3 | 2         |
| 40 | The bipolar disorders: A case for their categorically distinct status based on symptom profiles. <i>Journal of Affective Disorders</i> , 2020, 277, 225-231.   | 4.1 | 10        |
| 41 | The psychopathological potential of early life stress. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 491-492.  | 2.6 | 0         |
| 42 | Negative symptoms in schizophrenia, assessed by the brief negative symptom scale, self-evaluation of negative symptom scale, and social cognition: a gender effect. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 25, 1-6. | 2.4 | 7         |
| 43 | Lithium – past, present, future. <i>International Journal of Psychiatry in Clinical Practice</i> , 2020, 24, 330-340.  | 2.4 | 8         |
| 44 | Mood Stabilizers: Lithium. , 2020, , 1-30.   |     | 2         |
| 45 | Lithium treatment in the era of personalized medicine. <i>Drug Development Research</i> , 2020, 82, 621-627.   | 2.9 | 9         |
| 46 | Lithium’s antiviral effects: a potential drug for CoViD-19 disease?. <i>International Journal of Bipolar Disorders</i> , 2020, 8, 21.  | 2.2 | 52        |
| 47 | A half-century of participant observation in psychiatry. Part I. Schizophrenia. <i>Psychiatria Polska</i> , 2020, 54, 405-419.   | 0.5 | 2         |
| 48 | A severe course of the COVID-19 in a patient receiving prophylactically lithium. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2020, 36, 143-148.   | 0.1 | 3         |
| 49 | A half-century of participant observation in psychiatry. Part II. Affective illnesses.. <i>Psychiatria Polska</i> , 2020, 54, 641-659.   | 0.5 | 2         |
| 50 | Lithium treatment – the state of the art for 2020. <i>Psychiatria Polska</i> , 2020, 54, 1047-1066.  | 0.5 | 9         |
| 51 | A half-century of participant observation in psychiatry. Part III: psychopharmacology. <i>Psychiatria Polska</i> , 2020, 54, 845-864.  | 0.5 | 1         |
| 52 | Investigating polygenic burden in age at disease onset in bipolar disorder: Findings from an international multicentric study. <i>Bipolar Disorders</i> , 2019, 21, 68-75.   | 1.9 | 20        |
| 53 | 120th Anniversary of the Kraepelinian Dichotomy of Psychiatric Disorders. <i>Current Psychiatry Reports</i> , 2019, 21, 65.  | 4.5 | 15        |
| 54 | Thyroid structure and function in long-term lithium-treated and lithium-naïve bipolar patients. <i>Human Psychopharmacology</i> , 2019, 34, e2708.   | 1.5 | 21        |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 55 | A large European, multicenter, multinational validation study of the Brief Negative Symptom Scale. <i>European Neuropsychopharmacology</i> , 2019, 29, 947-959.  | 0.7  | 60        |
| 56 | Lithium and bipolar depression. <i>Bipolar Disorders</i> , 2019, 21, 458-459.  | 1.9  | 4         |
| 57 | Association between solar insolation and a history of suicide attempts in bipolar I disorder. <i>Journal of Psychiatric Research</i> , 2019, 113, 1-9.   | 3.1  | 25        |
| 58 | No Connection between Long-Term Lithium Treatment and Antithyroid Antibodies. <i>Pharmacopsychiatry</i> , 2019, 52, 232-236.   | 3.3  | 14        |
| 59 | Childhood trauma in mood disorders: Neurobiological mechanisms and implications for treatment. <i>Pharmacological Reports</i> , 2019, 71, 112-120.   | 3.3  | 82        |
| 60 | Augmentation of Pharmacotherapy by Sleep Deprivation with Sleep Phase Advance in Treatment-Resistant Depression. <i>Pharmacopsychiatry</i> , 2019, 52, 186-192.  | 3.3  | 14        |
| 61 | Guides for users and prescribers of lithium. <i>International Journal of Bipolar Disorders</i> , 2019, 7, 29.  | 2.2  | 1         |
| 62 | Recommendations of the Polish Psychiatric Association for treatment of affective disorders in women of childbearing age. Part I: Treatment of depression. <i>Psychiatria Polska</i> , 2019, 53, 245-262.   | 0.5  | 8         |
| 63 | Recommendations of the Polish Psychiatric Association regarding the treatment of affective disorders in women of childbearing age. Part II: Bipolar disorder. <i>Psychiatria Polska</i> , 2019, 53, 263-276.   | 0.5  | 7         |
| 64 | Polish version of the Brief Negative Symptom Scale (BNSS). <i>Psychiatria Polska</i> , 2019, 53, 541-549.  | 0.5  | 14        |
| 65 | Polish version of the Self-evaluation of Negative Symptoms (SNS). <i>Psychiatria Polska</i> , 2019, 53, 551-559.   | 0.5  | 13        |
| 66 | Pharmacotherapy and psychotherapy for bipolar disorder in the context of early childhood trauma. <i>Pharmacotherapy in Psychiatry and Neurology</i> , 2019, 35, 37-50.   | 0.1  | 0         |
| 67 | Association of Polygenic Score for Schizophrenia and HLA Antigen and Inflammation Genes With Response to Lithium in Bipolar Affective Disorder. <i>JAMA Psychiatry</i> , 2018, 75, 65-74.  | 11.0 | 102       |
| 68 | Genes involved in stress response influence lithium efficacy in bipolar patients. <i>Bipolar Disorders</i> , 2018, 20, 753-760.  | 1.9  | 10        |
| 69 | The role of affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A) in the relationship between morningness-eveningness and bipolarity. <i>Journal of Affective Disorders</i> , 2018, 232, 83-88. | 4.1  | 14        |
| 70 | Meaningful aspects of the term "mood stabilizer". <i>Bipolar Disorders</i> , 2018, 20, 391-392.  | 1.9  | 22        |
| 71 | Clinical Perspectives of Lithium's Neuroprotective Effect. <i>Pharmacopsychiatry</i> , 2018, 51, 194-199.  | 3.3  | 38        |
| 72 | Psychiatric manifestations in Wilson's disease: possibilities and difficulties for treatment. <i>Therapeutic Advances in Psychopharmacology</i> , 2018, 8, 199-211.  | 2.7  | 68        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Cytokines and C-reactive protein alterations with respect to cognitive impairment in schizophrenia and bipolar disorder: A systematic review. <i>Schizophrenia Research</i> , 2018, 192, 16-29.   | 2.0  | 138       |
| 74 | Adult stem cells in psychiatric disorders – New discoveries in peripheral blood. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 80, 23-27.   | 4.8  | 9         |
| 75 | Stem cells, pluripotency and glial cell markers in peripheral blood of bipolar patients on long-term lithium treatment. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 80, 28-33.  | 4.8  | 22        |
| 76 | Are there differences in lipid peroxidation and immune biomarkers between major depression and bipolar disorder: Effects of melancholia, atypical depression, severity of illness, episode number, suicidal ideation and prior suicide attempts. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2018, 81, 372-383. | 4.8  | 82        |
| 77 | Lipid Peroxidation and Immune Biomarkers Are Associated with Major Depression and Its Phenotypes, Including Treatment-Resistant Depression and Melancholia. <i>Neurotoxicity Research</i> , 2018, 33, 448-460.  | 2.7  | 57        |
| 78 | Internet use by older adults with bipolar disorder: international survey results. <i>International Journal of Bipolar Disorders</i> , 2018, 6, 20.  | 2.2  | 13        |
| 79 | Assessment of Complement Cascade Components in Patients With Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 614.   | 2.6  | 21        |
| 80 | Mogens Schou (1918–2005): a scientist, a doctor and a lithium champion. <i>Bipolar Disorders</i> , 2018, 20, 680-682.   | 1.9  | 0         |
| 81 | Challenging the Negative Perception of Lithium and Optimizing Its Long-Term Administration. <i>Frontiers in Molecular Neuroscience</i> , 2018, 11, 349.   | 2.9  | 39        |
| 82 | Revising <i>Diagnostic and Statistical Manual of Mental Disorders</i> , Fifth Edition, criteria for the bipolar disorders: Phase I of the AREDOC project. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018, 52, 1173-1182.  | 2.3  | 18        |
| 83 | Wilson disease. <i>Nature Reviews Disease Primers</i> , 2018, 4, 21.  | 30.5 | 466       |
| 84 | Assessment of negative symptoms in male and female schizophrenia patients using the Polish version of the Brief Negative Syndrome Scale and Self-evaluation of Negative Symptoms. <i>Neuropsychiatria I Neuropsychologia</i> , 2018, 13, 121-127.   | 0.4  | 1         |
| 85 | Analysis of the Influence of microRNAs in Lithium Response in Bipolar Disorder. <i>Frontiers in Psychiatry</i> , 2018, 9, 207.  | 2.6  | 28        |
| 86 | Content overlap analysis of 64 (hypo)mania symptoms among seven common rating scales. <i>International Journal of Methods in Psychiatric Research</i> , 2018, 27, e1737.  | 2.1  | 18        |
| 87 | Commentary: Corroboration of a Major Role for Herpes Simplex Virus Type 1 in Alzheimer's Disease. <i>Frontiers in Aging Neuroscience</i> , 2018, 10, 433.   | 3.4  | 5         |
| 88 | Childhood adversity and clinical features of bipolar mood disorder. <i>Archives of Psychiatry and Psychotherapy</i> , 2018, 20, 13-19.  | 0.3  | 9         |
| 89 | Clinical picture, pathogenesis and psychometric assessment of negative symptoms of schizophrenia. <i>Psychiatria Polska</i> , 2018, 52, 185-197.  | 0.5  | 15        |
| 90 | The effect of long-term lithium treatment of bipolar disorder on stem cells circulating in peripheral blood. <i>World Journal of Biological Psychiatry</i> , 2017, 18, 54-62.   | 2.6  | 11        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Administration of ketamine for unipolar and bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 2-12.  | 2.4 | 84        |
| 92  | Ketamine augmentation rapidly improves depression scores in inpatients with treatment-resistant bipolar depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2017, 21, 99-103.  | 2.4 | 37        |
| 93  | International multi-site survey on the use of online support groups in bipolar disorder. <i>Nordic Journal of Psychiatry</i> , 2017, 71, 473-476.  | 1.3 | 4         |
| 94  | Morningness-eveningness and affective temperaments assessed by the Temperament Evaluation of Memphis, Pisa and San Diego-Autoquestionnaire (TEMPS-A). <i>Chronobiology International</i> , 2017, 34, 57-65.  | 2.0 | 16        |
| 95  | Associations of Serum Cytokine Receptor Levels with Melancholia, Staging of Illness, Depressive and Manic Phases, and Severity of Depression in Bipolar Disorder. <i>Molecular Neurobiology</i> , 2017, 54, 5883-5893.   | 4.0 | 46        |
| 96  | Increased affective empathy in bipolar patients during a manic episode. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 342-345.  | 1.7 | 22        |
| 97  | Postpartum depression: bipolar or unipolar? Analysis of 434 Polish postpartum women. <i>Revista Brasileira De Psiquiatria</i> , 2017, 39, 154-159.   | 1.7 | 16        |
| 98  | Atypical depression: current perspectives. <i>Neuropsychiatric Disease and Treatment</i> , 2017, Volume 13, 2447-2456.   | 2.2 | 60        |
| 99  | Long-term lithium treatment in bipolar disorder: effects on glomerular filtration rate and other metabolic parameters. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 27.  | 2.2 | 81        |
| 100 | Mentalization deficit in bipolar patients during an acute depressive and manic episode: association with cognitive functions. <i>International Journal of Bipolar Disorders</i> , 2017, 5, 38.   | 2.2 | 21        |
| 101 | Regulative theory of temperament versus affective temperaments measured by the temperament evaluation of Memphis, Pisa, Paris and San Diego Auto-questionnaire (TEMPS-A): a study in a non-clinical Polish sample. <i>Current Issues in Personality Psychology</i> , 2017, 2, 73-82. | 0.5 | 9         |
| 102 | Recent advances in the understanding and management of bipolar disorder in adults. <i>F1000Research</i> , 2017, 6, 2033.   | 1.6 | 14        |
| 103 | Emotion recognition and theory of mind in chronic schizophrenia: association with negative symptoms. <i>Archives of Psychiatry and Psychotherapy</i> , 2017, 19, 7-12.   | 0.3 | 11        |
| 104 | The Biological Rhythms Interview of Assessment in Neuropsychiatry in patients with bipolar disorder: correlation with affective temperaments and schizotypy. <i>Revista Brasileira De Psiquiatria</i> , 2016, 38, 325-328.   | 1.7 | 10        |
| 105 | Childhood trauma in bipolar disorder. <i>Neuropsychiatria I Neuropsychologia</i> , 2016, 2, 39-46.   | 0.4 | 2         |
| 106 | Editorial: Endophenotypes for Schizophrenia and Mood Disorders: Implications from Genetic, Biochemical, Cognitive, Behavioral, and Neuroimaging Studies. <i>Frontiers in Psychiatry</i> , 2016, 7, 83.   | 2.6 | 13        |
| 107 | Renal sonography in bipolar patients on long-term lithium treatment. <i>Journal of Clinical Ultrasound</i> , 2016, 44, 354-359.  | 0.8 | 7         |
| 108 | The assessment of orthorexia nervosa among 1899 Polish adolescents using the ORTO-15 questionnaire. <i>International Journal of Psychiatry in Clinical Practice</i> , 2016, 20, 199-203.   | 2.4 | 54        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | Ketamine Anesthesia, Efficacy of Electroconvulsive Therapy, and Cognitive Functions in Treatment-Resistant Depression. <i>Journal of ECT</i> , 2016, 32, 164-168.   | 0.6  | 31        |
| 110 | Increased mRNA expression of peripheral glial cell markers in bipolar disorder: The effect of long-term lithium treatment. <i>European Neuropsychopharmacology</i> , 2016, 26, 1516-1521.                     | 0.7  | 14        |
| 111 | Peripheral mRNA expression of pluripotency markers in bipolar disorder and the effect of long-term lithium treatment. <i>Pharmacological Reports</i> , 2016, 68, 1042-1045.                                   | 3.3  | 6         |
| 112 | Online information seeking by patients with bipolar disorder: results from an international multisite survey. <i>International Journal of Bipolar Disorders</i> , 2016, 4, 17.                                | 2.2  | 35        |
| 113 | A web-based study of bipolarity and impulsivity in athletes engaging in extreme and high-risk sports. <i>Acta Neuropsychiatrica</i> , 2016, 28, 179-183.  | 2.1  | 19        |
| 114 | Internet use by patients with bipolar disorder: Results from an international multisite survey. <i>Psychiatry Research</i> , 2016, 242, 388-394.  | 3.3  | 36        |
| 115 | Relationship of suicide rates with climate and economic variables in Europe during 2000â€“2012. <i>Annals of General Psychiatry</i> , 2016, 15, 19.   | 2.7  | 48        |
| 116 | Genome-wide association study of 40,000 individuals identifies two novel loci associated with bipolar disorder. <i>Human Molecular Genetics</i> , 2016, 25, 3383-3394.  | 2.9  | 182       |
| 117 | Kidney, thyroid and other organ functions after 40 years or more of lithium therapy: a case series of five patients. <i>Therapeutic Advances in Psychopharmacology</i> , 2016, 6, 277-282.                    | 2.7  | 19        |
| 118 | Genetic variants associated with response to lithium treatment in bipolar disorder: a genome-wide association study. <i>Lancet, The</i> , 2016, 387, 1085-1093.   | 13.7 | 306       |
| 119 | Pharmacogenetics of Mood Stabilizers. , 2016, , 93-109.   |      | 0         |
| 120 | Decreased serum zinc concentration during depressive episode in patients with bipolar disorder. <i>Journal of Affective Disorders</i> , 2016, 190, 272-277.   | 4.1  | 27        |
| 121 | Electroconvulsive therapy and cognitive functions in treatment-resistant depression. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 159-164.   | 2.6  | 48        |
| 122 | The effect of lithium on hematopoietic, mesenchymal and neural stem cells. <i>Pharmacological Reports</i> , 2016, 68, 224-230.  | 3.3  | 47        |
| 123 | Depression with atypical features in various kinds of depression. <i>Psychiatria Polska</i> , 2016, 50, 827-838.  | 0.5  | 5         |
| 124 | Negative experiences in childhood and the development and course of bipolar disorder. <i>Psychiatria Polska</i> , 2016, 50, 989-1000.   | 0.5  | 16        |
| 125 | Effect of Lithium on Neurocognitive Functioning. <i>Current Alzheimer Research</i> , 2016, 13, 887-893.   | 1.4  | 31        |
| 126 | The <sc>ADH</sc> gene cluster <sc>SNP</sc> rs1789891 and temperamental dimensions in patients with alcohol dependence and affective disorders. <i>Scandinavian Journal of Psychology</i> , 2015, 56, 420-427. | 1.5  | 5         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 127 | A cross-sectional study of thyroid function in 66 patients with bipolar disorder receiving lithium for 10-44 years. <i>Bipolar Disorders</i> , 2015, 17, 375-380.  | 1.9 | 26        |
| 128 | Agomelatine-induced liver injury in a patient with choledocholithiasis. <i>Acta Neuropsychiatrica</i> , 2015, 27, 56-59.   | 2.1 | 4         |
| 129 | Psychiatric hospitalizations for affective disorders in Warsaw, Poland: Effect of season and intensity of sunlight. <i>Psychiatry Research</i> , 2015, 229, 287-294.   | 3.3 | 37        |
| 130 | Psychotropic drugs and personality changes: A case of lithium. <i>Pharmacological Reports</i> , 2015, 67, 1204-1207.   | 3.3 | 4         |
| 131 | Atypical features in depression: Association with obesity and bipolar disorder. <i>Journal of Affective Disorders</i> , 2015, 185, 76-80.  | 4.1 | 44        |
| 132 | Neurobiology and temperament in the offspring of excellent lithium responders. <i>World Journal of Biological Psychiatry</i> , 2015, 16, 272-277.  | 2.6 | 5         |
| 133 | Influence of light exposure during early life on the age of onset of bipolar disorder. <i>Journal of Psychiatric Research</i> , 2015, 64, 1-8.   | 3.1 | 39        |
| 134 | Temperamental dimensions of the TEMPS-A in male and female subjects engaging in extreme or/and high risk sports. <i>Journal of Affective Disorders</i> , 2015, 170, 66-70.   | 4.1 | 17        |
| 135 | Sleep deprivation as a method of chronotherapy in the treatment of depression. <i>Psychiatria Polska</i> , 2015, 49, 423-433.  | 0.5 | 19        |
| 136 | Symptoms of depression among adults in rural areas of western Poland. <i>Annals of Agricultural and Environmental Medicine</i> , 2015, 22, 152-155.  | 1.0 | 2         |
| 137 | Factors Associated with Lithium Efficacy in Bipolar Disorder. <i>Harvard Review of Psychiatry</i> , 2014, 22, 353-357.   | 2.1 | 30        |
| 138 | Suicidal behaviour and lipid levels in unipolar and bipolar depression. <i>Acta Neuropsychiatrica</i> , 2014, 26, 315-320.   | 2.1 | 24        |
| 139 | Prophylactic lithium treatment and cognitive performance in patients with a long history of bipolar illness: no simple answers in complex disease-treatment interplay. <i>International Journal of Bipolar Disorders</i> , 2014, 2, 1. | 2.2 | 28        |
| 140 | Polymorphism of circadian clock genes and prophylactic lithium response. <i>Bipolar Disorders</i> , 2014, 16, 151-158.   | 1.9 | 58        |
| 141 | Polymorphism of circadian clock genes and temperamental dimensions of the TEMPS-A in bipolar disorder. <i>Journal of Affective Disorders</i> , 2014, 159, 80-84.   | 4.1 | 39        |
| 142 | Stratified medicine for mental disorders. <i>European Neuropsychopharmacology</i> , 2014, 24, 5-50.  | 0.7 | 152       |
| 143 | Extrapyramidal symptoms during treatment of first schizophrenia episode: Results from EUFEST. <i>European Neuropsychopharmacology</i> , 2014, 24, 1500-1505.   | 0.7 | 25        |
| 144 | Response to Lithium in Bipolar Disorder: Clinical and Genetic Findings. <i>ACS Chemical Neuroscience</i> , 2014, 5, 413-421.   | 3.5 | 64        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | The prevalence of antipsychotic polypharmacy in schizophrenic patients discharged from psychiatric units in Poland. <i>Pharmacological Reports</i> , 2014, 66, 613-617.  | 3.3 | 15        |
| 146 | Postpartum depression: Identifying associations with bipolarity and personality traits. Preliminary results from a cross-sectional study in Poland. <i>Psychiatry Research</i> , 2014, 215, 69-74.                       | 3.3 | 25        |
| 147 | Temperamental dimensions of the TEMPS-A in females with co-morbid bipolar disorder and bulimia. <i>Journal of Affective Disorders</i> , 2014, 164, 90-93.  | 4.1 | 13        |
| 148 | Relationship between sunlight and the age of onset of bipolar disorder: An international multisite study. <i>Journal of Affective Disorders</i> , 2014, 167, 104-111.  | 4.1 | 43        |
| 149 | Suicidal Behavior in Schizophrenia may be Related to Low Lipid Levels. <i>Medical Science Monitor</i> , 2014, 20, 1486-1490.   | 1.1 | 27        |
| 150 | The effect of lithium on thyroid function in patients with bipolar disorder.. <i>Psychiatria Polska</i> , 2014, 48, 417-428.   | 0.5 | 17        |
| 151 | The association of glycogen synthase kinase-3beta (GSK-3 $\beta$ ) gene polymorphism with kidney function in long-term lithium-treated bipolar patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 8. | 2.2 | 22        |
| 152 | Genetic Influences on Response to Mood Stabilizers in Bipolar Disorder. <i>CNS Drugs</i> , 2013, 27, 165-173.  | 5.9 | 66        |
| 153 | The International Society for Bipolar Disorders (ISBD) Task Force Report on Antidepressant Use in Bipolar Disorders. <i>American Journal of Psychiatry</i> , 2013, 170, 1249-1262.                                       | 7.2 | 579       |
| 154 | Stability of lithium treatment in bipolar disorder - long-term follow-up of 346 patients. <i>International Journal of Bipolar Disorders</i> , 2013, 1, 11.   | 2.2 | 22        |
| 155 | Single ketamine infusion in bipolar depression resistant to antidepressants: are neurotrophins involved?. <i>Human Psychopharmacology</i> , 2013, 28, 87-90.   | 1.5 | 78        |
| 156 | TEMPS-A and long-term lithium response: Positive correlation with hyperthymic temperament. <i>Journal of Affective Disorders</i> , 2013, 145, 187-189.   | 4.1 | 57        |
| 157 | Increased serum matrix metalloproteinase-9 (MMP-9) levels in young patients during bipolar depression. <i>Journal of Affective Disorders</i> , 2013, 146, 286-289.   | 4.1 | 62        |
| 158 | Possible usefulness of tianeptine in treatment-resistant depression. <i>International Journal of Psychiatry in Clinical Practice</i> , 2013, 17, 313-316.  | 2.4 | 12        |
| 159 | Novel markers of kidney injury in bipolar patients on long-term lithium treatment. <i>Human Psychopharmacology</i> , 2013, 28, 615-618.  | 1.5 | 19        |
| 160 | Assessment of Response to Lithium Maintenance Treatment in Bipolar Disorder: A Consortium on Lithium Genetics (ConLiGen) Report. <i>PLoS ONE</i> , 2013, 8, e65636.  | 2.5 | 156       |
| 161 | Functional $\alpha$ 1149 G/T Polymorphism of the Prolactin Gene in Schizophrenia. <i>Neuropsychobiology</i> , 2012, 65, 41-44.   | 1.9 | 17        |
| 162 | Treatment of depression in first episode of schizophrenia: Results from EUFEST. <i>European Neuropsychopharmacology</i> , 2012, 22, 875-882.   | 0.7 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Clinical and pathogenic aspects of candidate genes for lithium prophylactic efficacy. <i>Journal of Psychopharmacology</i> , 2012, 26, 368-373.  | 4.0 | 54        |
| 164 | Selected Cytokine Profiles during Remission in Bipolar Patients. <i>Neuropsychobiology</i> , 2012, 66, 193-198.  | 1.9 | 37        |
| 165 | Bipolarity and inadequate response to antidepressant drugs: Clinical and psychopharmacological perspective. <i>Journal of Affective Disorders</i> , 2012, 136, e13-e19.  | 4.1 | 39        |
| 166 | Screening for the markers of kidney damage in men and women on long-term lithium treatment. <i>Medical Science Monitor</i> , 2012, 18, CR656-CR660.  | 1.1 | 14        |
| 167 | Lithium in neuropsychiatry: A 2010 update. <i>World Journal of Biological Psychiatry</i> , 2011, 12, 340-348.  | 2.6 | 43        |
| 168 | Painting "Mania". <i>Journal of Affective Disorders</i> , 2011, 128, 319-320.  | 4.1 | 3         |
| 169 | Functional polymorphism of matrix metalloproteinase-9 (MMP-9) gene and response to lithium prophylaxis in bipolar patients. <i>Human Psychopharmacology</i> , 2011, 26, 168-171.                                     | 1.5 | 18        |
| 170 | Bipolar Mood Disorder, Creativity and Schizotypy: An Experimental Study. <i>Psychopathology</i> , 2011, 44, 296-302.   | 1.5 | 40        |
| 171 | Glucocorticoid receptor polymorphism is associated with lithium response in bipolar patients. <i>Neuroendocrinology Letters</i> , 2011, 32, 545-51.  | 0.2 | 12        |
| 172 | Polish version of the Hypomania Checklist (HCL-32) scale: the results in treatment-resistant depression. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2010, 260, 139-144.                      | 3.2 | 33        |
| 173 | Polish validation of the TEMPS-A: The profile of affective temperaments in a college student population. <i>Journal of Affective Disorders</i> , 2010, 123, 36-41.   | 4.1 | 61        |
| 174 | The utility of Mood Disorder Questionnaire for the detection of bipolar diathesis in treatment-resistant depression. <i>Journal of Affective Disorders</i> , 2010, 124, 270-274.                                     | 4.1 | 26        |
| 175 | The International Consortium on Lithium Genetics (ConLiGen): An Initiative by the NIMH and IGSLI to Study the Genetic Basis of Response to Lithium Treatment. <i>Neuropsychobiology</i> , 2010, 62, 72-78.           | 1.9 | 134       |
| 176 | Excellent lithium responders have normal cognitive functions and plasma BDNF levels. <i>International Journal of Neuropsychopharmacology</i> , 2010, 13, 617-622.  | 2.1 | 94        |
| 177 | Anticholinergic Mechanisms. <i>Journal of Clinical Psychiatry</i> , 2010, 71, 1698-1700.   | 2.2 | 3         |
| 178 | Matrix Metalloproteinase-9 (MMP9) "A Mediating Enzyme in Cardiovascular Disease, Cancer, and Neuropsychiatric Disorders. <i>Cardiovascular Psychiatry and Neurology</i> , 2009, 2009, 1-7.                           | 0.8 | 61        |
| 179 | &lt;i>FYN&lt;/i> Kinase Gene: Another Glutamatergic Gene Associated with Bipolar Disorder?. <i>Neuropsychobiology</i> , 2009, 59, 178-183.   | 1.9 | 28        |
| 180 | Cognitive Effects of Antipsychotic Drugs in First-Episode Schizophrenia and Schizophreniform Disorder: A Randomized, Open-Label Clinical Trial (EUFEST). <i>American Journal of Psychiatry</i> , 2009, 166, 675-682. | 7.2 | 284       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 181 | The association study of three <i>FYN</i> polymorphisms with prophylactic lithium response in bipolar patients. <i>Human Psychopharmacology</i> , 2009, 24, 287-291.  | 1.5  | 26        |
| 182 | Matrix Metalloproteinase-9 Gene and Bipolar Mood Disorder. <i>NeuroMolecular Medicine</i> , 2009, 11, 128-132.  | 3.4  | 43        |
| 183 | Functional polymorphism of the matrix metalloproteinase-9 (MMP-9) gene in schizophrenia. <i>Schizophrenia Research</i> , 2009, 109, 90-93.  | 2.0  | 74        |
| 184 | No association of three <i>GRIN2B</i> polymorphisms with lithium response in bipolar patients. <i>Pharmacological Reports</i> , 2009, 61, 448-452.  | 3.3  | 26        |
| 185 | Response to prophylactic lithium in bipolar disorder may be associated with a preservation of executive cognitive functions. <i>European Neuropsychopharmacology</i> , 2009, 19, 791-795.                     | 0.7  | 41        |
| 186 | Effectiveness of antipsychotic drugs in first-episode schizophrenia and schizophreniform disorder: an open randomised clinical trial. <i>Lancet, The</i> , 2008, 371, 1085-1097.                              | 13.7 | 964       |
| 187 | Association studies of the <i>BDNF</i> and the <i>NTRK2</i> gene polymorphisms with prophylactic lithium response in bipolar patients. <i>Pharmacogenomics</i> , 2008, 9, 1595-1603.                          | 1.3  | 73        |
| 188 | Aripiprazole Joins the Family of Second-Generation Mood Stabilizers. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 862-863.   | 2.2  | 9         |
| 189 | Types of Depression More Frequent in Bipolar than in Unipolar Affective Illness: Results of the Polish DEP-BI Study. <i>Psychopathology</i> , 2007, 40, 153-158.  | 1.5  | 49        |
| 190 | Two generations of mood stabilizers. <i>International Journal of Neuropsychopharmacology</i> , 2007, 10, 709-11.  | 2.1  | 33        |
| 191 | Response to lithium prophylaxis: Interaction between serotonin transporter and <i>BDNF</i> genes. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007, 144B, 820-823.        | 1.7  | 77        |
| 192 | Long-term administration of the low-dose risperidone in schizotaxia subjects. <i>Human Psychopharmacology</i> , 2007, 22, 407-412.  | 1.5  | 8         |
| 193 | Long-term pharmacological treatment of bipolar disorders. <i>Neuroendocrinology Letters</i> , 2007, 28 Suppl 1, 71-93.  | 0.2  | 0         |
| 194 | Association study of the glycogen synthase kinase-3 $\beta$ gene polymorphism with prophylactic lithium response in bipolar patients. <i>World Journal of Biological Psychiatry</i> , 2006, 7, 158-161.       | 2.6  | 64        |
| 195 | Impairment of Endothelial Function in Unipolar and Bipolar Depression. <i>Biological Psychiatry</i> , 2006, 60, 889-891.  | 1.3  | 89        |
| 196 | Performance on the Wisconsin Card Sorting Test in schizophrenia and genes of dopaminergic inactivation ( <i>COMT</i> , <i>DAT</i> , <i>NET</i> ). <i>Psychiatry Research</i> , 2006, 143, 13-19.              | 3.3  | 45        |
| 197 | Prefrontal cognition in schizophrenia and bipolar illness in relation to Val66Met polymorphism of the brain-derived neurotrophic factor gene. <i>Psychiatry and Clinical Neurosciences</i> , 2006, 60, 70-76. | 1.8  | 105       |
| 198 | Bipolar mood disorders among Polish psychiatric outpatients treated for major depression. <i>Journal of Affective Disorders</i> , 2005, 84, 141-147.  | 4.1  | 66        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 199 | Prophylactic effect of lithium in bipolar affective illness may be related to serotonin transporter genotype. <i>Pharmacological Reports</i> , 2005, 57, 124-7.  | 3.3  | 51        |
| 200 | Association studies of 5-HT <sub>2A</sub> and 5-HT <sub>2C</sub> serotonin receptor gene polymorphisms with prophylactic lithium response in bipolar patients. <i>Pharmacological Reports</i> , 2005, 57, 761-5.     | 3.3  | 27        |
| 201 | Long-term assessment of the efficacy and tolerability of risperidone in early schizophrenia: An international multicenter study. <i>International Journal of Psychiatry in Clinical Practice</i> , 2004, 8, 147-152. | 2.4  | 2         |
| 202 | Association analysis of the insertion/deletion polymorphism in serotonin transporter gene in patients with affective disorder. <i>European Psychiatry</i> , 2003, 18, 129-132.                                       | 0.2  | 58        |
| 203 | The prophylactic effect of long-term lithium administration in bipolar patients entering treatment in the 1970s and 1980s. <i>Bipolar Disorders</i> , 2001, 3, 63-67.  | 1.9  | 88        |
| 204 | Rates of flu-like infection in patients with affective illness. <i>Journal of Affective Disorders</i> , 1998, 47, 177-182.   | 4.1  | 16        |
| 205 | FREE-THYROXINE INDEX AND ABSOLUTE FREE-THYROXINE IN AFFECTIVE DISORDERS. <i>Lancet</i> , The, 1973, 301, 889.  | 13.7 | 23        |