

Jianbo Yin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7457854/publications.pdf>

Version: 2024-02-01

69
papers

2,300
citations

186265

28
h-index

223800

46
g-index

70
all docs

70
docs citations

70
times ranked

1340
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrorheological Fluids of GO/Graphene-Based Nanoplates. <i>Materials</i> , 2022, 15, 311.	2.9	9
2	Inorganic Reinforced Poly(ionic liquid) Microcapsules: Confined Cooling-Assisted Phase Separation Self-Assembly and Enhanced Electroresponsive Properties. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100769.	3.9	6
3	Preparation of Poly(Ionic Liquid) Microbeads by Evaporation-Assisted Phase Separation. <i>Macromolecular Chemistry and Physics</i> , 2022, 223, .	2.2	5
4	Electrorheology and dielectric polarization of backbone, pendant and cross-linked poly(ionic liquid) microcapsules. <i>Journal of Applied Polymer Science</i> , 2022, 165, 49152.	3.8	2
5	Evaporation-assisted phase separation preparation and electrorheological effect of poly(ionic liquid) microspheres with dual and mixed counterions. <i>Polymer</i> , 2022, , 124647.	3.8	6
6	Mechanical property and dielectric spectra analysis of solvent-free poly(ionic liquid)/poly(ethyl methacrylate) microcapsules. <i>Journal of Applied Polymer Science</i> , 2022, 165, 49152.	3.8	0
7	Electro-responsive electrorheological effect and dielectric spectra analysis of topological self-crosslinked poly(ionic liquid)s. <i>European Polymer Journal</i> , 2022, 170, 111160.	5.4	5
8	Progress in Preparation of Sea Urchin-like Micro-/Nanoparticles. <i>Materials</i> , 2022, 15, 2846.	2.9	9
9	Polyelectrolyte-based electrorheological materials. <i>Polymer</i> , 2022, 254, 125042.	3.8	6
10	Enhanced electrorheological effectiveness and temperature effect of suspensions based on poly(ionic liquid) microcapsules. <i>Journal of Applied Polymer Science</i> , 2022, 165, 49152.	3.8	6
11	Understanding the enhanced electrorheological effect of reduced graphene oxide-supported polyaniline dielectric nanoplates by a comparative study with graphene oxide as the support core. <i>IET Nanodielectrics</i> , 2021, 4, 143-154.	4.1	10
12	Chirality-Assisted Aharonov-Bohm Anandan Geometric-Phase Metasurfaces for Spin-Decoupled Phase Modulation. <i>ACS Photonics</i> , 2021, 8, 1847-1855.	6.6	17
13	Preparation of Poly(Ionic Liquid) Microbeads via Cooling-Assisted Phase Separation Method. <i>Macromolecular Rapid Communications</i> , 2021, 42, 2100275.	3.9	6
14	Influence of molecular weight on electro-responsive electrorheological effect of poly(ionic liquid)s: Rheology and dielectric spectroscopy analysis. <i>Polymer</i> , 2021, 234, 124241.	3.8	9
15	Improved Electrorheological Polishing Property of Poly(Ionic Liquid)/Al ₂ O ₃ Composite Particles Prepared via Pickering Emulsion Polymerization. <i>ACS Applied Polymer Materials</i> , 2021, 3, 5778-5787.	4.4	18
16	Rheological analysis of titanium dioxide nano-whisker based electrorheological fluids. <i>Journal of Industrial and Engineering Chemistry</i> , 2020, 83, 285-288.	5.8	12
17	Influence of geometry of mobile counteranions on conductivity, polarization and electrorheological effect of polymeric anionic liquids at ice point temperature. <i>Polymer</i> , 2020, 205, 122826.	3.8	15
18	Dielectric Polarization and Electrorheological Response of Poly(ethylaniline)-Coated Reduced Graphene Oxide Nanoflakes with Different Reduction Degrees. <i>Polymers</i> , 2020, 12, 2528.	4.5	4

#	ARTICLE	IF	CITATIONS
19	Nonmonotonic Influence of Size of Quaternary Ammonium Counterions on Micromorphology, Polarization, and Electroresponse of Anionic Poly(ionic liquid)s. <i>Journal of Physical Chemistry B</i> , 2020, 124, 2920-2929.	2.6	25
20	Influence of Tethered Ions on Electric Polarization and Electrorheological Property of Polymerized Ionic Liquids. <i>Molecules</i> , 2020, 25, 2896.	3.8	13
21	The Effect of Dielectric Polarization Rate Difference of Filler and Matrix on the Electrorheological Responses of Poly(ionic liquid)/Polyaniline Composite Particles. <i>Polymers</i> , 2020, 12, 703.	4.5	18
22	Low-temperature Interfacial Polymerization and Enhanced Electro-responsive Characteristic of Poly(ionic liquid)s@polyaniline Core-shell Microspheres. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1800351.	3.9	29
23	Interfacial Polarization and Electroresponsive Electrorheological Effect of Anionic and Cationic Poly(ionic liquids). <i>ACS Applied Polymer Materials</i> , 2019, 1, 2862-2874.	4.4	27
24	Ion transport, polarization and electro-responsive electrorheological effect of self-crosslinked poly(ionic liquid)s with different counterions. <i>Polymer</i> , 2019, 177, 149-159.	3.8	14
25	Influence of alkyl spacer length on ion transport, polarization and electro-responsive electrorheological effect of self-crosslinked poly(ionic liquid)s. <i>Polymer</i> , 2019, 171, 161-172.	3.8	25
26	Manipulating Cherenkov Radiation and Smith-Purcell Radiation by Artificial Structures. <i>Advanced Optical Materials</i> , 2019, 7, 1801666.	7.3	40
27	Unveiling the Critical Role of Surface Oxidation of Electroresponsive Behaviors in Two-Dimensional $\text{Ti}_3\text{C}_2\text{Tx}$ MXenes. <i>Journal of Physical Chemistry C</i> , 2019, 123, 5479-5487.	3.1	17
28	Enhanced interfacial polarization and electro-responsive characteristic of di-ionic poly(ionic liquid)s. <i>Journal of Physical Chemistry B</i> , 2019, 123, 15038-15045.	3.8	15
29	Hydrolysis-resistant yttrium alkoxide rhombic dodecahedra prepared by a facile hydrothermal method. <i>CrystEngComm</i> , 2018, 20, 1189-1192.	2.6	0
30	Distinctly Different Electroresponsive Electrorheological Effect in Low-Molecular-Weight and Polymerized Ionic Liquids: Rheological and Dielectric Relaxation Studies. <i>Journal of Physical Chemistry B</i> , 2018, 122, 12184-12193.	2.6	21
31	Enhancing Electroresponsive Electrorheological Effect and Temperature Dependence of Poly(ionic liquid)s. <i>Journal of Physical Chemistry B</i> , 2018, 122, 12184-12193.	3.5	32
32	Pickering emulsion polymerization of poly(ionic liquid)s encapsulated nano-SiO ₂ composite particles with enhanced electro-responsive characteristic. <i>Polymer</i> , 2018, 146, 109-119.	3.8	46
33	Enhanced temperature effect of electrorheological fluid based on cross-linked poly(ionic liquid) particles: rheological and dielectric relaxation studies. <i>Soft Matter</i> , 2017, 13, 1027-1039.	2.7	43
34	High performance graphene oxide-based humidity sensor integrated on a photonic crystal cavity. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	33
35	Influence of Side Chain Sizes on Dielectric and Electrorheological Responses of Poly(ionic liquid)s. <i>Journal of Physical Chemistry B</i> , 2017, 121, 6226-6237.	2.6	53
36	Electrically tunable metasurface based on Mie-type dielectric resonators. <i>Scientific Reports</i> , 2017, 7, 43026.	3.3	12

#	ARTICLE	IF	CITATIONS
37	Influence of counterion type on dielectric and electrorheological responses of poly(ionic liquid)s. <i>Polymer</i> , 2017, 132, 273-285.	3.8	34
38	Enhanced Stimuli-Responsive Electrorheological Property of Poly(ionic liquid)s-Capsulated Polyaniline Particles. <i>Polymers</i> , 2017, 9, 385.	4.5	24
39	Enhancing Electrorheological Properties of Titanate Nanoplates by Intercalating Polyaniline. <i>Current Smart Materials</i> , 2017, 2, .	0.5	0
40	Microwave-assisted synthesis and high-performance anhydrous electrorheological characteristic of monodisperse poly(ionic liquid) particles with different size of cation/anion parts. <i>Polymer</i> , 2016, 97, 408-417.	3.8	54
41	Highly stable nanofluid based on polyhedral oligomeric silsesquioxane-decorated graphene oxide nanosheets and its enhanced electro-responsive behavior. <i>Nanotechnology</i> , 2016, 27, 195702.	2.6	20
42	Soft and broadband infrared metamaterial absorber based on gold nanorod/liquid crystal hybrid with tunable total absorption. <i>Scientific Reports</i> , 2015, 5, 16698.	3.3	30
43	Silicone-grafted carbonaceous nanotubes with enhanced dispersion stability and electrorheological efficiency. <i>Nanotechnology</i> , 2015, 26, 065704.	2.6	14
44	Graphene oxide vs. reduced graphene oxide as core substrate for core/shell-structured dielectric nanoplates with different electro-responsive characteristics. <i>Journal of Materials Chemistry C</i> , 2015, 3, 5098-5108.	5.5	37
45	Bimetallic core/shell nanoparticle-decorated 3D urchin-like hierarchical TiO ₂ nanostructures with magneto-responsive and decolorization characteristics. <i>Nanoscale Research Letters</i> , 2015, 10, 84.	5.7	5
46	Preparation and enhanced electro-responsive characteristic of graphene/layered double-hydroxide composite dielectric nanoplates. <i>Journal of Materials Chemistry C</i> , 2014, 2, 10386-10394.	5.5	37
47	Electrically tunable negative refraction in core/shell-structured nanorod fluids. <i>Soft Matter</i> , 2014, 10, 7696-7704.	2.7	6
48	Microwave-synthesized poly(ionic liquid) particles: a new material with high electrorheological activity. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9812-9819.	10.3	101
49	Enhanced dielectric polarization and electro-responsive characteristic of graphene oxide-wrapped titania microspheres. <i>Nanotechnology</i> , 2014, 25, 045702.	2.6	52
50	Preparation and enhanced electro-responsive characteristic of reduced graphene oxide/polypyrrole composite sheet suspensions. <i>Soft Matter</i> , 2013, 9, 7468.	2.7	68
51	Highly stable and AC electric field-activated electrorheological fluid based on mesoporous silica-coated graphene nanosheets. <i>Soft Matter</i> , 2013, 9, 3910.	2.7	41
52	Au or Ag nanoparticle-decorated 3D urchin-like TiO ₂ nanostructures: Synthesis, characterization, and enhanced photocatalytic activity. <i>Journal of Colloid and Interface Science</i> , 2013, 403, 22-28.	9.4	43
53	Graphene-supported carbonaceous dielectric sheets and their electrorheology. <i>Carbon</i> , 2012, 50, 5247-5255.	10.3	49
54	Polyaniline decorated graphene sheet suspension with enhanced electrorheology. <i>Soft Matter</i> , 2012, 8, 294-297.	2.7	121

#	ARTICLE	IF	CITATIONS
55	Conductivity, polarization and electrorheological activity of polyaniline nanotubes during thermo-oxidative treatment. <i>Polymer Degradation and Stability</i> , 2012, 97, 2356-2363.	5.8	15
56	Well-organized 3D urchin-like hierarchical TiO ₂ microspheres with high photocatalytic activity. <i>Journal of Materials Science</i> , 2012, 47, 1436-1445.	3.7	61
57	The electrorheological effect and dielectric properties of suspensions containing polyaniline@titania nanocable-like particles. <i>Soft Matter</i> , 2011, 7, 10978.	2.7	72
58	Micro/nano-structured montmorillonite/titania particles with high electrorheological activity. <i>Rheologica Acta</i> , 2011, 50, 87-95.	2.4	10
59	Electrorheology of nanofiber suspensions. <i>Nanoscale Research Letters</i> , 2011, 6, 256.	5.7	71
60	Electrorheological properties of thermo-oxidative polypyrrole nanofibers. <i>Polymer</i> , 2011, 52, 786-792.	3.8	43
61	Conductivity and polarization of carbonaceous nanotubes derived from polyaniline nanotubes and their electrorheology when dispersed in silicone oil. <i>Carbon</i> , 2010, 48, 2958-2967.	10.3	105
62	Coaxial cable-like polyaniline@titania nanofibers: facile synthesis and low power electrorheological fluid application. <i>Journal of Materials Chemistry</i> , 2010, 20, 7096.	6.7	118
63	The electrorheological effect of polyaniline nanofiber, nanoparticle and microparticle suspensions. <i>Smart Materials and Structures</i> , 2009, 18, 095007.	3.5	66
64	Enhanced electrorheology of suspensions containing sea-urchin-like hierarchical Cr-doped titania particles. <i>Soft Matter</i> , 2009, 5, 4687.	2.7	120
65	Electrorheological fluids based on nano-fibrous polyaniline. <i>Polymer</i> , 2008, 49, 4413-4419.	3.8	159
66	Reply to Comment on "Preparation and Enhanced Electrorheological Activity of TiO ₂ Doped with Chromium Ion". <i>Chemistry of Materials</i> , 2006, 18, 2773-2773.	6.7	4
67	Titanate nano-whisker electrorheological fluid with high suspended stability and ER activity. <i>Nanotechnology</i> , 2006, 17, 192-196.	2.6	85
68	LARGE ENHANCEMENT IN ELECTORHEOLOGICAL ACTIVITY OF MESOPOROUS CERIUM-DOPED TiO ₂ FROM HIGH SURFACE AREA AND ROBUST PORE WALLS. , 2005, , .		0
69	Wormhole-like mesoporous Ce-doped TiO ₂ : a new electrorheological material with high activity. <i>Journal of Materials Chemistry</i> , 2003, 13, 689-695.	6.7	27