Derek K Jones

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7464603/publications.pdf

Version: 2024-02-01

172 25,092 59 151 papers citations h-index g-index

186 186 20206
all docs docs citations times ranked citing authors

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Anisotropy measure from three diffusion-encoding gradient directions. Magnetic Resonance Imaging, 2022, 88, 38-43. | 1.8 | O |
| 2 | Mutationâ€related magnetizationâ€transfer, not axon density, drives white matter differences in premanifest Huntington disease: Evidence from in vivo ultraâ€strong gradient <scp>MRI</scp> . Human Brain Mapping, 2022, 43, 3439-3460. | 3.6 | 5 |
| 3 | Physiological effects of human body imaging with 300 mT/m gradients. Magnetic Resonance in Medicine, 2022, 87, 2512-2520. | 3.0 | 1 |
| 4 | Mapping microglia and astrocyte activation in vivo using diffusion MRI. Science Advances, 2022, 8, . | 10.3 | 30 |
| 5 | <scp>MR</scp> Fingerprinting with bâ€Tensor Encoding for Simultaneous Quantification of Relaxation and Diffusion in a Single Scan. Magnetic Resonance in Medicine, 2022, 88, 2043-2057. | 3.0 | 11 |
| 6 | Mapping Structural Connectivity Using Diffusion <scp>MRI</scp> : Challenges and Opportunities. Journal of Magnetic Resonance Imaging, 2021, 53, 1666-1682. | 3.4 | 95 |
| 7 | Predictors of training-related improvement in visuomotor performance in patients with multiple sclerosis: A behavioural and MRI study. Multiple Sclerosis Journal, 2021, 27, 1088-1101. | 3.0 | 8 |
| 8 | The sensitivity of diffusion MRI to microstructural properties and experimental factors. Journal of Neuroscience Methods, 2021, 347, 108951. | 2.5 | 53 |
| 9 | Computing and visualising intraâ€voxel orientationâ€specific relaxation–diffusion features in the human brain. Human Brain Mapping, 2021, 42, 310-328. | 3.6 | 35 |
| 10 | A comparative study of gradient nonlinearity correction strategies for processing diffusion data obtained with ultraâ€strong gradient MRI scanners. Magnetic Resonance in Medicine, 2021, 85, 1104-1113. | 3.0 | 28 |
| 11 | MICRA: Microstructural image compilation with repeated acquisitions. Neurolmage, 2021, 225, 117406. | 4.2 | 20 |
| 12 | Apparent propagator anisotropy from singleâ€shell diffusion MRI acquisitions. Magnetic Resonance in Medicine, 2021, 85, 2869-2881. | 3.0 | 8 |
| 13 | The effect of gradient nonlinearities on fiber orientation estimates from spherical deconvolution of diffusion magnetic resonance imaging data. Human Brain Mapping, 2021, 42, 367-383. | 3.6 | 13 |
| 14 | Multi-compartment analysis of the complex gradient-echo signal quantifies myelin breakdown in premanifest Huntington's disease. NeuroImage: Clinical, 2021, 30, 102658. | 2.7 | 6 |
| 15 | Magnetic Resonance Imaging of \$\$T_2\$\$- and Diffusion Anisotropy Using a Tiltable Receive Coil. Mathematics and Visualization, 2021, , 247-262. | 0.6 | 0 |
| 16 | Predicting MEG resting-state functional connectivity from microstructural information. Network Neuroscience, 2021, 5, 477-504. | 2.6 | 20 |
| 17 | The variability of MR axon radii estimates in the human white matter. Human Brain Mapping, 2021, 42, 2201-2213. | 3.6 | 30 |
| 18 | Resolving bundle-specific intra-axonal T2 values within a voxel using diffusion-relaxation tract-based estimation. Neurolmage, 2021, 227, 117617. | 4.2 | 28 |

| # | Article | IF | Citations |
|----|--|----------------|-----------|
| 19 | Toward more robust and reproducible diffusion kurtosis imaging. Magnetic Resonance in Medicine, 2021, 86, 1600-1613. | 3.0 | 25 |
| 20 | Mapping Structural Connectivity Using Diffusion <scp>MRI</scp> : Challenges and Opportunities. Journal of Magnetic Resonance Imaging, 2021, 53, . | 3.4 | 1 |
| 21 | Validating pore size estimates in a complex microfiber environment on a human MRI system. Magnetic Resonance in Medicine, 2021, 86, 1514-1530. | 3.0 | 5 |
| 22 | The impact of graph construction scheme and community detection algorithm on the repeatability of community and hub identification in structural brain networks. Human Brain Mapping, 2021, 42, 4261-4280. | 3 . 6 | 7 |
| 23 | Computing the orientational-average of diffusion-weighted MRI signals: a comparison of different techniques. Scientific Reports, 2021, 11, 14345. | 3.3 | 10 |
| 24 | SPHERIOUSLY? The challenges of estimating sphere radius non-invasively in the human brain from diffusion MRI. Neurolmage, 2021, 237, 118183. Measuring compartmental symmious many symmetric many symmet | 4.2 | 16 |
| 25 | altimg="si4.svg"> <mml:msub><mml:mi>T</mml:mi><mml:mn>2</mml:mn></mml:msub> -oriental dependence in human brain white matter using a tiltable RF coil and diffusion- <mml:math altimg="si4.svg" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:msub></mml:msub><mml:mi>T</mml:mi><mml:mn>2</mml:mn></mml:math> | ational 4.2 | 30 |
| 26 | correlation MRI. NeuroImage, 2021, 236, 117967. Detecting microstructural deviations in individuals with deep diffusion MRI tractometry. Nature Computational Science, 2021, 1, 598-606. | 8.0 | 30 |
| 27 | E05â€Mutation-related apparent myelin, not axon density, drives white matter pathology in premanifest huntington's disease: evidence from in vivo ultra-strong gradient MRI. , 2021, , . | | 0 |
| 28 | Full-field MRI measurements of in-vivo positional brain shift reveal the significance of intra-cranial geometry and head orientation for stereotactic surgery. Scientific Reports, 2021, 11, 17684. | 3.3 | 6 |
| 29 | On the generalizability of diffusion MRI signal representations across acquisition parameters, sequences and tissue types: Chronicles of the MEMENTO challenge. NeuroImage, 2021, 240, 118367. | 4.2 | 10 |
| 30 | Global Brain Flexibility During Working Memory Is Reduced in a High-Genetic-Risk Group for Schizophrenia. Biological Psychiatry: Cognitive Neuroscience and Neuroimaging, 2021, 6, 1176-1184. | 1.5 | 6 |
| 31 | Tractography in the presence of multiple sclerosis lesions. Neurolmage, 2020, 209, 116471. | 4.2 | 36 |
| 32 | Cross-scanner and cross-protocol multi-shell diffusion MRI data harmonization: Algorithms and results. Neurolmage, 2020, 221, 117128. | 4.2 | 54 |
| 33 | Imaging Alzheimer's genetic risk using diffusion MRI: A systematic review. NeuroImage: Clinical, 2020, 27, 102359. | 2.7 | 24 |
| 34 | Drumming Motor Sequence Training Induces Apparent Myelin Remodelling in Huntington's Disease: A Longitudinal Diffusion MRI and Quantitative Magnetization Transfer Study. Journal of Huntington's Disease, 2020, 9, 303-320. | 1.9 | 12 |
| 35 | Microscopic susceptibility anisotropy imaging. Magnetic Resonance in Medicine, 2020, 84, 2739-2753. | 3.0 | 6 |
| 36 | A Critical Review of White Matter Changes in Huntington's Disease. Movement Disorders, 2020, 35, 1302-1311. | 3.9 | 41 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Impact of <i>b</i> â€value on estimates of apparent fibre density. Human Brain Mapping, 2020, 41, 2583-2595. | 3.6 | 64 |
| 38 | Strong diffusion gradients allow the separation of intra- and extra-axonal gradient-echo signals in the human brain. Neurolmage, 2020, 217, 116793. | 4.2 | 21 |
| 39 | Network diffusion modeling predicts neurodegeneration in traumatic brain injury. Annals of Clinical and Translational Neurology, 2020, 7, 270-279. | 3.7 | 29 |
| 40 | Directionâ€averaged diffusionâ€weighted MRI signal using different axisymmetric Bâ€ŧensor encoding schemes. Magnetic Resonance in Medicine, 2020, 84, 1579-1591. | 3.0 | 12 |
| 41 | The dot-compartment revealed? Diffusion MRI with ultra-strong gradients and spherical tensor encoding in the living human brain. Neurolmage, 2020, 210, 116534. | 4.2 | 64 |
| 42 | q-Space Novelty Detection with Variational Autoencoders. Mathematics and Visualization, 2020, , $113\text{-}124$. | 0.6 | 20 |
| 43 | DWI Simulation-Assisted Machine Learning Models for Microstructure Estimation. Mathematics and Visualization, 2020, , 125-134. | 0.6 | 2 |
| 44 | Acquiring and Predicting Multidimensional Diffusion (MUDI) Data: An Open Challenge. Mathematics and Visualization, 2020, , 195-208. | 0.6 | 8 |
| 45 | Population neuroimaging: generation of a comprehensive data resource within the ALSPAC pregnancy and birth cohort. Wellcome Open Research, 2020, 5, 203. | 1.8 | 12 |
| 46 | Noninvasive quantification of axon radii using diffusion MRI. ELife, 2020, 9, . | 6.0 | 137 |
| 47 | Alternative Diffusion Anisotropy Metric from Reduced MRI Acquisitions. Mathematics and Visualization, 2020, , 13-24. | 0.6 | 0 |
| 48 | Dimensionality reduction of diffusion MRI measures for improved tractometry of the human brain. NeuroImage, 2019, 200, 89-100. | 4.2 | 84 |
| 49 | Comparison of Different Tensor Encoding Combinations in Microstructural Parameter Estimation. , 2019, , . | | 4 |
| 50 | Estimating axon conduction velocity in vivo from microstructural MRI. NeuroImage, 2019, 203, 116186. | 4.2 | 60 |
| 51 | White matter organization in developmental coordination disorder: A pilot study exploring the added value of constrained spherical deconvolution. NeuroImage: Clinical, 2019, 21, 101625. | 2.7 | 16 |
| 52 | Cross-scanner and cross-protocol diffusion MRI data harmonisation: A benchmark database and evaluation of algorithms. NeuroImage, 2019, 195, 285-299. | 4.2 | 92 |
| 53 | Fornix white matter glia damage causes hippocampal gray matter damage during age-dependent limbic decline. Scientific Reports, 2019, 9, 1060. | 3.3 | 44 |
| 54 | Optimization of graph construction can significantly increase the power of structural brain network studies. Neurolmage, 2019, 199, 495-511. | 4.2 | 37 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 55 | Muti-shell Diffusion MRI Harmonisation and Enhancement Challenge (MUSHAC): Progress and Results. Mathematics and Visualization, 2019, , 217-224. | 0.6 | 12 |
| 56 | Obtaining Representative Core Streamlines for White Matter Tractometry of the Human Brain. Mathematics and Visualization, 2019, , 359-366. | 0.6 | 8 |
| 57 | Resolving degeneracy in diffusion MRI biophysical model parameter estimation using double diffusion encoding. Magnetic Resonance in Medicine, 2019, 82, 395-410. | 3.0 | 52 |
| 58 | Comparing MRI metrics to quantify white matter microstructural damage in multiple sclerosis. Human Brain Mapping, 2019, 40, 2917-2932. | 3.6 | 36 |
| 59 | Sex-specific effects of central adiposity and inflammatory markers on limbic microstructure. Neurolmage, 2019, 189, 793-803. | 4.2 | 22 |
| 60 | Genetic risk for schizophrenia and developmental delay is associated with shape and microstructure of midline white-matter structures. Translational Psychiatry, 2019, 9, 102. | 4.8 | 20 |
| 61 | The Superoanterior Fasciculus (SAF): A Novel White Matter Pathway in the Human Brain?. Frontiers in Neuroanatomy, 2019, 13, 24. | 1.7 | 22 |
| 62 | The structural connectome in traumatic brain injury: A meta-analysis of graph metrics. Neuroscience and Biobehavioral Reviews, 2019, 99, 128-137. | 6.1 | 54 |
| 63 | Neural self-representation in autistic women and association with â€~compensatory camouflaging'. Autism, 2019, 23, 1210-1223. | 4.1 | 86 |
| 64 | MRI Indices of Cortical Development in Young People With Psychotic Experiences: Influence of Genetic Risk and Persistence of Symptoms. Schizophrenia Bulletin, 2019, 45, 169-179. | 4.3 | 15 |
| 65 | Structural and Functional Neuroimaging of Polygenic Risk for Schizophrenia: A Recall-by-Genotype–Based Approach. Schizophrenia Bulletin, 2019, 45, 405-414. | 4.3 | 35 |
| 66 | Myelin Breakdown in Human Huntington's Disease: Multi-Modal Evidence from Diffusion MRI and Quantitative Magnetization Transfer. Neuroscience, 2019, 403, 79-92. | 2.3 | 51 |
| 67 | Evidence for Training-Dependent Structural Neuroplasticity in Brain-Injured Patients: A Critical Review. Neurorehabilitation and Neural Repair, 2018, 32, 99-114. | 2.9 | 35 |
| 68 | A diffusion modelâ€free framework with echo time dependence for freeâ€water elimination and brain tissue microstructure characterization. Magnetic Resonance in Medicine, 2018, 80, 2155-2172. | 3.0 | 14 |
| 69 | Improving the Predictions of Computational Models of Convection-Enhanced Drug Delivery by Accounting for Diffusion Non-gaussianity. Frontiers in Neurology, 2018, 9, 1092. | 2.4 | 3 |
| 70 | Meyer's loop tractography for image-guided surgery depends on imaging protocol and hardware. Neurolmage: Clinical, 2018, 20, 458-465. | 2.7 | 30 |
| 71 | Topographic separation of fornical fibers associated with the anterior and posterior hippocampus in the human brain: An <scp>MRI</scp> â€diffusion study. Brain and Behavior, 2017, 7, e00604. | 2.2 | 17 |
| 72 | Dynamics of White Matter Plasticity Underlying Working Memory Training: Multimodal Evidence from Diffusion MRI and Relaxometry. Journal of Cognitive Neuroscience, 2017, 29, 1509-1520. | 2.3 | 61 |

| # | Article | IF | Citations |
|----|--|------|-----------|
| 73 | Interactive Computation and Visualization of Structural Connectomes in Real-Time. Lecture Notes in Computer Science, 2017, , 35-41. | 1.3 | 0 |
| 74 | Improving the Reliability of Network Metrics in Structural Brain Networks by Integrating Different Network Weighting Strategies into a Single Graph. Frontiers in Neuroscience, 2017, 11, 694. | 2.8 | 48 |
| 75 | Global Efficiency of Structural Networks Mediates Cognitive Control in Mild Cognitive Impairment. Frontiers in Aging Neuroscience, 2016, 08, 292. | 3.4 | 51 |
| 76 | Myelination of the right parahippocampal cingulum is associated with physical activity in young healthy adults. Brain Structure and Function, 2016, 221, 4537-4548. | 2.3 | 28 |
| 77 | Longitudinal data on cortical thickness before and after working memory training. Data in Brief, 2016, 7, 1143-1147. | 1.0 | 2 |
| 78 | Dynamics of the Human Structural Connectome Underlying Working Memory Training. Journal of Neuroscience, 2016, 36, 4056-4066. | 3.6 | 82 |
| 79 | Subgenual Cingulum Microstructure Supports Control of Emotional Conflict. Cerebral Cortex, 2016, 26, 2850-2862. | 2.9 | 24 |
| 80 | Volumetric, relaxometric and diffusometric correlates of psychotic experiences in a non-clinical sample of young adults. NeuroImage: Clinical, 2016, 12, 550-558. | 2.7 | 15 |
| 81 | T 1 relaxometry of crossing fibres in the human brain. Neurolmage, 2016, 141, 133-142. | 4.2 | 50 |
| 82 | Relationships between cortical myeloarchitecture and electrophysiological networks. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13510-13515. | 7.1 | 96 |
| 83 | Longitudinal in vivo MRI in a Huntington's disease mouse model: Global atrophy in the absence of white matter microstructural damage. Scientific Reports, 2016, 6, 32423. | 3.3 | 26 |
| 84 | Including diffusion time dependence in the extra-axonal space improves in vivo estimates of axonal diameter and density in human white matter. NeuroImage, 2016, 130, 91-103. | 4.2 | 92 |
| 85 | Mediation of Developmental Risk Factors for Psychosis by White Matter Microstructure in Young Adults With Psychotic Experiences. JAMA Psychiatry, 2016, 73, 396. | 11.0 | 44 |
| 86 | Task complexity and location specific changes of cortical thickness in executive and salience networks after working memory training. Neurolmage, 2016, 130, 48-62. | 4.2 | 105 |
| 87 | White Matter Microstructure and Cognitive Function in Young Women With Polycystic Ovary Syndrome. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 314-323. | 3.6 | 40 |
| 88 | Robust MR-based approaches to quantifying white matter structure and structure/function alterations in Huntington's disease. Journal of Neuroscience Methods, 2016, 265, 2-12. | 2.5 | 17 |
| 89 | Resolving relaxometry and diffusion properties within the same voxel in the presence of crossing fibres by combining inversion recovery and diffusionâ€weighted acquisitions. Magnetic Resonance in Medicine, 2016, 75, 372-380. | 3.0 | 55 |
| 90 | Simultaneous Parameter Mapping, Modality Synthesis, and Anatomical Labeling of the Brain with MR Fingerprinting. Lecture Notes in Computer Science, 2016, , 579-586. | 1.3 | 5 |

| # | Article | IF | Citations |
|-----|---|--------------|-----------|
| 91 | Emotion regulation deficits in euthymic bipolar I versus bipolar <scp>II</scp> disorder: a functional and diffusionâ€tensor imaging study. Bipolar Disorders, 2015, 17, 461-470. | 1.9 | 93 |
| 92 | In Vivo MRI Evidence that Neuropathology is Attenuated by Cognitive Enrichment in the Yac128 Huntington's Disease Mouse Model. Journal of Huntington's Disease, 2015, 4, 149-160. | 1.9 | 6 |
| 93 | Cholinergic Basal Forebrain Structure Influences the Reconfiguration of White Matter Connections to Support Residual Memory in Mild Cognitive Impairment. Journal of Neuroscience, 2015, 35, 739-747. | 3.6 | 45 |
| 94 | ADHD severity is associated with white matter microstructure in the subgenual cingulum. NeuroImage: Clinical, 2015, 7, 653-660. | 2.7 | 27 |
| 95 | Schizophreniaâ€like topological changes in the structural connectome of individuals with subclinical psychotic experiences. Human Brain Mapping, 2015, 36, 2629-2643. | 3.6 | 66 |
| 96 | Psychotic Experiences, Working Memory, and the Developing Brain: A Multimodal Neuroimaging Study. Cerebral Cortex, 2015, 25, 4828-4838. | 2.9 | 23 |
| 97 | Limbic white matter microstructure plasticity reflects recovery from depression. Journal of Affective Disorders, 2015, 170, 143-149. | 4.1 | 38 |
| 98 | Exploring neural dysfunction in â€~clinical high risk' for psychosis: A quantitative review of fMRI studies. Journal of Psychiatric Research, 2015, 61, 122-134. | 3.1 | 36 |
| 99 | Dissociable roles of the inferior longitudinal fasciculus and fornix in face and place perception. ELife, 2015, 4, . | 6.0 | 43 |
| 100 | Joint Reconstruction of Multi-Contrast MRI for Multiple Sclerosis Lesion Segmentation. Informatik Aktuell, 2015, , 155-160. | 0.6 | 1 |
| 101 | Interindividual Variation in Fornix Microstructure and Macrostructure Is Related to Visual Discrimination Accuracy for Scenes But Not Faces. Journal of Neuroscience, 2014, 34, 12121-12126. | 3.6 | 35 |
| 102 | Gaussian Modeling of the Diffusion Signal. , 2014, , 87-104. | | 6 |
| 103 | Why diffusion tensor MRI does well only some of the time: Variance and covariance of white matter tissue microstructure attributes in the living human brain. NeuroImage, 2014, 89, 35-44. | 4.2 | 224 |
| 104 | White Matter Microstructure Predicts Autistic Traits in Attention-Deficit/Hyperactivity Disorder. Journal of Autism and Developmental Disorders, 2014, 44, 2742-2754. | 2.7 | 14 |
| 105 | CSF contamination contributes to apparent microstructural alterations in mild cognitive impairment. Neurolmage, 2014, 92, 27-35. | 4.2 | 64 |
| 106 | Improved Executive Function and Callosal White Matter Microstructure after Rhythm Exercise in Huntington's Disease. Journal of Huntington's Disease, 2014, 3, 273-283. | 1.9 | 46 |
| 107 | Magnetic Resonance in Medicine at 30. Magnetic Resonance in Medicine, 2014, 71, 901-902. | 3.0 | 0 |
| 108 | Investigating the prevalence of complex fiber configurations in white matter tissue with diffusion magnetic resonance imaging. Human Brain Mapping, 2013, 34, 2747-2766. | 3 . 6 | 887 |

| # | Article | IF | CITATIONS |
|-----|---|------|-----------|
| 109 | The CONNECT project: Combining macro- and micro-structure. NeuroImage, 2013, 80, 273-282. | 4.2 | 121 |
| 110 | White matter integrity, fiber count, and other fallacies: The do's and don'ts of diffusion MRI. Neurolmage, 2013, 73, 239-254. | 4.2 | 2,042 |
| 111 | Individual Differences in Fornix Microstructure and Body Mass Index. PLoS ONE, 2013, 8, e59849. | 2.5 | 36 |
| 112 | Cortical Network for Gaze Control in Humans Revealed Using Multimodal MRI. Cerebral Cortex, 2012, 22, 765-775. | 2.9 | 44 |
| 113 | Temporal association tracts and the breakdown of episodic memory in mild cognitive impairment. Neurology, 2012, 79, 2233-2240. | 1.1 | 88 |
| 114 | Cingulum Microstructure Predicts Cognitive Control in Older Age and Mild Cognitive Impairment. Journal of Neuroscience, 2012, 32, 17612-17619. | 3.6 | 148 |
| 115 | Using the biophysical CHARMED model to elucidate the underpinnings of contrast in diffusional kurtosis analysis of diffusion-weighted MRI. Magnetic Resonance Materials in Physics, Biology, and Medicine, 2012, 25, 267-276. | 2.0 | 29 |
| 116 | A Systematic Review of Diffusion Tensor Imaging Findings in Sports-Related Concussion. Journal of Neurotrauma, 2012, 29, 2521-2538. | 3.4 | 131 |
| 117 | Cingulum White Matter in Young Women at Risk of Depression: The Effect of Family History and Anhedonia. Biological Psychiatry, 2012, 72, 296-302. | 1.3 | 95 |
| 118 | How and how not to correct for CSF-contamination in diffusion MRI. NeuroImage, 2012, 59, 1394-1403. | 4.2 | 257 |
| 119 | The influence of complex white matter architecture on the mean diffusivity in diffusion tensor MRI of the human brain. Neurolmage, 2012, 59, 2208-2216. | 4.2 | 183 |
| 120 | Neuroplasticity and functional recovery in multiple sclerosis. Nature Reviews Neurology, 2012, 8, 635-646. | 10.1 | 128 |
| 121 | Motion correction and registration of high <i>b</i> à€value diffusion weighted images. Magnetic Resonance in Medicine, 2012, 67, 1694-1702. | 3.0 | 69 |
| 122 | Partial volume effect as a hidden covariate in DTI analyses. NeuroImage, 2011, 55, 1566-1576. | 4.2 | 308 |
| 123 | Spatial and orientational heterogeneity in the statistical sensitivity of skeleton-based analyses of diffusion tensor MR imaging data. Journal of Neuroscience Methods, 2011, 201, 213-219. | 2.5 | 63 |
| 124 | Diffusion Tensor Imaging. Methods in Molecular Biology, 2011, 711, 127-144. | 0.9 | 197 |
| 125 | Probabilistic fiber tracking using the residual bootstrap with constrained spherical deconvolution. Human Brain Mapping, 2011, 32, 461-479. | 3.6 | 335 |
| | | | |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 127 | White matter integrity in Asperger syndrome: a preliminary diffusion tensor magnetic resonance imaging study in adults. Autism Research, 2010, 3, 203-213. | 3.8 | 71 |
| 128 | White matter microstructure in 22q11 deletion syndrome: a pilot diffusion tensor imaging and voxel-based morphometry study of children and adolescents. Journal of Neurodevelopmental Disorders, 2010, 2, 77-92. | 3.1 | 38 |
| 129 | Twentyâ€five pitfalls in the analysis of diffusion MRI data. NMR in Biomedicine, 2010, 23, 803-820. | 2.8 | 717 |
| 130 | Precision and Accuracy in Diffusion Tensor Magnetic Resonance Imaging. Topics in Magnetic Resonance Imaging, 2010, 21, 87-99. | 1,2 | 69 |
| 131 | Challenges and limitations of quantifying brain connectivity (i>in vivo ivith diffusion MRI. Imaging in Medicine, 2010, 2, 341-355. | 0.0 | 284 |
| 132 | Visual gamma oscillations and evoked responses: Variability, repeatability and structural MRI correlates. Neurolmage, 2010, 49, 3349-3357. | 4.2 | 158 |
| 133 | Resting GABA concentration predicts peak gamma frequency and fMRI amplitude in response to visual stimulation in humans. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 8356-8361. | 7.1 | 503 |
| 134 | The <i>B</i> â€matrix must be rotated when correcting for subject motion in DTI data. Magnetic Resonance in Medicine, 2009, 61, 1336-1349. | 3.0 | 1,204 |
| 135 | Microstructural Organization of Cerebellar Tracts in Schizophrenia. Biological Psychiatry, 2009, 66, 1067-1069. | 1.3 | 49 |
| 136 | Diffusion tensor MRI of the corpus callosum and cognitive function in adults born preterm. NeuroReport, 2009, 20, 424-428. | 1.2 | 76 |
| 137 | Investigating exchange and multicomponent relaxation in fullyâ€balanced steadyâ€state free precession imaging. Journal of Magnetic Resonance Imaging, 2008, 27, 1421-1429. | 3.4 | 36 |
| 138 | Gleaning multicomponent <i>T</i> ₁ and <i>T</i> ₂ information from steadyâ€state imaging data. Magnetic Resonance in Medicine, 2008, 60, 1372-1387. | 3.0 | 413 |
| 139 | Tractography Gone Wild: Probabilistic Fibre Tracking Using the Wild Bootstrap With Diffusion Tensor MRI. IEEE Transactions on Medical Imaging, 2008, 27, 1268-1274. | 8.9 | 133 |
| 140 | Studying connections in the living human brain with diffusion MRI. Cortex, 2008, 44, 936-952. | 2.4 | 435 |
| 141 | Standardized structural magnetic resonance imaging in multicentre studies using quantitative T 1 and T 2 imaging at 1.5ÂT. Neurolmage, 2008, 40, 662-671. | 4.2 | 110 |
| 142 | Altered cerebellar feedback projections in Asperger syndrome. Neurolmage, 2008, 41, 1184-1191. | 4.2 | 259 |
| 143 | Symmetries in human brain language pathways correlate with verbal recall. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 17163-17168. | 7.1 | 558 |
| 144 | A longitudinal study of diffusion tensor MRI in ALS. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2007, 8, 348-355. | 2.1 | 71 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 145 | A Diffusion Tensor Imaging Study of Fasciculi in Schizophrenia. American Journal of Psychiatry, 2007, 164, 467-473. | 7.2 | 223 |
| 146 | Parsimonious Model Selection for Tissue Segmentation and Classification Applications: A Study Using Simulated and Experimental DTI Data. IEEE Transactions on Medical Imaging, 2007, 26, 1576-1584. | 8.9 | 28 |
| 147 | Investigating the effect of exchange and multicomponentT1 relaxation on the short repetition time spoiled steady-state signal and the DESPOT1T1 quantification method. Journal of Magnetic Resonance Imaging, 2007, 25, 570-578. | 3.4 | 22 |
| 148 | Acquisition and voxelwise analysis of multi-subject diffusion data with Tract-Based Spatial Statistics. Nature Protocols, 2007, 2, 499-503. | 12.0 | 526 |
| 149 | Tract-specific anisotropy measurements in diffusion tensor imaging. Psychiatry Research - Neuroimaging, 2006, 146, 73-82. | 1.8 | 148 |
| 150 | Age effects on diffusion tensor magnetic resonance imaging tractography measures of frontal cortex connections in schizophrenia. Human Brain Mapping, 2006, 27, 230-238. | 3.6 | 224 |
| 151 | Just how much data need to be collected for reliable bootstrap DT-MRI?. Magnetic Resonance in Medicine, 2006, 56, 884-890. | 3.0 | 19 |
| 152 | Perisylvian language networks of the human brain. Annals of Neurology, 2005, 57, 8-16. | 5.3 | 1,684 |
| 153 | RESTORE: Robust estimation of tensors by outlier rejection. Magnetic Resonance in Medicine, 2005, 53, 1088-1095. | 3.0 | 573 |
| 154 | Confidence mapping in diffusion tensor magnetic resonance imaging tractography using a bootstrap approach. Magnetic Resonance in Medicine, 2005, 53, 1143-1149. | 3.0 | 133 |
| 155 | PASTA: Pointwise assessment of streamline tractography attributes. Magnetic Resonance in Medicine, 2005, 53, 1462-1467. | 3.0 | 113 |
| 156 | The effect of filter size on VBM analyses of DT-MRI data. Neurolmage, 2005, 26, 546-554. | 4.2 | 549 |
| 157 | A Diffusion Tensor Magnetic Resonance Imaging Study of Frontal Cortex Connections in Very-Late-Onset Schizophrenia-Like Psychosis. American Journal of Geriatric Psychiatry, 2005, 13, 1092-1099. | 1.2 | 71 |
| 158 | The effect of gradient sampling schemes on measures derived from diffusion tensor MRI: A Monte Carlo studyâ€. Magnetic Resonance in Medicine, 2004, 51, 807-815. | 3.0 | 714 |
| 159 | ?Squashing peanuts and smashing pumpkins?: How noise distorts diffusion-weighted MR data. Magnetic Resonance in Medicine, 2004, 52, 979-993. | 3.0 | 527 |
| 160 | Determining and visualizing uncertainty in estimates of fiber orientation from diffusion tensor MRI. Magnetic Resonance in Medicine, 2003, 49, 7-12. | 3.0 | 332 |
| 161 | Occipito-temporal connections in the human brain. Brain, 2003, 126, 2093-2107. | 7.6 | 829 |
| 162 | The Future for Diffusion Tensor Imaging in Neuropsychiatry. Journal of Neuropsychiatry and Clinical Neurosciences, 2002, 14, 1-5. | 1.8 | 30 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 163 | Virtual in Vivo Interactive Dissection of White Matter Fasciculi in the Human Brain. NeuroImage, 2002, 17, 77-94. | 4.2 | 1,515 |
| 164 | Diffusion-tensor MRI: theory, experimental design and data analysis - a technical review. NMR in Biomedicine, 2002, 15, 456-467. | 2.8 | 1,291 |
| 165 | Applications of diffusion-weighted and diffusion tensor MRI to white matter diseases - a review. NMR in Biomedicine, 2002, 15, 570-577. | 2.8 | 435 |
| 166 | Spatial Normalization and Averaging of Diffusion Tensor MRI Data Sets. NeuroImage, 2002, 17, 592-617. | 4.2 | 38 |
| 167 | MRI based diffusion and perfusion predictive model to estimate stroke evolution. Magnetic Resonance Imaging, 2001, 19, 1043-1053. | 1.8 | 51 |
| 168 | Cluster Analysis of Diffusion Tensor Magnetic Resonance Images in Human Head Injury. Neurosurgery, 2000, 47, 306-314. | 1.1 | 57 |
| 169 | Characterization of White Matter Damage in Ischemic Leukoaraiosis with Diffusion Tensor MRI. Stroke, 1999, 30, 393-397. | 2.0 | 302 |
| 170 | Application of diffusion tensor MRI to neurological segmentation. International Journal of Imaging Systems and Technology, 1999, 10, 273-286. | 4.1 | 5 |
| 171 | Non-invasive assessment of axonal fiber connectivity in the human brain via diffusion tensor MRI. Magnetic Resonance in Medicine, 1999, 42, 37-41. | 3.0 | 544 |
| 172 | Fundamentals of diffusion MR imaging. , 0, , 44-67. | | 0 |