

# Jeffrey F Harper

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7466589/publications.pdf>

Version: 2024-02-01

66  
papers

9,980  
citations

53794

45  
h-index

102487

66  
g-index

69  
all docs

69  
docs citations

69  
times ranked

8124  
citing authors

#	ARTICLE	IF	CITATIONS
1	Reproductive resilience: putting pollen grains in two baskets. <i>Trends in Plant Science</i> , 2022, 27, 237-246.	8.8	3
2	OUP accepted manuscript. <i>Plant Physiology</i> , 2021, , .	4.8	9
3	Arabidopsis Ca <sup>2+</sup> -ATPases 1, 2, and 7 in the endoplasmic reticulum contribute to growth and pollen fitness. <i>Plant Physiology</i> , 2021, 185, 1966-1985.	4.8	24
4	A short critique on biomining technology for critical materials. <i>World Journal of Microbiology and Biotechnology</i> , 2021, 37, 87.	3.6	2
5	Enhanced Reproductive Thermotolerance of the Tomato high pigment 2 Mutant Is Associated With Increased Accumulation of Flavonols in Pollen. <i>Frontiers in Plant Science</i> , 2021, 12, 672368.	3.6	18
6	Guard cell endomembrane Ca <sup>2+</sup> -ATPases underpin a "carbon memory"™ of photosynthetic assimilation that impacts on water-use efficiency. <i>Nature Plants</i> , 2021, 7, 1301-1313.	9.3	28
7	Dynamic membranes: the multiple roles of P4 and P5 ATPases. <i>Plant Physiology</i> , 2021, 185, 619-631.	4.8	13
8	A Ratiometric Calcium Reporter CGf Reveals Calcium Dynamics Both in the Single Cell and Whole Plant Levels Under Heat Stress. <i>Frontiers in Plant Science</i> , 2021, 12, 777975.	3.6	10
9	A potential pathway for flippase-facilitated glucosylceramide catabolism in plants. <i>Plant Signaling and Behavior</i> , 2020, 15, 1783486.	2.4	4
10	The Lipid Flippases ALA4 and ALA5 Play Critical Roles in Cell Expansion and Plant Growth. <i>Plant Physiology</i> , 2020, 182, 2111-2125.	4.8	11
11	Decapitation Crosses to Test Pollen Fertility Mutations for Defects in Stigma-Style Penetration. <i>Methods in Molecular Biology</i> , 2020, 2160, 29-40.	0.9	2
12	A Fruitful Journey: Pollen Tube Navigation from Germination to Fertilization. <i>Annual Review of Plant Biology</i> , 2019, 70, 809-837.	18.7	176
13	A Putative Protein <i>O</i> -Fucosyltransferase Facilitates Pollen Tube Penetration through the Stigma-Style Interface. <i>Plant Physiology</i> , 2018, 176, 2804-2818.	4.8	25
14	A comparison of heat-stress transcriptome changes between wild-type Arabidopsis pollen and a heat-sensitive mutant harboring a knockout of cyclic nucleotide-gated cation channel 16 (cngc16). <i>BMC Genomics</i> , 2018, 19, 549.	2.8	37
15	Orchestrating rapid long-distance signaling in plants with Ca <sup>2+</sup> , ROS and electrical signals. <i>Plant Journal</i> , 2017, 90, 698-707.	5.7	250
16	Loss of the Arabidopsis thaliana P4-ATPases ALA6 and ALA7 impairs pollen fitness and alters the pollen tube plasma membrane. <i>Frontiers in Plant Science</i> , 2015, 6, 197.	3.6	33
17	A phospholipid uptake system in the model plant Arabidopsis thaliana. <i>Nature Communications</i> , 2015, 6, 7649.	12.8	71
18	Transgressive, reiterative selection by continuous buoyant density gradient centrifugation of <i>Dunaliella salina</i> results in enhanced lipid and starch content. <i>Algal Research</i> , 2015, 9, 194-203.	4.6	10

#	ARTICLE	IF	CITATIONS
19	ACA12 is a deregulated isoform of plasma membrane Ca <sup>2+</sup> -ATPase of <i>Arabidopsis thaliana</i> . <i>Plant Molecular Biology</i> , 2014, 84, 387-397.	3.9	30
20	Regulation of Na,K-ATPase $\beta$ 1-subunit in TGF- $\beta$ 2-mediated epithelial-to-mesenchymal transition in human retinal pigmented epithelial cells. <i>Experimental Eye Research</i> , 2013, 115, 113-122.	2.6	25
21	A Cyclic Nucleotide-Gated Channel (CNGC16) in Pollen Is Critical for Stress Tolerance in Pollen Reproductive Development. <i>Plant Physiology</i> , 2013, 161, 1010-1020.	4.8	143
22	Cyclic Nucleotide Gated Channels 7 and 8 Are Essential for Male Reproductive Fertility. <i>PLoS ONE</i> , 2013, 8, e55277.	2.5	76
23	Loss of the <i>Arabidopsis thaliana</i> P4-ATPase ALA3 Reduces Adaptability to Temperature Stresses and Impairs Vegetative, Pollen, and Ovule Development. <i>PLoS ONE</i> , 2013, 8, e62577.	2.5	37
24	Evolution of Plant P-Type ATPases. <i>Frontiers in Plant Science</i> , 2012, 3, 31.	3.6	132
25	Calcium-Dependent Protein Kinases from <i>Arabidopsis</i> Show Substrate Specificity Differences in an Analysis of 103 Substrates. <i>Frontiers in Plant Science</i> , 2011, 2, 36.	3.6	80
26	The ins and outs of cellular Ca <sup>2+</sup> transport. <i>Current Opinion in Plant Biology</i> , 2011, 14, 715-720.	7.1	84
27	Na,K-ATPase Subunits as Markers for Epithelial-Mesenchymal Transition in Cancer and Fibrosis. <i>Molecular Cancer Therapeutics</i> , 2010, 9, 1515-1524.	4.1	68
28	Disruption of the Vacuolar Calcium-ATPases in <i>Arabidopsis</i> Results in the Activation of a Salicylic Acid-Dependent Programmed Cell Death Pathway. <i>Plant Physiology</i> , 2010, 154, 1158-1171.	4.8	111
29	Temperature stress and plant sexual reproduction: uncovering the weakest links. <i>Journal of Experimental Botany</i> , 2010, 61, 1959-1968.	4.8	646
30	Proteomic profiling of tandem affinity purified 14-3-3 protein complexes in <i>Arabidopsis thaliana</i> . <i>Proteomics</i> , 2009, 9, 2967-2985.	2.2	193
31	Calcium-dependent protein kinases regulate polarized tip growth in pollen tubes. <i>Plant Journal</i> , 2009, 59, 528-539.	5.7	179
32	Gene expression signatures and small-molecule compounds link a protein kinase to <i>Plasmodium falciparum</i> motility. <i>Nature Chemical Biology</i> , 2008, 4, 347-356.	8.0	203
33	The ACA10 Ca <sup>2+</sup> -ATPase Regulates Adult Vegetative Development and Inflorescence Architecture in <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2008, 146, 323-324.	4.8	66
34	The <i>Arabidopsis</i> P4-ATPase ALA3 Localizes to the Golgi and Requires a $\beta$ 2-Subunit to Function in Lipid Translocation and Secretory Vesicle Formation. <i>Plant Cell</i> , 2008, 20, 658-676.	6.6	129
35	Use of directed peptide libraries for discovery of substrates of <i>Arabidopsis</i> CDPKs. <i>FASEB Journal</i> , 2008, 22, 1050.9.	0.5	1
36	A cyclic nucleotide-gated channel is essential for polarized tip growth of pollen. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 14531-14536.	7.1	248

#	ARTICLE	IF	CITATIONS
37	The origin and function of calmodulin regulated Ca <sup>2+</sup> pumps in plants. <i>Journal of Bioenergetics and Biomembranes</i> , 2007, 39, 409-414.	2.3	58
38	Structure of the Regulatory Apparatus of a Calcium-dependent Protein Kinase (CDPK): A Novel Mode of Calmodulin-target Recognition. <i>Journal of Molecular Biology</i> , 2006, 357, 400-410.	4.2	64
39	Plants, symbiosis and parasites: a calcium signalling connection. <i>Nature Reviews Molecular Cell Biology</i> , 2005, 6, 555-566.	37.0	340
40	Evidence for Differing Roles for Each Lobe of the Calmodulin-like Domain in a Calcium-dependent Protein Kinase. <i>Journal of Biological Chemistry</i> , 2004, 279, 29092-29100.	3.4	62
41	A plant plasma membrane Ca <sup>2+</sup> pump is required for normal pollen tube growth and fertilization. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9502-9507.	7.1	293
42	DECODING Ca <sup>2+</sup> -SIGNALS THROUGH PLANT PROTEIN KINASES. <i>Annual Review of Plant Biology</i> , 2004, 55, 263-288.	18.7	436
43	The Arabidopsis CDPK-SnRK Superfamily of Protein Kinases. <i>Plant Physiology</i> , 2003, 132, 666-680.	4.8	898
44	Systematic Trans-Genomic Comparison of Protein Kinases between Arabidopsis and <i>Saccharomyces cerevisiae</i> . <i>Plant Physiology</i> , 2003, 132, 2152-2165.	4.8	75
45	Subcellular Targeting of Nine Calcium-Dependent Protein Kinase Isoforms from Arabidopsis. <i>Plant Physiology</i> , 2003, 132, 1840-1848.	4.8	235
46	Genomic Comparison of P-Type ATPase Ion Pumps in Arabidopsis and Rice. <i>Plant Physiology</i> , 2003, 132, 618-628.	4.8	320
47	Calcium at the Crossroads of Signaling. <i>Plant Cell</i> , 2002, 14, S401-S417.	6.6	1,076
48	The CDPK superfamily of protein kinases. <i>New Phytologist</i> , 2001, 151, 175-183.	7.3	188
49	Evidence for a role in growth and salt resistance of a plasma membrane H <sup>+</sup> -ATPase in the root endodermis. <i>Plant Journal</i> , 2001, 27, 191-201.	5.7	127
50	Na,K-ATPase $\beta$ -Subunit Is Required for Epithelial Polarization, Suppression of Invasion, and Cell Motility. <i>Molecular Biology of the Cell</i> , 2001, 12, 279-295.	2.1	180
51	Na,K-ATPase Activity Is Required for Formation of Tight Junctions, Desmosomes, and Induction of Polarity in Epithelial Cells. <i>Molecular Biology of the Cell</i> , 2001, 12, 3717-3732.	2.1	161
52	Autoinhibition of a Calmodulin-dependent Calcium Pump Involves a Structure in the Stalk That Connects the Transmembrane Domain to the ATPase Catalytic Domain. <i>Journal of Biological Chemistry</i> , 2000, 275, 30301-30308.	3.4	45
53	Calmodulin Activation of an Endoplasmic Reticulum-Located Calcium Pump Involves an Interaction with the N-Terminal Autoinhibitory Domain. <i>Plant Physiology</i> , 2000, 122, 157-168.	4.8	71
54	Identification of a Calmodulin-Regulated Soybean Ca <sup>2+</sup> -ATPase (SCA1) That Is Located in the Plasma Membrane. <i>Plant Cell</i> , 2000, 12, 1393-1407.	6.6	102

#	ARTICLE	IF	CITATIONS
55	CDPKs â€“ a kinase for every Ca <sup>2+</sup> signal?. Trends in Plant Science, 2000, 5, 154-159.	8.8	476
56	DIVERSITY ANDREGULATION OFPLANTCa <sup>2+</sup> PUMPS: Insights from Expression in Yeast. Annual Review of Plant Biology, 2000, 51, 433-462.	14.3	266
57	Intramolecular Activation of a Ca <sup>2+</sup> -Dependent Protein Kinase Is Disrupted by Insertions in the Tether That Connects the Calmodulin-like Domain to the Kinase. Biochemistry, 2000, 39, 4004-4011.	2.5	34
58	Identification of a Calmodulin-Regulated Ca <sup>2+</sup> -ATPase in the Endoplasmic Reticulum1. Plant Physiology, 1999, 119, 1165-1176.	4.8	130
59	Cameleon calcium indicator reports cytoplasmic calcium dynamics in Arabidopsis guard cells. Plant Journal, 1999, 19, 735-747.	5.7	332
60	Plasma membrane H <sup>+</sup> -ATPase in the root apex: Evidence for strong expression in xylem parenchyma and asymmetric localization within cortical and epidermal cells. Physiologia Plantarum, 1998, 104, 311-316.	5.2	62
61	14-3-3 proteins activate a plant calcium-dependent protein kinase (CDPK). FEBS Letters, 1998, 430, 381-384.	2.8	122
62	A Novel Calmodulin-regulated Ca <sup>2+</sup> -ATPase (ACA2) from Arabidopsis with an N-terminal Autoinhibitory Domain. Journal of Biological Chemistry, 1998, 273, 1099-1106.	3.4	143
63	Activation of a Ca <sup>2+</sup> -Dependent Protein Kinase Involves Intramolecular Binding of a Calmodulin-like Regulatory Domainâ€“. Biochemistry, 1996, 35, 13222-13230.	2.5	84
64	The plasma membrane H <sup>+</sup> -ATPase gene family in Arabidopsis: genomic sequence of AHA10 which is expressed primarily in developing seeds. Molecular Genetics and Genomics, 1994, 244, 572-587.	2.4	93
65	Genetic Identification of an Autoinhibitor in CDPK, a Protein Kinase with a Calmodulin-like Domain. Biochemistry, 1994, 33, 7267-7277.	2.5	195
66	Calcium and lipid regulation of an Arabidopsis protein kinase expressed in Escherichia coli. Biochemistry, 1993, 32, 3282-3290.	2.5	132