

Ray M Fitzpatrick

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7471508/publications.pdf>

Version: 2024-02-01

260
papers

21,388
citations

12330

69
h-index

10734

138
g-index

263
all docs

263
docs citations

263
times ranked

23548
citing authors

#	ARTICLE	IF	CITATIONS
1	Reliability and validity of the FORUM-P and FORUM-C: two novel instruments for outcome measurement in forensic mental health. <i>Psychology, Crime and Law</i> , 2024, 30, 150-165.	1.0	0
2	Development of the FORUM: a new patient and clinician reported outcome measure for forensic mental health services. <i>Psychology, Crime and Law</i> , 2022, 28, 865-882.	1.0	1
3	Long-term Effectiveness of Adjuvant Treatment With Catechol-O-Methyltransferase or Monoamine Oxidase B Inhibitors Compared With Dopamine Agonists Among Patients With Parkinson Disease Uncontrolled by Levodopa Therapy. <i>JAMA Neurology</i> , 2022, 79, 131.	9.0	20
4	Refinement of the Well-being in Pregnancy (WiP) questionnaire: cognitive interviews with women and healthcare professionals and a validation survey. <i>BMC Pregnancy and Childbirth</i> , 2022, 22, 325.	2.4	5
5	Outcome measures in forensic mental health services: A systematic review of instruments and qualitative evidence synthesis. <i>European Psychiatry</i> , 2021, 64, 1-40.	0.2	7
6	Use of the Long-Term Conditions Questionnaire (LTCQ) for monitoring health-related quality of life in people affected by cognitive impairment including dementia: pilot study in UK memory clinic services. <i>Quality of Life Research</i> , 2021, 30, 1641-1652.	3.1	2
7	Perinatal depression in migrant and refugee women on the Thai-Myanmar border: does social support matter?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2021, 376, 20200030.	4.0	11
8	Exploring the use of health and wellbeing measures during pregnancy and the first year following birth in women living with pre-existing long-term conditions: qualitative interviews with women and healthcare professionals. <i>BMC Health Services Research</i> , 2021, 21, 597.	2.2	2
9	Comparison of a theoretically driven cognitive therapy (the Feeling Safe Programme) with befriending for the treatment of persistent persecutory delusions: a parallel, single-blind, randomised controlled trial. <i>Lancet Psychiatry</i> , 2021, 8, 696-707.	7.4	40
10	Ten outcome measures in forensic mental health: A survey of clinician views on comprehensiveness, ease of use and relevance. <i>Criminal Behaviour and Mental Health</i> , 2021, 31, 372-386.	0.8	3
11	Challenges in integrating health and social care: the Better Care Fund in England. <i>Journal of Health Services Research and Policy</i> , 2020, 25, 86-93.	1.7	13
12	Enhancing primary care support for informal carers: A scoping study with professional stakeholders. <i>Health and Social Care in the Community</i> , 2020, 28, 642-650.	1.6	18
13	Measuring the benefits of the integration of health and social care: qualitative interviews with professional stakeholders and patient representatives. <i>BMC Health Services Research</i> , 2020, 20, 515.	2.2	14
14	Standardising definitions for the pre-eclampsia core outcome set: A consensus development study. <i>Pregnancy Hypertension</i> , 2020, 21, 208-217.	1.4	9
15	Rasch analysis of the long-term conditions questionnaire (LTCQ) and development of a short-form (LTCQ-8). <i>Health and Quality of Life Outcomes</i> , 2020, 18, 375.	2.4	7
16	Estimating EQ-5D utilities based on the Short-Form Long Term Conditions Questionnaire (LTCQ-8). <i>Health and Quality of Life Outcomes</i> , 2020, 18, 279.	2.4	2
17	The use of patient-reported outcome measures to guide referral for hip and knee arthroplasty. <i>Bone and Joint Journal</i> , 2020, 102-B, 941-949.	4.4	30
18	Prevalence and determinants of perinatal depression among labour migrant and refugee women on the Thai-Myanmar border: a cohort study. <i>BMC Psychiatry</i> , 2020, 20, 168.	2.6	17

#	ARTICLE	IF	CITATIONS
19	Home monitoring with technology-supported management in chronic heart failure: a randomised trial. <i>Heart</i> , 2020, 106, 1573-1578.	2.9	33
20	The impact of the enhanced recovery pathway and other factors on outcomes and costs following hip and knee replacement: routine data study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-188.	1.4	5
21	Total versus partial knee replacement in patients with medial compartment knee osteoarthritis: the TOPKAT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-98.	2.8	27
22	Validation of the Musculoskeletal Health Questionnaire in inflammatory arthritis: a psychometric evaluation. <i>Rheumatology</i> , 2019, 58, 45-51.	1.9	13
23	The clinical and cost-effectiveness of total versus partial knee replacement in patients with medial compartment osteoarthritis (TOPKAT): 5-year outcomes of a randomised controlled trial. <i>Lancet</i> , The, 2019, 394, 746-756.	13.7	195
24	Methodological decisions influence the identification of potential core outcomes in studies related to pre-eclampsia: A analysis informing the development of Recommendations for future core outcome set developers. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2019, 126, 1482-1490.	2.3	14
25	Geographical Variation in Outcomes of Primary Hip and Knee Replacement. <i>JAMA Network Open</i> , 2019, 2, e1914325.	5.9	22
26	Impact of a national enhanced recovery after surgery programme on patient outcomes of primary total knee replacement: an interrupted time series analysis from "The National Joint Registry of England, Wales, Northern Ireland and the Isle of Man". <i>Osteoarthritis and Cartilage</i> , 2019, 27, 1280-1293.	1.3	20
27	Self-efficacy and health-related quality of life: a cross-sectional study of primary care patients with multi-morbidity. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 37.	2.4	119
28	Enhanced Recovery After Surgery implementation in practice: an ethnographic study of services for hip and knee replacement. <i>BMJ Open</i> , 2019, 9, e024431.	1.9	17
29	Duration of Treatment Effect Should Be Considered in the Design and Interpretation of Clinical Trials: Results of a Discrete Choice Experiment. <i>Medical Decision Making</i> , 2019, 39, 461-473.	2.4	9
30	Determining responsiveness and meaningful changes for the Musculoskeletal Health Questionnaire (MSK-HQ) for use across musculoskeletal care pathways. <i>BMJ Open</i> , 2019, 9, e025357.	1.9	17
31	Assessment on patient outcomes of primary hip replacement: an interrupted time series analysis from "The National Joint Registry of England and Wales". <i>BMJ Open</i> , 2019, 9, e031599.	1.9	4
32	Exploring Patient Experience of Facial Nerve Palsy to Inform the Development of a PROM. <i>Plastic and Reconstructive Surgery - Global Open</i> , 2019, 7, e2072.	0.6	16
33	Problems persist in reporting of methods and results for the WOMAC measure in hip and knee osteoarthritis trials. <i>Quality of Life Research</i> , 2019, 28, 335-343.	3.1	44
34	The Arthroplasty Candidacy Help Engine tool to select candidates for hip and knee replacement surgery: development and economic modelling. <i>Health Technology Assessment</i> , 2019, 23, 1-216.	2.8	28
35	Migrant perinatal depression study: a prospective cohort study of perinatal depression on the Thai-Myanmar border. <i>BMJ Open</i> , 2018, 8, e017129.	1.9	16
36	Developing a Standard Set of Patient-Centred Outcomes for Inflammatory Bowel Disease "an International, Cross-disciplinary Consensus. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 408-418.	1.3	102

#	ARTICLE	IF	CITATIONS
37	Predictors of activity and participation across neurodegenerative conditions: a comparison of people with motor neurone disease, multiple sclerosis and Parkinson's disease. BMC Neurology, 2018, 18, 19.	1.8	10
38	The Family Context of Assent: Comparison of Child and Parent Perspectives on Familial Decision-Making. Children and Society, 2018, 32, 266-278.	1.7	0
39	Post discharge medicines use review (dMUR) service for older patients: Cost-savings from community pharmacist interventions. Research in Social and Administrative Pharmacy, 2018, 14, 203-206.	3.0	9
40	The context of coping: a qualitative exploration of underlying inequalities that influence health services support for people living with long-term conditions. Sociology of Health and Illness, 2018, 40, 130-145.	2.1	16
41	Inadequate safety reporting in pre-eclampsia trials: a systematic evaluation. BJOG: an International Journal of Obstetrics and Gynaecology, 2018, 125, 795-803.	2.3	22
42	Sample size calculations are poorly conducted and reported in many Randomized trials of hip and knee osteoarthritis: results of a systematic review. Journal of Clinical Epidemiology, 2018, 104, 52-61.	5.0	22
43	Quality of life and burden of morbidity in primary care users with multimorbidity. Patient Related Outcome Measures, 2018, Volume 9, 103-113.	1.2	24
44	An alternative approach to implementing patient-reported outcome measures. Pilot and Feasibility Studies, 2018, 4, 96.	1.2	9
45	Validation of the Refugee Health Screener-15 for the assessment of perinatal depression among Karen and Burmese women on the Thai-Myanmar border. PLoS ONE, 2018, 13, e0197403.	2.5	14
46	Living with severe perinatal depression: a qualitative study of the experiences of labour migrant and refugee women on the Thai-Myanmar border. BMC Psychiatry, 2018, 18, 229.	2.6	17
47	Partial ablation versus radical prostatectomy in intermediate-risk prostate cancer: the PART feasibility RCT. Health Technology Assessment, 2018, 22, 1-96.	2.8	33
48	The Oxford knee score and its subscales do not exhibit a ceiling or a floor effect in knee arthroplasty patients: an analysis of the National Health Service PROMs data set. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2736-2742.	4.2	22
49	The role of life context and self-defined well-being in the outcomes that matter to people with a diagnosis of schizophrenia. Health Expectations, 2017, 20, 1061-1072.	2.6	17
50	Core outcome sets in women's and newborn health: a systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 2017, 124, 1481-1489.	2.3	131
51	A systematic review of primary outcomes and outcome measure reporting in randomized trials evaluating treatments for pre-eclampsia. International Journal of Gynecology and Obstetrics, 2017, 139, 262-267.	2.3	26
52	Long-Term Conditions Questionnaire (LTCQ): initial validation survey among primary care patients and social care recipients in England. BMJ Open, 2017, 7, e019235.	1.9	15
53	Current practice in methodology and reporting of the sample size calculation in randomised trials of hip and knee osteoarthritis: a protocol for a systematic review. Trials, 2017, 18, 466.	1.6	4
54	Treatment outcomes in schizophrenia: qualitative study of the views of family carers. BMC Psychiatry, 2017, 17, 266.	2.6	13

#	ARTICLE	IF	CITATIONS
55	A comparison of the Oxford shoulder score and shoulder pain and disability index: factor structure in the context of a large randomized controlled trial. Patient Related Outcome Measures, 2016, Volume 7, 195-203.	1.2	18
56	The Long-Term Conditions Questionnaire: conceptual framework and item development. Patient Related Outcome Measures, 2016, Volume 7, 109-125.	1.2	14
57	Refinement of the Long-Term Conditions Questionnaire (LTCQ): patient and expert stakeholder opinion. Patient Related Outcome Measures, 2016, Volume 7, 183-193.	1.2	8
58	Validation of the Oxford Participation and Activities Questionnaire. Patient Related Outcome Measures, 2016, 7, 73.	1.2	21
59	Systematic review of measurement properties of patient-reported outcome measures used in patients undergoing hip and knee arthroplasty. Patient Related Outcome Measures, 2016, Volume 7, 101-108.	1.2	119
60	When There Is Not Enough Evidence and When Evidence Is Not Enough: An Australian Indigenous Smoking Policy Study. Frontiers in Public Health, 2016, 4, 228.	2.7	6
61	Creating connections – the development of a mobile-health monitoring system for heart failure: Qualitative findings from a usability cohort study. Digital Health, 2016, 2, 205520761667146.	1.8	13
62	Development and initial cohort validation of the Arthritis Research UK Musculoskeletal Health Questionnaire (MSK-HQ) for use across musculoskeletal care pathways. BMJ Open, 2016, 6, e012331.	1.9	98
63	A protocol for developing, disseminating, and implementing a core outcome set for pre-eclampsia. Pregnancy Hypertension, 2016, 6, 274-278.	1.4	48
64	Challenges, solutions and future directions in evaluative research. Journal of Health Services Research and Policy, 2016, 21, 215-216.	1.7	19
65	Framework and guidance for implementing patient-reported outcomes in clinical practice: evidence, challenges and opportunities. Journal of Comparative Effectiveness Research, 2016, 5, 507-519.	1.4	147
66	Addressing health system barriers to access to and use of skilled delivery services: perspectives from Ghana. International Journal of Health Planning and Management, 2016, 31, e235-e253.	1.7	23
67	Developing a new justification for assent. BMC Medical Ethics, 2016, 17, 2.	2.4	30
68	The efficacy of a new translational treatment for persecutory delusions: study protocol for a randomised controlled trial (The Feeling Safe Study). Trials, 2016, 17, 134.	1.6	24
69	New approaches to evaluating complex health and care systems. BMJ, The, 2016, 352, i154.	6.0	58
70	Health-related quality of life in patients with prominent negative symptoms: results from a multicenter randomized Phase II trial on bitopertin. Quality of Life Research, 2016, 25, 201-211.	3.1	13
71	Challenges, solutions and future directions in the evaluation of service innovations in health care and public health. Health Services and Delivery Research, 2016, 4, 1-136.	1.4	83
72	Strategies and challenges for monitoring patient experience at the local level. International Journal of Healthcare Management, 2015, 8, 1-3.	2.0	2

#	ARTICLE	IF	CITATIONS
73	Development of the Oxford Participation and Activities Questionnaire: constructing an item pool. Patient Related Outcome Measures, 2015, 6, 145.	1.2	12
74	The Outcomes and Experiences Questionnaire: development and validation. Patient Related Outcome Measures, 2015, 6, 179.	1.2	13
75	A user-centred home monitoring and self-management system for patients with heart failure: a multicentre cohort study. European Heart Journal Quality of Care & Clinical Outcomes, 2015, 1, 66-71.	4.0	18
76	Perspectives from health, social care and policy stakeholders on the value of a single self-report outcome measure across long-term conditions: a qualitative study. BMJ Open, 2015, 5, e006986-e006986.	1.9	17
77	Floor and ceiling effects in the OHS: an analysis of the NHS PROMs data set. BMJ Open, 2015, 5, e007765.	1.9	201
78	Clinical effectiveness and cost-effectiveness of open and arthroscopic rotator cuff repair [the UK Rotator Cuff Surgery (UKUFF) randomised trial]. Health Technology Assessment, 2015, 19, 1-218.	2.8	104
79	Cost-effectiveness of telecare for people with social care needs: the Whole Systems Demonstrator cluster randomised trial. Age and Ageing, 2014, 43, 794-800.	1.6	47
80	The effect of telecare on the quality of life and psychological well-being of elderly recipients of social care over a 12-month period: the Whole Systems Demonstrator cluster randomised trial. Age and Ageing, 2014, 43, 334-341.	1.6	58
81	The routine collection of patient-reported outcome measures (PROMs) for long-term conditions in primary care: a cohort survey. BMJ Open, 2014, 4, e003968.	1.9	72
82	A qualitative study of health system barriers to accessibility and utilization of maternal and newborn healthcare services in Ghana after user-fee abolition. BMC Pregnancy and Childbirth, 2014, 14, 425.	2.4	99
83	Inequities in accessibility to and utilisation of maternal health services in Ghana after user-fee exemption: a descriptive study. International Journal for Equity in Health, 2014, 13, 89.	3.5	64
84	Protocol for the United Kingdom Rotator Cuff Study (UKUFF). Bone and Joint Research, 2014, 3, 155-160.	3.6	21
85	Patient reports of the outcomes of treatment: a structured review of approaches. Health and Quality of Life Outcomes, 2014, 12, 5.	2.4	35
86	Long-term effectiveness of dopamine agonists and monoamine oxidase B inhibitors compared with levodopa as initial treatment for Parkinson's disease (PD MED): a large, open-label, pragmatic randomised trial. Lancet, The, 2014, 384, 1196-1205.	13.7	294
87	Knowing who to trust: exploring the role of "ethical metadata" in mediating risk of harm in collaborative genomics research in Africa. BMC Medical Ethics, 2014, 15, 62.	2.4	15
88	Change in health status in long-term conditions over a one year period: a cohort survey using patient-reported outcome measures. Health and Quality of Life Outcomes, 2014, 12, 123.	2.4	29
89	Can pain and function be distinguished in the Oxford Hip Score in a meaningful way?. Bone and Joint Research, 2014, 3, 305-309.	3.6	23
90	Experiences of front-line health professionals in the delivery of telehealth: a qualitative study. British Journal of General Practice, 2014, 64, e401-e407.	1.4	84

#	ARTICLE	IF	CITATIONS
91	A randomised controlled trial of the clinical effectiveness and cost-effectiveness of different knee prostheses: the Knee Arthroplasty Trial (KAT). Health Technology Assessment, 2014, 18, 1-235, vii-viii.	2.8	98
92	Carer quality of life and experiences of health services: a cross-sectional survey across three neurological conditions. Health and Quality of Life Outcomes, 2013, 11, 103.	2.4	38
93	Can pain and function be distinguished in the Oxford Knee Score in a meaningful way? An exploratory and confirmatory factor analysis. Quality of Life Research, 2013, 22, 2561-2568.	3.1	69
94	Cost-minimisation analysis of subcutaneous methotrexate versus biologic therapy for the treatment of patients with rheumatoid arthritis who have had an insufficient response or intolerance to oral methotrexate. Clinical Rheumatology, 2013, 32, 1605-1612.	2.2	24
95	Managing misaligned paternity findings in research including sickle cell disease screening in Kenya: "Consulting communities" to inform policy. Social Science and Medicine, 2013, 96, 192-199.	3.8	9
96	Consulting communities on feedback of genetic findings in international health research: sharing sickle cell disease and carrier information in coastal Kenya. BMC Medical Ethics, 2013, 14, 41.	2.4	36
97	Total or Partial Knee Arthroplasty Trial - TOPKAT: study protocol for a randomised controlled trial. Trials, 2013, 14, 292.	1.6	41
98	The PDQ-Carer: Development and validation of a summary index score. Parkinsonism and Related Disorders, 2013, 19, 448-449.	2.2	15
99	The Stroke Impact Scale. Stroke, 2013, 44, 2532-2535.	2.0	43
100	The Oxford Participation and Activities Questionnaire: study protocol. Patient Related Outcome Measures, 2013, 5, 1.	1.2	7
101	Patients' experiences of health and social care in long-term neurological conditions in England: A cross-sectional survey. Journal of Health Services Research and Policy, 2013, 18, 28-33.	1.7	22
102	Effect of telehealth on quality of life and psychological outcomes over 12 months (Whole Systems) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 pragmatic, cluster randomised controlled trial. BMJ, The, 2013, 346, f653-f653.	6.0	191
103	Cost effectiveness of telehealth for patients with long term conditions (Whole Systems) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 randomised controlled trial. BMJ, The, 2013, 346, f1035-f1035.	6.0	270
104	A structured review of patient-reported outcome measures for patients with skin cancer, 2013. British Journal of Dermatology, 2013, 168, 1176-1186.	1.5	28
105	Effect of telecare on use of health and social care services: findings from the Whole Systems Demonstrator cluster randomised trial. Age and Ageing, 2013, 42, 501-508.	1.6	91
106	The impact of perceived lack of support provided by health and social care services to caregivers of people with motor neuron disease. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders, 2012, 13, 223-228.	2.1	19
107	Using health status to measure NHS performance: another step into the dark for the health reform in England. BMJ Quality and Safety, 2012, 21, 352-353.	3.7	31
108	Effect of telehealth on use of secondary care and mortality: findings from the Whole System Demonstrator cluster randomised trial. BMJ, The, 2012, 344, e3874-e3874.	6.0	469

#	ARTICLE	IF	CITATIONS
109	Rationing of total knee replacement: a cost-effectiveness analysis on a large trial data set. BMJ Open, 2012, 2, e000332.	1.9	144
110	Diagnosis and treatment of malaria by health care providers: findings from a post conflict district in Sri Lanka. International Health, 2012, 4, 148-150.	2.0	3
111	Spécificité et impartialité des évaluations de résultats de chirurgie du coude rapportées par le patient ou le clinicien: comparaison suivant l'existence ou non d'une arthrite rhumatoïde. Revue De Chirurgie Orthopedique Et Traumatologique, 2012, 98, 584-585.	0.0	0
112	The development and validation of a quality of life measure for the carers of people with Parkinson's disease (the PDQ-Carer). Parkinsonism and Related Disorders, 2012, 18, 483-487.	2.2	55
113	Investigating the potential for ethnic group harm in collaborative genomics research in Africa: Is ethnic stigmatisation likely?. Social Science and Medicine, 2012, 75, 1400-1407.	3.8	38
114	Transfers of women planning birth in midwifery units: data from the Birthplace prospective cohort study. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 1081-1090.	2.3	40
115	Exploring barriers to participation and adoption of telehealth and telecare within the Whole System Demonstrator trial: a qualitative study. BMC Health Services Research, 2012, 12, 220.	2.2	358
116	An organisational analysis of the implementation of telecare and telehealth: the whole systems demonstrator. BMC Health Services Research, 2012, 12, 403.	2.2	104
117	Specificity and responsiveness of patient-reported and clinician-rated outcome measures in the context of elbow surgery, comparing patients with and without rheumatoid arthritis. Orthopaedics and Traumatology: Surgery and Research, 2012, 98, 652-658.	2.0	15
118	Women's experience of transfer from midwifery unit to hospital obstetric unit during labour: a qualitative interview study. BMC Pregnancy and Childbirth, 2012, 12, 129.	2.4	33
119	Patients' experience of dangerous and severe personality disorder services: qualitative interview study. British Journal of Psychiatry, 2012, 200, 252-253.	2.8	9
120	Forms of benefit sharing in global health research undertaken in resource poor settings: a qualitative study of stakeholders' views in Kenya. Philosophy, Ethics, and Humanities in Medicine, 2012, 7, 7.	1.5	44
121	Treatments for dangerous severe personality disorder (DSPD). Journal of Forensic Psychiatry and Psychology, 2011, 22, 411-426.	1.0	27
122	Does self-reported well-being of patients with Parkinson's disease influence caregiver strain and quality of life?. Parkinsonism and Related Disorders, 2011, 17, 348-352.	2.2	59
123	The development and validation of the Parkinson's Disease Questionnaire and related measures. , 2011, , 10-23.		1
124	Patellar Resurfacing in Total Knee Replacement: Five-Year Clinical and Economic Results of a Large Randomized Controlled Trial. Journal of Bone and Joint Surgery - Series A, 2011, 93, 1473-1481.	3.0	77
125	Anorexia Nervosa and the Language of Authenticity. Hastings Center Report, 2011, 41, 19-29.	1.0	62
126	Stakeholders understanding of the concept of benefit sharing in health research in Kenya: a qualitative study. BMC Medical Ethics, 2011, 12, 20.	2.4	16

#	ARTICLE	IF	CITATIONS
127	Ethics in practice: the state of the debate on promoting the social value of global health research in resource poor settings particularly Africa. BMC Medical Ethics, 2011, 12, 22.	2.4	41
128	A comprehensive evaluation of the impact of telemonitoring in patients with long-term conditions and social care needs: protocol for the whole systems demonstrator cluster randomised trial. BMC Health Services Research, 2011, 11, 184.	2.2	105
129	Changes in health-related quality of life following imprisonment in 92 women in England: a three month follow-up study. International Journal for Equity in Health, 2011, 10, 21.	3.5	11
130	Dangerous Severe Personality Disordered (DSPD) Patients: Characteristics and Comparison with Other High-Risk Offenders. International Journal of Forensic Mental Health, 2011, 10, 127-136.	1.0	18
131	Assessing patients for joint replacement. Journal of Bone and Joint Surgery: British Volume, 2011, 93-B, 1660-1664.	3.4	82
132	Outcome measurement in forensic mental health research: an evaluation. Psychology, Crime and Law, 2011, 17, 277-292.	1.0	11
133	Attitudes of patients with anorexia nervosa to compulsory treatment and coercion. International Journal of Law and Psychiatry, 2010, 33, 13-19.	0.9	94
134	Patient-reported outcome measures and performance measurement. , 2010, , 63-86.		5
135	The Oxford Ankle Foot Questionnaire for Children. Prosthetics and Orthotics International, 2010, 34, 238-244.	1.0	20
136	Clinical Research in Resource-Limited Settings: Enhancing Research Capacity and Working Together to Make Trials Less Complicated. PLoS Neglected Tropical Diseases, 2010, 4, e619.	3.0	62
137	The routine use of patient reported outcome measures in healthcare settings. BMJ: British Medical Journal, 2010, 340, c186-c186.	2.3	509
138	Factors associated with satisfaction in patients undergoing elbow surgery: A prospective study. Journal of Shoulder and Elbow Surgery, 2010, 19, 635-644.	2.6	11
139	Alternatives to inpatient mental health care for children and young people. The Cochrane Library, 2009, , CD006410.	2.8	43
140	The impact of imprisonment on health: what do women prisoners say?. Journal of Epidemiology and Community Health, 2009, 63, 749-754.	3.7	80
141	Letter to the Editor. Journal of Arthroplasty, 2009, 24, 827-828.	3.1	2
142	Outcome measures used in forensic mental health research: a structured review. Criminal Behaviour and Mental Health, 2009, 19, 9-27.	0.8	40
143	The Oxford shoulder score revisited. Archives of Orthopaedic and Trauma Surgery, 2009, 129, 119-123.	2.4	263
144	The Oxford Ankle Foot Questionnaire for children: responsiveness and longitudinal validity. Quality of Life Research, 2009, 18, 1367-1376.	3.1	51

#	ARTICLE	IF	CITATIONS
145	Strategic drift in international non-governmental development organizationsâ€”putting strategy in the background of organizational change. <i>Public Administration and Development</i> , 2009, 29, 415-428.	1.8	16
146	Development of the Motor Neuron Disease Carer Questionnaire. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2009, 10, 463-469.	2.1	2
147	Can We Systematically Review Studies That Evaluate Complex Interventions?. <i>PLoS Medicine</i> , 2009, 6, e1000086.	8.4	352
148	Comparative responsiveness and minimal change for the Oxford Elbow Score following surgery. <i>Quality of Life Research</i> , 2008, 17, 1257-1267.	3.1	85
149	Psychiatrists' attitudes towards autonomy, best interests and compulsory treatment in anorexia nervosa: a questionnaire survey. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2008, 2, 40.	2.5	29
150	The Cervical Dystonia Impact Profile (CDIP-58): Can a Rasch developed patient reported outcome measure satisfy traditional psychometric criteria?. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 58.	2.4	19
151	The development and validation of a patient-reported questionnaire to assess outcomes of elbow surgery. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 466-473.	3.4	173
152	Imprisoned Women's Concepts of Health and Illness: The Implications for Policy on Patient and Public Involvement in Healthcare. <i>Journal of Public Health Policy</i> , 2008, 29, 424-439.	2.0	15
153	The Oxford ankle foot questionnaire for children. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2008, 90-B, 1451-1456.	3.4	83
154	Patients, prisoners, or people? Women prisoners' experiences of primary care in prison: a qualitative study. <i>British Journal of General Practice</i> , 2008, 58, e1-e8.	1.4	37
155	Comparison of the 40-item Amyotrophic Lateral Sclerosis Assessment Questionnaire (ALSAQ-40) with a short-form five-item version (ALSAQ-5) in a longitudinal survey. <i>Clinical Rehabilitation</i> , 2007, 21, 266-272.	2.2	14
156	The Amyotrophic Lateral Sclerosis Assessment Questionnaire (ALSAQâ€40): Evidence for a method of imputing missing data. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2007, 8, 90-95.	2.1	8
157	Social exclusion and mental health. <i>British Journal of Psychiatry</i> , 2007, 191, 477-483.	2.8	247
158	The use of the Oxford hip and knee scores. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007, 89-B, 1010-1014.	3.4	1,015
159	Cross-cultural evaluation of the short form 8-item Parkinson's Disease Questionnaire (PDQ-8): Results from America, Canada, Japan, Italy and Spain. <i>Parkinsonism and Related Disorders</i> , 2007, 13, 22-28.	2.2	100
160	Evidence-based guidelines for using the Short Form 36 in cervical dystonia. <i>Movement Disorders</i> , 2007, 22, 122-127.	3.9	18
161	Development of the Oxford ankle foot questionnaire: finding out how children are affected by foot and ankle problems. <i>Child: Care, Health and Development</i> , 2007, 33, 559-568.	1.7	54
162	A Review: Carers, MND and service provision. <i>Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders</i> , 2006, 7, 132-141.	2.1	69

#	ARTICLE	IF	CITATIONS
163	Do the abilities of children with cerebral palsy explain their activities and participation?. Developmental Medicine and Child Neurology, 2006, 48, 954.	2.1	96
164	Reliability of the Manual Ability Classification System for children with cerebral palsy. Developmental Medicine and Child Neurology, 2006, 48, 950.	2.1	105
165	Impact of patient-reported outcome measures on routine practice: a structured review. Journal of Evaluation in Clinical Practice, 2006, 12, 559-568.	1.8	509
166	Patient participation in the consultation process: A structured review of intervention strategies. Patient Education and Counseling, 2006, 63, 12-23.	2.2	203
167	A response to issues raised in a recent paper concerning the Oxford knee score. Knee, 2006, 13, 66-68.	1.6	13
168	The Parkinson's Disease Questionnaire (PDQ-39): evidence for a method of imputing missing data. Age and Ageing, 2006, 35, 497-502.	1.6	36
169	Who best to make the assessment? Professionals' and families' classifications of gross motor function in cerebral palsy are highly consistent. Archives of Disease in Childhood, 2006, 91, 675-679.	1.9	57
170	Pain and overall health status in older people with hip and knee replacement: a population perspective. Journal of Public Health, 2006, 28, 267-273.	1.8	22
171	Quality of life in older people: a structured review of self-assessed health instruments. Expert Review of Pharmacoeconomics and Outcomes Research, 2006, 6, 181-194.	1.4	19
172	Competence to Make Treatment Decisions in Anorexia Nervosa: Thinking Processes and Values. Philosophy, Psychiatry and Psychology, 2006, 13, 267-282.	0.4	152
173	Reliability of the Manual Ability Classification System for children with cerebral palsy. Developmental Medicine and Child Neurology, 2006, 48, 950-953.	2.1	80
174	Do the abilities of children with cerebral palsy explain their activities and participation?. Developmental Medicine and Child Neurology, 2006, 48, 954-961.	2.1	5
175	Older people specific health status and quality of life: a structured review of self-assessed instruments. Journal of Evaluation in Clinical Practice, 2005, 11, 315-327.	1.8	62
176	Child or family assessed measures of activity performance and participation for children with cerebral palsy: a structured review. Child: Care, Health and Development, 2005, 31, 397-407.	1.7	101
177	Assessment of the Lequesne index of severity for osteoarthritis of the hip in an elderly population. Osteoarthritis and Cartilage, 2005, 13, 854-860.	1.3	36
178	Impact of persistent hip or knee pain on overall health status in elderly people: A longitudinal population study. Arthritis and Rheumatism, 2005, 53, 368-374.	6.7	64
179	Quality of life in older people: A structured review of generic self-assessed health instruments. Quality of Life Research, 2005, 14, 1651-1668.	3.1	314
180	Assessing the Health of Women in Prison: A Study from the United Kingdom. Health Care for Women International, 2005, 26, 62-68.	1.1	22

#	ARTICLE	IF	CITATIONS
181	Population survey comparing older adults with hip versus knee pain in primary care. British Journal of General Practice, 2005, 55, 192-8.	1.4	23
182	Prospective study of elderly people comparing treatments following first primary care consultation for a symptomatic hip or knee. Family Practice, 2004, 22, 118-125.	1.9	30
183	Equity and need when waiting for total hip replacement surgery. Journal of Evaluation in Clinical Practice, 2004, 10, 3-9.	1.8	41
184	A comparison of Rasch with Likert scoring to discriminate between patients' evaluations of total hip replacement surgery. Quality of Life Research, 2004, 13, 331-338.	3.1	38
185	Health-Related Quality of Life in Amyotrophic Lateral Sclerosis: Determining a Meaningful Deterioration. Quality of Life Research, 2004, 13, 1409-1414.	3.1	22
186	Patient-based outcomes of cervical dystonia: A review of rating scales. Movement Disorders, 2004, 19, 1054-1059.	3.9	38
187	The Use of Probabilistic Decision Models in Technology Assessment. Applied Health Economics and Health Policy, 2004, 3, 79-89.	2.1	45
188	Distribution-based criteria for change in health-related quality of life in Parkinson's disease. Journal of Clinical Epidemiology, 2004, 57, 40-44.	5.0	53
189	Comparing Alternative Rasch-Based Methods vs Raw Scores in Measuring Change in Health. Medical Care, 2004, 42, 25.	2.4	140
190	Socio-demographic variables are limited predictors of health status in multiple sclerosis. Journal of Neurology, 2003, 250, 1088-1093.	3.6	9
191	Control and compulsory treatment in anorexia nervosa: The views of patients and parents. International Journal of Law and Psychiatry, 2003, 26, 627-645.	0.9	87
192	Rasch scoring of outcomes of total hip replacement. Journal of Clinical Epidemiology, 2003, 56, 68-74.	5.0	33
193	Cross-cultural evaluation of the Parkinson's Disease Questionnaire: tests of data quality, score reliability, response rate, and scaling assumptions in the United States, Canada, Japan, Italy, and Spain. Journal of Clinical Epidemiology, 2003, 56, 843-847.	5.0	45
194	An investigation of risk factors for symptomatic osteoarthritis of the knee in women using a life course approach. Journal of Epidemiology and Community Health, 2003, 57, 823-830.	3.7	86
195	Using the SF-36 measure to compare the health impact of multiple sclerosis and Parkinson's disease with normal population health profiles. Journal of Neurology, Neurosurgery and Psychiatry, 2003, 74, 710-714.	1.9	105
196	Interpreting change scores on the Amyotrophic Lateral Sclerosis Assessment Questionnaire (ALSAQ-40). Clinical Rehabilitation, 2003, 17, 380-385.	2.2	11
197	Evidence-based measurement in multiple sclerosis: the psychometric properties of the physical and psychological dimensions of three quality of life rating scales. Multiple Sclerosis Journal, 2003, 9, 411-419.	3.0	72
198	Factors which predict physical and mental health status in patients with amyotrophic lateral sclerosis over time. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases, 2003, 4, 112-117.	1.2	18

#	ARTICLE	IF	CITATIONS
199	Distant Past Exercise in Women: Measures May Be Reliable, But Are They Valid?. Medicine and Science in Sports and Exercise, 2003, 35, 862-866.	0.4	2
200	Rasch measurement in the assessment of amyotrophic lateral sclerosis patients. Journal of Applied Measurement, 2003, 4, 249-57.	0.3	2
201	Quality of life measurement: bibliographic study of patient assessed health outcome measures. BMJ: British Medical Journal, 2002, 324, 1417-1417.	2.3	949
202	The prevalence of foot problems in older women: a cause for concern. Journal of Public Health, 2002, 24, 77-84.	1.8	115
203	Does waiting for total hip replacement matter? Prospective cohort study. Journal of Health Services Research and Policy, 2002, 7, 19-25.	1.7	91
204	Factors affecting uptake of childhood immunisation: a Bayesian synthesis of qualitative and quantitative evidence. Lancet, The, 2002, 360, 1596-1599.	13.7	137
205	Mortality, morbidity, and 1-year outcomes of primary elective total hip arthroplasty. Journal of Arthroplasty, 2002, 17, 165-171.	3.1	85
206	Comparison of clinical and patient-based measures to assess medium-term outcomes following shoulder surgery for disorders of the rotator cuff. Arthritis and Rheumatism, 2002, 47, 513-519.	6.7	44
207	Measures of health-related quality of life in an imperfect world: a comment on Dowie. Health Economics (United Kingdom), 2002, 11, 17-19.	1.7	16
208	Child/parent-assessed population health outcome measures: a structured review. Child: Care, Health and Development, 2002, 28, 227-237.	1.7	79
209	Use of the short form health survey (SF-36) in patients with amyotrophic lateral sclerosis: tests of data quality, score reliability, response rate and scaling assumptions. Journal of Neurology, 2002, 249, 178-183.	3.6	52
210	The Multiple Sclerosis Impact Scale (MSIS-29): A new patient-based outcome measure. Brain, 2001, 124, 962-973.	7.6	865
211	Measuring mental health in amyotrophic lateral sclerosis (ALS): A comparison of the SF-36 Mental Health Index with the Psychological General Well-Being Index. Amyotrophic Lateral Sclerosis and Other Motor Neuron Disorders: Official Publication of the World Federation of Neurology, Research Group on Motor Neuron Diseases, 2001, 2, 197-201.	1.2	6
212	Disability assessment. , 2001, , 256-260.		0
213	Patient satisfaction. , 2001, , 477-482.		2
214	Social Status and Mortality. Annals of Internal Medicine, 2001, 134, 1001.	3.9	9
215	Including qualitative research in systematic reviews: opportunities and problems. Journal of Evaluation in Clinical Practice, 2001, 7, 125-133.	1.8	222
216	Determining minimally important differences for the PDQ-39 Parkinson's disease questionnaire. Age and Ageing, 2001, 30, 299-302.	1.6	170

#	ARTICLE	IF	CITATIONS
217	Comparing health inequality in men and women: prospective study of mortality 1986-96. BMJ: British Medical Journal, 2000, 320, 1303-1307.	2.3	123
218	Double-blind randomised controlled trial of glyceryl trinitrate spray for external cephalic version. BJOG: an International Journal of Obstetrics and Gynaecology, 2000, 107, 562-564.	2.3	25
219	Framework for design and evaluation of complex interventions to improve health. BMJ: British Medical Journal, 2000, 321, 694-696.	2.3	2,664
220	Self-report quality of life measure for people with schizophrenia: The SQLS. British Journal of Psychiatry, 2000, 177, 42-46.	2.8	241
221	Measurement issues in health-related quality of life: Challenges for health psychology. Psychology and Health, 2000, 15, 99-108.	2.2	16
222	The amyotrophic lateral sclerosis assessment questionnaire (ALSAQ-40): tests of data quality, score reliability and response rate in a survey of patients. Journal of the Neurological Sciences, 2000, 180, 94-100.	0.6	46
223	Principles and problems in the assessment of quality of life in health care. Ethical Theory and Moral Practice, 1999, 2, 37-46.	0.6	5
224	Development and validation of a short measure of health status for individuals with amyotrophic lateral sclerosis/ motor neurone disease: the ALSAQ-40. Journal of Neurology, 1999, 246, III16-III21.	3.6	94
225	Health-Related Quality-of-Life Measurement in Patients with Parkinson's Disease. Pharmacoeconomics, 1999, 15, 157-165.	3.3	52
226	Will Doctors Manage? Lessons from general practice fundholding. Policy and Politics, 1999, 27, 491-502.	2.4	5
227	QUALITY-OF-LIFE OUTCOMES AFTER COSMETIC SURGERY. Plastic and Reconstructive Surgery, 1999, 104, 1209-1210.	1.4	1
228	The European Amyotrophic Lateral Sclerosis Health Profile Study. Journal of the Neurological Sciences, 1998, 160, S122-S126.	0.6	10
229	The Costs and Benefits of Primary Total Hip Replacement:How Likely Are New Prostheses To Be Cost-effective?. International Journal of Technology Assessment in Health Care, 1998, 14, 743-761.	0.5	20
230	The PDQ-8: Development and validation of a short-form parkinson's disease questionnaire. Psychology and Health, 1997, 12, 805-814.	2.2	351
231	The Parkinson's Disease Questionnaire (PDQ-39): development and validation of a Parkinson's disease summary index score. Age and Ageing, 1997, 26, 353-357.	1.6	942
232	Health-related quality of life and the assessment of outcomes of total hip replacement surgery. Psychology and Health, 1997, 12, 793-803.	2.2	17
233	Health-related quality of life in parkinson's disease: A study of outpatient clinic attenders. Movement Disorders, 1997, 12, 916-922.	3.9	95
234	Public participation in the evaluation of health care. Health and Social Care in the Community, 1997, 5, 3-8.	1.6	19

#	ARTICLE	IF	CITATIONS
235	Challenges to medicine: the case of prescribing. <i>Sociology of Health and Illness</i> , 1997, 19, 297-327.	2.1	50
236	Challenges to Medicine: the Case of Prescribing. <i>Sociology of Health and Illness</i> , 1997, 19, 297-327.	2.1	31
237	The Problem of "Noise"™ in Monitoring Patient-Based Outcomes: Generic, Disease-Specific and Site-Specific Instruments for Total Hip Replacement. <i>Journal of Health Services Research and Policy</i> , 1996, 1, 224-231.	1.7	55
238	A pragmatic defence of health status measures. <i>Health Care Analysis</i> , 1996, 4, 265-272.	2.2	11
239	Qualitative research in health care: I. The scope and validity of methods. <i>Journal of Evaluation in Clinical Practice</i> , 1996, 2, 123-130.	1.8	63
240	Qualitative research in health care: II. A structured review and evaluation of studies. <i>Journal of Evaluation in Clinical Practice</i> , 1996, 2, 171-179.	1.8	88
241	Measuring inequalities in health: an analysis of mortality patterns using two social classifications.. <i>Sociology of Health and Illness</i> , 1996, 18, 455-474.	2.1	51
242	Should breast reduction surgery be rationed? A comparison of the health status of patients before and after treatment: postal questionnaire survey. <i>BMJ: British Medical Journal</i> , 1996, 313, 454-457.	2.3	101
243	Routine follow up of breast cancer in primary care: randomised trial. <i>BMJ: British Medical Journal</i> , 1996, 313, 665-669.	2.3	351
244	A Pragmatic Defence of Health Status Measures. <i>Health Care Analysis</i> , 1996, 4, 265-272.	2.2	2
245	Specialist and general practice views on routine follow-up of breast cancer patients in general practice. <i>Family Practice</i> , 1995, 12, 60-65.	1.9	85
246	'Quality' in qualitative research. <i>Critical Public Health</i> , 1994, 5, 19-26.	2.4	14
247	The measurement of health status and quality of life in rheumatological disorders. <i>Bailliere's Clinical Rheumatology</i> , 1993, 7, 297-317.	1.0	28
248	'Relapse' to unsafe sexual behaviour among gay men: a critique of recent behavioural HIV/AIDS research.. <i>Sociology of Health and Illness</i> , 1992, 14, 216-232.	2.1	28
249	The Management of Chronic Illness: Patient and Doctor Perspectives on Parkinson's Disease (Book).. <i>Sociology of Health and Illness</i> , 1992, 14, 416-417.	2.1	0
250	The Effect of Self-administered Faecal Occult Blood Tests on Compliance with Screening for Colorectal Cancer: Results of a Survey of Those Invited. <i>Family Practice</i> , 1991, 8, 367-372.	1.9	35
251	Patterns of coping in rheumatoid arthritis. <i>Psychology and Health</i> , 1990, 4, 187-200.	2.2	46
252	The life-styles and health behaviour of gay men. <i>Health Education Journal</i> , 1989, 48, 131-133.	1.2	2

#	ARTICLE	IF	CITATIONS
253	Factors influencing compliance with dietary restrictions in dialysis patients. Journal of Psychosomatic Research, 1988, 32, 191-196.	2.6	62
254	Sexual behaviour, contraceptive practice and knowledge of AIDS of Oxford University students. Journal of Biosocial Science, 1988, 20, 445-451.	1.2	13
255	Problems in the conceptual framework of patient satisfaction research: an empirical exploration.. Sociology of Health and Illness, 1983, 5, 297-311.	2.1	207
256	Essays in Medical Sociology: Journeys into the Field. British Journal of Sociology, 1981, 32, 301.	1.5	14
257	Patients' satisfaction with communication in neurological outpatient clinics. Journal of Psychosomatic Research, 1981, 25, 329-334.	2.6	34
258	Health, Illness and Medicine/Patients, Physicians and Illness (Book).. Sociology of Health and Illness, 1981, 3, 114-115.	2.1	0
259	Routine provision of information on patient-reported outcome measures to healthcare providers and patients in clinical practice. The Cochrane Library, 0, , .	2.8	16
260	A method for imputing missing questionnaire data. , 0, , 165-173.		0