

Zhi-Zhong Pan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7474228/publications.pdf>

Version: 2024-02-01

56
papers

1,940
citations

361413

20
h-index

265206

42
g-index

59
all docs

59
docs citations

59
times ranked

2973
citing authors

#	ARTICLE	IF	CITATIONS
1	N6-methyladenosine modification of circNSUN2 facilitates cytoplasmic export and stabilizes HMGA2 to promote colorectal liver metastasis. <i>Nature Communications</i> , 2019, 10, 4695.	12.8	418
2	Long non-coding RNA UICLM promotes colorectal cancer liver metastasis by acting as a ceRNA for microRNA-215 to regulate ZEB2 expression. <i>Theranostics</i> , 2017, 7, 4836-4849.	10.0	265
3	Long noncoding RNA XIST expedites metastasis and modulates epithelialâ€mesenchymal transition in colorectal cancer. <i>Cell Death and Disease</i> , 2017, 8, e3011-e3011.	6.3	170
4	CircLONP2 enhances colorectal carcinoma invasion and metastasis through modulating the maturation and exosomal dissemination of microRNA-17. <i>Molecular Cancer</i> , 2020, 19, 60.	19.2	110
5	The Immunoscore system predicts prognosis after liver metastasectomy in colorectal cancer liver metastases. <i>Cancer Immunology, Immunotherapy</i> , 2018, 67, 435-444.	4.2	61
6	Flavonoid intake from vegetables and fruits is inversely associated with colorectal cancer risk: a caseâ€control study in China. <i>British Journal of Nutrition</i> , 2016, 116, 1275-1287.	2.3	54
7	Inhibition of the NF- κ B pathway by nafamostat mesilate suppresses colorectal cancer growth and metastasis. <i>Cancer Letters</i> , 2016, 380, 87-97.	7.2	53
8	Neoadjuvant Sandwich Treatment With Oxaliplatin and Capecitabine Administered Prior to, Concurrently With, and Following Radiation Therapy in Locally Advanced Rectal Cancer: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014, 90, 1153-1160.	0.8	52
9	Genome-wide RNAi Screening Identifies RFC4 as a Factor That Mediates Radioresistance in Colorectal Cancer by Facilitating Nonhomologous End Joining Repair. <i>Clinical Cancer Research</i> , 2019, 25, 4567-4579.	7.0	48
10	Association between phytosterol intake and colorectal cancer risk: a caseâ€control study. <i>British Journal of Nutrition</i> , 2017, 117, 839-850.	2.3	40
11	CMTM6 and PD-L1 coexpression is associated with an active immune microenvironment and a favorable prognosis in colorectal cancer. , 2021, 9, e001638.		38
12	Dynamic monitoring of circulating tumor DNA to predict prognosis and efficacy of adjuvant chemotherapy after resection of colorectal liver metastases. <i>Theranostics</i> , 2021, 11, 7018-7028.	10.0	37
13	PD-1 blockade in neoadjuvant setting of DNA mismatch repair-deficient/microsatellite instability-high colorectal cancer. <i>Oncolmmunology</i> , 2020, 9, 1711650.	4.6	37
14	Universal screening for Lynch syndrome in a large consecutive cohort of Chinese colorectal cancer patients: High prevalence and unique molecular features. <i>International Journal of Cancer</i> , 2019, 144, 2161-2168.	5.1	34
15	The Heterogeneity Between Lynch-Associated and Sporadic MMR Deficiency in Colorectal Cancers. <i>Journal of the National Cancer Institute</i> , 2018, 110, 975-984.	6.3	32
16	Choline and Betaine Intake and Colorectal Cancer Risk in Chinese Population: A Case-Control Study. <i>PLoS ONE</i> , 2015, 10, e0118661.	2.5	27
17	Neoadjuvant oxaliplatin and capecitabine combined with bevacizumab plus radiotherapy for locally advanced rectal cancer: results of a singleâ€institute phase II study. <i>Cancer Communications</i> , 2018, 38, 1-9.	9.2	25
18	A scoring system based on artificial neural network for predicting 10-year survival in stage II A colon cancer patients after radical surgery. <i>Oncotarget</i> , 2016, 7, 22939-22947.	1.8	23

#	ARTICLE	IF	CITATIONS
19	The loss-of-function mutations and down-regulated expression of ASB3 gene promote the growth and metastasis of colorectal cancer cells. <i>Chinese Journal of Cancer</i> , 2017, 36, 11.	4.9	23
20	Programmed death-ligand 1 expression correlates with diminished CD8+ T cell infiltration and predicts poor prognosis in anal squamous cell carcinoma patients. <i>Cancer Management and Research</i> , 2018, Volume 10, 1-11.	1.9	23
21	Outcomes of preoperative chemoradiotherapy followed by surgery in patients with unresectable locally advanced sigmoid colon cancer. <i>Chinese Journal of Cancer</i> , 2016, 35, 65.	4.9	22
22	Tumor deposits: markers of poor prognosis in patients with locally advanced rectal cancer following neoadjuvant chemoradiotherapy. <i>Oncotarget</i> , 2016, 7, 6335-6344.	1.8	22
23	Histopathological growth patterns correlate with the immunoscore in colorectal cancer liver metastasis patients after hepatectomy. <i>Cancer Immunology, Immunotherapy</i> , 2020, 69, 2623-2634.	4.2	21
24	Comprehensive profiling of 1015 patients' exomes reveals genomic-clinical associations in colorectal cancer. <i>Nature Communications</i> , 2022, 13, 2342.	12.8	21
25	Serum carotenoids and colorectal cancer risk: A case-control study in Guangdong, China. <i>Molecular Nutrition and Food Research</i> , 2017, 61, 1700267.	3.3	19
26	Expert opinions on immunotherapy for patients with colorectal cancer. <i>Cancer Communications</i> , 2020, 40, 467-472.	9.2	18
27	The Role of Adjuvant Chemotherapy for Colorectal Liver Metastasectomy after Pre-Operative Chemotherapy: Is the Treatment Worthwhile?. <i>Journal of Cancer</i> , 2017, 8, 1179-1186.	2.5	17
28	Surgery with versus without preoperative concurrent chemoradiotherapy for mid/low rectal cancer: an interim analysis of a prospective, randomized trial. <i>Chinese Journal of Cancer</i> , 2015, 34, 394-403.	4.9	16
29	The Clinical and Biomarker Association of Programmed Death Ligand 1 and its Spatial Heterogeneous Expression in Colorectal Cancer. <i>Journal of Cancer</i> , 2018, 9, 4325-4333.	2.5	16
30	AMPK α 1 confers survival advantage of colorectal cancer cells under metabolic stress by promoting redox balance through the regulation of glutathione reductase phosphorylation. <i>Oncogene</i> , 2020, 39, 637-650.	5.9	16
31	Mutation profiling in chinese patients with metastatic colorectal cancer and its correlation with clinicopathological features and anti-EGFR treatment response. <i>Oncotarget</i> , 2016, 7, 28356-28368.	1.8	16
32	Carbohydrate, dietary glycaemic index and glycaemic load, and colorectal cancer risk: a case-control study in China. <i>British Journal of Nutrition</i> , 2018, 119, 937-948.	2.3	15
33	Higher freshwater fish and sea fish intake is inversely associated with colorectal cancer risk among Chinese population: a case-control study. <i>Scientific Reports</i> , 2015, 5, 12976.	3.3	13
34	Effect of Neoadjuvant Chemoradiotherapy with Capecitabine versus Fluorouracil for Locally Advanced Rectal Cancer: A Meta-Analysis. <i>Gastroenterology Research and Practice</i> , 2016, 2016, 1-10.	1.5	13
35	Pathologic response after preoperative therapy predicts prognosis of Chinese colorectal cancer patients with liver metastases. <i>Chinese Journal of Cancer</i> , 2017, 36, 78.	4.9	11
36	Different forms and sources of iron in relation to colorectal cancer risk: a case-control study in China. <i>British Journal of Nutrition</i> , 2019, 121, 735-747.	2.3	11

#	ARTICLE	IF	CITATIONS
37	Universal germline testing among patients with colorectal cancer: clinical actionability and optimised panel. <i>Journal of Medical Genetics</i> , 2021, , jmedgenet-2020-107230.	3.2	11
38	Identification of Locally Advanced Rectal Cancer with Low Risk of Local Recurrence. <i>PLoS ONE</i> , 2015, 10, e0117141.	2.5	9
39	Exome sequencing reveals the genetic landscape and frequent inactivation of <i>PCDH3</i> in Chinese rectal cancers. <i>Journal of Pathology</i> , 2018, 245, 222-234.	4.5	9
40	Neoadjuvant Immune Checkpoint Inhibition Improves Organ Preservation in T4bM0 Colorectal Cancer With Mismatch Repair Deficiency: A Retrospective Observational Study. <i>Diseases of the Colon and Rectum</i> , 2023, 66, e996-e1005.	1.3	8
41	Oxaliplatin-containing adjuvant chemotherapy improves the survival of locally advanced rectal cancer patients with pathological complete response after pre-operative chemoradiotherapy. <i>Gastroenterology Report</i> , 2018, 6, 195-201.	1.3	7
42	Germline mutational profile of Chinese patients under 70 years old with colorectal cancer. <i>Cancer Communications</i> , 2020, 40, 620-632.	9.2	7
43	PPIP5K2 promotes colorectal carcinoma pathogenesis through facilitating DNA homologous recombination repair. <i>Oncogene</i> , 2021, 40, 6680-6691.	5.9	7
44	A frameshift mutation in exon 19 of MLH1 in a Chinese Lynch syndrome family: a pedigree study. <i>Journal of Zhejiang University: Science B</i> , 2019, 20, 105-108.	2.8	5
45	Primary tumor immune score fails to predict the prognosis of colorectal cancer liver metastases after hepatectomy in Chinese populations. <i>Annals of Translational Medicine</i> , 2021, 9, 310-310.	1.7	5
46	A novel prognostic nomogram for colorectal cancer liver metastasis patients with recurrence after hepatectomy. <i>Cancer Medicine</i> , 2021, 10, 1535-1544.	2.8	5
47	Preoperative chemoradiotherapy creates an opportunity to perform sphincter preserving resection for low-lying locally advanced rectal cancer based on an oncologic outcome study. <i>Oncotarget</i> , 2016, 7, 57317-57326.	1.8	5
48	Factors associated with adherence to colonoscopy among individuals who were positive in the preliminary screening for colorectal neoplasms. <i>Cancer Medicine</i> , 2022, , .	2.8	5
49	The prognostic value of preoperative serum lactate dehydrogenase levels in patients underwent curative-intent hepatectomy for colorectal liver metastases: A two-center cohort study. <i>Cancer Medicine</i> , 2021, 10, 8005-8019.	2.8	4
50	KLF16 enhances stress tolerance of colorectal carcinomas by modulating nucleolar homeostasis and translational reprogramming. <i>Molecular Therapy</i> , 2022, 30, 2828-2843.	8.2	4
51	Low prevalence of mismatch repair deficiency in Chinese colorectal cancers: a multicenter study. <i>Gastroenterology Report</i> , 2020, 8, 399-403.	1.3	3
52	Programmed death-ligand 1 expression in the tumour stroma of colorectal liver oligometastases and its association with prognosis after liver resection. <i>Gastroenterology Report</i> , 2021, 9, 443-450.	1.3	3
53	Assessment of defecation function after sphincter-saving resection for mid to low rectal cancer: A cross-sectional study. <i>European Journal of Oncology Nursing</i> , 2021, 55, 102059.	2.1	3
54	Circulating Lipid- and Inflammation-Based Risk (CLIR) Score: A Promising New Model for Predicting Outcomes in Complete Colorectal Liver Metastases Resection. <i>Annals of Surgical Oncology</i> , 2022, 29, 4308-4323.	1.5	1

#	ARTICLE	IF	CITATIONS
55	High dose chemoradiotherapy increases chance of organ preservation with satisfactory functional outcome for rectal cancer. <i>Radiation Oncology</i> , 2022, 17, 98.	2.7	1
56	ASO Visual Abstract: Circulating Lipid- and Inflammation-Based Risk (CLIR) Score—A Promising New Model for Predicting Outcomes in Complete Colorectal Liver Metastases Resection. <i>Annals of Surgical Oncology</i> , 2022, , 1.	1.5	0