

Ralph J Beltran

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7474973/publications.pdf>

Version: 2024-02-01

13
papers

175
citations

1307594

7
h-index

1199594

12
g-index

13
all docs

13
docs citations

13
times ranked

192
citing authors

#	ARTICLE	IF	CITATIONS
1	Penicillin allergy and surgical prophylaxis: Cephalosporin cross-reactivity risk in a pediatric tertiary care center. <i>Journal of Pediatric Surgery</i> , 2015, 50, 856-859.	1.6	59
2	Perioperative Management and In-Hospital Outcomes After Minimally Invasive Repair of Pectus Excavatum: A Multicenter Registry Report From the Society for Pediatric Anesthesia Improvement Network. <i>Anesthesia and Analgesia</i> , 2019, 128, 315-327.	2.2	26
3	Perioperative anaphylaxis in children: A report from the Wake Up Safe collaborative. <i>Paediatric Anaesthesia</i> , 2021, 31, 205-212.	1.1	15
4	Evaluation of postoperative analgesia in pediatric patients after hip surgery: lumbar plexus versus caudal epidural analgesia. <i>Journal of Pain Research</i> , 2019, Volume 12, 997-1001.	2.0	14
5	Ultrasound-guided rectus sheath block, caudal analgesia, or surgical site infiltration for pediatric umbilical herniorrhaphy: a prospective, double-blinded, randomized comparison of three regional anesthetic techniques. <i>Journal of Pain Research</i> , 2017, Volume 10, 2629-2634.	2.0	13
6	Severe outcomes of pediatric perioperative adverse events occurring in operating rooms compared to off-site anesthetizing locations in the Wake Up Safe Database. <i>Paediatric Anaesthesia</i> , 2019, 29, 38-43.	1.1	13
7	Perioperative aspiration events in children: A report from the Wake Up Safe Collaborative. <i>Paediatric Anaesthesia</i> , 2020, 30, 660-666.	1.1	12
8	Association of Sugammadex or Neostigmine With Major Postoperative Pulmonary Complications in Children. <i>Anesthesia and Analgesia</i> , 2022, 135, 1041-1047.	2.2	7
9	A prospective, double-blinded, randomized comparison of ultrasound-guided femoral nerve block with lateral femoral cutaneous nerve block versus standard anesthetic management for pain control during and after traumatic femur fracture repair in the pediatric population. <i>Journal of Pain Research</i> , 2017, Volume 10, 2177-2182.	2.0	6
10	Regional Anesthesia for Pain Management After Orthopedic Procedures for Treatment of Lower Extremity Length Discrepancy. <i>Journal of Pain Research</i> , 2020, Volume 13, 547-552.	2.0	4
11	A Survey to Define and Predict Difficult Vascular Access in the Pediatric Perioperative Population. <i>Pediatric Health, Medicine and Therapeutics</i> , 2020, Volume 11, 277-282.	1.6	3
12	Characterization of the Difficult Peripheral IV in the Perioperative Setting: A Prospective, Observational Study of Intravenous Access for Pediatric Patients Undergoing Anesthesia. <i>Pediatric Health, Medicine and Therapeutics</i> , 2022, Volume 13, 155-163.	1.6	3
13	Neuraxial anesthesia in the presence of clinical anticoagulation: what are our options for pediatric patients?. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 1475-81.	1.3	0