Klaus Brasso

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/747638/publications.pdf

Version: 2024-02-01

218677 243625 2,522 127 26 44 citations h-index g-index papers 128 128 128 3774 docs citations times ranked citing authors all docs

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Open vs robotâ€essisted radical cystectomy (BORARC): a doubleâ€blinded, randomised feasibility study. BJU International, 2022, 130, 102-113. | 2.5 | 19 |
| 2 | Prescription rates for commonly used drugs before and after a prostate cancer diagnosis. Cancer Causes and Control, 2022, , 1. | 1.8 | 2 |
| 3 | A Nationwide Analysis of Risk of Prostate Cancer Diagnosis and Mortality following an Initial Negative Transrectal Ultrasound Biopsy with Long-Term Followup. Journal of Urology, 2022, 208, 100-108. | 0.4 | 10 |
| 4 | Reply by Authors. Journal of Urology, 2022, , 101097JU0000000000249103. | 0.4 | 0 |
| 5 | Diagnostic Age, Age at Death and Stage Migration in Men Dying with or from Prostate Cancer in Denmark. Diagnostics, 2022, 12, 1271. | 2.6 | O |
| 6 | Characteristics of Patients in SPCG-15—A Randomized Trial Comparing Radical Prostatectomy with Primary Radiotherapy plus Androgen Deprivation Therapy in Men with Locally Advanced Prostate Cancer. European Urology Open Science, 2022, 41, 63-73. | 0.4 | 3 |
| 7 | Prescription rates for drugs used in treatment of benign prostatic hyperplasia and erectile dysfunction before and after prostate cancer diagnosis. Acta OncolA ³ gica, 2022, 61, 931-938. | 1.8 | 1 |
| 8 | Risk of Depression After Radical Prostatectomyâ€"A Nationwide Registry-based Study. European Urology Oncology, 2021, 4, 601-608. | 5.4 | 13 |
| 9 | Urokinase-Type Plasminogen Activator Receptor (uPAR) PET/MRI of Prostate Cancer for Noninvasive Evaluation of Aggressiveness: Comparison with Gleason Score in a Prospective Phase 2 Clinical Trial. Journal of Nuclear Medicine, 2021, 62, 354-359. | 5.0 | 16 |
| 10 | Vitamin D levels and the risk of prostate cancer and prostate cancer mortality. Acta Oncol \tilde{A}^3 gica, 2021, 60, 316-322. | 1.8 | 20 |
| 11 | Effectiveness of Docetaxel for Metastatic Hormone-sensitive Prostate Cancer in Clinical Practice. European Urology Open Science, 2021, 24, 25-33. | 0.4 | 4 |
| 12 | Molecular Profiling of Docetaxel-Resistant Prostate Cancer Cells Identifies Multiple Mechanisms of Therapeutic Resistance. Cancers, 2021, 13, 1290. | 3.7 | 17 |
| 13 | The impact of positive surgical margins on salvage radiation or androgen deprivation therapy following radical prostatectomy – a nationwide study. Acta Oncol³gica, 2021, 60, 620-626. | 1.8 | O |
| 14 | Short-term morbidity and mortality following radical cystectomy: a systematic review. BMJ Open, 2021, 11, e043266. | 1.9 | 48 |
| 15 | Safety and Effects of Football in Skeletal Metastatic Prostate Cancer: a Subgroup Analysis of the FC Prostate Community Randomised Controlled Trial. Sports Medicine - Open, 2021, 7, 27. | 3.1 | 7 |
| 16 | Basal Cell Carcinoma of Prostate With MSMB–NCOA4 Fusion and a Probable Basal Cell Carcinoma In Situ: Case Report. International Journal of Surgical Pathology, 2021, 29, 850-855. | 0.8 | 4 |
| 17 | Temporal changes in causeâ€specific death in men with localised prostate cancer treated with radical prostatectomy: a populationâ€based, nationwide study. Journal of Surgical Oncology, 2021, 124, 867-875. | 1.7 | 1 |
| 18 | Morbidity and Days Alive and Out of Hospital Within 90 Days Following Radical Cystectomy for Bladder Cancer. European Urology Open Science, 2021, 28, 1-8. | 0.4 | 17 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Risk of depression after diagnostic prostate cancer workup–ÂA nationwide, registryâ€based study. Psycho-Oncology, 2021, 30, 1939-1947. | 2.3 | 7 |
| 20 | Detection of Clinically Significant Prostate Cancer by Systematic TRUS-Biopsies in a Population-Based Setting Over a 20 Year Period. Urology, 2021, 155, 20-25. | 1.0 | 4 |
| 21 | Efficacy of dexamethasone in reducing the postembolisation syndrome in men undergoing prostatic artery embolisation for benign prostatic hyperplasia: protocol for a single-centre, randomised, double-blind, placebo-controlled trial—the â€`DEXAPAE' study. BMJ Open, 2021, 11, e047878. | 1.9 | 1 |
| 22 | Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. Cancer Causes and Control, 2020, 31, 139-151. | 1.8 | 3 |
| 23 | Timing of radiotherapy after radical prostatectomy (RADICALS-RT): a randomised, controlled phase 3 trial. Lancet, The, 2020, 396, 1413-1421. | 13.7 | 226 |
| 24 | Antidepressant prescriptions and associated factors in men with prostate cancer and their female partners. Journal of Cancer Survivorship, 2020, 15, 536-545. | 2.9 | 2 |
| 25 | Vaccination against RhoC induces long-lasting immune responses in patients with prostate cancer: results from a phase I/II clinical trial. , 2020, 8, e001157. | | 28 |
| 26 | AZGP1 Protein Expression in Hormone-Na \tilde{A} -ve Advanced Prostate Cancer Treated with Primary Androgen Deprivation Therapy. Diagnostics, 2020, 10, 520. | 2.6 | 1 |
| 27 | The Association between Plasma Levels of Intact and Cleaved uPAR Levels and the Risk of Biochemical Recurrence after Radical Prostatectomy for Prostate Cancer. Diagnostics, 2020, 10, 877. | 2.6 | 2 |
| 28 | Novel functions of the luteinizing hormone/chorionic gonadotropin receptor in prostate cancer cells and patients. PLoS ONE, 2020, 15, e0238814. | 2.5 | 4 |
| 29 | Validation of the four-miRNA biomarker panel MiCaP for prediction of long-term prostate cancer outcome. Scientific Reports, 2020, 10, 10704. | 3.3 | 8 |
| 30 | What is the risk of prostate cancer mortality following negative systematic TRUS-guided biopsies? A systematic review. BMJ Open, 2020, 10, e040965. | 1.9 | 4 |
| 31 | Characteristics of finasteride users in comparison with nonusers: A Nordic nationwide study based on individualâ€evel data from Denmark, Finland, and Sweden. Pharmacoepidemiology and Drug Safety, 2020, 29, 453-460. | 1.9 | 0 |
| 32 | Prostate artery embolisation for benign prostatic hyperplasia: a systematic review and meta-analysis. European Radiology, 2019, 29, 287-298. | 4.5 | 98 |
| 33 | Elevated miR-615-3p Expression Predicts Adverse Clinical Outcome and Promotes Proliferation and Migration of Prostate Cancer Cells. American Journal of Pathology, 2019, 189, 2377-2388. | 3.8 | 16 |
| 34 | Predictive value of AZGP1 following radical prostatectomy for prostate cancer: a cohort study and meta-analysis. Journal of Clinical Pathology, 2019, 72, 696-704. | 2.0 | 5 |
| 35 | Community-based football in men with prostate cancer: 1-year follow-up on a pragmatic, multicentre randomised controlled trial. PLoS Medicine, 2019, 16, e1002936. | 8.4 | 30 |
| 36 | Educational level and the risk of depression after prostate cancer. Acta $Oncol\tilde{A}^3$ gica, 2019, 58, 722-729. | 1.8 | 15 |

3

| # | Article | IF | Citations |
|----|--|-------------|-----------|
| 37 | Prognostic implication of gait function following treatment for spinal cord compression in men diagnosed with prostate cancer. Scandinavian Journal of Urology, 2019, 53, 222-228. | 1.0 | 1 |
| 38 | Active Surveillance Versus Radical Prostatectomy in Favorable-risk Localized Prostate Cancer. Clinical Genitourinary Cancer, 2019, 17, e814-e821. | 1.9 | 12 |
| 39 | Palliative Prostate Artery Embolization for Prostate Cancer: A Case Series. CardioVascular and Interventional Radiology, 2019, 42, 1405-1412. | 2.0 | 21 |
| 40 | Risk of cardiovascular events in men treated for prostate cancer compared with prostate cancer-free men. British Journal of Cancer, 2019, 120, 1067-1074. | 6.4 | 9 |
| 41 | Prostate Artery Embolization for Lower Urinary Tract Symptoms in Men Unfit for Surgery. Diagnostics, 2019, 9, 46. | 2.6 | 16 |
| 42 | Finasteride Use and Risk of Male Breast Cancer: A Case–Control Study Using Individual-Level Registry Data from Denmark, Finland, and Sweden. Cancer Epidemiology Biomarkers and Prevention, 2019, 28, 980-986. | 2.5 | 8 |
| 43 | 5hmC Level Predicts Biochemical Failure Following Radical Prostatectomy in Prostate Cancer Patients with ERG Negative Tumors. International Journal of Molecular Sciences, 2019, 20, 1025. | 4.1 | 4 |
| 44 | The association between education and risk of major cardiovascular events among prostate cancer patients: a study from the Diet, Cancer and Health study. Acta Oncol \tilde{A}^3 gica, 2019, 58, 715-721. | 1.8 | 3 |
| 45 | Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis. Annals of Internal Medicine, 2019, 170, 443. | 3.9 | 15 |
| 46 | Educational level and first-time PSA testing in general practice. Scandinavian Journal of Urology, 2019, 53, 275-281. | 1.0 | 9 |
| 47 | Football Compared with Usual Care in Men with Prostate Cancer (FC Prostate Community Trial): A Pragmatic Multicentre Randomized Controlled Trial. Sports Medicine, 2019, 49, 145-158. | 6. 5 | 33 |
| 48 | Proteogenomic Characterization of Patient-Derived Xenografts Highlights the Role of REST in Neuroendocrine Differentiation of Castration-Resistant Prostate Cancer. Clinical Cancer Research, 2019, 25, 595-608. | 7.0 | 55 |
| 49 | Active Surveillance for Localized Prostate Cancer: Nationwide Observational Study. Journal of Urology, 2019, 201, 520-527. | 0.4 | 21 |
| 50 | The use of transrectal ultrasound-guided biopsy following the introduction of prostate-specific antigen testing in Denmark: a population-based analysis. Scandinavian Journal of Urology, 2018, 52, 169-173. | 1.0 | 2 |
| 51 | Trends in incidence and 5â€year mortality in men with newly diagnosed, metastatic prostate cancer—A populationâ€based analysis of 2 national cohorts. Cancer, 2018, 124, 2931-2938. | 4.1 | 58 |
| 52 | The CPC Risk Calculator: A New App to Predict Prostate-specific Antigen Recurrence During Follow-up After Radical Prostatectomy. European Urology Focus, 2018, 4, 360-368. | 3.1 | 7 |
| 53 | Temporal Trends in Clinical and Pathological Characteristics for Men Undergoing Radical Prostatectomy Between 1995 and 2013 at Rigshospitalet, Copenhagen, Denmark, and Stanford University Hospital, United States. Clinical Genitourinary Cancer, 2018, 16, e181-e192. | 1.9 | 4 |
| 54 | Active surveillance for localized prostate cancer: update of a prospective single-center cohort. Scandinavian Journal of Urology, 2018, 52, 14-19. | 1.0 | 12 |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 55 | Cytoreductive prostatectomy in metastatic prostate cancer: a systematic review. Scandinavian Journal of Urology, 2018, 52, 1-7. | 1.0 | 9 |
| 56 | Finasteride treatment and male breast cancer: a registerâ€based cohort study in four Nordic countries. Cancer Medicine, 2018, 7, 254-260. | 2.8 | 9 |
| 57 | Reply to M. Nayan et al. Journal of Clinical Oncology, 2018, 36, 629-630. | 1.6 | O |
| 58 | The prognostic impact of incidental prostate cancer following radical cystoprostatectomy: a nationwide analysis. Scandinavian Journal of Urology, 2018, 52, 358-363. | 1.0 | 8 |
| 59 | SPCG-15: a prospective randomized study comparing primary radical prostatectomy and primary radiotherapy plus androgen deprivation therapy for locally advanced prostate cancer. Scandinavian Journal of Urology, 2018, 52, 313-320. | 1.0 | 40 |
| 60 | Predictive value of combined analysis of proâ€ <scp>NPY</scp> and <scp>ERG</scp> in localized prostate cancer. Apmis, 2018, 126, 804-813. | 2.0 | 12 |
| 61 | Football training over 5 years is associated with preserved femoral bone mineral density in men with prostate cancer. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 61-73. | 2.9 | 19 |
| 62 | The "Football is Medicine―platform—scientific evidence, largeâ€scale implementation of evidenceâ€based concepts and future perspectives. Scandinavian Journal of Medicine and Science in Sports, 2018, 28, 3-7. | 2.9 | 31 |
| 63 | Risk of prostate cancer diagnosis and mortality in men with a benign initial transrectal ultrasound-guided biopsy set: a population-based study. Lancet Oncology, The, 2017, 18, 221-229. | 10.7 | 54 |
| 64 | Socioeconomic position and mortality among patients with prostate cancer: influence of mediating factors. Acta $Oncol\tilde{A}^3$ gica, 2017, 56, 563-568. | 1.8 | 21 |
| 65 | Plasma levels of intact and cleaved urokinase plasminogen activator receptor (uPAR) in men with clinically localised prostate cancer. Journal of Clinical Pathology, 2017, 70, 1063-1068. | 2.0 | 1 |
| 66 | Improved survival for patients with de novo metastatic prostate cancer in the last 20 years. European Journal of Cancer, 2017, 72, 20-27. | 2.8 | 34 |
| 67 | Radical prostatectomy in Denmark: Survival analysis and temporal trends in clinicopathological parameters with up to 20 years of follow-up. Surgical Oncology, 2017, 26, 21-27. | 1.6 | 8 |
| 68 | Associations between statin use and progression in men with prostate cancer treated with primary androgen deprivation therapy. Scandinavian Journal of Urology, 2017, 51, 464-469. | 1.0 | 12 |
| 69 | Does Cytoreductive Prostatectomy Really Have an Impact on Prognosis in Prostate Cancer Patients with Low-volume Bone Metastasis? Results from a Prospective Case-Control Study. European Urology Focus, 2017, 3, 646-649. | 3.1 | 72 |
| 70 | Isolated testicular prostate cancer metastasis. Scandinavian Journal of Urology, 2017, 51, 426-427. | 1.0 | 4 |
| 71 | The risk of biochemical recurrence for intermediate-risk prostate cancer after radical prostatectomy. Scandinavian Journal of Urology, 2017, 51, 450-456. | 1.0 | 18 |
| 72 | Diagnostic characteristics of lethal prostate cancer. European Journal of Cancer, 2017, 84, 18-26. | 2.8 | 31 |

| # | Article | IF | Citations |
|----|--|---------------------|------------|
| 73 | Safety, Dosimetry, and Tumor Detection Ability of ⁶⁸ Ga-NOTA-AE105: First-in-Human Study of a Novel Radioligand for uPAR PET Imaging. Journal of Nuclear Medicine, 2017, 58, 379-386. | 5.0 | 58 |
| 74 | Postdiagnosis Statin Use and Mortality in Danish Patients With Prostate Cancer. Journal of Clinical Oncology, 2017, 35, 3290-3297. | 1.6 | 69 |
| 75 | Survival trends in patients diagnosed with metastatic prostate cancer: A nationwide analysis Journal of Clinical Oncology, 2017, 35, 171-171. | 1.6 | 0 |
| 76 | Nationwide analysis: Changes in the natural history of low risk localized prostate cancer Journal of Clinical Oncology, 2017, 2017, 12-12. | 1.6 | 0 |
| 77 | Nationwide analysis: Changes in the natural history of low risk localized prostate cancer Journal of Clinical Oncology, 2017, 35, 12-12. | 1.6 | 0 |
| 78 | Diagnostic characteristics of men harboring lethal prostate cancer: A population-based analysis Journal of Clinical Oncology, 2017, 35, 217-217. | 1.6 | 0 |
| 79 | Danish Prostate Cancer Registry & Danish | 3.0 | 25 |
| 80 | The Danish Prostate Cancer Database. Clinical Epidemiology, 2016, Volume 8, 649-653. | 3.0 | 11 |
| 81 | The impact of the 2005 International Society of Urological Pathology consensus guidelines on Gleason grading – a matchedâ€pair analysis. BJU International, 2016, 117, 883-889. | 2.5 | 19 |
| 82 | Systematic review: does endocrine therapy prolong survival in patients with prostate cancer?. Scandinavian Journal of Urology, 2016, 50, 135-143. | 1.0 | 15 |
| 83 | Effectiveness of community-based football compared to usual care in men with prostate cancer: Protocol for a randomised, controlled, parallel group, multicenter superiority trial (The FC Prostate) Tj ETQq1 1 C |).78 46 14 r | gBI4Overla |
| 84 | Low-dose aspirin or other nonsteroidal anti-inflammatory drug use and prostate cancer risk: a nationwide study. Cancer Causes and Control, 2016, 27, 1067-1079. | 1.8 | 24 |
| 85 | Prognostic implications of 2005 Gleason grade modification. Populationâ€based study of biochemical recurrence following radical prostatectomy. Journal of Surgical Oncology, 2016, 114, 664-670. | 1.7 | 8 |
| 86 | Clinical characteristics and primary management of patients diagnosed with prostate cancer between 2007 and 2013: status from a Danish primary referral center. Acta Oncol \tilde{A}^3 gica, 2016, 55, 1456-1460. | 1.8 | 10 |
| 87 | Copenhagen uPAR prostate cancer (CuPCa) database: protocol and early results. Biomarkers in Medicine, 2016, 10, 209-216. | 1.4 | 11 |
| 88 | Football training in men with prostate cancer undergoing androgen deprivation therapy: activity profile and short-term skeletal and postural balance adaptations. European Journal of Applied Physiology, 2016, 116, 471-480. | 2.5 | 48 |
| 89 | Anastomotic complications after robot-assisted laparoscopic and open radical prostatectomy. Scandinavian Journal of Urology, 2016, 50, 274-279. | 1.0 | 13 |
| 90 | A single-center experience with abiraterone as treatment for metastatic castration-resistant prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 291.e1-291.e7. | 1.6 | 10 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 91 | Patterns of finasteride use in the male populations of four Nordic countries: A cross-national drug utilization study. Scandinavian Journal of Urology, 2016, 50, 220-227. | 1.0 | 4 |
| 92 | Association between PSA kinetics and cancer-specific mortality in patients with localised prostate cancer: analysis of the placebo arm of the SPCG-6 study. Annals of Oncology, 2016, 27, 460-466. | 1.2 | 13 |
| 93 | Efficacy of recreational football on bone health, body composition, and physical functioning in men with prostate cancer undergoing androgen deprivation therapy: 32-week follow-up of the FC prostate randomised controlled trial. Osteoporosis International, 2016, 27, 1507-1518. | 3.1 | 61 |
| 94 | Effect of a 2-year home-based endurance training intervention on physiological function and PSA doubling time in prostate cancer patients. Cancer Causes and Control, 2016, 27, 165-174. | 1.8 | 45 |
| 95 | The Movember campaign: Impact on referral patterns and diagnosis of prostate cancer. Scandinavian Journal of Public Health, 2016, 44, 228-232. | 2.3 | 54 |
| 96 | Quality assessment of prostate cancer reports to the Danish Cancer Registry. Acta $Oncol\tilde{A}^3$ gica, 2016, 55, 24-29. | 1.8 | 20 |
| 97 | The predictive value of ERG protein expression for development of castration-resistant prostate cancer in hormone-na $\tilde{\Lambda}$ ve advanced prostate cancer treated with primary androgen deprivation therapy. Prostate, 2015, 75, 1499-1509. | 2.3 | 11 |
| 98 | First-in-human uPAR PET: Imaging of Cancer Aggressiveness. Theranostics, 2015, 5, 1303-1316. | 10.0 | 92 |
| 99 | Survival benefit of early androgen receptor inhibitor therapy in locally advanced prostate cancer: Long-term follow-up of the SPCG-6 study. European Journal of Cancer, 2015, 51, 1283-1292. | 2.8 | 18 |
| 100 | Poor association between the progression criteria in active surveillance and subsequent histopathological findings following radical prostatectomy. Scandinavian Journal of Urology, 2015, 49, 354-359. | 1.0 | 5 |
| 101 | ERG protein expression over time: from diagnostic biopsies to radical prostatectomy specimens in clinically localised prostate cancer. Journal of Clinical Pathology, 2015, 68, 788-794. | 2.0 | 8 |
| 102 | Length of life gained with surgical treatment of prostate cancer: A population-based analysis. Scandinavian Journal of Urology, 2015, 49, 275-281. | 1.0 | 2 |
| 103 | Enzalutamide Antitumour Activity Against Metastatic Castration-resistant Prostate Cancer Previously Treated with Docetaxel and Abiraterone: A Multicentre Analysis. European Urology, 2015, 68, 317-324. | 1.9 | 96 |
| 104 | Long-term survival update of the Scandinavian Prostate Cancer Group 6 study: Bicalutamide 150 mg daily versus placebo in hormone-naÃve, non-metastatic prostate cancer Journal of Clinical Oncology, 2015, 33, 2-2. | 1.6 | 1 |
| 105 | Urokinase plasminogen activator receptor (uPAR) as a novel biomarker in prostate cancer Journal of Clinical Oncology, 2015, 33, 183-183. | 1.6 | 0 |
| 106 | Community-Based Recreational Football: A Novel Approach to Promote Physical Activity and Quality of Life in Prostate Cancer Survivors. International Journal of Environmental Research and Public Health, 2014, 11, 5567-5585. | 2.6 | 31 |
| 107 | ERG Protein Expression in Diagnostic Specimens Is Associated with Increased Risk of Progression During Active Surveillance for Prostate Cancer. European Urology, 2014, 66, 851-860. | 1.9 | 75 |
| 108 | Biochemical response to enzalutamide therapy in patients with mCRPC following docetaxel and abiraterone treatment Journal of Clinical Oncology, 2014, 32, 202-202. | 1.6 | 2 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 109 | Increasing use of radical prostatectomy for lower-risk prostate cancer in Denmark Journal of Clinical Oncology, 2014, 32, 149-149. | 1.6 | 0 |
| 110 | Biochemical response to ketoconazole therapy in post-chemotherapy mCRPC patients Journal of Clinical Oncology, 2014, 32, 174-174. | 1.6 | 0 |
| 111 | Differences in survival from prostate cancer in Denmark, Iceland and Sweden. European Journal of Cancer, 2013, 49, 1984-1992. | 2.8 | 13 |
| 112 | Prostate cancer in Denmark 1978–2009 — trends in incidence and mortality. Acta Oncológica, 2013, 52, 831-836. | 1.8 | 36 |
| 113 | PSA testing without clinical indication for prostate cancer in relation to socio-demographic and clinical characteristics in the Danish Diet, Cancer and Health Study. Acta Oncol \tilde{A}^3 gica, 2013, 52, 1609-1614. | 1.8 | 23 |
| 114 | Psychological distress following fecal occult blood test in colorectal cancer screening – a population-based study. Scandinavian Journal of Gastroenterology, 2010, 45, 1211-1216. | 1.5 | 31 |
| 115 | Prognostic value of PINP, bone alkaline phosphatase, CTX-I, and YKL-40 in patients with metastatic prostate carcinoma. Prostate, 2006, 66, 503-513. | 2.3 | 112 |
| 116 | Variations in serum P1NP, BAP and YKL-40 levels after start of treatment for advanced prostate cancer and the relation to prognosis. Journal of Clinical Oncology, 2004, 22, 4734-4734. | 1.6 | 0 |
| 117 | The need for hospital care of patients with clinically localized prostate cancer managed by noncurative intent: a population based registry study. Journal of Urology, 2000, 163, 1150-4. | 0.4 | 4 |
| 118 | Lower Urinary Tract Symptoms: A Population Survey Using the Danish Prostatic Symptom Score (DAN-PSS) Questionnaire. Scandinavian Journal of Urology and Nephrology, 1999, 33, 94-99. | 1.4 | 37 |
| 119 | Morbidity in patients with clinically localized prostate cancer managed with non-curative intent. A population-based case–control study. Prostate Cancer and Prostatic Diseases, 1999, 2, 253-256. | 3.9 | 2 |
| 120 | Mortality of patients with clinically localized prostate cancer treated with observation for 10 years or longer: a population based registry study. Journal of Urology, 1999, 161, 524-8. | 0.4 | 2 |
| 121 | Prostate cancer in Denmark. Incidence, morbidity and mortality. Scandinavian Journal of Urology and Nephrology, Supplement, 1999, 203, 29-33. | 0.0 | 1 |
| 122 | Seminal plasma PSA in spinal cord injured men: a preliminary report. Spinal Cord, 1998, 36, 771-773. | 1.9 | 17 |
| 123 | Prostate Cancer in Denmark: A 50-Year Population-Based Study. Journal of Urology, 1998, 160, 1579-1579. | 0.4 | 0 |
| 124 | Recision of a Patient-Weighted Symptom Score in Prostatism. Scandinavian Journal of Urology and Nephrology, 1994, 28, 71-75. | 1.4 | 21 |
| 125 | The "Wallstent†A New Stent for the Treatment of Urethral Strictures. Scandinavian Journal of Urology and Nephrology, 1993, 27, 247-250. | 1.4 | 12 |
| 126 | Long-term results of surgery for incarcerated groin hernia. Acta Chirurgica Scandinavica, 1989, 155, 583-5. | 0.2 | 21 |

| # | Article | lF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Itraconazole Reverts ABCB1-Mediated Docetaxel Resistance in Prostate Cancer. Frontiers in Pharmacology, 0, 13, . | 3.5 | 8 |