
Alexandra Brazinova

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7480170/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Characteristics and outcome of severe traumatic brain injuries based on occupational status. European Journal of Trauma and Emergency Surgery, 2021, 47, 2035-2041.	0.8	5
2	Attitudes towards People with Mental Illness and Low Interest in Psychiatry among Medical Students in Central and Eastern Europe. Psychiatric Quarterly, 2021, 92, 407-418.	1.1	10
3	Epidemiology of Traumatic Brain Injury in Europe: A Living Systematic Review. Journal of Neurotrauma, 2021, 38, 1411-1440.	1.7	276
4	Legionnaires' Disease in Pediatric Patients, Control Measures and 5-Year Follow-up. Pediatric Infectious Disease Journal, 2020, 39, 990-994.	1.1	3
5	Global injury morbidity and mortality from 1990 to 2017: results from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i96-i114.	1.2	103
6	Changes in disease burden in Poland between 1990–2017 in comparison with other Central European countries: A systematic analysis for the Global Burden of Disease Study 2017. PLoS ONE, 2020, 15, e0226766.	1.1	33
7	Burden of injury along the development spectrum: associations between the Socio-demographic Index and disability-adjusted life year estimates from the Global Burden of Disease Study 2017. Injury Prevention, 2020, 26, i12-i26.	1.2	44
8	Informed consent procedures in patients with an acute inability to provide informed consent: Policy and practice in the CENTER-TBI study. Journal of Critical Care, 2020, 59, 6-15.	1.0	8
9	Mental Health Care Gap: The Case of the Slovak Republic. Administration and Policy in Mental Health and Mental Health Services Research, 2019, 46, 753-759.	1.2	6
10	Location of traumatic brain injury-related deaths: epidemiological analysis of 11 European countries. Brain Injury, 2019, 33, 830-835.	0.6	6
11	Global, regional, and national burden of traumatic brain injury and spinal cord injury, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet Neurology, The, 2019, 18, 56-87.	4.9	1,064
12	Citicoline in severe traumatic brain injury: indications for improved outcome. Wiener Klinische Wochenschrift, 2018, 130, 37-44.	1.0	9
13	Global, regional, and national age-sex-specific mortality and life expectancy, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1684-1735.	6.3	716
14	Global, regional, and national age-sex-specific mortality for 282 causes of death in 195 countries and territories, 1980–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1736-1788.	6.3	4,989
15	Global, regional, and national comparative risk assessment of 84 behavioural, environmental and occupational, and metabolic risks or clusters of risks for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1923-1994.	6.3	3,269
16	Population and fertility by age and sex for 195 countries and territories, 1950–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1995-2051.	6.3	294
17	Global, regional, and national incidence, prevalence, and years lived with disability for 354 diseases and injuries for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1789-1858.	6.3	8,569
18	Measuring progress from 1990 to 2017 and projecting attainment to 2030 of the health-related Sustainable Development Goals for 195 countries and territories: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 2091-2138.	6.3	335

#	Article	IF	CITATIONS
19	Global, regional, and national disability-adjusted life-years (DALYs) for 359 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2017: a systematic analysis for the Global Burden of Disease Study 2017. Lancet, The, 2018, 392, 1859-1922.	6.3	2,123
20	Measuring performance on the Healthcare Access and Quality Index for 195 countries and territories and selected subnational locations: a systematic analysis from the Global Burden of Disease Study 2016. Lancet, The, 2018, 391, 2236-2271.	6.3	638
21	Global Mortality From Firearms, 1990-2016. JAMA - Journal of the American Medical Association, 2018, 320, 792.	3.8	189
22	Suicide rate trends in the Slovak Republic in 1993–2015. International Journal of Social Psychiatry, 2017, 63, 161-168.	1.6	10
23	Changing Epidemiological Patterns in Traumatic Brain Injury: A Longitudinal Hospital-Based Study in Belgium. Neuroepidemiology, 2017, 48, 63-70.	1.1	33
24	Healthcare Access and Quality Index based on mortality from causes amenable to personal health care in 195 countries and territories, 1990–2015: a novel analysis from the Global Burden of Disease Study 2015. Lancet, The, 2017, 390, 231-266.	6.3	480
25	Child and Adolescent Health From 1990 to 2015. JAMA Pediatrics, 2017, 171, 573.	3.3	306
26	Global, regional, and national under-5 mortality, adult mortality, age-specific mortality, and life expectancy, 1970–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1084-1150.	6.3	573
27	Global, regional, and national disability-adjusted life-years (DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1260-1344.	6.3	1,589
28	Global, regional, and national incidence, prevalence, and years lived with disability for 328 diseases and injuries for 195 countries, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. Lancet, The, 2017, 390, 1211-1259.	6.3	5,578
29	Traumatic brain injury: integrated approaches to improve prevention, clinical care, and research. Lancet Neurology, The, 2017, 16, 987-1048.	4.9	1,571
30	Outcome Prediction after Traumatic Brain Injury: Comparison of the Performance of Routinely Used Severity Scores and Multivariable Prognostic Models. Journal of Neurosciences in Rural Practice, 2017, 08, 020-029.	0.3	38
31	The Burden of Mental Disorders in the Eastern Mediterranean Region, 1990-2013. PLoS ONE, 2017, 12, e0169575.	1.1	102
32	Mortality due to traumatic spinal cord injuries in Europe: a cross-sectional and pooled analysis of population-wide data from 22 countries. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2017, 25, 64.	1.1	21
33	Years of life lost due to traumatic brain injury in Europe: A cross-sectional analysis of 16 countries. PLoS Medicine, 2017, 14, e1002331.	3.9	93
34	Epidemiology of traumatic brain injuries in Europe: a cross-sectional analysis. Lancet Public Health, The, 2016, 1, e76-e83.	4.7	312
35	Global, regional, and national levels of maternal mortality, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1775-1812.	6.3	740
36	Global, regional, and national disability-adjusted life-years (DALYs) for 315 diseases and injuries and healthy life expectancy (HALE), 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1603-1658.	6.3	1,612

#	Article	IF	CITATIONS
37	Global, regional, and national life expectancy, all-cause mortality, and cause-specific mortality for 249 causes of death, 1980–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1459-1544.	6.3	4,934
38	Global, regional, and national incidence, prevalence, and years lived with disability for 310 diseases and injuries, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1545-1602.	6.3	5,298
39	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks, 1990–2015: a systematic analysis for the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1659-1724.	6.3	4,203
40	Measuring the health-related Sustainable Development Goals in 188 countries: a baseline analysis from the Global Burden of Disease Study 2015. Lancet, The, 2016, 388, 1813-1850.	6.3	413
41	Estimates of global, regional, and national incidence, prevalence, and mortality of HIV, 1980–2015: the Global Burden of Disease Study 2015. Lancet HIV,the, 2016, 3, e361-e387.	2.1	461
42	Point prevalence study of antimicrobial usage in acute care hospitals in the Slovak Republic. Journal of Hospital Infection, 2016, 93, 403-409.	1.4	5
43	Global and National Burden of Diseases and Injuries Among Children and Adolescents Between 1990 and 2013. JAMA Pediatrics, 2016, 170, 267.	3.3	479
44	Road traffic mortality in the Slovak Republic in 1996–2014. Traffic Injury Prevention, 2016, 17, 692-698.	0.6	12
45	The global burden of injury: incidence, mortality, disability-adjusted life years and time trends from the Clobal Burden of Disease study 2013. Injury Prevention, 2016, 22, 3-18.	1.2	898
46	Epidemiology of traumatic spinal cord injuries in Austria 2002–2012. European Spine Journal, 2016, 25, 62-73.	1.0	39
47	Factors that may improve outcomes of early traumatic brain injury care: prospective multicenter study in Austria. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2015, 23, 53.	1.1	20
48	Global, regional, and national incidence, prevalence, and years lived with disability for 301 acute and chronic diseases and injuries in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 743-800.	6.3	4,951
49	Epidemiology and Patterns of Transport-Related Fatalities in Austria 1980–2012. Traffic Injury Prevention, 2015, 16, 450-455.	0.6	17
50	Fatal traumatic brain injury in older adults in Austria 1980–2012: an analysis of 33 years. Age and Ageing, 2015, 44, 502-506.	0.7	17
51	Global, regional, and national disability-adjusted life years (DALYs) for 306 diseases and injuries and healthy life expectancy (HALE) for 188 countries, 1990–2013: quantifying the epidemiological transition. Lancet, The, 2015, 386, 2145-2191.	6.3	1,544
52	Global, regional, and national comparative risk assessment of 79 behavioural, environmental and occupational, and metabolic risks or clusters of risks in 188 countries, 1990–2013: a systematic analysis for the Global Burden of Disease Study 2013. Lancet, The, 2015, 386, 2287-2323.	6.3	2,184
53	Epidemiology of traumatic brain injury in Europe. Acta Neurochirurgica, 2015, 157, 1683-1696.	0.9	541
54	Severity, Causes and Outcomes of Traumatic Brain Injuries Occurring at Different Locations: Implications for Prevention and Public Health. Central European Journal of Public Health, 2015, 23, 142-148.	0.4	5

#	Article	IF	CITATIONS
55	Hospital admissions for traumatic brain injury of Austrian residents vs. of visitors to Austria. Brain Injury, 2014, 28, 1295-1300.	0.6	7
56	Long-Term Trends and Patterns of Fatal Traumatic Brain Injuries in the Pediatric and Adolescent Population of Austria in 1980–2012: Analysis of 33 Years. Journal of Neurotrauma, 2014, 31, 1046-1055.	1.7	13
57	Deaths due to traumatic brain injury in Austria between 1980 and 2012. Brain Injury, 2014, 28, 1096-1101.	0.6	13
58	Epidemiology of traumatic brain injury in Austria. Wiener Klinische Wochenschrift, 2014, 126, 42-52.	1.0	43
59	Effekt des Zeitpunkts der Aufnahme im Krankenhaus auf das Behandlungsergebnis nach schwerem SchÄ d elhirntrauma in Ä–sterreich. Wiener Klinische Wochenschrift, 2014, 126, 278-285.	1.0	3
60	Impact of concomitant injuries on outcomes after traumatic brain injury. Archives of Orthopaedic and Trauma Surgery, 2013, 133, 659-668.	1.3	48
61	Outcome after severe brain trauma associated with epidural hematoma. Archives of Orthopaedic and Trauma Surgery, 2013, 133, 199-207.	1.3	21
62	Traumatic brain injuries caused by traffic accidents in five European countries: outcome and public health consequences. European Journal of Public Health, 2013, 23, 682-687.	0.1	34
63	Barbiturates Use and Its Effects in Patients with Severe Traumatic Brain Injury in Five European Countries. Journal of Neurotrauma, 2013, 30, 23-29.	1.7	45
64	Impact of Family Level Factors on Alcohol Drinking in Primary School Children. Central European Journal of Public Health, 2013, 21, 202-206.	0.4	4
65	Outcome after severe brain trauma due to acute subdural hematoma. Journal of Neurosurgery, 2012, 117, 324-333.	0.9	98
66	Outcome of patients with severe brain trauma who were treated either by neurosurgeons or by trauma surgeons. Journal of Trauma, 2012, 72, 1263-1270.	2.3	6
67	Severity and outcome of traumatic brain injuries (TBI) with different causes of injury. Brain Injury, 2011, 25, 797-805.	0.6	38
68	Effects of Gender on Outcomes After Traumatic Brain Injury. Journal of Trauma, 2011, 71, 1620-1626.	2.3	39
69	Outcomes of Patients with Severe Traumatic Brain Injury Who Have Glasgow Coma Scale Scores of 3 or 4 and Are Over 65 Years Old. Journal of Neurotrauma, 2010, 27, 1549-1555.	1.7	68
70	Outcome of brain trauma patients who have a Glasgow Coma Scale score of 3 and bilateral fixed and dilateral fixed and dilated pupils in the field. European Journal of Emergency Medicine, 2009, 16, 153-158.	0.5	34
71	Epidemiology, treatment and outcome of patients after severe traumatic brain injury in European regions with different economic status. European Journal of Public Health, 2008, 18, 575-580.	0.1	66
72	Severe Traumatic Brain Injury in Austria II: Epidemiology of hospital admissions. Wiener Klinische Wochenschrift, 2007, 119, 29-34.	1.0	39