

# Jerrold R Turner

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7481449/publications.pdf>

Version: 2024-02-01

341  
papers

30,343  
citations

5126

86  
h-index

6177

164  
g-index

378  
all docs

378  
docs citations

378  
times ranked

29592  
citing authors

#	ARTICLE	IF	CITATIONS
1	Tacrolimus-binding protein FKBP8 directs myosin light chain kinase-dependent barrier regulation and is a potential therapeutic target in Crohn's disease. <i>Gut</i> , 2023, 72, 870-881.	6.1	10
2	Pattern Recognition Receptor Signaling and Cytokine Networks in Microbial Defenses and Regulation of Intestinal Barriers: Implications for Inflammatory Bowel Disease. <i>Gastroenterology</i> , 2022, 162, 1602-1616.e6.	0.6	38
3	Depletion of the apical endosome in response to viruses and bacterial toxins provides cell-autonomous host defense at mucosal surfaces. <i>Cell Host and Microbe</i> , 2022, 30, 216-231.e5.	5.1	6
4	Cingulin binds to the ZU5 domain of scaffolding protein ZO-1 to promote its extended conformation, stabilization, and tight junction accumulation. <i>Journal of Biological Chemistry</i> , 2022, 298, 101797.	1.6	12
5	Assessment of the Degree of Variation of Histologic Inflammation in Ulcerative Colitis. <i>Inflammatory Bowel Diseases</i> , 2022, , .	0.9	1
6	Epithelial monolayer development and tight junction assembly on nanopillar arrays. <i>FASEB Journal</i> , 2022, 36, .	0.2	1
7	The Epithelial-specific ER Stress Sensor IRE1 <sup>2</sup> Enables Host-Microbiota Crosstalk to Affect Colon Goblet Cell Development. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
8	Identification and characterization of the domain that mediates actin binding and directs basal and TNF-induced myosin light chain kinase 1 (MLCK1) recruitment to the perijunctional actomyosin ring. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
9	Tight junction proteins occludin and ZO-1 as regulators of epithelial proliferation and survival. <i>Annals of the New York Academy of Sciences</i> , 2022, 1514, 21-33.	1.8	70
10	Modulation of Intestinal Disorders by Claudin-2 and Occludin Via Canonical and Noncanonical Mechanisms. , 2022, , 85-107.		1
11	The epithelial-specific ER stress sensor ERN2/IRE1 <sup>2</sup> enables host-microbiota crosstalk to affect colon goblet cell development. <i>Journal of Clinical Investigation</i> , 2022, 132, .	3.9	19
12	Tight junction channel regulation by interclaudin interference. <i>Nature Communications</i> , 2022, 13, .	5.8	18
13	Diagnostic Accuracy of Fecal Calprotectin Concentration in Evaluating Therapeutic Outcomes of Patients With Ulcerative Colitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 2333-2342.	2.4	19
14	Cumulative Histologic Inflammation Predicts Colorectal Neoplasia in Ulcerative Colitis: A Validation Study. <i>Inflammatory Bowel Diseases</i> , 2021, 27, 203-206.	0.9	27
15	Gut Microbial Transcytosis Induced by Tumour Necrosis Factor-like 1A-dependent Activation of a Myosin Light Chain Kinase Splice Variant Contributes to Inflammatory Bowel Disease. <i>Journal of Crohn's and Colitis</i> , 2021, 15, 258-272.	0.6	20
16	Claudin-18 Loss Alters Transcellular Chloride Flux but not Tight Junction Ion Selectivity in Gastric Epithelial Cells. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2021, 11, 783-801.	2.3	7
17	Differentiating Between Tight Junction-Dependent and Tight Junction-Independent Intestinal Barrier Loss In Vivo. <i>Methods in Molecular Biology</i> , 2021, 2367, 249-271.	0.4	24
18	Colon transcriptome is modified by a dietary pattern/atorvastatin interaction in the Ossabaw pig. <i>Journal of Nutritional Biochemistry</i> , 2021, 90, 108570.	1.9	2

#	ARTICLE	IF	CITATIONS
19	A Simple Method for Creating a High-Content Microscope for Imaging Multiplexed Tissue Microarrays. <i>Current Protocols</i> , 2021, 1, e68.	1.3	5
20	Western and heart healthy dietary patterns differentially affect the expression of genes associated with lipid metabolism, interferon signaling and inflammation in the jejunum of Ossabaw pigs. <i>Journal of Nutritional Biochemistry</i> , 2021, 90, 108577.	1.9	7
21	A novel tumor suppressor role of myosin light chain kinase splice variants through downregulation of the TEAD4/CD44 axis. <i>Carcinogenesis</i> , 2021, 42, 961-974.	1.3	3
22	Electrophysiologic Analysis of Tight Junction Size and Charge Selectivity. <i>Current Protocols</i> , 2021, 1, e143.	1.3	8
23	The Tight Junction Protein ZO-1 Is Dispensable for Barrier Function but Critical for Effective Mucosal Repair. <i>Gastroenterology</i> , 2021, 161, 1924-1939.	0.6	147
24	PTPN2 mutations cause epithelium-intrinsic barrier loss that synergizes with mucosal immune hyperactivation. <i>Journal of Clinical Investigation</i> , 2021, 131, .	3.9	1
25	Differential regulation of claudin-2 and claudin-15 expression in children and adults with malabsorptive disease. <i>Laboratory Investigation</i> , 2020, 100, 483-490.	1.7	17
26	Histologic Healing Is More Strongly Associated with Clinical Outcomes in Ileal Crohn's Disease than Endoscopic Healing. <i>Clinical Gastroenterology and Hepatology</i> , 2020, 18, 2518-2525.e1.	2.4	64
27	Myosin light chain kinase is a potential target for hypopharyngeal cancer treatment. <i>Biomedicine and Pharmacotherapy</i> , 2020, 131, 110665.	2.5	4
28	T Cell-Intrinsic IRF5 Regulates T Cell Signaling, Migration, and Differentiation and Promotes Intestinal Inflammation. <i>Cell Reports</i> , 2020, 31, 107820.	2.9	25
29	Myeloid Cell Expression of LACC1 Is Required for Bacterial Clearance and Control of Intestinal Inflammation. <i>Gastroenterology</i> , 2020, 159, 1051-1067.	0.6	15
30	Culture of Intestinal Epithelial Cell Monolayers and Their Use in Multiplex Macromolecular Permeability Assays for In Vitro Analysis of Tight Junction Size Selectivity. <i>Current Protocols in Immunology</i> , 2020, 131, e112.	3.6	13
31	Cadmium ingestion exacerbates Salmonella infection, with a loss of goblet cells through activation of Notch signaling pathways by ROS in the intestine. <i>Journal of Hazardous Materials</i> , 2020, 391, 122262.	6.5	34
32	Exploiting Alternative Brush Border Trafficking Routes to Treat Microvillous Inclusion Disease. <i>Gastroenterology</i> , 2020, 159, 1233-1235.	0.6	0
33	Type I IFNs and CD8 T cells increase intestinal barrier permeability after chronic viral infection. <i>Journal of Experimental Medicine</i> , 2020, 217, .	4.2	28
34	Targeted Intestinal Tight Junction Hyperpermeability Alters the Microbiome, Behavior, and Visceromotor Responses. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 206-208.e3.	2.3	9
35	The Villin1 Gene Promoter Drives Cre Recombinase Expression in Extraintestinal Tissues. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 864-867.e5.	2.3	20
36	Contributions of Myosin Light Chain Kinase to Regulation of Epithelial Paracellular Permeability and Mucosal Homeostasis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 993.	1.8	75

#	ARTICLE	IF	CITATIONS
37	Segmental Polyposis. <i>Gastroenterology</i> , 2020, 159, e1-e2.	0.6	0
38	Segmental Histological Normalisation Occurs in Ulcerative Colitis but Does Not Improve Clinical Outcomes. <i>Journal of Crohn's and Colitis</i> , 2020, 14, 1345-1353.	0.6	9
39	Tight Junctions as Targets and Effectors of Mucosal Immune Homeostasis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2020, 10, 327-340.	2.3	87
40	Current and potential future applications of human stem cell models in drug development. <i>Journal of Clinical Investigation</i> , 2020, 130, 3342-3344.	3.9	12
41	Inactivation of paracellular cation-selective claudin-2 channels attenuates immune-mediated experimental colitis in mice. <i>Journal of Clinical Investigation</i> , 2020, 130, 5197-5208.	3.9	76
42	Quantification of Proliferative and Dead Cells in Enteroids. <i>Journal of Visualized Experiments</i> , 2020, , .	0.2	1
43	Slowed gastric emptying and improved oral glucose tolerance produced by a nanomolar $\text{Ca}^{2+}$ -activated chloride channel TMEM16A. <i>FASEB Journal</i> , 2019, 33, 11247-11257.	0.2	14
44	On the Genesis of CMGH. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 8, 143-144.	2.3	0
45	Inflammation-induced Occludin Downregulation Limits Epithelial Apoptosis by Suppressing Caspase-3 Expression. <i>Gastroenterology</i> , 2019, 157, 1323-1337.	0.6	124
46	Interleukin 22 Expands Transit-Amplifying Cells While Depleting Lgr5+ Stem Cells via Inhibition of Wnt and Notch Signaling. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 255-274.	2.3	67
47	cAMP Stimulates SLC26A3 Activity in Human Colon by a CFTR-Dependent Mechanism That Does Not Require CFTR Activity. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 641-653.	2.3	33
48	Occludin knockdown is not sufficient to induce transepithelial macromolecule passage. <i>Tissue Barriers</i> , 2019, 7, 1612661.	1.6	16
49	Reducing IRF5 expression attenuates colitis in mice, but impairs the clearance of intestinal pathogens. <i>Mucosal Immunology</i> , 2019, 12, 874-887.	2.7	14
50	Rigor, Reproducibility, and Responsibility: A Quantum of Solace. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2019, 7, 869-871.	2.3	1
51	Intracellular MLCK1 diversion reverses barrier loss to restore mucosal homeostasis. <i>Nature Medicine</i> , 2019, 25, 690-700.	15.2	102
52	Graft-versus-host disease propagation depends on increased intestinal epithelial tight junction permeability. <i>Journal of Clinical Investigation</i> , 2019, 129, 902-914.	3.9	47
53	TNF Activates FK506 Binding Protein 8 (FKBP8) Interactions That Direct Myosin Light Chain Kinase 1 (MLCK1) Recruitment to the Perijunctional Actomyosin Ring and Drive Epithelial Barrier Loss. <i>FASEB Journal</i> , 2019, 33, 710.2.	0.2	0
54	Lactobacillus accelerates ISC regeneration to protect the integrity of intestinal mucosa through activation of STAT3 signaling pathway induced by LPLs secretion of IL-22. <i>Cell Death and Differentiation</i> , 2018, 25, 1657-1670.	5.0	218

#	ARTICLE	IF	CITATIONS
55	Listeria Adhesion Protein Induces Intestinal Epithelial Barrier Dysfunction for Bacterial Translocation. <i>Cell Host and Microbe</i> , 2018, 23, 470-484.e7.	5.1	156
56	State of the Journal: CMGH's Progress, Prospects, and Impact Factor. <i>Gastroenterology</i> , 2018, 154, 460-461.	0.6	0
57	Assessment of peri-polyp biopsy specimens of flat mucosa in patients with inflammatory bowel disease. <i>Gastrointestinal Endoscopy</i> , 2018, 87, 1304-1309.	0.5	25
58	An algorithm for the classification of mRNA patterns in eosinophilic esophagitis: Integration of machine learning. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 141, 1354-1364.e9.	1.5	22
59	Attaching-and-Effacing Pathogens Exploit Junction Regulatory Activities of N-WASP and SNX9 to Disrupt the Intestinal Barrier. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 273-288.	2.3	29
60	State of the Journal: CMGH's Progress, Prospects, and Impact Factor. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 5, 157-158.	2.3	0
61	Mesenteric Adipose-derived Stromal Cells From Crohn's Disease Patients Induce Protective Effects in Colonic Epithelial Cells and Mice With Colitis. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2018, 6, 1-16.	2.3	10
62	Cell Biology of Tight Junction Barrier Regulation and Mucosal Disease. <i>Cold Spring Harbor Perspectives in Biology</i> , 2018, 10, a029314.	2.3	434
63	Tricellulin is regulated via interleukin-13-receptor $\beta 2$ , affects macromolecule uptake, and is decreased in ulcerative colitis. <i>Mucosal Immunology</i> , 2018, 11, 345-356.	2.7	63
64	The scaffolding protein ZO-1 coordinates actomyosin and epithelial apical specializations in vitro and in vivo. <i>Journal of Biological Chemistry</i> , 2018, 293, 17317-17335.	1.6	72
65	An intestinal paracellular pathway biased toward positively-charged macromolecules. <i>Journal of Controlled Release</i> , 2018, 288, 111-125.	4.8	20
66	Cell injury triggers actin polymerization initiating epithelial restitution. <i>Journal of Cell Science</i> , 2018, 131, .	1.2	20
67	Transporters MRP1 and MRP2 Regulate Opposing Inflammatory Signals To Control Transepithelial Neutrophil Migration during <i>Streptococcus pneumoniae</i> Lung Infection. <i>MSphere</i> , 2018, 3, .	1.3	6
68	Epithelial IL-15 Is a Critical Regulator of $\beta 2$ Intraepithelial Lymphocyte Motility within the Intestinal Mucosa. <i>Journal of Immunology</i> , 2018, 201, 747-756.	0.4	38
69	Environmental Enteropathy in Undernourished Pakistani Children: Clinical and Histomorphometric Analyses. <i>American Journal of Tropical Medicine and Hygiene</i> , 2018, 98, 1577-1584.	0.6	20
70	Fecal Calprotectin Correlates With Histological Disease Activity in Ulcerative Colitis: A Post-Hoc Analysis of the MOMENTUM Trial. <i>American Journal of Gastroenterology</i> , 2018, 113, S403.	0.2	0
71	ZO-1 interactions with F-actin and occludin direct epithelial polarization and single lumen specification in 3D culture. <i>Journal of Cell Science</i> , 2017, 130, 243-259.	1.2	99
72	The mucosal barrier at a glance. <i>Journal of Cell Science</i> , 2017, 130, 307-314.	1.2	179

#	ARTICLE	IF	CITATIONS
73	Histologic Normalization Occurs in Ulcerative Colitis and Is Associated With Improved Clinical Outcomes. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 1557-1564.e1.	2.4	157
74	Understanding the Epithelial Barrier in IBD. , 2017, , 57-66.		0
75	Dynamic modeling of the tight junction pore pathway. <i>Annals of the New York Academy of Sciences</i> , 2017, 1397, 209-218.	1.8	19
76	ACF7 regulates inflammatory colitis and intestinal wound response by orchestrating tight junction dynamics. <i>Nature Communications</i> , 2017, 8, 15375.	5.8	22
77	IL-22ÂUpregulates Epithelial Claudin-2 to Drive Diarrhea and Enteric Pathogen Clearance. <i>Cell Host and Microbe</i> , 2017, 21, 671-681.e4.	5.1	178
78	The CMGH Awards. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 3, 129-130.	2.3	0
79	Constipation-Predominant Irritable Bowel Syndrome Females Have Normal Colonic Barrier and Secretory Function. <i>American Journal of Gastroenterology</i> , 2017, 112, 913-923.	0.2	33
80	Contributions of intestinal epithelial barriers to health and disease. <i>Experimental Cell Research</i> , 2017, 358, 71-77.	1.2	57
81	A Role for cAMP and Protein Kinase A in Experimental Necrotizing Enterocolitis. <i>American Journal of Pathology</i> , 2017, 187, 401-417.	1.9	17
82	Epithelial Organization: The Gut and Beyond. , 2017, 7, 1497-1518.		16
83	The Microbiome Activates CD4 T-cellâ€mediated Immunity toÂCompensate for Increased Intestinal Permeability. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2017, 4, 285-297.	2.3	51
84	Impaired Barrier Function and Autoantibody Generation in Malnutrition Enteropathy in Zambia. <i>EBioMedicine</i> , 2017, 22, 191-199.	2.7	66
85	Gluten-induced symptoms in diarrhea-predominant irritable bowel syndrome are associated with increased myosin light chain kinase activity and claudin-15 expression. <i>Laboratory Investigation</i> , 2017, 97, 14-23.	1.7	43
86	The intestinal epithelial barrier: a therapeutic target?. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2017, 14, 9-21.	8.2	786
87	<i>Neisseria gonorrhoeae</i> infects the human endocervix by activating non-muscle myosin II-mediated epithelial exfoliation. <i>PLoS Pathogens</i> , 2017, 13, e1006269.	2.1	40
88	Cryptosporidium Priming Is More Effective than Vaccine for Protection against Cryptosporidiosis in a Murine Protein Malnutrition Model. <i>PLoS Neglected Tropical Diseases</i> , 2016, 10, e0004820.	1.3	26
89	PubMed, PubMed Central, and Impact Factor. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 537.	2.3	2
90	Not All Mice Are the Same: Standardization of Animal Research Data Presentation. <i>Gut</i> , 2016, 65, 894-895.	6.1	6

#	ARTICLE	IF	CITATIONS
91	The serine protease-mediated increase in intestinal epithelial barrier function is dependent on occludin and requires an intact tight junction. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, G466-G479.	1.6	26
92	Looking Back; Looking Forward!. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2016, 2, 1.	2.3	2
93	541 Rotavirus Infection in Patients Is Associated With Altered Trafficking of Apical Membrane Transport Proteins. <i>Gastroenterology</i> , 2016, 150, S113-S114.	0.6	3
94	Sa1418 Targeted Epithelial Disruption Impacts Colonic Mucus and Microbiota in Mice. <i>Gastroenterology</i> , 2016, 150, S310.	0.6	0
95	Activation of <i>Bacteroides fragilis</i> toxin by a novel bacterial protease contributes to anaerobic sepsis in mice. <i>Nature Medicine</i> , 2016, 22, 563-567.	15.2	76
96	Not All Mice Are the Same: Standardization of Animal Research Data Presentation. <i>Gastroenterology</i> , 2016, 150, 1503-1504.	0.6	7
97	Tu1831 MYPT1 Is a Critical Regulator of Intestinal Epithelial Cell Survival. <i>Gastroenterology</i> , 2016, 150, S955.	0.6	0
98	Beyond Ussing's chambers: contemporary thoughts on integration of transepithelial transport. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 310, C423-C431.	2.1	48
99	Occludin deficiency promotes ethanol-induced disruption of colonic epithelial junctions, gut barrier dysfunction and liver damage in mice. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2016, 1860, 765-774.	1.1	83
100	CMGH Is Growing!. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 453.	2.3	0
101	A Journey of a Thousand Miles Begins With a Single Step, and Then Another . . . <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 121-122.	2.3	1
102	Distinct and Synergistic Contributions of Epithelial Stress and Adaptive Immunity to Functions of Intraepithelial Killer Cells and Active Celiac Disease. <i>Gastroenterology</i> , 2015, 149, 681-691.e10.	0.6	87
103	Epithelial Cells. , 2015, , 187-210.		7
104	Conceptual barriers to understanding physical barriers. <i>Seminars in Cell and Developmental Biology</i> , 2015, 42, 13-21.	2.3	51
105	Why Send Your Paper to <i>Gastroenterology</i> : Global Outreach and Partnerships With Sister Journals, <i>CGH</i> and <i>CMGH</i> , Among a Menu of Offerings. <i>Gastroenterology</i> , 2015, 148, 673-678.	0.6	3
106	Effects of obesity on severity of colitis and cytokine expression in mouse mesenteric fat. Potential role of adiponectin receptor 1. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G591-G604.	1.6	31
107	CMGH: The Revolution Starts Now. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 1.	2.3	2
108	Prion Protein Promotes Kidney Iron Uptake via Its Ferrireductase Activity. <i>Journal of Biological Chemistry</i> , 2015, 290, 5512-5522.	1.6	32

#	ARTICLE	IF	CITATIONS
109	Print and Digital Media Review. <i>Gastroenterology</i> , 2015, 149, 258-259.	0.6	0
110	Synergistic Action of <i>Staphylococcus aureus</i> Î±-Toxin on Platelets and Myeloid Lineage Cells Contributes to Lethal Sepsis. <i>Cell Host and Microbe</i> , 2015, 17, 775-787.	5.1	89
111	Prion protein functions as a ferrireductase partner for ZIP14 and DMT1. <i>Free Radical Biology and Medicine</i> , 2015, 84, 322-330.	1.3	67
112	Expression of Human Decay-Accelerating Factor on Intestinal Epithelium of Transgenic Mice Does Not Facilitate Infection by the Enteral Route. <i>Journal of Virology</i> , 2015, 89, 4311-4318.	1.5	14
113	Intestinal barrier loss as a critical pathogenic link between inflammatory bowel disease and graft-versus-host disease. <i>Mucosal Immunology</i> , 2015, 8, 720-730.	2.7	106
114	Î³Î³ Intraepithelial Lymphocyte Migration Limits Transepithelial Pathogen Invasion and Systemic Disease in Mice. <i>Gastroenterology</i> , 2015, 148, 1417-1426.	0.6	112
115	Hepatic Injury in Nonalcoholic Steatohepatitis Contributes to Altered Intestinal Permeability. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 222-232.e2.	2.3	209
116	Substance P Mediates Proinflammatory Cytokine Release From Mesenteric Adipocytes in Inflammatory Bowel Disease Patients. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2015, 1, 420-432.	2.3	38
117	Dysbiosisâ€induced intestinal inflammation activates tumor necrosis factor receptor I and mediates alcoholic liver disease in mice. <i>Hepatology</i> , 2015, 61, 883-894.	3.6	245
118	Claudin-2-dependent paracellular channels are dynamically gated. <i>ELife</i> , 2015, 4, e09906.	2.8	92
119	Overactivation of Intestinal SREBP2 in Mice Increases Serum Cholesterol. <i>PLoS ONE</i> , 2014, 9, e84221.	1.1	28
120	An alteration of the gut-liver axis drives pulmonary inflammation after intoxication and burn injury in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G711-G718.	1.6	27
121	The role of molecular remodeling in differential regulation of tight junction permeability. <i>Seminars in Cell and Developmental Biology</i> , 2014, 36, 204-212.	2.3	179
122	Recipient NK cell inactivation and intestinal barrier loss are required for MHC-matched graft-versus-host disease. <i>Science Translational Medicine</i> , 2014, 6, 243ra87.	5.8	43
123	Sa1213 Assessment of the Degree of Variation of Histologic Inflammation in Ulcerative Colitis. <i>Gastroenterology</i> , 2014, 146, S-232.	0.6	3
124	Enteric dysbiosis promotes antibiotic-resistant bacterial infection: systemic dissemination of resistant and commensal bacteria through epithelial transcytosis. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, G824-G835.	1.6	60
125	Optical biopsy approaches in Barrettâ€™s esophagus with next-generation optical coherence tomography. <i>Gastrointestinal Endoscopy</i> , 2014, 80, 516-517.	0.5	9
126	Cellular and Molecular Gastroenterology and Hepatology: The Evolution of AGA Publishing. <i>Gastroenterology</i> , 2014, 146, 1143-1144.	0.6	3



#	ARTICLE	IF	CITATIONS
127	362 Casein Kinase 2 (CK2) Inhibition Limits Damage-Induced and Immune-Mediated Colitis by Distinct Mechanisms. <i>Gastroenterology</i> , 2014, 146, S-80.	0.6	0
128	Commensal Bacterial Endocytosis in Epithelial Cells Is Dependent on Myosin Light Chain Kinase-Activated Brush Border Fanning by Interferon- $\beta$ . <i>American Journal of Pathology</i> , 2014, 184, 2260-2274.	1.9	45
129	Intestinal Permeability Defects: Is It Time to Treat?. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1075-1083.	2.4	282
130	Molecular Pathology of Neoplastic Gastrointestinal Diseases. <i>Gastroenterology</i> , 2013, 145, 908-909.	0.6	0
131	Expanding the Lauren Classification: A New Gastric Cancer Subtype?. <i>Gastroenterology</i> , 2013, 145, 505-508.	0.6	12
132	Reply. <i>Gastroenterology</i> , 2013, 144, e22-e23.	0.6	0
133	Inflammation Is an Independent Risk Factor for Colonic Neoplasia in Patients With Ulcerative Colitis: A Case-Control Study. <i>Clinical Gastroenterology and Hepatology</i> , 2013, 11, 1601-1608.e4.	2.4	241
134	Bifidobacteria Stabilize Claudins at Tight Junctions and Prevent Intestinal Barrier Dysfunction in Mouse Necrotizing Enterocolitis. <i>American Journal of Pathology</i> , 2013, 182, 1595-1606.	1.9	196
135	TNFR2 Activates MLCK-Dependent Tight Junction Dysregulation to Cause Apoptosis-Mediated Barrier Loss and Experimental Colitis. <i>Gastroenterology</i> , 2013, 145, 407-415.	0.6	300
136	Occludin OCEL-domain interactions are required for maintenance and regulation of the tight junction barrier to macromolecular flux. <i>Molecular Biology of the Cell</i> , 2013, 24, 3056-3068.	0.9	148
137	Capsaicin induces NKCC1 internalization and inhibits chloride secretion in colonic epithelial cells independently of TRPV1. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 304, G142-G156.	1.6	21
138	Insufficient Autoantigen Presentation and Failure of Tolerance in a Mouse Model of Rheumatoid Arthritis. <i>Arthritis and Rheumatism</i> , 2013, 65, 2847-2856.	6.7	3
139	Endothelial and Epithelial Barriers in Graft-Versus-Host Disease. <i>Advances in Experimental Medicine and Biology</i> , 2013, 763, 105-131.	0.8	9
140	Intestinal epithelial claudin-2-dependent paracellular pores drive both diarrhea and survival in immune-mediated colitis. <i>FASEB Journal</i> , 2013, 27, .	0.2	0
141	Transepithelial movement of intestinal pathogens is limited by IEL occludin-dependent migration. <i>FASEB Journal</i> , 2013, 27, 131.2.	0.2	0
142	IgCAM domain 3 is necessary for basal and TNF-induced MLCK1 trafficking in intestinal epithelial cells. <i>FASEB Journal</i> , 2013, 27, 949.3.	0.2	2
143	Occludin limits epithelial survival by inducing caspase-3 expression. <i>FASEB Journal</i> , 2013, 27, 954.11.	0.2	0
144	E-cadherin Is Critical for Collective Sheet Migration and Is Regulated by the Chemokine CXCL12 Protein During Restitution. <i>Journal of Biological Chemistry</i> , 2012, 287, 22227-22240.	1.6	39

#	ARTICLE	IF	CITATIONS
145	Inhibition of long myosin light-chain kinase activation alleviates intestinal damage after binge ethanol exposure and burn injury. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G705-G712.	1.6	76
146	Dynamic migration of $\beta$ intraepithelial lymphocytes requires occludin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7097-7102.	3.3	142
147	Continuing Attrition of Physician-Scientists (CAPS): A Preventable Syndrome?. <i>Gastroenterology</i> , 2012, 143, 511-515.e1.	0.6	7
148	518 Patch Clamp Recordings Reveal Paracellular (Tight Junction) Ion Channels. <i>Gastroenterology</i> , 2012, 142, S-108-S-109.	0.6	1
149	Tight Junctions and the Intestinal Barrier. , 2012, , 1043-1088.		9
150	Cyclic AMP dysregulates intestinal epithelial cell restitution through PKA and RhoA*. <i>Inflammatory Bowel Diseases</i> , 2012, 18, 1081-1091.	0.9	34
151	Myosin light chain kinase: pulling the strings of epithelial tight junction function. <i>Annals of the New York Academy of Sciences</i> , 2012, 1258, 34-42.	1.8	269
152	Impact of Hibernation on Gut Microbiota and Intestinal Barrier Function in Ground Squirrels. , 2012, , 281-291.		6
153	Understanding the Epithelial Barrier in Inflammatory Bowel Disease. , 2012, , 75-84.		0
154	Identification of discrete single tight junction opening/closing events with ion channel-like properties. <i>FASEB Journal</i> , 2012, 26, 1107.3.	0.2	1
155	D-Glucose Acts via Sodium/Glucose Cotransporter 1 to Increase NHE3 in Mouse Jejunal Brush Border by a Na <sup>+</sup> /H <sup>+</sup> Exchange Regulatory Factor 2-Dependent Process. <i>Gastroenterology</i> , 2011, 140, 560-571.	0.6	81
156	The Epithelial Barrier Is Maintained by In Vivo Tight Junction Expansion During Pathologic Intestinal Epithelial Shedding. <i>Gastroenterology</i> , 2011, 140, 1208-1218.e2.	0.6	234
157	Tight Junction Pore and Leak Pathways: A Dynamic Duo. <i>Annual Review of Physiology</i> , 2011, 73, 283-309.	5.6	720
158	Elucidating the principles of the molecular organization of heteropolymeric tight junction strands. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 3903-3918.	2.4	116
159	Acute Appendicitis Secondary to a Granular Cell Tumor of the Appendix in a 19-Year-Old Male. <i>Journal of Gastrointestinal Surgery</i> , 2011, 15, 1482-1485.	0.9	5
160	Crystallization and preliminary X-ray analysis of the human long myosin light-chain kinase 1-specific domain IgCAM3. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2011, 67, 221-223.	0.7	4
161	Non-Muscle Myosin Light Chain Kinase Isoform Is a Viable Molecular Target in Acute Inflammatory Lung Injury. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 44, 40-52.	1.4	69
162	Bundle-forming pilus retraction enhances enteropathogenic <i>Escherichia coli</i> infectivity. <i>Molecular Biology of the Cell</i> , 2011, 22, 2436-2447.	0.9	42

#	ARTICLE	IF	CITATIONS
163	Redistribution of the tight junction protein ZO-1 during physiological shedding of mouse intestinal epithelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2011, 300, C1404-C1414.	2.1	82
164	Occludin S408 phosphorylation regulates tight junction protein interactions and barrier function. <i>Journal of Cell Biology</i> , 2011, 193, 565-582.	2.3	210
165	Cingulin and paracingulin show similar dynamic behaviour, but are recruited independently to junctions. <i>Molecular Membrane Biology</i> , 2011, 28, 123-135.	2.0	30
166	Loss of intestinal core 1 $\alpha$ -derived O-glycans causes spontaneous colitis in mice. <i>Journal of Clinical Investigation</i> , 2011, 121, 1657-1666.	3.9	285
167	TNFAIP3 Maintains Intestinal Barrier Function and Supports Epithelial Cell Tight Junctions. <i>PLoS ONE</i> , 2011, 6, e26352.	1.1	61
168	<i>B. infantis</i> administration preserves the distribution of occludin and claudin 2 and 4 at tight junctions in a neonatal mouse model of necrotizing enterocolitis. <i>FASEB Journal</i> , 2011, 25, 1066.8.	0.2	0
169	Occludin is essential for tumor necrosis factor (TNF) $\alpha$ -induced intestinal epithelial tight junction (TJ) disruption. <i>FASEB Journal</i> , 2011, 25, .	0.2	0
170	Acute inflammatory reaction following placement of sodium hyaluronate-carboxymethylcellulose barrier in a young woman undergoing gynecologic surgery: a case report. <i>Journal of reproductive medicine, The</i> , 2011, 56, 71-4.	0.2	2
171	Outcome after surveillance of low-grade and indefinite dysplasia in patients with ulcerative colitis. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1352-1356.	0.9	90
172	Cell death in the colonic epithelium during inflammatory bowel diseases. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1071-1076.	0.9	29
173	CD95 is cytoprotective for intestinal epithelial cells in colitis. <i>Inflammatory Bowel Diseases</i> , 2010, 16, 1063-1070.	0.9	19
174	Enteropathogenic <i>E. coli</i> nonLEE encoded effectors NleH1 and NleH2 attenuate NF $\kappa$ B activation. <i>Molecular Microbiology</i> , 2010, 78, 1232-1245.	1.2	76
175	Phosphorylation of CLIP-170 by Plk1 and CK2 promotes timely formation of kinetochore $\alpha$ -microtubule attachments. <i>EMBO Journal</i> , 2010, 29, 2953-2965.	3.5	78
176	CD95 promotes tumour growth. <i>Nature</i> , 2010, 465, 492-496.	13.7	339
177	Tight Junction $\alpha$ -associated MARVEL Proteins MarvelD3, Tricellulin, and Occludin Have Distinct but Overlapping Functions. <i>Molecular Biology of the Cell</i> , 2010, 21, 1200-1213.	0.9	264
178	Time-resolved luminescence resonance energy transfer imaging of protein $\alpha$ -protein interactions in living cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 13582-13587.	3.3	137
179	MLCK-dependent exchange and actin binding region-dependent anchoring of ZO-1 regulate tight junction barrier function. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 8237-8241.	3.3	218
180	Epithelial Myosin Light Chain Kinase Activation Induces Mucosal Interleukin-13 Expression to Alter Tight Junction Ion Selectivity. <i>Journal of Biological Chemistry</i> , 2010, 285, 12037-12046.	1.6	227

#	ARTICLE	IF	CITATIONS
181	Phorbol 12-myristate 13-acetate-induced endocytosis of the Na-K-2Cl cotransporter in MDCK cells is associated with a clathrin-dependent pathway. <i>American Journal of Physiology - Cell Physiology</i> , 2010, 298, C85-C97.	2.1	24
182	Glucose-induced ERM protein activation and translocation regulates insulin secretion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2010, 299, E772-E785.	1.8	30
183	Caveolin-1-dependent occludin endocytosis is required for TNF-induced tight junction regulation in vivo. <i>Journal of Cell Biology</i> , 2010, 189, 111-126.	2.3	390
184	Good fences make good neighbors. <i>Gut Microbes</i> , 2010, 1, 22-29.	4.3	42
185	Phosphoinositide 3-Kinase Signaling Mediates $\beta$ -Catenin Activation in Intestinal Epithelial Stem and Progenitor Cells in Colitis. <i>Gastroenterology</i> , 2010, 139, 869-881.e9.	0.6	135
186	PS1-47 Knockout of MLCK promotes decreased intestinal inflammation after acute ethanol exposure and burn injury. <i>Cytokine</i> , 2010, 52, 27.	1.4	0
187	Epithelial NF- $\kappa$ B Enhances Transmucosal Fluid Movement by Altering Tight Junction Protein Composition after T Cell Activation. <i>American Journal of Pathology</i> , 2010, 176, 158-167.	1.9	60
188	Epithelial Barriers in Homeostasis and Disease. <i>Annual Review of Pathology: Mechanisms of Disease</i> , 2010, 5, 119-144.	9.6	498
189	The Gastrointestinal Tract. , 2010, , 763-831.		19
190	Caveolin-1-dependent occludin endocytosis is required for TNF-induced tight junction regulation in vivo. <i>Journal of Experimental Medicine</i> , 2010, 207, i10-i10.	4.2	1
191	Casein kinase 2 (CK2) phosphorylates occludin at Ser408 to increase intra-tight junction diffusion and reduce paracellular barrier function. <i>FASEB Journal</i> , 2010, 24, 1004.6.	0.2	2
192	Total Body Irradiation Creates a Proinflammatory Milieu That Is Required for Minor, but Not Major, Mismatch Graft-Versus-Host-Disease.. <i>Blood</i> , 2010, 116, 3736-3736.	0.6	0
193	Polyps of the Stomach. , 2009, , 415-445.		9
194	Phosphorylation of Tyr-398 and Tyr-402 in Occludin Prevents Its Interaction with ZO-1 and Destabilizes Its Assembly at the Tight Junctions. <i>Journal of Biological Chemistry</i> , 2009, 284, 1559-1569.	1.6	176
195	Intestinal Anion Exchanger Down-regulated in Adenoma (DRA) Is Inhibited by Intracellular Calcium. <i>Journal of Biological Chemistry</i> , 2009, 284, 19744-19753.	1.6	33
196	PKC $\delta$ regulates occludin phosphorylation and epithelial tight junction integrity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 61-66.	3.3	203
197	Tight Junction Proteins Claudin-1 and Occludin Control Hepatitis C Virus Entry and Are Downregulated during Infection To Prevent Superinfection. <i>Journal of Virology</i> , 2009, 83, 2011-2014.	1.5	303
198	Mucosal Barrier's Disease Therapy: Rebooting Mucosal Signaling. <i>Science Translational Medicine</i> , 2009, 1, 8ps10.	5.8	6

#	ARTICLE	IF	CITATIONS
199	Mechanisms and Functional Implications of Intestinal Barrier Defects. <i>Digestive Diseases</i> , 2009, 27, 443-449.	0.8	116
200	Alternative promoter and GATA5 transcripts in mouse. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 297, G1214-G1222.	1.6	9
201	Retinoic Acid-induced Gene-1 (RIG-I) Associates with the Actin Cytoskeleton via Caspase Activation and Recruitment Domain-dependent Interactions. <i>Journal of Biological Chemistry</i> , 2009, 284, 6486-6494.	1.6	49
202	Tumor suppressor FOXO3 participates in the regulation of intestinal inflammation. <i>Laboratory Investigation</i> , 2009, 89, 1053-1062.	1.7	54
203	Intestinal mucosal barrier function in health and disease. <i>Nature Reviews Immunology</i> , 2009, 9, 799-809.	10.6	2,795
204	Regulation of the Intestinal Anion Exchanger DRA (Downregulated in Adenoma). <i>Annals of the New York Academy of Sciences</i> , 2009, 1165, 261-266.	1.8	19
205	No Static at All. <i>Annals of the New York Academy of Sciences</i> , 2009, 1165, 314-322.	1.8	10
206	The tight junction in inflammatory disease: communication breakdown. <i>Current Opinion in Pharmacology</i> , 2009, 9, 715-720.	1.7	231
207	Epithelium, Tear Down This Wall!. <i>Cell Host and Microbe</i> , 2009, 5, 1-2.	5.1	2
208	499 Genetic Ablation of Myosin Light Chain Kinase (MLCK) Limits Epithelial Barrier Dysfunction and Attenuates Experimental Inflammatory Bowel Disease (IBD). <i>Gastroenterology</i> , 2009, 136, A-81.	0.6	3
209	<i>Helicobacter pylori</i> Dysregulation of Gastric Epithelial Tight Junctions by Urease-Mediated Myosin II Activation. <i>Gastroenterology</i> , 2009, 136, 236-246.	0.6	158
210	Targeted Epithelial Tight Junction Dysfunction Causes Immune Activation and Contributes to Development of Experimental Colitis. <i>Gastroenterology</i> , 2009, 136, 551-563.	0.6	393
211	Enteropathogenic <i>Escherichia coli</i> Infection Inhibits Intestinal Serotonin Transporter Function and Expression. <i>Gastroenterology</i> , 2009, 137, 2074-2083.	0.6	61
212	Evaluation of Diffusion-weighted MR Imaging for Detection of Bowel Inflammation in Patients with Crohn's Disease. <i>Academic Radiology</i> , 2009, 16, 597-603.	1.3	217
213	C-terminal domains are required for ZO-1 stabilization and tight junction assembly. <i>FASEB Journal</i> , 2009, 23, 978.1.	0.2	0
214	The publishing game: reflections of an editorial team. <i>Laboratory Investigation</i> , 2008, 88, 1258-1263.	1.7	2
215	Claudin-1 and claudin-2 expression is elevated in inflammatory bowel disease and may contribute to early neoplastic transformation. <i>Laboratory Investigation</i> , 2008, 88, 1110-1120.	1.7	297
216	SGLT-1-mediated glucose uptake protects human intestinal epithelial cells against <i>Giardia duodenalis</i> -induced apoptosis. <i>International Journal for Parasitology</i> , 2008, 38, 923-934.	1.3	61

#	ARTICLE	IF	CITATIONS
217	Intercellular Junctions: Actin the PARt. <i>Current Biology</i> , 2008, 18, R1014-R1017.	1.8	6
218	A transgenic mouse with vascular endothelial over-expression of the non-muscle myosin light chain kinase-2 isoform is susceptible to inflammatory lung injury: role of sexual dimorphism and age. <i>Translational Research</i> , 2008, 151, 141-153.	2.2	31
219	Stimulus-induced reorganization of tight junction structure: The role of membrane traffic. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008, 1778, 709-716.	1.4	78
220	The tight junction protein complex undergoes rapid and continuous molecular remodeling at steady state. <i>Journal of Cell Biology</i> , 2008, 181, 683-695.	2.3	309
221	Tumor Suppressor Foxo3a Is Involved in the Regulation of Lipopolysaccharide-Induced Interleukin-8 in Intestinal HT-29 Cells. <i>Infection and Immunity</i> , 2008, 76, 4677-4685.	1.0	48
222	Structure-Function Aspects of PstS in Multi-Drug-Resistant <i>Pseudomonas aeruginosa</i> . <i>PLoS Pathogens</i> , 2008, 4, e43.	2.1	61
223	Serotonin modifies cytoskeleton and brush-border membrane architecture in human intestinal epithelial cells. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 295, G700-G708.	1.6	11
224	Modulation of ileal bile acid transporter (ASBT) activity by depletion of plasma membrane cholesterol: association with lipid rafts. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G489-G497.	1.6	43
225	Function, expression, and characterization of the serotonin transporter in the native human intestine. <i>American Journal of Physiology - Renal Physiology</i> , 2008, 294, G254-G262.	1.6	72
226	Inhibitors of Intestinal Barrier Dysfunction. , 2008, , 157-171.		2
227	Novel small molecules reverse myosin light chain kinase (MLCK) isoform 1 translocation and barrier dysfunction induced by tumor necrosis factor (TNF). <i>FASEB Journal</i> , 2008, 22, 1183.8.	0.2	0
228	Caveolar endocytosis is essential for tumor necrosis factor (TNF) -induced occludin internalization in vivo. <i>FASEB Journal</i> , 2008, 22, 938.5.	0.2	0
229	Anti-inflammatory Effects of Phosphatidylcholine. <i>Journal of Biological Chemistry</i> , 2007, 282, 27155-27164.	1.6	236
230	MMP25 (MT6-MMP) Is Highly Expressed in Human Colon Cancer, Promotes Tumor Growth, and Exhibits Unique Biochemical Properties. <i>Journal of Biological Chemistry</i> , 2007, 282, 21998-22010.	1.6	56
231	Dynorphin Activates Quorum Sensing Quinolone Signaling in <i>Pseudomonas aeruginosa</i> . <i>PLoS Pathogens</i> , 2007, 3, e35.	2.1	170
232	Inflammatory bowel disease: is it really just another break in the wall?. <i>Gut</i> , 2007, 56, 6-8.	6.1	109
233	Epidermal Growth Factor Receptor Signaling Is Required for Microadenoma Formation in the Mouse Azoxymethane Model of Colonic Carcinogenesis. <i>Cancer Research</i> , 2007, 67, 827-835.	0.4	48
234	Recognition of intestinal epithelial HIF-1 $\alpha$ activation by <i>Pseudomonas aeruginosa</i> . <i>American Journal of Physiology - Renal Physiology</i> , 2007, 292, G134-G142.	1.6	59

#	ARTICLE	IF	CITATIONS
235	Coxsackievirus Entry across Epithelial Tight Junctions Requires Occludin and the Small GTPases Rab34 and Rab5. <i>Cell Host and Microbe</i> , 2007, 2, 181-192.	5.1	213
236	LIGHT Signals Directly to Intestinal Epithelia to Cause Barrier Dysfunction via Cytoskeletal and Endocytic Mechanisms. <i>Gastroenterology</i> , 2007, 132, 2383-2394.	0.6	157
237	Got Guts? Need Nerve!. <i>Gastroenterology</i> , 2007, 132, 1615-1618.	0.6	5
238	Rho activation regulates CXCL12 chemokine stimulated actin rearrangement and restitution in model intestinal epithelia. <i>Laboratory Investigation</i> , 2007, 87, 807-817.	1.7	69
239	Real time analysis of TNF-induced occludin internalization within jejunal epithelia of living mice. <i>FASEB Journal</i> , 2007, 21, A585.	0.2	1
240	Mechanism underlying inhibition of intestinal apical Cl <sup>-</sup> /OH <sup>-</sup> exchange following infection with enteropathogenic E. coli. <i>Journal of Clinical Investigation</i> , 2007, 117, 428-437.	3.9	127
241	Primary cultures of enterocytes exhibit non-genomic adaptive regulation of carrier-mediated glucose absorption. <i>FASEB Journal</i> , 2007, 21, A1327.	0.2	0
242	Actomyosin-dependent tight junction (TJ) barrier regulation: Roles of ZO-1 and actin exchange.. <i>FASEB Journal</i> , 2007, 21, A585.	0.2	0
243	Giardia-induced intestinal epithelial apoptosis is rescued by SGLT-mediated glucose uptake. <i>FASEB Journal</i> , 2007, 21, A586.	0.2	0
244	Tumor necrosis factor (TNF) increases myosin light chain kinase isoform 1 (MLCK1) transcription and targets MLCK1 to the perijunctional actomyosin ring <i>in vitro</i> and <i>in vivo</i> .. <i>FASEB Journal</i> , 2007, 21, A587.	0.2	0
245	Molecular Basis of Epithelial Barrier Regulation. <i>American Journal of Pathology</i> , 2006, 169, 1901-1909.	1.9	497
246	Surveillance of Dysplasia in Inflammatory Bowel Disease: The Gastroenterologist-Pathologist Partnership. <i>Clinical Gastroenterology and Hepatology</i> , 2006, 4, 1309-1313.	2.4	37
247	The Motogenic Effects of Cyclic Mechanical Strain on Intestinal Epithelial Monolayer Wound Closure Are Matrix Dependent. <i>Gastroenterology</i> , 2006, 131, 1179-1189.	0.6	42
248	IFN- $\gamma$ -Induced TNFR2 Expression Is Required for TNF-Dependent Intestinal Epithelial Barrier Dysfunction. <i>Gastroenterology</i> , 2006, 131, 1153-1163.	0.6	268
249	Inhibiting myosin light chain kinase retards the growth of mammary and prostate cancer cells. <i>European Journal of Cancer</i> , 2006, 42, 948-957.	1.3	33
250	Overview of the epithelial cell. , 2006, , 3-29.		0
251	Mechanisms of Ion Transport Regulation by Microfilaments. <i>Advances in Molecular and Cell Biology</i> , 2006, 37, 285-305.	0.1	0
252	Identification of multi-drug resistant <i>Pseudomonas aeruginosa</i> clinical isolates that are highly disruptive to the intestinal epithelial barrier. <i>Annals of Clinical Microbiology and Antimicrobials</i> , 2006, 5, 14.	1.7	56

#	ARTICLE	IF	CITATIONS
253	Epithelial myosin light chain kinase expression and activity are upregulated in inflammatory bowel disease. <i>Laboratory Investigation</i> , 2006, 86, 191-201.	1.7	251
254	Bringing Pathobiology into Focus. <i>Laboratory Investigation</i> , 2006, 86, 632-632.	1.7	2
255	Characterization of epithelial cell shedding from human small intestine. <i>Laboratory Investigation</i> , 2006, 86, 1052-1063.	1.7	181
256	LPS/CD14 activation triggers SGLT-1-mediated glucose uptake and cell rescue in intestinal epithelial cells via early apoptotic signals upstream of caspase-3. <i>Experimental Cell Research</i> , 2006, 312, 3276-3286.	1.2	46
257	EARLY EPITHELIAL ALTERATIONS IN "LATENT/AT RISK" CELIAC PATIENTS WITH NORMAL HISTOLOGY. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2006, 43, E44.	0.9	0
258	Role of Epithelial Cells in Initiation and Propagation of Intestinal Inflammation. Eliminating the static: tight junction dynamics exposed. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G577-G582.	1.6	141
259	Tumor Necrosis Factor-induced Long Myosin Light Chain Kinase Transcription Is Regulated by Differentiation-dependent Signaling Events. <i>Journal of Biological Chemistry</i> , 2006, 281, 26205-26215.	1.6	122
260	MAPKAPK-2 Is a Critical Signaling Intermediate in NHE3 Activation Following Na <sup>+</sup> -Glucose Cotransport. <i>Journal of Biological Chemistry</i> , 2006, 281, 24247-24253.	1.6	33
261	Myosin light chain phosphorylation regulates barrier function by remodeling tight junction structure. <i>Journal of Cell Science</i> , 2006, 119, 2095-2106.	1.2	389
262	Coordinated epithelial NHE3 inhibition and barrier dysfunction are required for TNF-mediated diarrhea in vivo. <i>Journal of Clinical Investigation</i> , 2006, 116, 2682-2694.	3.9	181
263	Response to Field. <i>Journal of Clinical Investigation</i> , 2006, 116, 3088-3089.	3.9	3
264	Distinct mechanisms dictate unique dynamic behaviors of tight junction proteins. <i>FASEB Journal</i> , 2006, 20, A352.	0.2	0
265	Regulation of intestinal epithelial function: a link between opportunities for macromolecular drug delivery and inflammatory bowel disease. <i>Advanced Drug Delivery Reviews</i> , 2005, 57, 219-235.	6.6	31
266	Comparative Analysis of the in Vitro Prosecretory Effects of Balsalazide, Sulfasalazine, Olsalazine, and Mesalamine in Rabbit Distal Ileum. <i>Inflammatory Bowel Diseases</i> , 2005, 11, 253-257.	0.9	24
267	Enteropathogenic <i>E. coli</i> disrupts tight junction barrier function and structure in vivo. <i>Laboratory Investigation</i> , 2005, 85, 1308-1324.	1.7	130
268	A Strategy to Identify Stable Membrane-Permeant Peptide Inhibitors of Myosin Light Chain Kinase. <i>Pharmaceutical Research</i> , 2005, 22, 703-709.	1.7	35
269	Components of intestinal epithelial hypoxia activate the virulence circuitry of <i>Pseudomonas</i> . <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, G1048-G1054.	1.6	35
270	Luminal adenosine and AMP rapidly increase glucose transport by intact small intestine. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, G1007-G1014.	1.6	29



#	ARTICLE	IF	CITATIONS
271	Luminal bacterial flora determines physiological expression of intestinal epithelial cytoprotective heat shock proteins 25 and 72. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, G696-G704.	1.6	104
272	SGLT1-mediated glucose uptake protects intestinal epithelial cells against LPS-induced apoptosis and barrier defects: a novel cellular rescue mechanism?. <i>FASEB Journal</i> , 2005, 19, 1822-1835.	0.2	140
273	CD18 Is Required for Optimal Development and Function of CD4+CD25+ T Regulatory Cells. <i>Journal of Immunology</i> , 2005, 175, 7889-7897.	0.4	85
274	Mouse Model of Enteropathogenic <i>Escherichia coli</i> Infection. <i>Infection and Immunity</i> , 2005, 73, 1161-1170.	1.0	80
275	Surgical Injury and Metabolic Stress Enhance the Virulence of the Human Opportunistic Pathogen <i>Pseudomonas aeruginosa</i> . <i>Surgical Infections</i> , 2005, 6, 185-195.	0.7	27
276	Akt2 Phosphorylates Ezrin to Trigger NHE3 Translocation and Activation. <i>Journal of Biological Chemistry</i> , 2005, 280, 1688-1695.	1.6	89
277	Peroxisome Proliferator-Activated Receptor $\beta$ Inhibition Prevents Adhesion to the Extracellular Matrix and Induces Anoikis in Hepatocellular Carcinoma Cells. <i>Cancer Research</i> , 2005, 65, 2251-2259.	0.4	112
278	Actin Depolymerization Disrupts Tight Junctions via Caveolae-mediated Endocytosis. <i>Molecular Biology of the Cell</i> , 2005, 16, 3919-3936.	0.9	293
279	The Critical Role of LIGHT in Promoting Intestinal Inflammation and Crohn's Disease. <i>Journal of Immunology</i> , 2005, 174, 8173-8182.	0.4	82
280	Interferon- $\beta$ and Tumor Necrosis Factor- $\alpha$ Synergize to Induce Intestinal Epithelial Barrier Dysfunction by Up-Regulating Myosin Light Chain Kinase Expression. <i>American Journal of Pathology</i> , 2005, 166, 409-419.	1.9	593
281	Distinct temporal-spatial roles for rho kinase and myosin light chain kinase in epithelial purse-string wound closure. <i>Gastroenterology</i> , 2005, 128, 987-1001.	0.6	112
282	Serotonin inhibits Na <sup>+</sup> /H <sup>+</sup> exchange activity via 5-HT <sub>4</sub> receptors and activation of PKC $\delta$ in human intestinal epithelial cells. <i>Gastroenterology</i> , 2005, 128, 962-974.	0.6	89
283	Mechanism of IFN- $\beta$ -induced Endocytosis of Tight Junction Proteins: Myosin II-dependent Vacuolarization of the Apical Plasma Membrane. <i>Molecular Biology of the Cell</i> , 2005, 16, 5040-5052.	0.9	305
284	Recognition of Host Immune Activation by <i>Pseudomonas aeruginosa</i> . <i>Science</i> , 2005, 309, 774-777.	6.0	301
285	Epithelial myosin light chain kinase-dependent barrier dysfunction mediates T cell activation-induced diarrhea in vivo. <i>Journal of Clinical Investigation</i> , 2005, 115, 2702-2715.	3.9	346
286	Stomach, Anatomy. , 2004, , 458-462.		0
287	A Differentiation-dependent Splice Variant of Myosin Light Chain Kinase, MLCK1, Regulates Epithelial Tight Junction Permeability. <i>Journal of Biological Chemistry</i> , 2004, 279, 55506-55513.	1.6	151
288	Ezrin regulates NHE3 translocation and activation after Na <sup>+</sup> -glucose cotransport. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 9485-9490.	3.3	82

#	ARTICLE	IF	CITATIONS
289	A porous defense: the leaky epithelial barrier in intestinal disease. <i>Laboratory Investigation</i> , 2004, 84, 282-291.	1.7	423
290	High-molecular-weight polyethylene glycol prevents lethal sepsis due to intestinal <i>Pseudomonas aeruginosa</i> . <i>Gastroenterology</i> , 2004, 126, 488-498.	0.6	71
291	Differing roles of protein kinase C- $\eta$ in disruption of tight junction barrier by enteropathogenic and enterohemorrhagic <i>Escherichia coli</i> . <i>Gastroenterology</i> , 2004, 127, 859-869.	0.6	31
292	Dysregulated LIGHT expression on T cells mediates intestinal inflammation and contributes to IgA nephropathy. <i>Journal of Clinical Investigation</i> , 2004, 113, 826-835.	3.9	99
293	Gastrointestinal Tract Anatomy, Overview. , 2004, , 223-227.		0
294	Enteral nutrients alter enterocyte function within an in vitro model similar to an acute in vivo rat model during hypoxia. <i>Journal of Parenteral and Enteral Nutrition</i> , 2002, 26, 71-76.	1.3	5
295	Neutrophil Transepithelial Migration: Evidence for Sequential, Contact-Dependent Signaling Events and Enhanced Paracellular Permeability Independent of Transjunctional Migration. <i>Journal of Immunology</i> , 2002, 169, 476-486.	0.4	79
296	A membrane-permeant peptide that inhibits MLC kinase restores barrier function in in vitro models of intestinal disease. <i>Gastroenterology</i> , 2002, 123, 163-172.	0.6	337
297	MMR vaccination, ileal lymphoid nodular hyperplasia, and pervasive developmental disorder. <i>Lancet</i> , The, 2002, 359, 2051-2052.	6.3	12
298	Biochemical, histological and clinical comparisons between African-American and Caucasian patients with chronic hepatitis C in an urban clinic population. <i>Gastroenterology</i> , 2001, 120, A365.	0.6	0
299	NHE3-dependent cytoplasmic alkalinization is triggered by Na <sup>+</sup> -glucose cotransport in intestinal epithelia. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 281, C1533-C1541.	2.1	67
300	Regulation of human jejunal transmucosal resistance and MLC phosphorylation by Na <sup>+</sup> -glucose cotransport. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, G1487-G1493.	1.6	82
301	Cloning of a novel EGFR-related peptide: a putative negative regulator of EGFR. <i>American Journal of Physiology - Cell Physiology</i> , 2001, 280, C1083-C1089.	2.1	44
302	African Americans with genotype 1 treated with interferon for chronic hepatitis C have a lower end of treatment response than Caucasians. <i>Journal of Viral Hepatitis</i> , 2001, 8, 264-269.	1.0	69
303	Hypoxia-Inducible Factor 1 $\alpha$ -Dependent Induction of Intestinal Trefoil Factor Protects Barrier Function during Hypoxia. <i>Journal of Experimental Medicine</i> , 2001, 193, 1027-1034.	4.2	386
304	<i>Clostridium difficile</i> Toxins Disrupt Epithelial Barrier Function by Altering Membrane Microdomain Localization of Tight Junction Proteins. <i>Infection and Immunity</i> , 2001, 69, 1329-1336.	1.0	300
305	Physiological Regulation of Tight Junction Permeability by Na <sup>+</sup> -Nutrient Cotransport. , 2001, , .		3
306	Pericolonic tumor deposits in patients with T3N+M0 colon adenocarcinomas. , 2000, 88, 2228-2238.		147

#	ARTICLE	IF	CITATIONS
307	Multiple myeloma in the liver. American Journal of Hematology, 2000, 65, 290-290.	2.0	4
308	Show me the pathway!. Advanced Drug Delivery Reviews, 2000, 41, 265-281.	6.6	81
309	Noninvasive in vivo analysis of human small intestinal paracellular absorption: regulation by Na <sup>+</sup> -glucose cotransport. Digestive Diseases and Sciences, 2000, 45, 2122-2126.	1.1	58
310	Transepithelial resistance can be regulated by the intestinal brush-border Na <sup>+</sup> /H <sup>+</sup> exchanger NHE3. American Journal of Physiology - Cell Physiology, 2000, 279, C1918-C1924.	2.1	71
311	Aging alters gastric mucosal responses to epidermal growth factor and transforming growth factor- $\beta$ . American Journal of Physiology - Renal Physiology, 2000, 278, G805-G810.	1.6	15
312	Mink Cell Focus-Forming Murine Leukemia Virus Infection Induces Apoptosis of Thymic Lymphocytes. Journal of Virology, 2000, 74, 8119-8126.	1.5	12
313	“Putting the squeeze” on the tight junction: understanding cytoskeletal regulation. Seminars in Cell and Developmental Biology, 2000, 11, 301-308.	2.3	158
314	Preoperative chemoradiotherapy alters the expression and prognostic significance of adhesion molecules in Barrett's-associated adenocarcinoma. Human Pathology, 2000, 31, 347-353.	1.1	11
315	SGLT1-mediated Na <sup>+</sup> -glucose cotransport activates NHE3 via a p38 MAPK-dependent pathway. Gastroenterology, 2000, 118, A870-A871.	0.6	3
316	Regulated expression of the myosin light chain kinase catalytic domain increases paracellular permeability and alters tight junction structure. Gastroenterology, 2000, 118, A432-A433.	0.6	8
317	Pericolonic tumor deposits in patients with T3N+M0 colon adenocarcinomas. , 2000, 88, 2228.		12
318	Pericolonic tumor deposits in patients with T3N+M0 colon adenocarcinomas: markers of reduced disease free survival and intra-abdominal metastases and their implications for TNM classification. Cancer, 2000, 88, 2228-38.	2.0	45
319	Pathologic prognostic factors in Barrett's-associated adenocarcinoma. Cancer, 1999, 85, 520-528.	2.0	42
320	The prognostic significance of lymph node micrometastasis in patients with esophageal carcinoma. , 1999, 85, 769-778.		129
321	The prognostic significance of lymph node micrometastasis in patients with esophageal carcinoma. , 1999, 85, 769.		4
322	Differential expression of EGFR during early reparative phase of the gastric mucosa between young and aged rats. American Journal of Physiology - Renal Physiology, 1998, 275, G943-G950.	1.6	14
323	Development of Gastrointestinal $^{125}$ I-Microglobulin Amyloidosis Correlates With Time on Dialysis. American Journal of Surgical Pathology, 1998, 22, 729-735.	2.1	36
324	Oncogenic Forms of NOTCH1 Lacking Either the Primary Binding Site for RBP-J $\delta$ or Nuclear Localization Sequences Retain the Ability to Associate with RBP-J $\delta$ and Activate Transcription. Journal of Biological Chemistry, 1997, 272, 11336-11343.	1.6	164

#	ARTICLE	IF	CITATIONS
325	Low prevalence of human papillomavirus infection in esophageal squamous cell carcinomas from North America: Analysis by a highly sensitive and specific polymerase chain reaction-based approach. <i>Human Pathology</i> , 1997, 28, 174-178.	1.1	59
326	Physiological regulation of epithelial tight junctions is associated with myosin light-chain phosphorylation. <i>American Journal of Physiology - Cell Physiology</i> , 1997, 273, C1378-C1385.	2.1	465
327	Analysis of human common bile duct-associated T cells: evidence for oligoclonality, T cell clonal persistence, and epithelial cell recognition. <i>Journal of Immunology</i> , 1997, 158, 1941-8.	0.4	23
328	Proliferative characteristics of differentiated cells in familial adenomatous polyposis-associated duodenal adenomas*1. <i>Human Pathology</i> , 1996, 27, 63-69.	1.1	4
329	Carboxyl-terminal Vesicular Stomatitis Virus G Protein-tagged Intestinal Na <sup>+</sup> -dependent Glucose Cotransporter (SGLT1). <i>Journal of Biological Chemistry</i> , 1996, 271, 7738-7744.	1.6	57
330	Persistent clonal expansions of peripheral blood CD4 <sup>+</sup> lymphocytes in chronic inflammatory bowel disease. <i>Journal of Immunology</i> , 1996, 157, 3183-91.	0.4	60
331	Rho protein regulates tight junctions and perijunctional actin organization in polarized epithelia.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 10629-10633.	3.3	398
332	Physiological regulation of intestinal epithelial tight junctions as a consequence of Na <sup>+</sup> -coupled nutrient transport. <i>Gastroenterology</i> , 1995, 109, 1391-1396.	0.6	67
333	Intracellular sites for storage and recycling of C3b receptors in human neutrophils.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 3019-3023.	3.3	41
334	Cytologic assessment of nuclear and cytoplasmic O-linked N-acetylglucosamine distribution by using anti-streptococcal monoclonal antibodies.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 5608-5612.	3.3	73
335	On the relation between distinct components of the cytoskeleton: an epitope shared by intermediate filaments, microfilaments and cytoplasmic foci. <i>European Journal of Cell Biology</i> , 1990, 51, 259-64.	1.6	7
336	The response of the Golgi complex to microtubule alterations: the roles of metabolic energy and membrane traffic in Golgi complex organization.. <i>Journal of Cell Biology</i> , 1989, 109, 2081-2088.	2.3	189
337	Chapter 15 A Flow-Cytometric Method for the Quantitative Analysis of Intracellular and Surface Membrane Antigens. <i>Methods in Cell Biology</i> , 1989, 32, 351-363.	0.5	6
338	Purification and characterization of a membrane protein (gp45-70) that is a cofactor for cleavage of C3b and C4b.. <i>Journal of Experimental Medicine</i> , 1986, 163, 837-855.	4.2	388
339	Epithelia: Biological Principles of Organization. , 0, , 169-186.		1
340	Functional Morphology of the Intestinal Mucosae: From Crypts to Tips. , 0, , 1-22.		0
341	Bacterial, Viral, and Toxic Causes of Diarrhea, Gastroenteritis, and Anorectal Infections. , 0, , 311-317.		0