

Yanmin Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7482642/publications.pdf>

Version: 2024-02-01

59
papers

3,667
citations

159585
30
h-index

138484
58
g-index

61
all docs

61
docs citations

61
times ranked

5510
citing authors

#	ARTICLE	IF	CITATIONS
1	The future challenges facing the development of new antimicrobial drugs. <i>Nature Reviews Drug Discovery</i> , 2002, 1, 895-910.	46.4	525
2	Novel classes of antibiotics or more of the same?. <i>British Journal of Pharmacology</i> , 2011, 163, 184-194.	5.4	452
3	Same Exposure but Two Radically Different Responses to Antibiotics: Resilience of the Salivary Microbiome versus Long-Term Microbial Shifts in Feces. <i>MBio</i> , 2015, 6, e01693-15.	4.1	333
4	Sterilizing Activities of Fluoroquinolones against Rifampin-Tolerant Populations of <i>Mycobacterium tuberculosis</i> . <i>Antimicrobial Agents and Chemotherapy</i> , 2003, 47, 653-657.	3.2	196
5	Detection of mRNA Transcripts and Active Transcription in Persistent <i>Mycobacterium tuberculosis</i> Induced by Exposure to Rifampin or Pyrazinamide. <i>Journal of Bacteriology</i> , 2000, 182, 6358-6365.	2.2	168
6	Deletion of the <i>Mycobacterium tuberculosis</i> $\hat{1}\pm$ -Crystallin-Like hspX Gene Causes Increased Bacterial Growth In Vivo. <i>Infection and Immunity</i> , 2006, 74, 861-868.	2.2	127
7	3-Ketosteroid 9 \hat{A} \hat{Z} \hat{A} -hydroxylase is an essential factor in the pathogenesis of <i>Mycobacterium tuberculosis</i> . <i>Molecular Microbiology</i> , 2010, 75, 107-121.	2.5	113
8	Transcription of Two Sigma 70 Homologue Genes, $\langle i \rangle \text{sigA} \langle /i \rangle$ and $\langle i \rangle \text{sigB} \langle /i \rangle$, in Stationary-Phase <i>Mycobacterium tuberculosis</i> . <i>Journal of Bacteriology</i> , 1999, 181, 469-476.	2.2	104
9	Antibiotic combination therapy against resistant bacterial infections: synergy, rejuvenation and resistance reduction. <i>Expert Review of Anti-Infective Therapy</i> , 2020, 18, 5-15.	4.4	101
10	A <i>Mycobacterium tuberculosis</i> Mutant Lacking the $\langle i \rangle \text{groEL} \langle /i \rangle$ Homologue $\langle i \rangle \text{cpn60.1} \langle /i \rangle$ Is Viable but Fails To Induce an Inflammatory Response in Animal Models of Infection. <i>Infection and Immunity</i> , 2008, 76, 1535-1546.	2.2	100
11	High-dose rifampicin kills persisters, shortens treatment duration, and reduces relapse rate in vitro and in vivo. <i>Frontiers in Microbiology</i> , 2015, 6, 641.	3.5	95
12	Regulation of $\langle i \rangle \text{hmp} \langle /i \rangle$ Gene Transcription in <i>Mycobacterium tuberculosis</i> : Effects of Oxygen Limitation and Nitrosative and Oxidative Stress. <i>Journal of Bacteriology</i> , 1999, 181, 3486-3493.	2.2	79
13	Targeting non-multiplying organisms as a way to develop novel antimicrobials. <i>Trends in Pharmacological Sciences</i> , 2008, 29, 143-150.	8.7	69
14	Defining dormancy in mycobacterial disease. <i>Tuberculosis</i> , 2016, 99, 131-142.	1.9	66
15	Transposon mutagenesis identifies genes which control antimicrobial drug tolerance in stationary-phase <i>Escherichia coli</i> . <i>FEMS Microbiology Letters</i> , 2005, 243, 117-124.	1.8	64
16	A New Approach for the Discovery of Antibiotics by Targeting Non-Multiplying Bacteria: A Novel Topical Antibiotic for Staphylococcal Infections. <i>PLoS ONE</i> , 2010, 5, e11818.	2.5	63
17	Acute and Persistent <i>Mycobacterium tuberculosis</i> Infections Depend on the Thiol Peroxidase TPX. <i>PLoS ONE</i> , 2009, 4, e5150.	2.5	62
18	Increased levels of sigI mRNA in late stationary phase cultures of <i>Mycobacterium tuberculosis</i> detected by DNA array hybridisation. <i>FEMS Microbiology Letters</i> , 2001, 202, 59-65.	1.8	57

#	ARTICLE	IF	CITATIONS
19	Transcription of the Stationary-Phase-Associated hspX Gene of Mycobacterium tuberculosis Is Inversely Related to Synthesis of the 16-Kilodalton Protein. Journal of Bacteriology, 1999, 181, 1380-1387.	2.2	56
20	Comparison of the Moonlighting Actions of the Two Highly Homologous Chaperonin 60 Proteins of Mycobacterium tuberculosis. Infection and Immunity, 2010, 78, 3196-3206.	2.2	50
21	Antimicrobial Peptide Novicidin Synergizes with Rifampin, Ceftriaxone, and Ceftazidime against Antibiotic-Resistant Enterobacteriaceae In Vitro. Antimicrobial Agents and Chemotherapy, 2015, 59, 6233-6240.	3.2	47
22	The Mycobacterium tuberculosis sigJ gene controls sensitivity of the bacterium to hydrogen peroxide. FEMS Microbiology Letters, 2004, 237, 415-423.	1.8	45
23	A multistate tuberculosis pharmacometric model: a framework for studying anti-tubercular drug effects in vitro. Journal of Antimicrobial Chemotherapy, 2016, 71, 964-974.	3.0	42
24	Combinations of β -Lactam or Aminoglycoside Antibiotics with Plectasin Are Synergistic against Methicillin-Sensitive and Methicillin-Resistant Staphylococcus aureus. PLoS ONE, 2015, 10, e0117664.	2.5	40
25	The gene controls sensitivity of the bacterium to hydrogen peroxide. FEMS Microbiology Letters, 2004, 237, 415-423.	1.8	39
26	A model of catheter-associated urinary tract infection initiated by bacterial contamination of the catheter tip. BJU International, 2008, 102, 67-74.	2.5	37
27	Sudden cardiac death and tuberculosis – How much do we know?. Tuberculosis, 2012, 92, 307-313.	1.9	37
28	Tuberculous Endocarditis. International Journal of Cardiology, 2013, 167, 640-645.	1.7	35
29	Enhancement by novel anti-methicillin-resistant Staphylococcus aureus compound HT61 of the activity of neomycin, gentamicin, mupirocin and chlorhexidine: in vitro and in vivo studies. Journal of Antimicrobial Chemotherapy, 2013, 68, 374-384.	3.0	35
30	Azidothymidine Produces Synergistic Activity in Combination with Colistin against Antibiotic-Resistant Enterobacteriaceae. Antimicrobial Agents and Chemotherapy, 2019, 63, .	3.2	35
31	Antimicrobial resistance characteristics and fitness of Gram-negative fecal bacteria from volunteers treated with minocycline or amoxicillin. Frontiers in Microbiology, 2014, 5, 722.	3.5	31
32	Mycobacterium tuberculosis acg Gene Is Required for Growth and Virulence In Vivo. PLoS ONE, 2011, 6, e20958.	2.5	30
33	New Strategies for Antibacterial Drug Design. Drugs in R and D, 2006, 7, 133-151.	2.2	28
34	Can We Prevent Antimicrobial Resistance by Using Antimicrobials Better?. Pathogens, 2013, 2, 422-435.	2.8	27
35	Nonmultiplying Bacteria are Profoundly Tolerant to Antibiotics. Handbook of Experimental Pharmacology, 2012, , 99-119.	1.8	25
36	Forecasting Clinical Dose–Response From Preclinical Studies in Tuberculosis Research: Translational Predictions With Rifampicin. Clinical Pharmacology and Therapeutics, 2018, 104, 1208-1218.	4.7	22

#	ARTICLE	IF	CITATIONS
37	Serum bactericidal activity of colistin and azidothymidine combinations against mcr-1-positive colistin-resistant <i>Escherichia coli</i> . <i>International Journal of Antimicrobial Agents</i> , 2018, 52, 783-789.	2.5	20
38	Investigation of Elimination Rate, Persistent Subpopulation Removal, and Relapse Rates of <i>Mycobacterium tuberculosis</i> by Using Combinations of First-Line Drugs in a Modified Cornell Mouse Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 4778-4785.	3.2	19
39	Bedaquiline kills persistent <i>Mycobacterium tuberculosis</i> with no disease relapse: an in vivo model of a potential cure. <i>Journal of Antimicrobial Chemotherapy</i> , 2019, 74, 1627-1633.	3.0	19
40	Nordihydroguaiaretic acid enhances the activities of aminoglycosides against methicillin-sensitive and resistant <i>Staphylococcus aureus</i> in vitro and in vivo. <i>Frontiers in Microbiology</i> , 2015, 6, 1195.	3.5	17
41	Optimal doses of rifampicin in the standard drug regimen to shorten tuberculosis treatment duration and reduce relapse by eradicating persistent bacteria. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 724-731.	3.0	17
42	Synergistic activity of colistin with azidothymidine against colistin-resistant <i>Klebsiella pneumoniae</i> clinical isolates collected from inpatients in Greek hospitals. <i>International Journal of Antimicrobial Agents</i> , 2019, 53, 855-858.	2.5	17
43	Effect of Different Media on the Bactericidal Activity of Colistin and on the Synergistic Combination With Azidothymidine Against mcr-1-Positive Colistin-Resistant <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2020, 11, 54.	3.5	15
44	HspX knock-out in <i>Mycobacterium tuberculosis</i> leads to shorter antibiotic treatment and lower relapse rate in a mouse model – A potential novel therapeutic target. <i>Tuberculosis</i> , 2015, 95, 31-36.	1.9	12
45	Translational Model – Informed Approach for Selection of Tuberculosis Drug Combination Regimens in Early Clinical Development. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 108, 274-286.	4.7	12
46	A Biphasic Response From Bladder Epithelial Cells Induced by Catheter Material and Bacteria: An In Vitro Study of the Pathophysiology of Catheter Related Urinary Tract Infection. <i>Journal of Urology</i> , 2008, 180, 1522-1526.	0.4	11
47	Contradictory Results with High-Dosage Rifamycin in Mice and Humans. <i>Antimicrobial Agents and Chemotherapy</i> , 2013, 57, 1103-1103.	3.2	10
48	Urinary bactericidal activity of colistin and azidothymidine combinations against mcr-1-positive colistin-resistant <i>Escherichia coli</i> . <i>International Journal of Antimicrobial Agents</i> , 2019, 54, 55-61.	2.5	10
49	The Efficacy of Using Combination Therapy against Multi-Drug and Extensively Drug-Resistant <i>Pseudomonas aeruginosa</i> in Clinical Settings. <i>Antibiotics</i> , 2022, 11, 323.	3.7	10
50	Identification of the monocyte activating motif in <i>Mycobacterium tuberculosis</i> chaperonin 60.1. <i>Tuberculosis</i> , 2013, 93, 442-447.	1.9	8
51	A Novel erm (44) Gene Variant from a Human <i>Staphylococcus saprophyticus</i> Isolate Confers Resistance to Macrolides and Lincosamides but Not Streptogramins. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	7
52	Zidovudine enhances activity of carbapenems against NDM-1-producing Enterobacteriaceae. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2302-2305.	3.0	5
53	Moxifloxacin Replacement in Contemporary Tuberculosis Drug Regimens Is Ineffective against Persistent <i>Mycobacterium tuberculosis</i> in the Cornell Mouse Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2018, 62, .	3.2	4
54	A Method to Evaluate Persistent <i>Mycobacterium tuberculosis</i> In Vitro and in the Cornell Mouse Model of Tuberculosis. <i>Methods in Molecular Biology</i> , 2018, 1736, 157-166.	0.9	4

#	ARTICLE	IF	CITATIONS
55	A model-based analysis identifies differences in phenotypic resistance between in vitro and in vivo: implications for translational medicine within tuberculosis. Journal of Pharmacokinetics and Pharmacodynamics, 2020, 47, 421-430.	1.8	3
56	Mefloquine enhances the activity of colistin against antibiotic-resistant Enterobacterales in vitro and in an in vivo animal study. International Journal of Antimicrobial Agents, 2021, 57, 106309.	2.5	3
57	Increased levels of sigJ mRNA in late stationary phase cultures of Mycobacterium tuberculosis detected by DNA array hybridisation. FEMS Microbiology Letters, 2001, 202, 59-65.	1.8	3
58	Chaperonin 60 and Macrophage Activation. Novartis Foundation Symposium, 2008, 291, 160-172.	1.1	2
59	Mycobacterial Heat Shock Protein 60s in the Induction and Regulation of Infectious Disease. Heat Shock Proteins, 2009, , 121-133.	0.2	0