Josefina Castro-Fornieles

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7483500/publications.pdf

Version: 2024-02-01

153 papers 4,566 citations

71102 41 h-index 57 g-index

160 all docs

160 does citations

160 times ranked 5714 citing authors

#	Article	IF	CITATIONS
1	Psychosocial risk factors for suicidality in children and adolescents. European Child and Adolescent Psychiatry, 2020, 29, 759-776.	4.7	187
2	A cross-sectional and follow-up voxel-based morphometric MRI study in adolescent anorexia nervosa. Journal of Psychiatric Research, 2009, 43, 331-340.	3.1	158
3	Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. Archives of General Psychiatry, 2012, 69, 16.	12.3	135
4	The Human Cerebral Cortex Flattens during Adolescence. Journal of Neuroscience, 2013, 33, 15004-15010.	3.6	108
5	Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. Schizophrenia Bulletin, 2011, 37, 38-51.	4.3	100
6	Criterios de valoración clÃnicos y de funcionamiento en un estudio de interacción gen-ambiente en primeros episodios psicóticos (PEPs). Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 4-16.	1.8	99
7	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. BMC Psychiatry, 2011, 11, 26.	2.6	94
8	Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). Schizophrenia Research, 2009, 113, 129-137.	2.0	86
9	The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. Schizophrenia Research, 2007, 91, 226-237.	2.0	85
10	Intrinsic connectivity networks from childhood to late adolescence: Effects of age and sex. Developmental Cognitive Neuroscience, 2016, 17, 35-44.	4.0	80
11	Second-Generation Antipsychotic Use in Children and Adolescents: A Six-Month Prospective Cohort Study in Drug-NaÃ-ve Patients. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 1179-1190.e4.	0.5	76
12	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 1-8.	1.8	68
13	ESCAP Expert Paper: New developments in the diagnosis and treatment of adolescent anorexia nervosa—a European perspective. European Child and Adolescent Psychiatry, 2015, 24, 1153-1167.	4.7	67
14	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. Biological Psychiatry, 2019, 86, 545-556.	1.3	67
15	Psychiatric disorders in child and adolescent offspring of patients with schizophrenia and bipolar disorder: A controlled study. Schizophrenia Research, 2015, 168, 197-203.	2.0	66
16	Cortical morphology of adolescents with bipolar disorder and with schizophrenia. Schizophrenia Research, 2014, 158, 91-99.	2.0	65
17	Self-oriented perfectionism in eating disorders. International Journal of Eating Disorders, 2007, 40, 562-568.	4.0	63
18	Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. Schizophrenia Research, 2013, 143, 125-131.	2.0	61

#	Article	IF	Citations
19	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. Schizophrenia Research, 2014, 152, 130-138.	2.0	59
20	Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. Journal of Clinical Psychiatry, 2013, 74, 59-66.	2.2	59
21	Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. Journal of Child and Adolescent Psychopharmacology, 2008, 18, 327-336.	1.3	58
22	Predictors of weight maintenance after hospital discharge in adolescent anorexia nervosa. International Journal of Eating Disorders, 2007, 40, 129-135.	4.0	57
23	Cognitive Remediation Therapy in Adolescents With Early-Onset Schizophrenia: A Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 859-868.	0.5	57
24	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. Psychological Medicine, 2013, 43, 757-768.	4.5	56
25	Clinical, Neuroimmunologic, and CSF Investigations in First Episode Psychosis. Neurology, 2021, 97, e61-e75.	1.1	54
26	Cue exposure in the treatment of resistant adolescent bulimia nervosa. International Journal of Eating Disorders, 2007, 40, 596-601.	4.0	53
27	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and firstâ€episode psychosis adolescents. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2008, 147B, 873-879.	1.7	53
28	Multidisciplinary treatment of fibromyalgia: Does cognitive behavior therapy increase the response to treatment?. Journal of Psychosomatic Research, 2009, 67, 433-441.	2.6	52
29	Adolescent anorexia nervosa: Cross-sectional and follow-up frontal gray matter disturbances detected with proton magnetic resonance spectroscopy. Journal of Psychiatric Research, 2007, 41, 952-958.	3.1	51
30	Two-year diagnostic stability in early-onset first-episode psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2011, 52, 1089-1098.	5.2	51
31	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. PLoS ONE, 2016, 11, e0148045.	2.5	51
32	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. Schizophrenia Research, 2012, 137, 58-65.	2.0	50
33	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. Schizophrenia Research, 2018, 193, 188-196.	2.0	50
34	Clinical and biological correlates of adolescent anorexia nervosa with impaired cognitive profile. European Child and Adolescent Psychiatry, 2011, 20, 541-549.	4.7	49
35	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. Schizophrenia Research, 2017, 189, 84-90.	2.0	49
36	A cross-sectional and follow-up functional MRI study with a working memory task in adolescent anorexia nervosa. Neuropsychologia, 2010, 48, 4111-4116.	1.6	48

#	Article	IF	CITATIONS
37	Sleep disorders in anti-NMDAR encephalitis. Neurology, 2020, 95, e671-e684.	1.1	47
38	Long-term outcome and psychiatric comorbidity of adolescent-onset anorexia nervosa. Clinical Child Psychology and Psychiatry, 2020, 25, 33-44.	1.6	46
39	Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. Psychological Medicine, 2009, 39, 1433-1445.	4.5	43
40	Adolescent Anorexia Nervosa: Cognitive performance after weight recovery. Journal of Psychosomatic Research, 2014, 76, 6-11.	2.6	43
41	Modelling gene-environment interaction in first episodes of psychosis. Schizophrenia Research, 2017, 189, 181-189.	2.0	43
42	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. Schizophrenia Research, 2014, 156, 23-29.	2.0	42
43	Normal gray and white matter volume after weight restoration in adolescents with anorexia nervosa. International Journal of Eating Disorders, 2013, 46, 841-848.	4.0	41
44	Longitudinal study of neurological soft signs in firstâ€episode earlyâ€onset psychosis. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2012, 53, 323-331.	5. 2	39
45	Clinical, Cognitive, and Neuroimaging Evidence of a Neurodevelopmental Continuum in Offspring of Probands With Schizophrenia and Bipolar Disorder. Schizophrenia Bulletin, 2017, 43, 1208-1219.	4.3	38
46	Reduced serial dependence suggests deficits in synaptic potentiation in anti-NMDAR encephalitis and schizophrenia. Nature Communications, 2020, 11, 4250.	12.8	38
47	Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. European Child and Adolescent Psychiatry, 2015, 24, 427-440.	4.7	37
48	Brain Structure in Acutely Underweight and Partially Weight-Restored Individuals With Anorexia Nervosa: A Coordinated Analysis by the ENIGMA Eating Disorders Working Group. Biological Psychiatry, 2022, 92, 730-738.	1.3	37
49	Cognitive Functioning in Children and Adolescents in Their First Episode of Psychosis. Journal of Nervous and Mental Disease, 2010, 198, 159-162.	1.0	36
50	Clinical Experience Using Electroconvulsive Therapy in Adolescents with Schizophrenia Spectrum Disorders. Journal of Child and Adolescent Psychopharmacology, 2010, 20, 205-209.	1.3	35
51	Common genetic background in anorexia nervosa and obsessive compulsive disorder: Preliminary results from an association study. Journal of Psychiatric Research, 2013, 47, 747-754.	3.1	35
52	Una década del proyecto de primeros episodios psicóticos (PEPs): avanzando hacia una psiquiatrÃa de precisión. Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 135-140.	1.8	35
53	Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 146, 103-110.	2.0	33
54	Antipsychotic Use in Children and Adolescents. Journal of Clinical Psychopharmacology, 2014, 34, 613-619.	1.4	33

#	Article	IF	CITATIONS
55	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. Schizophrenia Research, 2014, 158, 126-133.	2.0	33
56	Neuropsychological characteristics of child and adolescent offspring of patients with bipolar disorder. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2016, 65, 54-59.	4.8	32
57	Examining Gene–Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. Schizophrenia Bulletin, 2020, 46, 1019-1025.	4.3	32
58	Obsessive-compulsive personality disorder traits and personality dimensions in parents of children with obsessive-compulsive disorder. European Psychiatry, 2009, 24, 201-206.	0.2	29
59	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. International Journal of Neuropsychopharmacology, 2016, 19, pyv121.	2.1	29
60	Motivation to change in adolescents with bulimia nervosa mediates clinical change after treatment. European Eating Disorders Review, 2011, 19, 46-54.	4.1	28
61	Multicenter Study of Brain Volume Abnormalities in Children and Adolescent-Onset Psychosis. Schizophrenia Bulletin, 2011, 37, 1270-1280.	4.3	28
62	Neurological Adverse Effects of Antipsychotics in Children and Adolescents. Journal of Clinical Psychopharmacology, 2015, 35, 686-693.	1.4	28
63	Neuropsychological characteristics of child and adolescent offspring of patients with schizophrenia or bipolar disorder. Schizophrenia Research, 2017, 183, 110-115.	2.0	28
64	Persistent Negative Symptoms in First-Episode Psychosis. Journal of Clinical Psychiatry, 2017, 78, 1414-1422.	2.2	28
65	Comparison between young siblings and offspring of subjects with schizophrenia: Clinical and neuropsychological characteristics. Schizophrenia Research, 2011, 131, 35-42.	2.0	26
66	The affective dimension of earlyâ€onset psychosis and its relationship with suicide. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 747-755.	5.2	26
67	Affective versus non-affective first episode psychoses: A longitudinal study. Journal of Affective Disorders, 2018, 238, 297-304.	4.1	26
68	Effects of Comorbid Anxiety Disorders on the Longitudinal Course of Pediatric Bipolar Disorders. Journal of the American Academy of Child and Adolescent Psychiatry, 2014, 53, 72-81.	0.5	25
69	Gray Matter Volume Decrease Distinguishes Schizophrenia From Bipolar Offspring During Childhood and Adolescence. Journal of the American Academy of Child and Adolescent Psychiatry, 2015, 54, 677-684.e2.	0.5	25
70	Neurofilament Light Chain Levels in Anti-NMDAR Encephalitis and Primary Psychiatric Psychosis. Neurology, 2022, 98, .	1.1	25
71	Assessing clinical and functional outcomes in a gene–environment interaction study in first episode of psychosis (PEPs). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 4-16.	0.3	24
72	Prevalence and Factors Related to Substance Use among Adolescents with Eating Disorders. European Addiction Research, 2010, 16, 61-68.	2.4	23

#	Article	IF	CITATIONS
73	Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. Journal of Clinical Psychopharmacology, 2013, 33, 463-471.	1.4	23
74	Paediatric European Risperidone Studies (PERS): context, rationale, objectives, strategy, and challenges. European Child and Adolescent Psychiatry, 2014, 23, 1149-1160.	4.7	23
7 5	Cortical Morphology Characteristics of Young Offspring of Patients With Schizophrenia or Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2017, 56, 79-88.	0.5	23
76	A voxel-based morphometric MRI study of stabilized obsessive–compulsive adolescent patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2011, 35, 1863-1869.	4.8	22
77	Dysbindinâ€1 gene contributes differentially to early―and adultâ€onset forms of functional psychosis. American Journal of Medical Genetics Part B: Neuropsychiatric Genetics, 2011, 156, 322-333.	1.7	22
78	Relationship between clinical and neuropsychological characteristics in child and adolescent first degree relatives of subjects with schizophrenia. Schizophrenia Research, 2010, 116, 159-167.	2.0	21
79	Differences between prepubertal- versus adolescent- onset bipolar disorder in a Spanish clinical sample. European Child and Adolescent Psychiatry, 2007, 16, 510-516.	4.7	20
80	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). Psychiatry Research, 2011, 185, 72-77.	3.3	20
81	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1447-1459.	4.7	19
82	Aggression subtypes relate to distinct resting state functional connectivity in children and adolescents with disruptive behavior. European Child and Adolescent Psychiatry, 2021, 30, 1237-1249.	4.7	18
83	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces. Psychological Medicine, 2022, 52, 476-484.	4.5	18
84	Patterns of substance use in adolescents attending a mental health department. European Child and Adolescent Psychiatry, 2011, 20, 279-289.	4.7	17
85	Factors Associated With the Persistence and Onset of New Anxiety Disorders in Youth With Bipolar Spectrum Disorders. Journal of Clinical Psychiatry, 2012, 73, 87-94.	2.2	17
86	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. European Child and Adolescent Psychiatry, 2018, 27, 113-126.	4.7	17
87	Trajectories of suicidal ideation after firstâ€episode psychosis: a growth mixture modeling approach. Acta Psychiatrica Scandinavica, 2021, 143, 418-433.	4.5	17
88	Clinical and research utility of Spanish Teen-Addiction Severity Index (T-ASI). Addictive Behaviors, 2008, 33, 188-195.	3.0	15
89	Patients' Opinions About Electroconvulsive Therapy: What Do Adolescents with Schizophrenia Spectrum Disorders Think?. Journal of Child and Adolescent Psychopharmacology, 2015, 25, 641-648.	1.3	15
90	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. Schizophrenia Research, 2021, 232, 98-106.	2.0	15

#	Article	IF	CITATIONS
91	Long-term effectiveness of electroconvulsive therapy in adolescents with schizophrenia spectrum disorders. European Child and Adolescent Psychiatry, 2015, 24, 517-524.	4.7	14
92	Functional MRI with a set-shifting task in adolescent anorexia nervosa: A cross-sectional and follow-up study. Neuropsychologia, 2019, 131, 1-8.	1.6	14
93	Intelligence, educational attainment, and brain structure in those at familial highâ€risk for schizophrenia or bipolar disorder. Human Brain Mapping, 2022, 43, 414-430.	3.6	14
94	Executive functioning and emotion recognition in youth with oppositional defiant disorder and/or conduct disorder. World Journal of Biological Psychiatry, 2020, 21, 539-551.	2.6	14
95	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. Revista De PsiquiatrÃa Y Salud Mental, 2023, 16, 184-191.	1.8	14
96	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. Schizophrenia Research, 2017, 189, 196-203.	2.0	13
97	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. European Neuropsychopharmacology, 2017, 27, 647-656.	0.7	13
98	Psychopathological and nutritional correlates of plasma homovanillic acid in adolescents with anorexia nervosa. Journal of Psychiatric Research, 2008, 42, 213-220.	3.1	11
99	The relationship between performance in a theory of mind task and intrinsic functional connectivity in youth with early onset psychosis. Developmental Cognitive Neuroscience, 2019, 40, 100726.	4.0	11
100	Cortical thickness 20Âyears after diagnosis of anorexia nervosa during adolescence. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 1133-1139.	3.2	11
101	Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2020, 103, 109972.	4.8	11
102	Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. European Child and Adolescent Psychiatry, 2009, 18, 180-184.	4.7	10
103	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. European Child and Adolescent Psychiatry, 2017, 26, 1165-1175.	4.7	10
104	Distinct associations between fronto-striatal glutamate concentrations and callous-unemotional traits and proactive aggression in disruptive behavior. Cortex, 2019, 121, 135-146.	2.4	10
105	Age-related brain deviations and aggression. Psychological Medicine, 2023, 53, 4012-4021.	4.5	10
106	Prefrontal brain metabolites in short-term weight-recovered adolescent anorexia nervosa patients. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2010, 34, 1049-1053.	4.8	9
107	Association of CACNA1C and SYNE1 in offspring of patients with psychiatric disorders. Psychiatry Research, 2016, 245, 427-435.	3.3	9
108	Thinking About Electroconvulsive Therapy: The Opinions of Parents of Adolescents with Schizophrenia Spectrum Disorders. Journal of Child and Adolescent Psychopharmacology, 2017, 27, 75-82.	1.3	9

#	Article	IF	CITATIONS
109	Temperament in child and adolescent offspring of patients with schizophrenia and bipolar disorder. European Child and Adolescent Psychiatry, 2018, 27, 1459-1471.	4.7	9
110	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. Schizophrenia Research, 2019, 209, 148-155.	2.0	9
111	Genetic variability in the serotoninergic system and age of onset in anorexia nervosa and obsessive-compulsive disorder. Psychiatry Research, 2019, 271, 554-558.	3.3	9
112	Five-year diagnostic stability among adolescents in an inpatient psychiatric unit. Comprehensive Psychiatry, 2019, 89, 33-39.	3.1	9
113	Cognitive reserve in patients with first-episode psychosis as outcome predictor at 5-year follow-up. European Child and Adolescent Psychiatry, 2021, 30, 1959-1967.	4.7	9
114	Subgrouping children and adolescents with disruptive behaviors: symptom profiles and the role of callous–unemotional traits. European Child and Adolescent Psychiatry, 2022, 31, 51-66.	4.7	9
115	The complex association between the antioxidant defense system and clinical status in early psychosis. PLoS ONE, 2018, 13, e0194685.	2.5	8
116	Psychotic-Like Experiences in Offspring of Parents WithÂBipolar Disorder and Community Controls: A Longitudinal Study. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 534-543.e6.	0.5	8
117	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. Schizophrenia Research, 2020, 223, 345-352.	2.0	8
118	Gender effects on brain changes in early-onset psychosis. European Child and Adolescent Psychiatry, 2015, 24, 1193-1205.	4.7	7
119	Attenuated psychotic symptoms in children and adolescent offspring of patients with schizophrenia. Schizophrenia Research, 2018, 193, 354-358.	2.0	7
120	Neuropsychological, clinical and environmental predictors of severe mental disorders in offspring of patients with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 739-748.	3.2	7
121	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. Journal of Affective Disorders, 2021, 282, 757-765.	4.1	7
122	PsiquiatrÃa del Niño y del Adolescente: necesidad de formación y desarrollo. Revista De PsiquiatrÃa Y Salud Mental, 2013, 6, 57-59.	1.8	6
123	Differences in Psychopathology Between Immigrant and Native Adolescents Admitted to a Psychiatric Inpatient Unit. Journal of Immigrant and Minority Health, 2015, 17, 1715-1722.	1.6	6
124	Absence of Change in Corrected QT Interval in Children and Adolescents Receiving Antipsychotic Treatment: A 12 Month Study. Journal of Child and Adolescent Psychopharmacology, 2016, 26, 449-457.	1.3	6
125	Personality disorder traits, obsessive ideation and perfectionism 20 years after adolescent-onset anorexia nervosa: a recovered study. Eating and Weight Disorders, 2021, 26, 667-677.	2.5	6
126	Premorbid Characteristics as Predictors of Early Onset Versus Adult Onset in Patients With a First Episode of Psychosis. Journal of Clinical Psychiatry, 2021, 82, .	2.2	6

#	Article	IF	Citations
127	Personality psychopathology, drug use and psychological symptoms in adolescents with substance use disorders and community controls. PeerJ, 2015, 3, e992.	2.0	6
128	Neither too much, nor too little. The dilemma of identifying personality disorders in adolescents patients with self-reports. Psychiatry Research, 2014, 215, 683-686.	3.3	5
129	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 135-140.	0.3	5
130	Development and psychometric properties of the "Suicidality: Treatment Occurring in Paediatrics (STOP) Risk and Resilience Factors Scales―in adolescents. European Child and Adolescent Psychiatry, 2020, 29, 153-165.	4.7	5
131	Plasma homovanillic acid in adolescents with bulimia nervosa. Psychiatry Research, 2009, 170, 241-244.	3.3	4
132	Reward and Punishment Sensitivity are Associated with Cross-disorder Traits. Psychiatry Research, 2021, 298, 113795.	3.3	4
133	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. Journal of Clinical Medicine, 2021, 10, 3929.	2.4	4
134	Theory of mind performance and prefrontal connectivity in adolescents at clinical high risk for psychosis. Developmental Cognitive Neuroscience, 2021, 48, 100940.	4.0	3
135	Longitudinal study in adolescent anorexia nervosa: evaluation of cortico-striatal and default mode network resting-state brain circuits. European Child and Adolescent Psychiatry, 2023, 32, 513-526.	4.7	3
136	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental, 2021, , .	1.8	3
137	Cortical thinning over two years after first-episode psychosis depends on age of onset. NPJ Schizophrenia, 2022, 8, 20.	3.6	3
138	Child and adolescent psychiatry: The need for training and development. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2013, 6, 57-59.	0.3	2
139	S25. FRAMEWORK FOR THE CHARACTERIZATION OF HIPPOCAMPUS USING RADIOMIC APPROACH IN FIRST-EPISODE PSYCHOSIS. Schizophrenia Bulletin, 2020, 46, S40-S40.	4.3	2
140	Comparison of Perfectionism Dimensions in Adolescents with Anorexia Nervosa or Obsessive-Compulsive Disorder. Journal of the Canadian Academy of Child and Adolescent Psychiatry, 2019, 28, 45-54.	0.6	2
141	Long-term cardiac assessment in a sample of adolescent-onset anorexia nervosa. Journal of Eating Disorders, 2022, 10, 12.	2.7	2
142	Cognitive reserve and its correlates in child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder. European Child and Adolescent Psychiatry, 2022, , 1.	4.7	2
143	Genetic and Structural Brain Correlates of Cognitive Subtypes Across Youth at Family Risk for Schizophrenia and Bipolar Disorder. Journal of the American Academy of Child and Adolescent Psychiatry, 2023, 62, 74-83.	0.5	2
144	The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. Psychiatric Genetics, 2008, 18, 151-152.	1.1	1

#	Article	IF	CITATIONS
145	Panorama actual de los trastornos de la conducta alimentaria. Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2015, 62, 111-113.	0.8	1
146	T31. TEN YEAR CLINICAL FOLLOW-UP OF YOUTH WITH EARLY ONSET PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S125-S125.	4.3	1
147	S164. HIPPOCAMPAL CONNECTIVITY IN YOUTH WITH SCHIZOPHRENIA: COMPARISON WITH PATIENTS WITH NMDA RECEPTOR ENCEPHALITIS AND HEALTHY VOLUNTEERS. Schizophrenia Bulletin, 2020, 46, S98-S99.	4.3	1
148	Current perspective of eating disorders. EndocrinologÃa Y Nutrición (English Edition), 2015, 62, 111-113.	0.5	0
149	Cortical thickness in subjects twenty years after diagnosis of anorexia nervosa during adolescence. European Neuropsychopharmacology, 2019, 29, S207-S208.	0.7	0
150	T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSED WITH SCHIZOPHRENIA OR BIPOLAR DISORDER. Schizophrenia Bulletin, 2020, 46, S241-S242.	4.3	0
151	T138. ADOLESCENT ONSET OF PSYCHOSIS IMPACTS SEGREGATION OF CORTICO-SUBCORTICAL NETWORKS DURING DEVELOPMENT. Schizophrenia Bulletin, 2020, 46, S283-S283.	4.3	0
152	M26. CLINICAL CHARACTERISTICS OF CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIAGNOSED WITH SCHIZOPHERNIA: A COMPARATIVE STUDY WITH ADHD CHILDREN. Schizophrenia Bulletin, 2020, 46, S143-S144.	4.3	0
153	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. Revista De PsiquiatrÃa Y Salud Mental (English) Tj ETQq1 1	0. 7&4 314	· rg B T /Overlo