

Josefina Castro-Fornieles

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7483500/publications.pdf>

Version: 2024-02-01

153
papers

4,566
citations

71102

41
h-index

144013

57
g-index

160
all docs

160
docs citations

160
times ranked

5714
citing authors

#	ARTICLE	IF	CITATIONS
1	Effectiveness of enhancing cognitive reserve in children, adolescents and young adults at genetic risk for psychosis: Study protocol for a randomized controlled trial. <i>Revista De Psiquiatria Y Salud Mental</i> , 2023, 16, 184-191.	1.8	14
2	Longitudinal study in adolescent anorexia nervosa: evaluation of cortico-striatal and default mode network resting-state brain circuits. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 513-526.	4.7	3
3	Age-related brain deviations and aggression. <i>Psychological Medicine</i> , 2023, 53, 4012-4021.	4.5	10
4	Genetic and Structural Brain Correlates of Cognitive Subtypes Across Youth at Family Risk for Schizophrenia and Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2023, 62, 74-83.	0.5	2
5	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	3.6	14
6	Subgrouping children and adolescents with disruptive behaviors: symptom profiles and the role of callous-unemotional traits. <i>European Child and Adolescent Psychiatry</i> , 2022, 31, 51-66.	4.7	9
7	The effects of callous-unemotional traits and aggression subtypes on amygdala activity in response to negative faces. <i>Psychological Medicine</i> , 2022, 52, 476-484.	4.5	18
8	Long-term cardiac assessment in a sample of adolescent-onset anorexia nervosa. <i>Journal of Eating Disorders</i> , 2022, 10, 12.	2.7	2
9	Neurofilament Light Chain Levels in Anti-NMDAR Encephalitis and Primary Psychiatric Psychosis. <i>Neurology</i> , 2022, 98, .	1.1	25
10	Cognitive reserve and its correlates in child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2022, , 1.	4.7	2
11	Cortical thinning over two years after first-episode psychosis depends on age of onset. <i>NPJ Schizophrenia</i> , 2022, 8, 20.	3.6	3
12	Brain Structure in Acutely Underweight and Partially Weight-Restored Individuals With Anorexia Nervosa: A Coordinated Analysis by the ENIGMA Eating Disorders Working Group. <i>Biological Psychiatry</i> , 2022, 92, 730-738.	1.3	37
13	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatria Y Salud Mental (English)</i> Tj ETQq1 1 0.784314 rgBT /Over	1.1	25
14	Cortical thickness 20 years after diagnosis of anorexia nervosa during adolescence. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021, 271, 1133-1139.	3.2	11
15	Aggression subtypes relate to distinct resting state functional connectivity in children and adolescents with disruptive behavior. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1237-1249.	4.7	18
16	Cognitive reserve in patients with first-episode psychosis as outcome predictor at 5-year follow-up. <i>European Child and Adolescent Psychiatry</i> , 2021, 30, 1959-1967.	4.7	9
17	Personality disorder traits, obsessive ideation and perfectionism 20 years after adolescent-onset anorexia nervosa: a recovered study. <i>Eating and Weight Disorders</i> , 2021, 26, 667-677.	2.5	6
18	Trajectories of suicidal ideation after first episode psychosis: a growth mixture modeling approach. <i>Acta Psychiatrica Scandinavica</i> , 2021, 143, 418-433.	4.5	17

#	ARTICLE	IF	CITATIONS
19	Cognitive heterogeneity in the offspring of patients with schizophrenia or bipolar disorder: a cluster analysis across family risk. <i>Journal of Affective Disorders</i> , 2021, 282, 757-765.	4.1	7
20	Reward and Punishment Sensitivity are Associated with Cross-disorder Traits. <i>Psychiatry Research</i> , 2021, 298, 113795.	3.3	4
21	Theory of mind performance and prefrontal connectivity in adolescents at clinical high risk for psychosis. <i>Developmental Cognitive Neuroscience</i> , 2021, 48, 100940.	4.0	3
22	Clinical, Neuroimmunologic, and CSF Investigations in First Episode Psychosis. <i>Neurology</i> , 2021, 97, e61-e75.	1.1	54
23	Cortical gray matter reduction precedes transition to psychosis in individuals at clinical high-risk for psychosis: A voxel-based meta-analysis. <i>Schizophrenia Research</i> , 2021, 232, 98-106.	2.0	15
24	Fronto-Parietal Gray Matter Volume Loss Is Associated with Decreased Working Memory Performance in Adolescents with a First Episode of Psychosis. <i>Journal of Clinical Medicine</i> , 2021, 10, 3929.	2.4	4
25	Premorbid Characteristics as Predictors of Early Onset Versus Adult Onset in Patients With a First Episode of Psychosis. <i>Journal of Clinical Psychiatry</i> , 2021, 82, .	2.2	6
26	Prefrontal abnormalities, executive dysfunction and symptoms severity are modulated by COMT Val158Met polymorphism in first episode psychosis. <i>Revista De Psiquiatria Y Salud Mental</i> , 2021, , .	1.8	3
27	Long-term outcome and psychiatric comorbidity of adolescent-onset anorexia nervosa. <i>Clinical Child Psychology and Psychiatry</i> , 2020, 25, 33-44.	1.6	46
28	Development and psychometric properties of the "Suicidality: Treatment Occurring in Paediatrics (STOP) Risk and Resilience Factors Scales" in adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 153-165.	4.7	5
29	Psychosocial risk factors for suicidality in children and adolescents. <i>European Child and Adolescent Psychiatry</i> , 2020, 29, 759-776.	4.7	187
30	Neuropsychological, clinical and environmental predictors of severe mental disorders in offspring of patients with schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2020, 270, 739-748.	3.2	7
31	T27. COGNITIVE RESERVE IN CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIANOSED WITH SCHIZOPHERNIA OR BIPOLAR DISORDER. <i>Schizophrenia Bulletin</i> , 2020, 46, S241-S242.	4.3	0
32	T138. ADOLESCENT ONSET OF PSYCHOSIS IMPACTS SEGREGATION OF CORTICO-SUBCORTICAL NETWORKS DURING DEVELOPMENT. <i>Schizophrenia Bulletin</i> , 2020, 46, S283-S283.	4.3	0
33	M26. CLINICAL CHARACTERISTICS OF CHILD AND ADOLESCENT OFFSPRING OF PATIENTS DIAGNOSED WITH SCHIZOPHERNIA: A COMPARATIVE STUDY WITH ADHD CHILDREN. <i>Schizophrenia Bulletin</i> , 2020, 46, S143-S144.	4.3	0
34	S164. HIPPOCAMPAL CONNECTIVITY IN YOUTH WITH SCHIZOPHERNIA: COMPARISON WITH PATIENTS WITH NMDA RECEPTOR ENCEPHALITIS AND HEALTHY VOLUNTEERS. <i>Schizophrenia Bulletin</i> , 2020, 46, S98-S99.	4.3	1
35	Influence of BDNF and MTHFR polymorphisms on hippocampal volume in first-episode psychosis. <i>Schizophrenia Research</i> , 2020, 223, 345-352.	2.0	8
36	Reduced serial dependence suggests deficits in synaptic potentiation in anti-NMDAR encephalitis and schizophrenia. <i>Nature Communications</i> , 2020, 11, 4250.	12.8	38

#	ARTICLE	IF	CITATIONS
37	Executive functioning and emotion recognition in youth with oppositional defiant disorder and/or conduct disorder. <i>World Journal of Biological Psychiatry</i> , 2020, 21, 539-551.	2.6	14
38	Sleep disorders in anti-NMDAR encephalitis. <i>Neurology</i> , 2020, 95, e671-e684.	1.1	47
39	S25. FRAMEWORK FOR THE CHARACTERIZATION OF HIPPOCAMPUS USING RADIOMIC APPROACH IN FIRST-EPIISODE PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020, 46, S40-S40.	4.3	2
40	Examining Gene-Environment Interactions Using Aggregate Scores in a First-Episode Psychosis Cohort. <i>Schizophrenia Bulletin</i> , 2020, 46, 1019-1025.	4.3	32
41	Neuropsychological development in the child and adolescent offspring of patients diagnosed with schizophrenia or bipolar disorder: A two-year follow-up comparative study. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 103, 109972.	4.8	11
42	Distinct associations between fronto-striatal glutamate concentrations and callous-unemotional traits and proactive aggression in disruptive behavior. <i>Cortex</i> , 2019, 121, 135-146.	2.4	10
43	One decade of the first episodes project (PEPs): Advancing towards a precision psychiatry. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2019, 12, 135-140.	0.3	5
44	The relationship between performance in a theory of mind task and intrinsic functional connectivity in youth with early onset psychosis. <i>Developmental Cognitive Neuroscience</i> , 2019, 40, 100726.	4.0	11
45	Functional MRI with a set-shifting task in adolescent anorexia nervosa: A cross-sectional and follow-up study. <i>Neuropsychologia</i> , 2019, 131, 1-8.	1.6	14
46	Cortical thickness in subjects twenty years after diagnosis of anorexia nervosa during adolescence. <i>European Neuropsychopharmacology</i> , 2019, 29, S207-S208.	0.7	0
47	The Association Between Familial Risk and Brain Abnormalities Is Disease Specific: An ENIGMA-Relatives Study of Schizophrenia and Bipolar Disorder. <i>Biological Psychiatry</i> , 2019, 86, 545-556.	1.3	67
48	Auditory hallucinations in first-episode psychosis: A voxel-based morphometry study. <i>Schizophrenia Research</i> , 2019, 209, 148-155.	2.0	9
49	Psychotic-Like Experiences in Offspring of Parents With Bipolar Disorder and Community Controls: A Longitudinal Study. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2019, 58, 534-543.e6.	0.5	8
50	Genetic variability in the serotonergic system and age of onset in anorexia nervosa and obsessive-compulsive disorder. <i>Psychiatry Research</i> , 2019, 271, 554-558.	3.3	9
51	Five-year diagnostic stability among adolescents in an inpatient psychiatric unit. <i>Comprehensive Psychiatry</i> , 2019, 89, 33-39.	3.1	9
52	Diez años de investigación traslacional colaborativa en enfermedades mentales: el CIBERSAM. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 1-8.	1.8	68
53	Una década del proyecto de primeros episodios psicóticos (PEPs): avanzando hacia una psiquiatría de precisión. <i>Revista De Psiquiatría Y Salud Mental</i> , 2019, 12, 135-140.	1.8	35
54	Comparison of Perfectionism Dimensions in Adolescents with Anorexia Nervosa or Obsessive-Compulsive Disorder. <i>Journal of the Canadian Academy of Child and Adolescent Psychiatry</i> , 2019, 28, 45-54.	0.6	2

#	ARTICLE	IF	CITATIONS
55	Temperament in child and adolescent offspring of patients with schizophrenia and bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 1459-1471.	4.7	9
56	Evolution of metabolic risk factors over a two-year period in a cohort of first episodes of psychosis. <i>Schizophrenia Research</i> , 2018, 193, 188-196.	2.0	50
57	Gray matter changes and cognitive predictors of 2-year follow-up abnormalities in early-onset first-episode psychosis. <i>European Child and Adolescent Psychiatry</i> , 2018, 27, 113-126.	4.7	17
58	Attenuated psychotic symptoms in children and adolescent offspring of patients with schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 354-358.	2.0	7
59	T31. TEN YEAR CLINICAL FOLLOW-UP OF YOUTH WITH EARLY ONSET PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2018, 44, S125-S125.	4.3	1
60	The complex association between the antioxidant defense system and clinical status in early psychosis. <i>PLoS ONE</i> , 2018, 13, e0194685.	2.5	8
61	Affective versus non-affective first episode psychoses: A longitudinal study. <i>Journal of Affective Disorders</i> , 2018, 238, 297-304.	4.1	26
62	Thinking About Electroconvulsive Therapy: The Opinions of Parents of Adolescents with Schizophrenia Spectrum Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2017, 27, 75-82.	1.3	9
63	The course of negative symptoms in first-episode schizophrenia and its predictors: A prospective two-year follow-up study. <i>Schizophrenia Research</i> , 2017, 189, 84-90.	2.0	49
64	Gene-environment interaction as a predictor of early adjustment in first episode psychosis. <i>Schizophrenia Research</i> , 2017, 189, 196-203.	2.0	13
65	Modelling gene-environment interaction in first episodes of psychosis. <i>Schizophrenia Research</i> , 2017, 189, 181-189.	2.0	43
66	Intuitive pharmacogenetic dosing of risperidone according to CYP2D6 phenotype extrapolated from genotype in a cohort of first episode psychosis patients. <i>European Neuropsychopharmacology</i> , 2017, 27, 647-656.	0.7	13
67	Clinical, Cognitive, and Neuroimaging Evidence of a Neurodevelopmental Continuum in Offspring of Proband With Schizophrenia and Bipolar Disorder. <i>Schizophrenia Bulletin</i> , 2017, 43, 1208-1219.	4.3	38
68	A developmental approach to dimensional expression of psychopathology in child and adolescent offspring of parents with bipolar disorder. <i>European Child and Adolescent Psychiatry</i> , 2017, 26, 1165-1175.	4.7	10
69	Neuropsychological characteristics of child and adolescent offspring of patients with schizophrenia or bipolar disorder. <i>Schizophrenia Research</i> , 2017, 183, 110-115.	2.0	28
70	Cortical Morphology Characteristics of Young Offspring of Patients With Schizophrenia or Bipolar Disorder. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2017, 56, 79-88.	0.5	23
71	Persistent Negative Symptoms in First-Episode Psychosis. <i>Journal of Clinical Psychiatry</i> , 2017, 78, 1414-1422.	2.2	28
72	Altered Cortico-Striatal Connectivity in Offspring of Schizophrenia Patients Relative to Offspring of Bipolar Patients and Controls. <i>PLoS ONE</i> , 2016, 11, e0148045.	2.5	51

#	ARTICLE	IF	CITATIONS
73	Association of CACNA1C and SYNE1 in offspring of patients with psychiatric disorders. <i>Psychiatry Research</i> , 2016, 245, 427-435.	3.3	9
74	Intrinsic connectivity networks from childhood to late adolescence: Effects of age and sex. <i>Developmental Cognitive Neuroscience</i> , 2016, 17, 35-44.	4.0	80
75	A Pharmacovigilance Study in First Episode of Psychosis: Psychopharmacological Interventions and Safety Profiles in the PEPs Project. <i>International Journal of Neuropsychopharmacology</i> , 2016, 19, pyv121.	2.1	29
76	Absence of Change in Corrected QT Interval in Children and Adolescents Receiving Antipsychotic Treatment: A 12 Month Study. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2016, 26, 449-457.	1.3	6
77	Neuropsychological characteristics of child and adolescent offspring of patients with bipolar disorder. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 65, 54-59.	4.8	32
78	Neurological Adverse Effects of Antipsychotics in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2015, 35, 686-693.	1.4	28
79	Gray Matter Volume Decrease Distinguishes Schizophrenia From Bipolar Offspring During Childhood and Adolescence. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015, 54, 677-684.e2.	0.5	25
80	Patients' Opinions About Electroconvulsive Therapy: What Do Adolescents with Schizophrenia Spectrum Disorders Think?. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2015, 25, 641-648.	1.3	15
81	The affective dimension of early-onset psychosis and its relationship with suicide. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2015, 56, 747-755.	5.2	26
82	Gender effects on brain changes in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1193-1205.	4.7	7
83	Long-term effectiveness of electroconvulsive therapy in adolescents with schizophrenia spectrum disorders. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 517-524.	4.7	14
84	Panorama actual de los trastornos de la conducta alimentaria. <i>Endocrinología Y Nutricion: Organo De La Sociedad Espanola De Endocrinología Y Nutricion</i> , 2015, 62, 111-113.	0.8	1
85	Current perspective of eating disorders. <i>Endocrinología Y Nutrición (English Edition)</i> , 2015, 62, 111-113.	0.5	0
86	Functional deterioration from the premorbid period to 2 years after the first episode of psychosis in early-onset psychosis. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1447-1459.	4.7	19
87	Differences in Psychopathology Between Immigrant and Native Adolescents Admitted to a Psychiatric Inpatient Unit. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 1715-1722.	1.6	6
88	Psychiatric disorders in child and adolescent offspring of patients with schizophrenia and bipolar disorder: A controlled study. <i>Schizophrenia Research</i> , 2015, 168, 197-203.	2.0	66
89	ESCAP Expert Paper: New developments in the diagnosis and treatment of adolescent anorexia nervosa—a European perspective. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 1153-1167.	4.7	67
90	Predictors of schizophrenia spectrum disorders in early-onset first episodes of psychosis: a support vector machine model. <i>European Child and Adolescent Psychiatry</i> , 2015, 24, 427-440.	4.7	37

#	ARTICLE	IF	CITATIONS
91	Personality psychopathology, drug use and psychological symptoms in adolescents with substance use disorders and community controls. <i>PeerJ</i> , 2015, 3, e992.	2.0	6
92	Antipsychotic Use in Children and Adolescents. <i>Journal of Clinical Psychopharmacology</i> , 2014, 34, 613-619.	1.4	33
93	Duration of untreated psychosis predicts functional and clinical outcome in children and adolescents with first-episode psychosis: A 2-year longitudinal study. <i>Schizophrenia Research</i> , 2014, 152, 130-138.	2.0	59
94	Paediatric European Risperidone Studies (PERS): context, rationale, objectives, strategy, and challenges. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1149-1160.	4.7	23
95	Second-Generation Antipsychotic Use in Children and Adolescents: A Six-Month Prospective Cohort Study in Drug-Naïve Patients. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 1179-1190.e4.	0.5	76
96	A longitudinal study on the relationship between duration of untreated psychosis and executive function in early-onset first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 158, 126-133.	2.0	33
97	Cognitive Remediation Therapy in Adolescents With Early-Onset Schizophrenia: A Randomized Controlled Trial. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 859-868.	0.5	57
98	Neither too much, nor too little. The dilemma of identifying personality disorders in adolescents patients with self-reports. <i>Psychiatry Research</i> , 2014, 215, 683-686.	3.3	5
99	Cortical morphology of adolescents with bipolar disorder and with schizophrenia. <i>Schizophrenia Research</i> , 2014, 158, 91-99.	2.0	65
100	Effects of Comorbid Anxiety Disorders on the Longitudinal Course of Pediatric Bipolar Disorders. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2014, 53, 72-81.	0.5	25
101	Basal low antioxidant capacity correlates with cognitive deficits in early onset psychosis. A 2-year follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 23-29.	2.0	42
102	Adolescent Anorexia Nervosa: Cognitive performance after weight recovery. <i>Journal of Psychosomatic Research</i> , 2014, 76, 6-11.	2.6	43
103	Child and adolescent psychiatry: The need for training and development. <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2013, 6, 57-59.	0.3	2
104	Criterios de valoración clínicos y de funcionamiento en un estudio de interacción gen-ambiente en primeros episodios psicóticos (PEPs). <i>Revista De Psiquiatría Y Salud Mental</i> , 2013, 6, 4-16.	1.8	99
105	Assessing clinical and functional outcomes in a gene-environment interaction study in first episode of psychosis (PEPs). <i>Revista De Psiquiatría Y Salud Mental (English Edition)</i> , 2013, 6, 4-16.	0.3	24
106	Cognitive reserve as a predictor of two year neuropsychological performance in early onset first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013, 143, 125-131.	2.0	61
107	Psiquiatría del Niño y del Adolescente: necesidad de formación y desarrollo. <i>Revista De Psiquiatría Y Salud Mental</i> , 2013, 6, 57-59.	1.8	6
108	Premorbid impairments in early-onset psychosis: Differences between patients with schizophrenia and bipolar disorder. <i>Schizophrenia Research</i> , 2013, 146, 103-110.	2.0	33

#	ARTICLE	IF	CITATIONS
109	Common genetic background in anorexia nervosa and obsessive compulsive disorder: Preliminary results from an association study. <i>Journal of Psychiatric Research</i> , 2013, 47, 747-754.	3.1	35
110	Twenty-Four Months of Antipsychotic Treatment in Children and Adolescents With First Psychotic Episode. <i>Journal of Clinical Psychopharmacology</i> , 2013, 33, 463-471.	1.4	23
111	Neuropsychological evidence for abnormal neurodevelopment associated with early-onset psychoses. <i>Psychological Medicine</i> , 2013, 43, 757-768.	4.5	56
112	Normal gray and white matter volume after weight restoration in adolescents with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2013, 46, 841-848.	4.0	41
113	The Human Cerebral Cortex Flattens during Adolescence. <i>Journal of Neuroscience</i> , 2013, 33, 15004-15010.	3.6	108
114	Predictors of Suicide Attempt in Early-Onset, First-Episode Psychoses. <i>Journal of Clinical Psychiatry</i> , 2013, 74, 59-66.	2.2	59
115	Progressive Brain Changes in Children and Adolescents With First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2012, 69, 16.	12.3	135
116	Decreased glutathione levels predict loss of brain volume in children and adolescents with first-episode psychosis in a two-year longitudinal study. <i>Schizophrenia Research</i> , 2012, 137, 58-65.	2.0	50
117	Factors Associated With the Persistence and Onset of New Anxiety Disorders in Youth With Bipolar Spectrum Disorders. <i>Journal of Clinical Psychiatry</i> , 2012, 73, 87-94.	2.2	17
118	Longitudinal study of neurological soft signs in first-episode early-onset psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2012, 53, 323-331.	5.2	39
119	Comparison between young siblings and offspring of subjects with schizophrenia: Clinical and neuropsychological characteristics. <i>Schizophrenia Research</i> , 2011, 131, 35-42.	2.0	26
120	A voxel-based morphometric MRI study of stabilized obsessive-compulsive adolescent patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2011, 35, 1863-1869.	4.8	22
121	Twelve-month follow-up of family communication and psychopathology in children and adolescents with a first psychotic episode (CAFEPS study). <i>Psychiatry Research</i> , 2011, 185, 72-77.	3.3	20
122	Two-year diagnostic stability in early-onset first-episode psychosis. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2011, 52, 1089-1098.	5.2	51
123	Patterns of substance use in adolescents attending a mental health department. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 279-289.	4.7	17
124	Clinical and biological correlates of adolescent anorexia nervosa with impaired cognitive profile. <i>European Child and Adolescent Psychiatry</i> , 2011, 20, 541-549.	4.7	49
125	Reduced antioxidant defense in early onset first-episode psychosis: a case-control study. <i>BMC Psychiatry</i> , 2011, 11, 26.	2.6	94
126	Dysbindin-1 gene contributes differentially to early- and adult-onset forms of functional psychosis. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2011, 156, 322-333.	1.7	22

#	ARTICLE	IF	CITATIONS
127	Motivation to change in adolescents with bulimia nervosa mediates clinical change after treatment. <i>European Eating Disorders Review</i> , 2011, 19, 46-54.	4.1	28
128	Multicenter Study of Brain Volume Abnormalities in Children and Adolescent-Onset Psychosis. <i>Schizophrenia Bulletin</i> , 2011, 37, 1270-1280.	4.3	28
129	Trait and State Attributes of Insight in First Episodes of Early-Onset Schizophrenia and Other Psychoses: A 2-Year Longitudinal Study. <i>Schizophrenia Bulletin</i> , 2011, 37, 38-51.	4.3	100
130	Cognitive Functioning in Children and Adolescents in Their First Episode of Psychosis. <i>Journal of Nervous and Mental Disease</i> , 2010, 198, 159-162.	1.0	36
131	A cross-sectional and follow-up functional MRI study with a working memory task in adolescent anorexia nervosa. <i>Neuropsychologia</i> , 2010, 48, 4111-4116.	1.6	48
132	Prevalence and Factors Related to Substance Use among Adolescents with Eating Disorders. <i>European Addiction Research</i> , 2010, 16, 61-68.	2.4	23
133	Relationship between clinical and neuropsychological characteristics in child and adolescent first degree relatives of subjects with schizophrenia. <i>Schizophrenia Research</i> , 2010, 116, 159-167.	2.0	21
134	Clinical Experience Using Electroconvulsive Therapy in Adolescents with Schizophrenia Spectrum Disorders. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2010, 20, 205-209.	1.3	35
135	Prefrontal brain metabolites in short-term weight-recovered adolescent anorexia nervosa patients. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 1049-1053.	4.8	9
136	Insight correlates in child- and adolescent-onset first episodes of psychosis: results from the CAFEPS study. <i>Psychological Medicine</i> , 2009, 39, 1433-1445.	4.5	43
137	A cross-sectional and follow-up voxel-based morphometric MRI study in adolescent anorexia nervosa. <i>Journal of Psychiatric Research</i> , 2009, 43, 331-340.	3.1	158
138	Obstetric complications as a risk factor for first psychotic episodes in childhood and adolescence. <i>European Child and Adolescent Psychiatry</i> , 2009, 18, 180-184.	4.7	10
139	Plasma homovanillic acid in adolescents with bulimia nervosa. <i>Psychiatry Research</i> , 2009, 170, 241-244.	3.3	4
140	Multidisciplinary treatment of fibromyalgia: Does cognitive behavior therapy increase the response to treatment?. <i>Journal of Psychosomatic Research</i> , 2009, 67, 433-441.	2.6	52
141	Cannabis use in children and adolescents with first episode psychosis: Influence on psychopathology and short-term outcome (CAFEPS study). <i>Schizophrenia Research</i> , 2009, 113, 129-137.	2.0	86
142	Obsessive-compulsive personality disorder traits and personality dimensions in parents of children with obsessive-compulsive disorder. <i>European Psychiatry</i> , 2009, 24, 201-206.	0.2	29
143	DRD3, but not COMT or DRD2, genotype affects executive functions in healthy and first episode psychosis adolescents. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008, 147B, 873-879.	1.7	53
144	Psychopathological and nutritional correlates of plasma homovanillic acid in adolescents with anorexia nervosa. <i>Journal of Psychiatric Research</i> , 2008, 42, 213-220.	3.1	11

#	ARTICLE	IF	CITATIONS
145	Clinical and research utility of Spanish Teen-Addiction Severity Index (T-ASI). <i>Addictive Behaviors</i> , 2008, 33, 188-195.	3.0	15
146	Antipsychotic Treatment in Child and Adolescent First-Episode Psychosis: A Longitudinal Naturalistic Approach. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2008, 18, 327-336.	1.3	58
147	The genetic contribution to first psychotic episodes in children and adolescents of the child and adolescent first-episode psychosis study. <i>Psychiatric Genetics</i> , 2008, 18, 151-152.	1.1	1
148	The child and adolescent first-episode psychosis study (CAFEPS): Design and baseline results. <i>Schizophrenia Research</i> , 2007, 91, 226-237.	2.0	85
149	Predictors of weight maintenance after hospital discharge in adolescent anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2007, 40, 129-135.	4.0	57
150	Self-oriented perfectionism in eating disorders. <i>International Journal of Eating Disorders</i> , 2007, 40, 562-568.	4.0	63
151	Cue exposure in the treatment of resistant adolescent bulimia nervosa. <i>International Journal of Eating Disorders</i> , 2007, 40, 596-601.	4.0	53
152	Adolescent anorexia nervosa: Cross-sectional and follow-up frontal gray matter disturbances detected with proton magnetic resonance spectroscopy. <i>Journal of Psychiatric Research</i> , 2007, 41, 952-958.	3.1	51
153	Differences between prepubertal- versus adolescent- onset bipolar disorder in a Spanish clinical sample. <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 510-516.	4.7	20