

Leona Hakkaart-van Roijen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7485145/publications.pdf>

Version: 2024-02-01

111
papers

3,999
citations

172457

29
h-index

133252

59
g-index

118
all docs

118
docs citations

118
times ranked

6314
citing authors

#	ARTICLE	IF	CITATIONS
1	The Mental Health Quality of Life Questionnaire (MHQoL): development and first psychometric evaluation of a new measure to assess quality of life in people with mental health problems. <i>Quality of Life Research</i> , 2022, 31, 633-643.	3.1	22
2	Productivity of Working at Home and Time Allocation Between Paid Work, Unpaid Work and Leisure Activities During a Pandemic. <i>Pharmacoeconomics</i> , 2022, 40, 77-90.	3.3	13
3	Caring for Children with an Autism Spectrum Disorder: Factors Associating with Health- and Care-Related Quality of Life of the Caregivers. <i>Journal of Autism and Developmental Disorders</i> , 2022, 52, 4665-4678.	2.7	5
4	In Search for Comparability: The PECUNIA Reference Unit Costs for Health and Social Care Services in Europe. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3500.	2.6	13
5	Cost Effectiveness of Splenic Artery Embolization versus Splenectomy after Trauma in the Netherlands. <i>Journal of Vascular and Interventional Radiology</i> , 2022, 33, 392-398.e4.	0.5	3
6	In Absence of Absenteeism: Some Thoughts on Productivity Costs in Economic Evaluations in a Post-corona Era. <i>Pharmacoeconomics</i> , 2022, 40, 7-11.	3.3	6
7	Strategies for Implementing Occupational eMental Health Interventions: Scoping Review. <i>Journal of Medical Internet Research</i> , 2022, 24, e34479.	4.3	5
8	Development and psychometric evaluation of the Decision Tool Anxiety Disorders, OCD and PTSD (DTAOP): Facilitating the early detection of patients in need of highly specialized care. <i>PLoS ONE</i> , 2021, 16, e0256384.	2.5	0
9	Measurement Instruments of Productivity Loss of Paid and Unpaid Work: A Systematic Review and Assessment of Suitability for Health Economic Evaluations From a Societal Perspective. <i>Value in Health</i> , 2021, 24, 1686-1699.	0.3	21
10	Patient, family and productivity costs of end-stage renal disease in the Netherlands; exposing non-healthcare related costs. <i>BMC Nephrology</i> , 2021, 22, 341.	1.8	11
11	Instruments to assess quality of life in people with mental health problems: a systematic review and dimension analysis of generic, domain- and disease-specific instruments. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 249.	2.4	11
12	Children with an Autism Spectrum Disorder and Their Caregivers: Capturing Health-Related and Care-Related Quality of Life. <i>Journal of Autism and Developmental Disorders</i> , 2020, 50, 263-277.	2.7	40
13	Age-related difference in health care use and costs of patients with chronic kidney disease and matched controls: analysis of Dutch health care claims data. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2138-2146.	0.7	16
14	Burden of illness of hip fractures in elderly Dutch patients. <i>Archives of Osteoporosis</i> , 2020, 15, 11.	2.4	21
15	Development and psychometric evaluation of the Transdiagnostic Decision Tool: matched care for patients with a mental disorder in need of highly specialised care. <i>BJPsych Open</i> , 2020, 6, .	0.7	0
16	Presentation and validation of the Abbreviated Self Completion Teen-Addiction Severity Index (ASC) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 e0238858.	2.5	5
17	(Pharmaco)economic evaluations for mental health related services: the PECUNIA project. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	6
18	Title is missing!. , 2020, 15, e0238858.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0238858.		0
20	Title is missing!. , 2020, 15, e0238858.		0
21	Title is missing!. , 2020, 15, e0238858.		0
22	FP422AGE-RELATED DIFFERENCE IN HEALTHCARE USE AND COSTS OF PATIENTS WITH CHRONIC KIDNEY DISEASE AND MATCHED CONTROLS: ANALYSIS OF DUTCH HEALTHCARE CLAIMS DATA. Nephrology Dialysis Transplantation, 2019, 34, .	0.7	0
23	Healthcare costs of patients on different renal replacement modalities â€“ Analysis of Dutch health insurance claims data. PLoS ONE, 2019, 14, e0220800.	2.5	51
24	The decision tool unipolar depression (DTUD): a new measure to facilitate the early identification of patients with major depressive disorder in need of highly specialized care. BMC Psychiatry, 2019, 19, 179.	2.6	4
25	PNS304 IN SEARCH OF A PAN-EUROPEAN VALUE SET; APPLICATION FOR EQ-5D-3L: THE PECUNIA PROJECT. Value in Health, 2019, 22, S815.	0.3	1
26	Indicators to facilitate the early identification of patients with major depressive disorder in need of highly specialized care: A concept mapping study. Depression and Anxiety, 2018, 35, 346-352.	4.1	6
27	Decreased quality of life and societal impact of cryopyrin-associated periodic syndrome treated with canakinumab: a questionnaire based cohort study. Orphanet Journal of Rare Diseases, 2018, 13, 59.	2.7	11
28	FP673HEALTHCARE COSTS OF PATIENTS ON DIFFERENT RENAL REPLACEMENT MODALITIES - ANALYSIS OF DUTCH HEALTH INSURANCE CLAIMS DATA. Nephrology Dialysis Transplantation, 2018, 33, i272-i272.	0.7	1
29	Effectiveness of step-down versus outpatient dialectical behaviour therapy for patients with severe levels of borderline personality disorder: a pragmatic randomized controlled trial. Borderline Personality Disorder and Emotion Dysregulation, 2018, 5, 12.	2.6	16
30	Cost-effectiveness of â€“immediate IVFâ€™ versus â€“delayed IVFâ€™: a prospective study. Human Reproduction, 2017, 32, 999-1008.	0.9	28
31	Development and Validation of a Decision Tool for Early Identification of Adult Patients with Severe and Complex Eating Disorder Psychopathology in Need of Highly Specialized Care. European Eating Disorders Review, 2017, 25, 366-372.	4.1	4
32	Cost-utility of collaborative care for the treatment of comorbid major depressive disorder in outpatients with chronic physical conditions. A randomized controlled trial in the general hospital setting (CC-DIM). Neuropsychiatric Disease and Treatment, 2017, Volume 13, 1881-1893.	2.2	7
33	Indicators of patients with major depressive disorder in need of highly specialized care: A systematic review. PLoS ONE, 2017, 12, e0171659.	2.5	12
34	Cost-effectiveness of enzyme replacement therapy with alglucosidase alfa in adult patients with Pompe disease. Orphanet Journal of Rare Diseases, 2017, 12, 179.	2.7	15
35	Developing a decision tool to identify patients with personality disorders in need of highly specialized care. BMC Psychiatry, 2017, 17, 317.	2.6	3
36	Update of the Dutch manual for costing studies in health care. PLoS ONE, 2017, 12, e0187477.	2.5	151

#	ARTICLE	IF	CITATIONS
37	Collaborative care models for the management of mental disorders in primary care. , 2017, , .		0
38	The cost-effectiveness of family/family-based therapy for treatment of externalizing disorders, substance use disorders and delinquency: a systematic review. BMC Psychiatry, 2016, 16, 237.	2.6	14
39	Early Indicators of Patients with Major Depressive Disorder in Need of Highly Specialized Care: A Systematic Review. Value in Health, 2016, 19, A529-A530.	0.3	0
40	Feasibility, Reliability and Validity of The Decision Tool Unipolar Depression (DTUD) In Identifying Patients with Major Depressive Disorder in Need of Highly Specialized Care. Value in Health, 2016, 19, A529.	0.3	1
41	Cost-effectiveness of multidimensional family therapy compared to cognitive behavioral therapy for adolescents with a cannabis use disorder: Data from a randomized controlled trial. Drug and Alcohol Dependence, 2016, 162, 154-161.	3.2	22
42	Cost-Effectiveness of Short-Term Inpatient Psychotherapy Based on Transactional Analysis in Patients With Personality Disorder. Journal of Personality Disorders, 2016, 30, 483-501.	1.4	1
43	Development of the Treatment Inventory of Costs in Psychiatric Patients: TIC-P Mini and Midi. Value in Health, 2015, 18, 994-999.	0.3	8
44	Association between societal costs and treatment response in children and adolescents with ADHD and their parents. A cross-sectional study in the Netherlands. SpringerPlus, 2015, 4, 224.	1.2	11
45	Employment and the associated impact on quality of life in people diagnosed with schizophrenia. Neuropsychiatric Disease and Treatment, 2015, 11, 2125.	2.2	73
46	Cost effectiveness of an intervention aiming at migrant women with unexplained somatic complaints. European Journal of Public Health, 2015, 25, .	0.3	0
47	Probabilistic Markov Model Estimating Cost Effectiveness of Methylphenidate Osmotic-Release Oral System Versus Immediate-Release Methylphenidate in Children and Adolescents: Which Information is Needed?. Pharmacoeconomics, 2015, 33, 489-509.	3.3	17
48	A Systematic Review of Literatures on Factors Associated with Educational and Academic Performance in Attention Deficit Hyperactivity Disorder. Creative Education, 2015, 06, 164-180.	0.4	2
49	Cost-utility of collaborative care for major depressive disorder in primary care in the Netherlands. Journal of Psychosomatic Research, 2015, 79, 316-323.	2.6	15
50	The iMTA Productivity Cost Questionnaire. Value in Health, 2015, 18, 753-758.	0.3	298
51	Money for medication: a randomized controlled study on the effectiveness of financial incentives to improve medication adherence in patients with psychotic disorders. BMC Psychiatry, 2014, 14, 343.	2.6	13
52	Health-Related Quality of Life and Productivity Losses in Patients With Depression and Anxiety Disorders. Journal of Occupational and Environmental Medicine, 2014, 56, 420-424.	1.7	25
53	The effect of outcome monitoring feedback to clinicians and patients in short and long-term psychotherapy: A randomized controlled trial. Psychotherapy Research, 2014, 24, 629-639.	1.8	79
54	DRG systems in Europe: variations in cost accounting systems among 12 countries. European Journal of Public Health, 2014, 24, 1023-1028.	0.3	43

#	ARTICLE	IF	CITATIONS
55	Cost-Utility Analysis of a Collaborative Care Intervention for Major Depressive Disorder in an Occupational Healthcare Setting. <i>Journal of Occupational Rehabilitation</i> , 2014, 24, 555-562.	2.2	20
56	Efficacy and cost-effectiveness of an experimental short-term inpatient Dialectical Behavior Therapy (DBT) program: study protocol for a randomized controlled trial. <i>Trials</i> , 2014, 15, 152.	1.6	18
57	Cost utility analysis of a collaborative stepped care intervention for panic and generalized anxiety disorders in primary care. <i>Journal of Psychosomatic Research</i> , 2014, 77, 57-63.	2.6	33
58	Core Discrete Event Simulation Model for the Evaluation of Health Care Technologies in Major Depressive Disorder. <i>Value in Health</i> , 2014, 17, 183-195.	0.3	10
59	Effectiveness and Cost-Effectiveness of eHealth Interventions in Somatic Diseases: A Systematic Review of Systematic Reviews and Meta-Analyses. <i>Journal of Medical Internet Research</i> , 2014, 16, e110.	4.3	296
60	Effectiveness and cost-effectiveness of transmural collaborative care with consultation letter (TCCCL) and duloxetine for major depressive disorder (MDD) and (sub)chronic pain in collaboration with primary care: design of a randomized placebo-controlled multi-Centre trial: TCC:PAINDIP. <i>BMC Psychiatry</i> , 2013, 13, 147.	2.6	9
61	Feasibility, reliability and validity of a questionnaire on healthcare consumption and productivity loss in patients with a psychiatric disorder (TiC-P). <i>BMC Health Services Research</i> , 2013, 13, 217.	2.2	294
62	Explaining length of stay variation of episodes of care in the Netherlands. <i>European Journal of Health Economics</i> , 2013, 14, 919-927.	2.8	7
63	An Internet-based intervention for eating disorders consisting of automated computer-tailored feedback with or without supplemented frequent or infrequent support from a coach: study protocol for a randomized controlled trial. <i>Trials</i> , 2013, 14, 340.	1.6	10
64	A target-driven collaborative care model for Major Depressive Disorder is effective in primary care in the Netherlands. A randomized clinical trial from the depression initiative. <i>Journal of Affective Disorders</i> , 2013, 146, 328-337.	4.1	64
65	Economic evaluation alongside a single RCT of an integrative psychotherapeutic nursing home programme. <i>BMC Health Services Research</i> , 2013, 13, 370.	2.2	6
66	Blended E-health module on return to work embedded in collaborative occupational health care for common mental disorders: design of a cluster randomized controlled trial. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 529.	2.2	12
67	Let's get back to work: survival analysis on the return-to-work after depression. <i>Neuropsychiatric Disease and Treatment</i> , 2013, 9, 1637.	2.2	26
68	Direct Cost Analysis of Intensive Care Unit Stay in Four European Countries: Applying a Standardized Costing Methodology. <i>Value in Health</i> , 2012, 15, 81-86.	0.3	126
69	PMH11 Costs of Children With Attention Deficit Hyperactivity Disorder (ADHD) Being Compliant or Non-Compliant to Pharmacological Treatment: Results From a Dutch Observational Study. <i>Value in Health</i> , 2012, 15, A335.	0.3	0
70	PMH44 Validity and Responsiveness of the EQ-5D and the Kidscreen-10 in Children With ADHD. <i>Value in Health</i> , 2012, 15, A342.	0.3	0
71	UPDATE OF THE DUTCH MANUAL FOR COSTING IN ECONOMIC EVALUATIONS. <i>International Journal of Technology Assessment in Health Care</i> , 2012, 28, 152-158.	0.5	141
72	PSS9 The Burden of Age-related Macular Degeneration in the Netherlands. <i>Value in Health</i> , 2011, 14, A503.	0.3	1

#	ARTICLE	IF	CITATIONS
73	PMH46 The Quality of Life of Children With ADHD and their Parents: Results of EQ-5D and Kidscreen-10. Value in Health, 2011, 14, A294-A295.	0.3	1
74	PRM32 Feasibility and Validity of the TiC-P. Value in Health, 2011, 14, A426.	0.3	4
75	More comorbid depression in patients with Type 2 diabetes with multiple complications. An observational study at a specialized outpatient clinic. Diabetic Medicine, 2011, 28, 86-89.	2.3	47
76	Incorporation of economic evidence in the Dutch guideline "cardiovascular risk management". Journal of Evaluation in Clinical Practice, 2011, 17, 1094-1101.	1.8	0
77	A microcosting study of microsurgery, LINAC radiosurgery, and gamma knife radiosurgery in meningioma patients. Journal of Neuro-Oncology, 2011, 101, 237-245.	2.9	8
78	The Cost-Effectiveness of an Intensive Treatment Protocol for Severe Dyslexia in Children. Dyslexia, 2011, 17, 256-267.	1.5	10
79	The Effects of Long-Term Psychoanalytic Treatment on Healthcare Utilization and Work Impairment and Their Associated Costs. Journal of Psychiatric Practice, 2010, 16, 209-216.	0.7	16
80	Cost-effectiveness of collaborative care for the treatment of major depressive disorder in primary care. A systematic review. BMC Health Services Research, 2010, 10, 19.	2.2	63
81	Validation of the PHQ-9 as a screening instrument for depression in diabetes patients in specialized outpatient clinics. BMC Health Services Research, 2010, 10, 235.	2.2	146
82	The Unit Costs of Inpatient Hospital Days, Outpatient Visits, and Daycare Treatments in the Fields of Oncology and Hematology. Value in Health, 2010, 13, 712-719.	0.3	21
83	A cost-utility analysis of psychoanalysis versus psychoanalytic psychotherapy. International Journal of Technology Assessment in Health Care, 2010, 26, 3-10.	0.5	28
84	Collaborative stepped care for anxiety disorders in primary care: aims and design of a randomized controlled trial. BMC Health Services Research, 2009, 9, 159.	2.2	25
85	Comparing methodologies for the cost estimation of hospital services. European Journal of Health Economics, 2009, 10, 39-45.	2.8	173
86	Comparing Methodologies for the Allocation of Overhead and Capital Costs to Hospital Services. Value in Health, 2009, 12, 530-535.	0.3	23
87	A microcosting study of diagnostic tests for the detection of coronary artery disease in the Netherlands. European Journal of Radiology, 2009, 72, 98-103.	2.6	11
88	Absence from work and emotional stress in women undergoing IVF or ICSI: An analysis of IVF-related absence from work in women and the contribution of general and emotional factors. Acta Obstetrica Et Gynecologica Scandinavica, 2008, 87, 1169-1175.	2.8	29
89	Multidisciplinary Collaborative Care for Depressive Disorder in the Occupational Health Setting: design of a randomised controlled trial and cost-effectiveness study. BMC Health Services Research, 2008, 8, 99.	2.2	31
90	PHP29 MICROCOSTING STUDY OF THE DAILY ICU COSTS IN THREE COUNTRIES. Value in Health, 2008, 11, A371.	0.3	0

#	ARTICLE	IF	CITATIONS
91	PMH34 TREATMENT OF ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD): ESTIMATING THE MAXIMUM ALLOWABLE COST OF PSYCHOSOCIAL INTERVENTIONS IN THE UNITED STATES, GERMANY, THE NETHERLANDS, SWEDEN, AND THE UNITED KINGDOM. <i>Value in Health</i> , 2008, 11, A119.	0.3	0
92	Review of A Large Clinical Series: A Microcosting Study of Intensive Care Unit Stay in the Netherlands. <i>Journal of Intensive Care Medicine</i> , 2008, 23, 250-257.	2.8	38
93	A Randomized Clinical Trial on the Effectiveness of a Reintegration Training Program Versus Booster Sessions After Short-Term Inpatient Psychotherapy. <i>Journal of Personality Disorders</i> , 2008, 22, 483-495.	1.4	9
94	The Economic Burden of Personality Disorders in Mental Health Care. <i>Journal of Clinical Psychiatry</i> , 2008, 69, 259-265.	2.2	275
95	Rapid identification and antimicrobial susceptibility testing reduce antibiotic use and accelerate pathogen-directed antibiotic use. <i>Journal of Antimicrobial Chemotherapy</i> , 2007, 61, 428-435.	3.0	189
96	Cost-effectiveness of collaborative care for chronically ill patients with comorbid depressive disorder in the general hospital setting, a randomised controlled trial. <i>BMC Health Services Research</i> , 2007, 7, 28.	2.2	27
97	Cost-effectiveness of collaborative care including PST and an antidepressant treatment algorithm for the treatment of major depressive disorder in primary care; a randomised clinical trial. <i>BMC Health Services Research</i> , 2007, 7, 34.	2.2	38
98	Societal costs and quality of life of children suffering from attention deficient hyperactivity disorder (ADHD). <i>European Child and Adolescent Psychiatry</i> , 2007, 16, 316-326.	4.7	102
99	PMH1 COST-EFFECTIVENESS OF CLINICALLY PROVEN TREATMENT STRATEGIES FOR ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD): IMPACT OF COEXISTING CONDITIONS. <i>Value in Health</i> , 2006, 9, A309.	0.3	2
100	PMH9 COST-EFFECTIVENESS OF CLINICALLY PROVEN TREATMENT STRATEGIES FOR ATTENTION-DEFICIT/HYPERACTIVITY DISORDER (ADHD) IN FIVE JURISDICTIONS. <i>Value in Health</i> , 2006, 9, A312.	0.3	0
101	PMH10 FUNCTIONAL IMPAIRMENT OF PATIENTS WITH ATTENTIONDEFICIT/ HYPERACTIVITY DISORDER (ADHD): AN ALTERNATIVE COST-EFFECTIVENESS ANALYSIS OF CLINICALLY PROVEN TREATMENT STRATEGIES BASED UPON THE NIMH MTA STUDY. <i>Value in Health</i> , 2006, 9, A312.	0.3	0
102	Cost-utility of brief psychological treatment for depression and anxiety. <i>British Journal of Psychiatry</i> , 2006, 188, 323-329.	2.8	54
103	Influence of waiting time on cost-effectiveness. <i>Social Science and Medicine</i> , 2005, 60, 2501-2504.	3.8	31
104	Prevalence of bipolar disorder in the general population: a Reappraisal Study of the Netherlands Mental Health Survey and Incidence Study. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 374-382.	4.5	77
105	The societal costs and quality of life of patients suffering from bipolar disorder in the Netherlands. <i>Acta Psychiatrica Scandinavica</i> , 2004, 110, 383-392.	4.5	66
106	A cost study of a general practitioner hospital in the Netherlands. <i>European Journal of General Practice</i> , 2004, 10, 45-49.	2.0	5
107	The cost of atopic dermatitis in the Netherlands: an international comparison. <i>British Journal of Dermatology</i> , 2002, 147, 716-724.	1.5	109
108	The Cost Effectiveness of Tapered versus Abrupt Discontinuation of Oral Cyclosporin Microemulsion for the Treatment of Psoriasis. <i>Pharmacoeconomics</i> , 2001, 19, 599-608.	3.3	11

#	ARTICLE	IF	CITATIONS
109	Cost of Illness in Adult Patients with Hypopituitarism. <i>Pharmacoeconomics</i> , 2000, 17, 621-628.	3.3	43
110	Doelmatigheid van psychotherapie: een haalbaarheidsonderzoek. <i>Tijdschrift Voor Psychotherapie</i> , 1998, 24, 1-11.	0.2	5
111	The Burden of Illness of Hypopituitary Adults with Growth Hormone Deficiency. <i>Pharmacoeconomics</i> , 1998, 14, 395-403.	3.3	31