Benjamin R Thomson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/749015/publications.pdf

Version: 2024-02-01

18 papers

1,006 citations

567281 15 h-index 18 g-index

20 all docs

20 docs citations

times ranked

20

1457 citing authors

#	Article	IF	Citations
1	Endothelial Tyrosine Kinase Tie1 Is Required for Normal Schlemm's Canal Development—Brief Report. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 348-351.	2.4	6
2	Cellular crosstalk regulates the aqueous humor outflow pathway and provides new targets for glaucoma therapies. Nature Communications, 2021, 12, 6072.	12.8	40
3	Ocular macrophage origin and heterogeneity during steady state and experimental choroidal neovascularization. Journal of Neuroinflammation, 2020, 17, 341.	7.2	16
4	Angiopoietin-1 Knockout Mice as a Genetic Model of Open-Angle Glaucoma. Translational Vision Science and Technology, 2020, 9, 16.	2.2	22
5	Targeting VE-PTP phosphatase protects the kidney from diabetic injury. Journal of Experimental Medicine, 2019, 216, 936-949.	8.5	34
6	Targeting the vascular-specific phosphatase PTPRB protects against retinal ganglion cell loss in a pre-clinical model of glaucoma. ELife, 2019, 8, .	6.0	30
7	Long-lived metabolic enzymes in the crystalline lens identified by pulse-labeling of mice and mass spectrometry. ELife, 2019, 8, .	6.0	23
8	Ascending Vasa Recta Are Angiopoietin/Tie2-Dependent Lymphatic-Like Vessels. Journal of the American Society of Nephrology: JASN, 2018, 29, 1097-1107.	6.1	59
9	Context-dependent functions of angiopoietin 2 are determined by the endothelial phosphatase VEPTP. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 1298-1303.	7.1	85
10	Angiopoietins bind thrombomodulin and inhibit its function as a thrombin cofactor. Scientific Reports, 2018, 8, 505.	3.3	34
11	Morphological Analysis of Schlemm's Canal in Mice. Methods in Molecular Biology, 2018, 1846, 153-160.	0.9	7
12	Selective permeability of mouse blood-aqueous barrier as determined by ¹⁵ N-heavy isotope tracing and mass spectrometry. Proceedings of the National Academy of Sciences of the United States of America, 2018, 115, 9032-9037.	7.1	13
13	Angiopoietin-1 is required for Schlemm's canal development in mice and humans. Journal of Clinical Investigation, 2017, 127, 4421-4436.	8.2	94
14	Angiopoietin receptor TEK mutations underlie primary congenital glaucoma with variable expressivity. Journal of Clinical Investigation, 2016, 126, 2575-2587.	8.2	175
15	Tubulovascular Cross-Talk by Vascular Endothelial Growth Factor A Maintains Peritubular Microvasculature in Kidney. Journal of the American Society of Nephrology: JASN, 2015, 26, 1027-1038.	6.1	127
16	Murine <i>Notch1</i> is required for lymphatic vascular morphogenesis during development. Developmental Dynamics, 2014, 243, 957-964.	1.8	33
17	A lymphatic defect causes ocular hypertension and glaucoma in mice. Journal of Clinical Investigation, 2014, 124, 4320-4324.	8.2	151
18	Role of PDZK1 in membrane expression of renal brush border ion exchangers. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 13331-13336.	7.1	57