
## Lorea Manterola

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7497125/publications.pdf Version: 2024-02-01



LODEA MANTEDOLA

#	Article	IF	CITATIONS
1	A small noncoding RNA signature found in exosomes of GBM patient serum as a diagnostic tool. Neuro-Oncology, 2014, 16, 520-527.	1.2	298
2	CircRNAs and cancer: Biomarkers and master regulators. Seminars in Cancer Biology, 2019, 58, 90-99.	9.6	291
3	Genetic and Epigenetic Modifications of Sox2 Contribute to the Invasive Phenotype of Malignant Gliomas. PLoS ONE, 2011, 6, e26740.	2.5	187
4	Oncogenicity of the Developmental Transcription Factor Sox9. Cancer Research, 2012, 72, 1301-1315.	0.9	180
5	mTOR inhibition decreases SOX2-SOX9 mediated glioma stem cell activity and temozolomide resistance. Expert Opinion on Therapeutic Targets, 2016, 20, 393-405.	3.4	111
6	The circulating transcriptome as a source of cancer liquid biopsy biomarkers. Seminars in Cancer Biology, 2019, 58, 100-108.	9.6	85
7	The Lipopolysaccharide of Brucella abortus BvrS/BvrR Mutants Contains Lipid A Modifications and Has Higher Affinity for Bactericidal Cationic Peptides. Journal of Bacteriology, 2005, 187, 5631-5639.	2.2	84
8	The circulating transcriptome as a source of nonâ€invasive cancer biomarkers: concepts and controversies of nonâ€coding and coding <scp>RNA</scp> in body fluids. Journal of Cellular and Molecular Medicine, 2015, 19, 2307-2323.	3.6	78
9	Regulation of Brucella virulence by the two-component system BvrR/BvrS. Veterinary Microbiology, 2002, 90, 329-339.	1.9	75
10	Targeted nextâ€generation sequencing and nonâ€coding <scp>RNA</scp> expression analysis of clear cell papillary renal cell carcinoma suggests distinct pathological mechanisms from other renal tumour subtypes. Journal of Pathology, 2014, 232, 32-42.	4.5	51
11	BvrR/BvrS-Controlled Outer Membrane Proteins Omp3a and Omp3b Are Not Essential for <i>Brucella abortus</i> Virulence. Infection and Immunity, 2007, 75, 4867-4874.	2.2	45
12	Evaluation of a PCR test for the diagnosis of Brucella ovis infection in semen samples from rams. Veterinary Microbiology, 2003, 92, 65-72.	1.9	35
13	The Circulating Transcriptome as a Source of Biomarkers for Melanoma. Cancers, 2019, 11, 70.	3.7	34
14	Expression and activity of angiotensin-regulating enzymes is associated with prognostic outcome in clear cell renal cell carcinoma patients. PLoS ONE, 2017, 12, e0181711.	2.5	32
15	Improved dendritic cell-based immunization against hepatitis C virus using peptide inhibitors of interleukin 10. Hepatology, 2011, 53, 23-31.	7.3	25
16	MicroRNAs in Lymphoma: Regulatory Role and Biomarker Potential. Current Genomics, 2015, 16, 349-358.	1.6	24
17	Noncoding RNA Expression and Targeted Next-Generation Sequencing Distinguish Tubulocystic Renal Cell Carcinoma (TC-RCC) from Other Renal Neoplasms. Journal of Molecular Diagnostics, 2018, 20, 34-45.	2.8	20
18	The Urinary Transcriptome as a Source of Biomarkers for Prostate Cancer. Cancers, 2020, 12, 513.	3.7	14

#	Article	IF	CITATIONS
19	Spatial intratumoural heterogeneity in the expression of GIT1 is associated with poor prognostic outcome in oestrogen receptor positive breast cancer patients with synchronous lymph node metastases. F1000Research, 2017, 6, 1606.	1.6	5
20	Aberrant Expression of MicroRNAs in B-cell Lymphomas. MicroRNA (Shariqah, United Arab Emirates), 2016, 5, 87-105.	1.2	5
21	Spatial intratumoural heterogeneity in the expression of GIT1 is associated with poor prognostic outcome in oestrogen receptor positive breast cancer patients with synchronous lymph node metastases. F1000Research, 2017, 6, 1606.	1.6	4