

# Lorea Manterola

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7497125/publications.pdf>

Version: 2024-02-01

21  
papers

1,683  
citations

471509

17  
h-index

713466

21  
g-index

21  
all docs

21  
docs citations

21  
times ranked

3541  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Urinary Transcriptome as a Source of Biomarkers for Prostate Cancer. <i>Cancers</i> , 2020, 12, 513.	3.7	14
2	The circulating transcriptome as a source of cancer liquid biopsy biomarkers. <i>Seminars in Cancer Biology</i> , 2019, 58, 100-108.	9.6	85
3	The Circulating Transcriptome as a Source of Biomarkers for Melanoma. <i>Cancers</i> , 2019, 11, 70.	3.7	34
4	CircRNAs and cancer: Biomarkers and master regulators. <i>Seminars in Cancer Biology</i> , 2019, 58, 90-99.	9.6	291
5	Noncoding RNA Expression and Targeted Next-Generation Sequencing Distinguish Tubulocystic Renal Cell Carcinoma (TC-RCC) from Other Renal Neoplasms. <i>Journal of Molecular Diagnostics</i> , 2018, 20, 34-45.	2.8	20
6	Spatial intratumoural heterogeneity in the expression of GIT1 is associated with poor prognostic outcome in oestrogen receptor positive breast cancer patients with synchronous lymph node metastases. <i>F1000Research</i> , 2017, 6, 1606.	1.6	4
7	Spatial intratumoural heterogeneity in the expression of GIT1 is associated with poor prognostic outcome in oestrogen receptor positive breast cancer patients with synchronous lymph node metastases. <i>F1000Research</i> , 2017, 6, 1606.	1.6	5
8	Expression and activity of angiotensin-regulating enzymes is associated with prognostic outcome in clear cell renal cell carcinoma patients. <i>PLoS ONE</i> , 2017, 12, e0181711.	2.5	32
9	mTOR inhibition decreases SOX2-SOX9 mediated glioma stem cell activity and temozolomide resistance. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 393-405.	3.4	111
10	Aberrant Expression of MicroRNAs in B-cell Lymphomas. <i>MicroRNA (Shariqah, United Arab Emirates)</i> , 2016, 5, 87-105.	1.2	5
11	The circulating transcriptome as a source of non-invasive cancer biomarkers: concepts and controversies of non-coding and coding RNA in body fluids. <i>Journal of Cellular and Molecular Medicine</i> , 2015, 19, 2307-2323.	3.6	78
12	MicroRNAs in Lymphoma: Regulatory Role and Biomarker Potential. <i>Current Genomics</i> , 2015, 16, 349-358.	1.6	24
13	A small noncoding RNA signature found in exosomes of GBM patient serum as a diagnostic tool. <i>Neuro-Oncology</i> , 2014, 16, 520-527.	1.2	298
14	Targeted next-generation sequencing and non-coding RNA expression analysis of clear cell papillary renal cell carcinoma suggests distinct pathological mechanisms from other renal tumour subtypes. <i>Journal of Pathology</i> , 2014, 232, 32-42.	4.5	51
15	Oncogenicity of the Developmental Transcription Factor Sox9. <i>Cancer Research</i> , 2012, 72, 1301-1315.	0.9	180
16	Improved dendritic cell-based immunization against hepatitis C virus using peptide inhibitors of interleukin 10. <i>Hepatology</i> , 2011, 53, 23-31.	7.3	25
17	Genetic and Epigenetic Modifications of Sox2 Contribute to the Invasive Phenotype of Malignant Gliomas. <i>PLoS ONE</i> , 2011, 6, e26740.	2.5	187
18	BvrR/BvrS-Controlled Outer Membrane Proteins Omp3a and Omp3b Are Not Essential for <i>Brucella abortus</i> Virulence. <i>Infection and Immunity</i> , 2007, 75, 4867-4874.	2.2	45

#	ARTICLE	IF	CITATIONS
19	The Lipopolysaccharide of <i>Brucella abortus</i> BvrS/BvrR Mutants Contains Lipid A Modifications and Has Higher Affinity for Bactericidal Cationic Peptides. <i>Journal of Bacteriology</i> , 2005, 187, 5631-5639.	2.2	84
20	Evaluation of a PCR test for the diagnosis of <i>Brucella ovis</i> infection in semen samples from rams. <i>Veterinary Microbiology</i> , 2003, 92, 65-72.	1.9	35
21	Regulation of <i>Brucella</i> virulence by the two-component system BvrR/BvrS. <i>Veterinary Microbiology</i> , 2002, 90, 329-339.	1.9	75