

# Gaetan Laroche

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7497474/publications.pdf>

Version: 2024-02-01

88  
papers

2,182  
citations

257450

24  
h-index

265206

42  
g-index

90  
all docs

90  
docs citations

90  
times ranked

2992  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyethylene terephthalate textile heart valve: How poly(ethylene glycol) grafting limits fibrosis. <i>Journal of Biomedical Materials Research - Part B Applied Biomaterials</i> , 2022, 110, 2110-2120.	3.4	1
2	Interplay of matrix stiffness and stress relaxation in directing osteogenic differentiation of mesenchymal stem cells. <i>Biomaterials Science</i> , 2022, 10, 4978-4996.	5.4	6
3	Atmospheric pressure plasma-enhanced chemical vapor deposition of nanocomposite thin films from ethyl lactate and silica nanoparticles. <i>Plasma Processes and Polymers</i> , 2021, 18, 2000153.	3.0	3
4	Response surface methodology as a predictive tool for the fabrication of coatings with optimal anti-fogging performance. <i>Thin Solid Films</i> , 2021, 718, 138482.	1.8	9
5	A new approach for synthesizing plasmonic polymer nanocomposite thin films by combining a gold salt aerosol and an atmospheric pressure low-temperature plasma. <i>Nanotechnology</i> , 2021, 32, 175601.	2.6	7
6	Evaluating Poly(Acrylamide-co Acrylic Acid) Hydrogels Stress Relaxation to Direct the Osteogenic Differentiation of Mesenchymal Stem Cells. <i>Macromolecular Bioscience</i> , 2021, 21, 2100069.	4.1	8
7	Fibronectin grafting to enhance skin sealing around transcutaneous titanium implant. <i>Journal of Biomedical Materials Research - Part A</i> , 2021, 109, 2187-2198.	4.0	8
8	Fourier transform infrared spectroscopy of ethyl lactate decomposition and thin film coating in a filamentary and a glow dielectric barrier discharge. <i>Plasma Processes and Polymers</i> , 2021, 18, 2000248.	3.0	6
9	Directing hMSCs fate through geometrical cues and mimetics peptides. <i>Journal of Biomedical Materials Research - Part A</i> , 2020, 108, 201-211.	4.0	8
10	Milkweed scaffold: A new candidate for bone cell growth. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2020, 69, 872-883.	3.4	3
11	Effect of linking arm hydrophilic/hydrophobic nature, length and end-group on the conformation and the RGD accessibility of surface-immobilized fibronectin. <i>Materials Science and Engineering C</i> , 2020, 107, 110335.	7.3	6
12	Interpretation of artifacts in Fourier transform infrared spectra of atmospheric pressure dielectric barrier discharges: relationship with the plasma frequency between 300 Hz and 15 kHz. <i>Journal Physics D: Applied Physics</i> , 2020, 53, 015201.	2.8	5
13	Beyond microelectronics with 1,3,5,7-tetramethylcyclotetrasiloxane: A promising molecule for anti-fogging coatings. <i>Materials Chemistry and Physics</i> , 2020, 242, 122508.	4.0	7
14	Surface grafting of Fc-binding peptides as a simple platform to immobilize and identify antibodies that selectively capture circulating endothelial progenitor cells. <i>Biomaterials Science</i> , 2020, 8, 5465-5475.	5.4	8
15	Electrode cleanliness impact on the surface treatment of fluoropolymer films for a long-lasting plasma process. <i>Manufacturing Letters</i> , 2020, 26, 1-5.	2.2	2
16	Bioactive micropatterning of biomaterials for induction of endothelial progenitor cell differentiation: Acceleration of in situ endothelialization. <i>Journal of Biomedical Materials Research - Part A</i> , 2020, 108, 1479-1492.	4.0	4
17	Unveiling the origin of the anti-fogging performance of plasma-coated glass: Role of the structure and the chemistry of siloxane precursors. <i>Progress in Organic Coatings</i> , 2020, 141, 105401.	3.9	10
18	Atmospheric pressure Townsend discharges as a promising tool for the one-step deposition of antifogging coatings from N <sub>2</sub> O/TMCTS mixtures. <i>Plasma Processes and Polymers</i> , 2020, 17, 1900186.	3.0	4

#	ARTICLE	IF	CITATIONS
19	Atmospheric pressure cold plasma versus wet-chemical surface treatments for carboxyl functionalization of polylactic acid: A first step toward covalent immobilization of bioactive molecules. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020, 189, 110847.	5.0	24
20	Deposition of anti-fog coatings on glass substrates using the jet of an open-air microwave argon plasma at atmospheric pressure. <i>Plasma Processes and Polymers</i> , 2020, 17, 1900229.	3.0	11
21	Isolating and expanding endothelial progenitor cells from peripheral blood on peptide-functionalized polystyrene surfaces. <i>Biotechnology and Bioengineering</i> , 2019, 116, 2598-2609.	3.3	4
22	Current trends, challenges, and perspectives of anti-fogging technology: Surface and material design, fabrication strategies, and beyond. <i>Progress in Materials Science</i> , 2019, 99, 106-186.	32.8	162
23	Water drop-surface interactions as the basis for the design of anti-fogging surfaces: Theory, practice, and applications trends. <i>Advances in Colloid and Interface Science</i> , 2019, 263, 68-94.	14.7	98
24	Synthesis, characterization, and functionalization of ZnO nanoparticles by N-(trimethoxysilylpropyl) ethylenediamine triacetic acid (TMSEDTA): Investigation of the interactions between Phloroglucinol and ZnO@TMSEDTA. <i>Arabian Journal of Chemistry</i> , 2019, 12, 4340-4347.	4.9	43
25	The spatial patterning of RGD and BMP-2 mimetic peptides at the subcellular scale modulates human mesenchymal stem cells osteogenesis. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 959-970.	4.0	19
26	Single or Mixed Tethered Peptides To Promote hMSC Differentiation toward Osteoblastic Lineage. <i>ACS Applied Bio Materials</i> , 2018, 1, 1800-1809.	4.6	14
27	Transdermal diffusion, spatial distribution and physical state of a potential anticancer drug in mouse skin as studied by diffusion and spectroscopic techniques. <i>Biomedical Spectroscopy and Imaging</i> , 2018, 7, 47-61.	1.2	1
28	Dynamics of Endothelial Cell Responses to Laminar Shear Stress on Surfaces Functionalized with Fibronectin-Derived Peptides. <i>ACS Biomaterials Science and Engineering</i> , 2018, 4, 3779-3791.	5.2	14
29	Influence of a square pulse voltage on argon-ethyl lactate discharges and their plasma-deposited coatings using time-resolved spectroscopy and surface characterization. <i>Physics of Plasmas</i> , 2018, 25, 103504.	1.9	5
30	Partial Least-Squares Regression as a Tool To Predict Fluoropolymer Surface Modification by Dielectric Barrier Discharge in a Corona Process Configuration in a Nitrogen-Organic Gaseous Precursor Environment. <i>Industrial &amp; Engineering Chemistry Research</i> , 2018, 57, 7476-7485.	3.7	6
31	Validation of reference genes for real-time PCR of cord blood mononuclear cells, differentiating endothelial progenitor cells, and mature endothelial cells. <i>Experimental Cell Research</i> , 2018, 370, 389-398.	2.6	12
32	Characterization of argon dielectric barrier discharges applied to ethyl lactate plasma polymerization. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 475205.	2.8	11
33	Interplay of Geometric Cues and RGD/BMP-2 Crosstalk in Directing Stem Cell Fate. <i>ACS Biomaterials Science and Engineering</i> , 2017, 3, 2514-2523.	5.2	17
34	Isolation of cellulose-II nanospheres from flax stems and their physical and morphological properties. <i>Carbohydrate Polymers</i> , 2017, 178, 352-359.	10.2	35
35	Characterization of Carbon Anode Protected by Low Boron Level: An Attempt To Understand Carbon-Boron Inhibitor Mechanism. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 6700-6706.	6.7	14
36	Application of Boron Oxide as a Protective Surface Treatment to Decrease the Air Reactivity of Carbon Anodes. <i>Metals</i> , 2017, 7, 79.	2.3	6

#	ARTICLE	IF	CITATIONS
37	Atmospheric Pressure Plasma Polymer of Ethyl Lactate: In Vitro Degradation and Cell Viability Studies. <i>Plasma Processes and Polymers</i> , 2016, 13, 711-721.	3.0	12
38	RGD and BMP-2 mimetic peptide crosstalk enhances osteogenic commitment of human bone marrow stem cells. <i>Acta Biomaterialia</i> , 2016, 36, 132-142.	8.3	100
39	Fibronectin-modified surfaces for evaluating the influence of cell adhesion on sensitivity of leukemic cells to siRNA nanoparticles. <i>Nanomedicine</i> , 2016, 11, 1123-1138.	3.3	15
40	Design, Degradation Mechanism and Long-Term Cytotoxicity of Poly(L-lactide) and Poly(Lactide-co-ε-caprolactone) Terpolymer Film and Air-Spun Nanofiber Scaffold. <i>Macromolecular Bioscience</i> , 2015, 15, 1392-1410.	4.1	25
41	Using infrared and Raman microspectroscopies to compare <i>ex vivo</i> involved psoriatic skin with normal human skin. <i>Journal of Biomedical Optics</i> , 2015, 20, 067004.	2.6	12
42	Rapid Nucleation of Iron Oxide Nanoclusters in Aqueous Solution by Plasma Electrochemistry. <i>Langmuir</i> , 2015, 31, 7633-7643.	3.5	15
43	Grafting of a model protein on lactide and caprolactone based biodegradable films for biomedical applications. <i>Biomatter</i> , 2014, 4, e27979.	2.6	6
44	A comparative study between human skin substitutes and normal human skin using Raman microspectroscopy. <i>Acta Biomaterialia</i> , 2014, 10, 2703-2711.	8.3	29
45	Evaluation of an air spinning process to produce tailored biosynthetic nanofibre scaffolds. <i>Materials Science and Engineering C</i> , 2014, 35, 347-353.	7.3	15
46	Air-Spun PLA Nanofibers Modified with Reductively Sheddable Hydrophilic Surfaces for Vascular Tissue Engineering: Synthesis and Surface Modification. <i>Macromolecular Rapid Communications</i> , 2014, 35, 447-453.	3.9	20
47	A fluorophore-tagged RGD peptide to control endothelial cell adhesion to micropatterned surfaces. <i>Biomaterials</i> , 2014, 35, 879-890.	11.4	37
48	Characterization of the structure of human skin substitutes by infrared microspectroscopy. <i>Analytical and Bioanalytical Chemistry</i> , 2013, 405, 8709-8718.	3.7	22
49	Correlation between the Plasma Characteristics and the Surface Chemistry of Plasma-Treated Polymers through Partial Least-Squares Analysis. <i>Langmuir</i> , 2013, 29, 15859-15867.	3.5	9
50	Human saphenous vein endothelial cell adhesion and expansion on micropatterned polytetrafluoroethylene. <i>Journal of Biomedical Materials Research - Part A</i> , 2013, 101A, 694-703.	4.0	11
51	Impact of Peptide Micropatterning on Endothelial Cell Actin Remodeling for Cell Alignment under Shear Stress. <i>Macromolecular Bioscience</i> , 2012, 12, 1648-1659.	4.1	10
52	Air spun poly(lactic acid) nanofiber scaffold degradation for vascular tissue engineering: A 1H NMR study. <i>Polymer Degradation and Stability</i> , 2012, 97, 1520-1526.	5.8	11
53	Low Pressure Radio Frequency Ammonia Plasma Surface Modification on Poly(ethylene terephthalate) Films and Fibers: Effect of the Polymer Forming Process. <i>Plasma Chemistry and Plasma Processing</i> , 2012, 32, 17-33.	2.4	17
54	Characterization of Multilayer Anti-Fog Coatings. <i>ACS Applied Materials &amp; Interfaces</i> , 2011, 3, 750-758.	8.0	137

#	ARTICLE	IF	CITATIONS
55	Anti-Fog Layer Deposition onto Polymer Materials: A Multi-Step Approach. Plasma Chemistry and Plasma Processing, 2011, 31, 175-187.	2.4	37
56	Micropatterning Polymer Materials to Improve Endothelialization. Advanced Materials Research, 2011, 409, 777-782.	0.3	2
57	Effect of C <sub>2</sub> H <sub>4</sub> /N <sub>2</sub> Ratio in an Atmospheric Pressure Dielectric Barrier Discharge on the Plasma Deposition of Hydrogenated Amorphous Carbon-Nitride Films (a-C:N:H). Plasma Chemistry and Plasma Processing, 2010, 30, 213-239.	2.4	23
58	Characterization of an air- $\epsilon$ spun poly(L-lactic acid) nanofiber mesh. Journal of Biomedical Materials Research - Part B Applied Biomaterials, 2010, 93B, 531-543.	3.4	20
59	On the ability of imatinib mesylate to inhibit smooth muscle cell proliferation without delaying endothelialization: An in vitro study. Vascular Pharmacology, 2009, 51, 50-56.	2.1	12
60	A poly(L-lactic acid) nanofibre mesh scaffold for endothelial cells on vascular prostheses. Acta Biomaterialia, 2009, 5, 2418-2428.	8.3	42
61	Effects of Chemical Composition and the Addition of H <sub>2</sub> in a N <sub>2</sub> Atmospheric Pressure Dielectric Barrier Discharge on Polymer Surface Functionalization. Langmuir, 2009, 25, 9432-9440.	3.5	42
62	Engineering Biomaterials Surfaces Using Micropatterning. Advanced Materials Research, 2007, 15-17, 77-82.	0.3	2
63	AFM Imaging of Immobilized Fibronectin: Does the Surface Conjugation Scheme Affect the Protein Orientation/Conformation?. Langmuir, 2007, 23, 9745-9751.	3.5	55
64	Covalent Grafting of Fibronectin onto Plasma-Treated PTFE: Influence of the Conjugation Strategy on Fibronectin Biological Activity. Macromolecular Bioscience, 2007, 7, 738-745.	4.1	48
65	Comparison of Atmospheric-Pressure Plasma versus Low-Pressure RF Plasma for Surface Functionalization of PTFE for Biomedical Applications. Plasma Processes and Polymers, 2006, 3, 506-515.	3.0	56
66	Micropatterning with aerosols: Application for biomaterials. Biomaterials, 2006, 27, 5430-5439.	11.4	15
67	In vitro Biological Performances of Phosphorylcholine-Grafted ePTFE Prostheses through RFGD Plasma Techniques. Macromolecular Bioscience, 2005, 5, 829-839.	4.1	50
68	Preparation of Ready-to-use, Stockable and Reconstituted Collagen. Macromolecular Bioscience, 2005, 5, 821-828.	4.1	69
69	Chemical and Morphological Characterization of Ultra-Thin Fluorocarbon Plasma-Polymer Deposition on 316 Stainless Steel Substrates: A First Step Toward the Improvement of the Long-Term Safety of Coated-Stents. Plasma Processes and Polymers, 2005, 2, 424-440.	3.0	37
70	Micropattern Printing of Adhesion, Spreading, and Migration Peptides on Poly(tetrafluoroethylene) Films To Promote Endothelialization. Bioconjugate Chemistry, 2005, 16, 1088-1097.	3.6	38
71	Denatured collagen as support for a FGF-2 delivery system: physicochemical characterizations and in vitro release kinetics and bioactivity. Biomaterials, 2004, 25, 3761-3772.	11.4	46
72	Engineering Surfaces for Bioconjugation: Developing Strategies and Quantifying the Extent of the Reactions. Bioconjugate Chemistry, 2004, 15, 1146-1156.	3.6	51

#	ARTICLE	IF	CITATIONS
73	Albumin and fibrinogen adsorption onto phosphatidylcholine monolayers investigated by Fourier transform infrared spectroscopy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2003, 29, 285-295.	5.0	34
74	Modification of lipid transport through a microporous PTFE membrane wall grafted with poly(ethylene glycol). <i>Colloids and Surfaces B: Biointerfaces</i> , 2002, 25, 205-217.	5.0	8
75	Commercial polyurethanes: The potential influence of auxiliary chemicals on the biodegradation process. <i>Journal of Biomaterials Science, Polymer Edition</i> , 1999, 10, 729-749.	3.5	8
76	A new generation of polyurethane vascular prostheses: Rara Avis or Ignis Fatuus?. , 1999, 48, 546-558.		40
77	A Continuous and Pulsatile Flow Circulation System for Evaluation of Cardiovascular Devices. <i>Artificial Organs</i> , 1998, 22, 746-752.	1.9	12
78	Lipid uptake in expanded polytetrafluoroethylene vascular grafts. <i>Journal of Vascular Surgery</i> , 1998, 28, 527-534.	1.1	7
79	In vitro and in vivo studies of a polyester arterial prosthesis with a warp-knitted sharkskin structure. , 1997, 35, 459-472.		19
80	Chemical inactivators as sterilization agents for bovine collagen materials. , 1997, 37, 212-221.		24
81	Are Intraaortic Balloons Suitable for Reuse? A Survey Study of 112 Used Intraaortic Balloons. <i>Artificial Organs</i> , 1997, 21, 121-130.	1.9	7
82	In vivo characterization of a fluoropassivated gelatin-impregnated polyester mesh for hernia repair. , 1996, 32, 293-305.		23
83	Selecting valid in vitro biocompatibility tests that predict the in vivo healing response of synthetic vascular prostheses. <i>Biomaterials</i> , 1996, 17, 1835-1842.	11.4	20
84	Chemical and morphological analysis of explanted polyurethane vascular prostheses: the challenge of removing fixed adhering tissue. <i>Biomaterials</i> , 1996, 17, 1843-1848.	11.4	5
85	Polyvinylidene fluoride (PVDF) as a biomaterial: From polymeric raw material to monofilament vascular suture. <i>Journal of Biomedical Materials Research Part B</i> , 1995, 29, 1525-1536.	3.1	160
86	Removing fresh tissue from explanted polyurethane prostheses: which approach facilitates physico-chemical analysis?. <i>Biomaterials</i> , 1995, 16, 369-380.	11.4	23
87	Polyvinylidene Fluoride Monofilament Sutures: Can They Be Used Safely for Long-Term Anastomoses in the Thoracic Aorta?. <i>Artificial Organs</i> , 1995, 19, 1190-1199.	1.9	40
88	Effect of a thin organosilicon layer prepared by atmospheric pressure plasma on wood flame retardancy. <i>Plasma Processes and Polymers</i> , 0, , .	3.0	2