

# Mathew Gilliam

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7499724/publications.pdf>

Version: 2024-02-01

106  
papers

9,787  
citations

41344

49  
h-index

38395

95  
g-index

132  
all docs

132  
docs citations

132  
times ranked

9373  
citing authors

#	ARTICLE	IF	CITATIONS
1	SpaceHort: redesigning plants to support space exploration and on-earth sustainability. <i>Current Opinion in Biotechnology</i> , 2022, 73, 246-252.	6.6	21
2	Plant Trans-Golgi Network/Early Endosome pH regulation requires Cation Chloride Cotransporter (CCC1). <i>ELife</i> , 2022, 11, .	6.0	6
3	Eustress in Space: Opportunities for Plant Stressors Beyond the Earth Ecosystem. <i>Frontiers in Astronomy and Space Sciences</i> , 2022, 9, .	2.8	8
4	Alluminating structure key to stress tolerance. <i>Cell Research</i> , 2022, 32, 5-6.	12.0	1
5	Enhanced reactive oxygen detoxification occurs in salt-stressed soybean roots expressing <i>GmSALT3</i> . <i>Physiologia Plantarum</i> , 2022, 174, e13709.	5.2	13
6	Root-Specific Expression of <i>Vitis vinifera</i> VviNPF2.2 Modulates Shoot Anion Concentration in Transgenic Arabidopsis. <i>Frontiers in Plant Science</i> , 2022, 13, .	3.6	1
7	&lt;i&gt;Corrigendum to&lt;/i&gt;; Identification of salt tolerance QTL in a wheat RIL mapping population using destructive and non-destructive phenotyping. <i>Functional Plant Biology</i> , 2022, 49, 672-672.	2.1	1
8	Soybean CHX-type ion transport protein <i>GmSALT3</i> confers leaf Na <sup>+</sup> exclusion via a root derived mechanism, and Cl <sup>-</sup> exclusion via a shoot derived process. <i>Plant, Cell and Environment</i> , 2021, 44, 856-869.	5.7	21
9	Identification of salt tolerance QTL in a wheat RIL mapping population using destructive and non-destructive phenotyping. <i>Functional Plant Biology</i> , 2021, 48, 131.	2.1	22
10	Identifying protein subcellular localisation in scientific literature using bidirectional deep recurrent neural network. <i>Scientific Reports</i> , 2021, 11, 1696.	3.3	3
11			

#	ARTICLE	IF	CITATIONS
19	Selection of the Salt Tolerance Gene GmSALT3 During Six Decades of Soybean Breeding in China. <i>Frontiers in Plant Science</i> , 2021, 12, 794241.	3.6	4
20	OUP accepted manuscript. <i>Plant Physiology</i> , 2021, , .	4.8	0
21	Energy costs of salt tolerance in crop plants. <i>New Phytologist</i> , 2020, 225, 1072-1090.	7.3	284
22	Cytosolic GABA inhibits anion transport by wheat ALMT1. <i>New Phytologist</i> , 2020, 225, 671-678.	7.3	27
23	High affinity Na <sup>+</sup> transport by wheat HKT1;5 is blocked by K <sup>+</sup> . <i>Plant Direct</i> , 2020, 4, e00275.	1.9	6
24	A single nucleotide substitution in <i>TaHKT1</i> ;5 controls shoot Na <sup>+</sup> accumulation in bread wheat. <i>Plant, Cell and Environment</i> , 2020, 43, 2158-2171.	5.7	18
25	Role of <i>TaALMT1</i> malate-GABA transporter in alkaline pH tolerance of wheat. <i>Plant, Cell and Environment</i> , 2020, 43, 2443-2459.	5.7	16
26	The grapevine NaE sodium exclusion locus encodes sodium transporters with diverse transport properties and localisation. <i>Journal of Plant Physiology</i> , 2020, 246-247, 153113.	3.5	9
27	Wine Terroir and the Soil Bacteria: An Amplicon Sequencing-Based Assessment of the Barossa Valley and Its Sub-Regions. <i>Frontiers in Microbiology</i> , 2020, 11, 597944.	3.5	13
28	Barley sodium content is regulated by natural variants of the Na <sup>+</sup> transporter HvHKT1;5. <i>Communications Biology</i> , 2020, 3, 258.	4.4	21
29	Plant transporters involved in combating boron toxicity: beyond 3D structures. <i>Biochemical Society Transactions</i> , 2020, 48, 1683-1696.	3.4	22
30	Shoot thinning of Semillon in a hot climate did not improve yield and berry and wine quality. <i>Oeno One</i> , 2020, 54, 469-484.	1.4	3
31	Transcriptional variation is associated with differences in shoot sodium accumulation in distinct barley varieties. <i>Environmental and Experimental Botany</i> , 2019, 166, 103812.	4.2	5
32	Molecular and electrophysiological characterization of anion transport in <i>Arabidopsis thaliana</i> pollen reveals regulatory roles for pH, Ca <sup>2+</sup> and GABA. <i>New Phytologist</i> , 2019, 223, 1353-1371.	7.3	24
33	Roles of membrane transporters: connecting the dots from sequence to phenotype. <i>Annals of Botany</i> , 2019, 124, 201-208.	2.9	12
34	Low-cost cross-taxon enrichment of mitochondrial DNA using in-house synthesised RNA probes. <i>PLoS ONE</i> , 2019, 14, e0209499.	2.5	9
35	Evolution of chloroplast retrograde signaling facilitates green plant adaptation to land. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 5015-5020.	7.1	138
36	Large expert-curated database for benchmarking document similarity detection in biomedical literature search. <i>Database: the Journal of Biological Databases and Curation</i> , 2019, 2019, .	3.0	15

#	ARTICLE	IF	CITATIONS
37	Postveraison Leaf Removal Does Not Consistently Delay Ripening in Semillon and Shiraz in a Hot Australian Climate. <i>American Journal of Enology and Viticulture</i> , 2019, 70, 398-410.	1.7	10
38	Aluminum-Activated Malate Transporters Can Facilitate GABA Transport. <i>Plant Cell</i> , 2018, 30, 1147-1164.	6.6	71
39	Root cell wall solutions for crop plants in saline soils. <i>Plant Science</i> , 2018, 269, 47-55.	3.6	159
40	Analysis of the salt exclusion phenotype in rooted leaves of grapevine ( <i>Vitis</i> spp.). <i>Australian Journal of Grape and Wine Research</i> , 2018, 24, 317-326.	2.1	8
41	Structural variations in wheat HKT1;5 underpin differences in Na <sup>+</sup> transport capacity. <i>Cellular and Molecular Life Sciences</i> , 2018, 75, 1133-1144.	5.4	45
42	Functional differences in transport properties of natural HKT1;1 variants influence shoot Na <sup>+</sup> exclusion in grapevine rootstocks. <i>New Phytologist</i> , 2018, 217, 1113-1127.	7.3	66
43	A sterile hydroponic system for characterising root exudates from specific root types and whole-root systems of large crop plants. <i>Plant Methods</i> , 2018, 14, 114.	4.3	25
44	Mapping of novel salt tolerance QTL in an Excalibur-Kukri doubled haploid wheat population. <i>Theoretical and Applied Genetics</i> , 2018, 131, 2179-2196.	3.6	60
45	Plant Cation-Chloride Cotransporters (CCC): Evolutionary Origins and Functional Insights. <i>International Journal of Molecular Sciences</i> , 2018, 19, 492.	4.1	19
46	Plants fighting back: to transport or not to transport, this is a structural question. <i>Current Opinion in Plant Biology</i> , 2018, 46, 68-76.	7.1	14
47	Chloride on the Move. <i>Trends in Plant Science</i> , 2017, 22, 236-248.	8.8	152
48	Chloroplast function and ion regulation in plants growing on saline soils: lessons from halophytes. <i>Journal of Experimental Botany</i> , 2017, 68, 3129-3143.	4.8	187
49	A calmodulin-like protein regulates plasmodesmal closure during bacterial immune responses. <i>New Phytologist</i> , 2017, 215, 77-84.	7.3	90
50	Chloride: not simply a "cheap osmoticum", but a beneficial plant macronutrient. <i>Journal of Experimental Botany</i> , 2017, 68, 3057-3069.	4.8	94
51	The sodium transporter encoded by the HKT1;2 gene modulates sodium/potassium homeostasis in tomato shoots under salinity. <i>Plant, Cell and Environment</i> , 2017, 40, 658-671.	5.7	56
52	Translating knowledge about abiotic stress tolerance to breeding programmes. <i>Plant Journal</i> , 2017, 90, 898-917.	5.7	154
53	The case for evidence-based policy to support stress-resilient cropping systems. <i>Food and Energy Security</i> , 2017, 6, 5-11.	4.3	4
54	Î <sup>3</sup> -Aminobutyric acid (GABA) signalling in plants. <i>Cellular and Molecular Life Sciences</i> , 2017, 74, 1577-1603.	5.4	205

#	ARTICLE	IF	CITATIONS
55	Non-selective cation channel activity of aquaporin AtPIP2;1 regulated by Ca <sup>2+</sup> and pH. <i>Plant, Cell and Environment</i> , 2017, 40, 802-815.	5.7	153
56	Heterodimerization of Arabidopsis calcium/proton exchangers contributes to regulation of guard cell dynamics and plant defense responses. <i>Journal of Experimental Botany</i> , 2017, 68, 4171-4183.	4.8	39
57	Global DNA Methylation Patterns Can Play a Role in Defining Terroir in Grapevine ( <i>Vitis vinifera</i> cv.) <i>Trends in Plant Science</i> , 2017, 18, 107-114.	3.6	58
58	A chloroplast retrograde signal, 3 <sup>TM</sup> -phosphoadenosine 5 <sup>TM</sup> -phosphate, acts as a secondary messenger in abscisic acid signaling in stomatal closure and germination. <i>ELife</i> , 2017, 6, .	6.0	132
59	VitiCanopy: A Free Computer App to Estimate Canopy Vigor and Porosity for Grapevine. <i>Sensors</i> , 2016, 16, 585.	3.8	87
60	Fruit Calcium: Transport and Physiology. <i>Frontiers in Plant Science</i> , 2016, 7, 569.	3.6	233
61	GmSALT3, Which Confers Improved Soybean Salt Tolerance in the Field, Increases Leaf Cl <sup>-</sup> Exclusion Prior to Na <sup>+</sup> Exclusion But Does Not Improve Early Vigor under Salinity. <i>Frontiers in Plant Science</i> , 2016, 7, 1485.	3.6	71
62	Tissue tolerance: an essential but elusive trait for salt-tolerant crops. <i>Functional Plant Biology</i> , 2016, 43, 1103.	2.1	162
63	SLAH1, a homologue of the slow type anion channel SLAC1, modulates shoot Cl <sup>-</sup> accumulation and salt tolerance in <i>Arabidopsis thaliana</i> . <i>Journal of Experimental Botany</i> , 2016, 67, 4495-4505.	4.8	70
64	The evolutionary origin of CIPK16: A gene involved in enhanced salt tolerance. <i>Molecular Phylogenetics and Evolution</i> , 2016, 100, 135-147.	2.7	10
65	Differential fruitset between grapevine cultivars is related to differences in pollen viability and amine concentration in flowers. <i>Australian Journal of Grape and Wine Research</i> , 2016, 22, 149-158.	2.1	12
66	A Barley Efflux Transporter Operates in a Na <sup>+</sup> -Dependent Manner, as Revealed by a Multidisciplinary Platform. <i>Plant Cell</i> , 2016, 28, 202-218.	6.6	29
67	Identification of a Stelar-Localized Transport Protein That Facilitates Root-to-Shoot Transfer of Chloride in Arabidopsis. <i>Plant Physiology</i> , 2016, 170, 1014-1029.	4.8	100
68	Salinity Negatively Affects Pollen Tube Growth and Fruit Set in Grapevines and Is Not Mitigated by Silicon. <i>American Journal of Enology and Viticulture</i> , 2016, 67, 218-228.	1.7	34
69	Linking Metabolism to Membrane Signaling: The GABA-Malate Connection. <i>Trends in Plant Science</i> , 2016, 21, 295-301.	8.8	104
70	AtNPF2.5 Modulates Chloride (Cl <sup>-</sup> ) Efflux from Roots of Arabidopsis thaliana. <i>Frontiers in Plant Science</i> , 2016, 7, 2013.	3.6	65
71	Salinity tolerance of crops – what is the cost?. <i>New Phytologist</i> , 2015, 208, 668-673.	7.3	868
72	Grapevine and Arabidopsis cation-chloride cotransporters localise to the Golgi and trans-Golgi network and indirectly influence long-distance ion homeostasis and plant salt tolerance. <i>Plant Physiology</i> , 2015, 169, pp.00499.2015.	4.8	55

#	ARTICLE	IF	CITATIONS
73	Molecular identification and functional analysis of a maize ( <i>Zea mays</i> ) DUR3 homolog that transports urea with high affinity. <i>Planta</i> , 2015, 241, 861-874.	3.2	38
74	GABA signalling modulates plant growth by directly regulating the activity of plant-specific anion transporters. <i>Nature Communications</i> , 2015, 6, 7879.	12.8	268
75	Salinity tolerance in soybean is modulated by natural variation in <i>GmSALT3</i> . <i>Plant Journal</i> , 2014, 80, 937-950.	5.7	217
76	Ethylene negatively regulates aluminium-induced malate efflux from wheat roots and tobacco cells transformed with TaALMT1. <i>Journal of Experimental Botany</i> , 2014, 65, 2415-2426.	4.8	49
77	Protocol: a fast and simple in situ PCR method for localising gene expression in plant tissue. <i>Plant Methods</i> , 2014, 10, 29.	4.3	45
78	Shoot chloride exclusion and salt tolerance in grapevine is associated with differential ion transporter expression in roots. <i>BMC Plant Biology</i> , 2014, 14, 273.	3.6	78
79	Rapid shoot-to-root signalling regulates root hydraulic conductance via aquaporins. <i>Plant, Cell and Environment</i> , 2014, 37, 520-538.	5.7	155
80	The Na <sup>+</sup> transporter, TaHKT1;5, limits shoot Na <sup>+</sup> accumulation in bread wheat. <i>Plant Journal</i> , 2014, 80, 516-526.	5.7	170
81	Modified Method for Producing Grapevine Plants in Controlled Environments. <i>American Journal of Enology and Viticulture</i> , 2014, 65, 261-267.	1.7	14
82	Protocol: optimising hydroponic growth systems for nutritional and physiological analysis of <i>Arabidopsis thaliana</i> and other plants. <i>Plant Methods</i> , 2013, 9, 4.	4.3	167
83	Plant High-Affinity Potassium (HKT) Transporters Involved in Salinity Tolerance: Structural Insights to Probe Differences in Ion Selectivity. <i>International Journal of Molecular Sciences</i> , 2013, 14, 7660-7680.	4.1	95
84	Wheat grain yield on saline soils is improved by an ancestral Na <sup>+</sup> transporter gene. <i>Nature Biotechnology</i> , 2012, 30, 360-364.	17.5	690
85	Exploiting natural variation to uncover candidate genes that control element accumulation in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2012, 193, 859-866.	7.3	24
86	Transcriptomics on Small Samples. <i>Methods in Molecular Biology</i> , 2012, 913, 335-350.	0.9	2
87	Cell-Specific Vacuolar Calcium Storage Mediated by <i>CAX1</i> Regulates Apoplastic Calcium Concentration, Gas Exchange, and Plant Productivity in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2011, 23, 240-257.	6.6	222
88	Glutamate Receptor-Like Genes Form Ca <sup>2+</sup> Channels in Pollen Tubes and Are Regulated by Pistil-Serine. <i>Science</i> , 2011, 332, 434-437.	12.6	372
89	Calcium delivery and storage in plant leaves: exploring the link with water flow. <i>Journal of Experimental Botany</i> , 2011, 62, 2233-2250.	4.8	208
90	Magnesium transporters, MGT2/MRS2 <sup>1</sup> and MGT3/MRS2 <sup>5</sup> , are important for magnesium partitioning within <i>Arabidopsis thaliana</i> mesophyll vacuoles. <i>New Phytologist</i> , 2011, 190, 583-594.	7.3	99

#	ARTICLE	IF	CITATIONS
91	Cell-specific compartmentation of mineral nutrients is an essential mechanism for optimal plant productivity—another role for <i>TPC1</i> ? <i>Plant Signaling and Behavior</i> , 2011, 6, 1656-1661.	2.4	34
92	Calcium storage in plants and the implications for calcium biofortification. <i>Protoplasma</i> , 2010, 247, 215-231.	2.1	117
93	Channel-Like Characteristics of the Low-Affinity Barley Phosphate Transporter PHT1;6 When Expressed in <i>Xenopus</i> Oocytes. <i>Plant Physiology</i> , 2010, 152, 1431-1441.	4.8	82
94	Comparative physiology of elemental distributions in plants. <i>Annals of Botany</i> , 2010, 105, 1081-1102.	2.9	288
95	Improved Salinity Tolerance of Rice Through Cell Type-Specific Expression of <i>AtHKT1;1</i> . <i>PLoS ONE</i> , 2010, 5, e12571.	2.5	140
96	Shoot Na <sup>+</sup> Exclusion and Increased Salinity Tolerance Engineered by Cell Type-Specific Alteration of Na <sup>+</sup> Transport in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2009, 21, 2163-2178.	6.6	480
97	The Role of Plasma Membrane Intrinsic Protein Aquaporins in Water Transport through Roots: Diurnal and Drought Stress Responses Reveal Different Strategies between Isohydric and Anisohydric Cultivars of Grapevine. <i>Plant Physiology</i> , 2009, 149, 445-460.	4.8	431
98	Water Transport & Aquaporins in Grapevine. , 2009, , 73-104.		4
99	Investigating glutamate receptor-like gene co-expression in <i>Arabidopsis thaliana</i> . <i>Plant, Cell and Environment</i> , 2008, 31, 861-871.	5.7	110
100	NaCl-induced changes in cytosolic free Ca <sup>2+</sup> in <i>Arabidopsis thaliana</i> are heterogeneous and modified by external ionic composition. <i>Plant, Cell and Environment</i> , 2008, 31, 1063-1073.	5.7	140
101	Simultaneous flux and current measurement from single plant protoplasts reveals a strong link between K <sup>+</sup> fluxes and current, but no link between Ca <sup>2+</sup> fluxes and current. <i>Plant Journal</i> , 2006, 46, 134-144.	5.7	20
102	The <i>Arabidopsis thaliana</i> Glutamate-like Receptor Family ( <i>AtGLR</i> ). , 2006, , 187-204.		11
103	The Regulation of Anion Loading to the Maize Root Xylem. <i>Plant Physiology</i> , 2005, 137, 819-828.	4.8	86
104	Hyperpolarisation-activated calcium currents found only in cells from the elongation zone of <i>Arabidopsis thaliana</i> roots. <i>Plant Journal</i> , 2000, 21, 225-229.	5.7	138
105	Membrane Structure and the Study of Solute Transport Across Plant Membranes. , 0, , 47-74.		2
106	The <i>Arabidopsis thaliana</i> Glutamate-like Receptor Family ( <i>AtGLR</i> ). , 0, , 187-204.		0