List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7504780/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bilayer Thickness and Membrane Protein Function: An Energetic Perspective. Annual Review of Biophysics and Biomolecular Structure, 2007, 36, 107-130.	18.3	738
2	Different Membrane Anchoring Positions of Tryptophan and Lysine in Synthetic Transmembrane α-Helical Peptides. Journal of Biological Chemistry, 1999, 274, 20839-20846.	3.4	298
3	Induction of Nonbilayer Structures in Diacylphosphatidylcholine Model Membranes by Transmembrane α-Helical Peptides: Importance of Hydrophobic Mismatch and Proposed Role of Tryptophansâ€. Biochemistry, 1996, 35, 1037-1045.	2.5	286
4	Bilayer-dependent inhibition of mechanosensitive channels by neuroactive peptide enantiomers. Nature, 2004, 430, 235-240.	27.8	271
5	Interfacial Anchor Properties of Tryptophan Residues in Transmembrane Peptides Can Dominate over Hydrophobic Matching Effects in Peptideâ^'Lipid Interactionsâ€. Biochemistry, 2003, 42, 5341-5348.	2.5	251
6	Influence of Lipid/Peptide Hydrophobic Mismatch on the Thickness of Diacylphosphatidylcholine Bilayers. A 2H NMR and ESR Study Using Designed Transmembrane α-Helical Peptides and Gramicidin A. Biochemistry, 1998, 37, 9333-9345.	2.5	248
7	Regulation of Sodium Channel Function by Bilayer Elasticity. Journal of General Physiology, 2004, 123, 599-621.	1.9	239
8	Capsaicin Regulates Voltage-Dependent Sodium Channels by Altering Lipid Bilayer Elasticity. Molecular Pharmacology, 2005, 68, 680-689.	2.3	196
9	Tilt Angles of Transmembrane Model Peptides in Oriented and Non-Oriented Lipid Bilayers as Determined by 2H Solid-State NMR. Biophysical Journal, 2004, 86, 3709-3721.	0.5	172
10	Sensitivity of Single Membrane-Spanning α-Helical Peptides to Hydrophobic Mismatch with a Lipid Bilayer:  Effects on Backbone Structure, Orientation, and Extent of Membrane Incorporation. Biochemistry, 2001, 40, 5000-5010.	2.5	171
11	Amino acid sequence modulation of gramicidin channel function: effects of tryptophan-to-phenylalanine substitutions on the single-channel conductance and duration. Biochemistry, 1991, 30, 8830-8839.	2.5	161
12	Geometry and Intrinsic Tilt of a Tryptophan-Anchored Transmembrane α-Helix Determined by 2H NMR. Biophysical Journal, 2002, 83, 1479-1488.	0.5	161
13	Genistein Can Modulate Channel Function by a Phosphorylation-Independent Mechanism:  Importance of Hydrophobic Mismatch and Bilayer Mechanics. Biochemistry, 2003, 42, 13646-13658.	2.5	138
14	Hydrophobic Mismatch between Helices and Lipid Bilayers. Biophysical Journal, 2003, 84, 379-385.	0.5	135
15	Curcumin is a Modulator of Bilayer Material Properties. Biochemistry, 2007, 46, 10384-10391.	2.5	132
16	Docosahexaenoic acid alters bilayer elastic properties. Proceedings of the National Academy of Sciences of the United States of America, 2007, 104, 9638-9643.	7.1	131
17	Gramicidin A crystals contain two cation binding sites per channel. Nature, 1979, 279, 723-725.	27.8	126
18	Gramicidin Channels. IEEE Transactions on Nanobioscience, 2005, 4, 10-20.	3.3	115

ROGER E KOEPPE II

#	Article	IF	CITATIONS
19	Amphiphile regulation of ion channel function by changes in the bilayer spring constant. Proceedings of the National Academy of Sciences of the United States of America, 2010, 107, 15427-15430.	7.1	111
20	Helical channels in crystals of gramicidin A and of a cesium-gramicidin A complex: an X-ray diffraction study. Journal of Molecular Biology, 1978, 121, 41-54.	4.2	102
21	Induction of conductance heterogeneity in gramicidin channels. Biochemistry, 1989, 28, 6571-6583.	2.5	94
22	The Preference of Tryptophan for Membrane Interfaces. Journal of Biological Chemistry, 2008, 283, 22233-22243.	3.4	93
23	Ion-Induced Defect Permeation of Lipid Membranes. Biophysical Journal, 2014, 106, 586-597.	0.5	93
24	The â€~neurotoxicity' of <scp>l</scp> -2,4-diaminobutyric acid. Biochemical Journal, 1968, 106, 699-706.	3.1	88
25	Buried lysine, but not arginine, titrates and alters transmembrane helix tilt. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 1692-1695.	7.1	86
26	Hydrophobic Coupling of Lipid Bilayer Energetics to Channel Function. Journal of General Physiology, 2003, 121, 477-493.	1.9	85
27	Energetics of gramicidin hybrid channel formation as a test for structural equivalence. Journal of Molecular Biology, 1990, 211, 221-234.	4.2	81
28	Hydrophobic Matching Mechanism Investigated by Molecular Dynamics Simulations. Langmuir, 2002, 18, 1340-1351.	3.5	80
29	Changes in Transmembrane Helix Alignment by Arginine Residues Revealed by Solid-State NMR Experiments and Coarse-Grained MD Simulations. Journal of the American Chemical Society, 2010, 132, 5803-5811.	13.7	78
30	Mechanism of hydrolysis by serine proteases: direct determination of the pKa's of aspartyl-102 and aspartyl-194 in bovine trypsin using difference infrared spectroscopy. Biochemistry, 1976, 15, 3450-3458.	2.5	73
31	Orientation of the valine-1 side chain of the gramicidin transmembrane channel and implications for channel functioning. A deuterium NMR study. Biochemistry, 1992, 31, 11283-11290.	2.5	69
32	Gramicidin A/Short-Chain Phospholipid Dispersions: Chain Length Dependence of Gramicidin Conformation and Lipid Organization. Biochemistry, 1994, 33, 4291-4299.	2.5	66
33	[28] Design and characterization of gramicidin channels. Methods in Enzymology, 1999, 294, 525-550.	1.0	66
34	Interfacial Positioning and Stability of Transmembrane Peptides in Lipid Bilayers Studied by Combining Hydrogen/Deuterium Exchange and Mass Spectrometry. Journal of Biological Chemistry, 2001, 276, 34501-34508.	3.4	66
35	On the helix sense of gramicidin A single channels. Proteins: Structure, Function and Bioinformatics, 1992, 12, 49-62.	2.6	64
36	Energetics of Heterodimer Formation among Gramicidin Analogues with an NH2-terminal Addition or Deletion. Journal of Molecular Biology, 1993, 231, 1102-1121.	4.2	63

#	Article	IF	CITATIONS
37	Charged or Aromatic Anchor Residue Dependence of Transmembrane Peptide Tilt. Journal of Biological Chemistry, 2010, 285, 31723-31730.	3.4	62
38	Lipid bilayer thickness determines cholesterol's location in model membranes. Soft Matter, 2016, 12, 9417-9428.	2.7	61
39	Computer building of β-helical polypeptide models. Biopolymers, 1984, 23, 23-38.	2.4	59
40	Tryptophan-Anchored Transmembrane Peptides Promote Formation of Nonlamellar Phases in Phosphatidylethanolamine Model Membranes in a Mismatch-Dependent Mannerâ€. Biochemistry, 2000, 39, 3124-3133.	2.5	58
41	Gramicidin K, a new linear channel-forming gramicidin from Bacillus brevis. Biochemistry, 1985, 24, 2822-2826.	2.5	57
42	Comparison of "Polarization Inversion with Spin Exchange at Magic Angle―and "Geometric Analysis of Labeled Alanines―Methods for Transmembrane Helix Alignment. Journal of the American Chemical Society, 2008, 130, 12584-12585.	13.7	56
43	The Effect of Peptide/Lipid Hydrophobic Mismatch on the Phase Behavior of Model Membranes Mimicking the Lipid Composition in Escherichia coli Membranes. Biophysical Journal, 2000, 78, 2475-2485.	0.5	55
44	Orientation and Motion of Tryptophan Interfacial Anchors in Membrane-Spanning Peptides. Biochemistry, 2007, 46, 7514-7524.	2.5	48
45	Tyrosine Replacing Tryptophan as an Anchor in GWALP Peptides. Biochemistry, 2012, 51, 2044-2053.	2.5	48
46	Antidepressants are modifiers of lipid bilayer properties. Journal of General Physiology, 2019, 151, 342-356.	1.9	48
47	Desformylgramicidin: A Model Channel with an Extremely High Water Permeability. Biophysical Journal, 2000, 79, 2526-2534.	0.5	47
48	Helix formation and stability in membranes. Biochimica Et Biophysica Acta - Biomembranes, 2018, 1860, 2108-2117.	2.6	47
49	Distinction between dipolar and inductive effects in modulating the conductance of gramicidin channels. Biochemistry, 1990, 29, 512-520.	2.5	45
50	Helical Distortion in Tryptophan- and Lysine-Anchored Membrane-Spanning α-Helices as a Function of Hydrophobic Mismatch: A Solid-State Deuterium NMR Investigation Using the Geometric Analysis of Labeled Alanines Method. Biophysical Journal, 2008, 94, 480-491.	0.5	40
51	Role of Tryptophan Residues in Gramicidin Channel Organization and Function. Biophysical Journal, 2008, 95, 166-175.	0.5	39
52	Comparisons of Interfacial Phe, Tyr, and Trp Residues as Determinants of Orientation and Dynamics for GWALP Transmembrane Peptides. Biochemistry, 2014, 53, 3637-3645.	2.5	39
53	On the Combined Analysis of 2H and 15N/1H Solid-State NMR Data for Determination of Transmembrane Peptide Orientation and Dynamics. Biophysical Journal, 2011, 101, 2939-2947.	0.5	38
54	Palmitoylation-Induced Conformational Changes of Specific Side Chains in the Gramicidin Transmembrane Channel. Biochemistry, 1995, 34, 9299-9306.	2.5	37

#	Article	IF	CITATIONS
55	PYRUVATE DECARBOXYLATION IN THIAMINE DEFICIENT BRAIN. Journal of Neurochemistry, 1964, 11, 695-699.	3.9	36
56	Interactions of drugs and amphiphiles with membranes: modulation of lipid bilayer elastic properties by changes in acyl chain unsaturation and protonation. Faraday Discussions, 2013, 161, 461-480.	3.2	36
57	Variation of neurotoxicity of l- and d-2,4-diaminobutyric acid with route of administration. Toxicology and Applied Pharmacology, 1972, 23, 334-338.	2.8	35
58	Kinetic properties of rat liver pyruvate kinase at cellular concentrations of enzyme, substrates and modifiers. Biochemical Journal, 1974, 141, 127-131.	3.7	35
59	A Combined Experimental and Theoretical Study of Ion Solvation in Liquid <i>N</i> -Methylacetamide. Journal of the American Chemical Society, 2010, 132, 10847-10856.	13.7	35
60	A general mechanism for drug promiscuity: Studies with amiodarone and other antiarrhythmics. Journal of General Physiology, 2015, 146, 463-475.	1.9	35
61	Single-Molecule Methods for Monitoring Changes in Bilayer Elastic Properties. Methods in Molecular Biology, 2007, 400, 543-570.	0.9	35
62	Mechanism of the uncoupling of oxidative phosphorylation by gramicidin. Biochemistry, 1989, 28, 4355-4360.	2.5	34
63	Interaction of Gramicidin Derivatives with Phospholipid Monolayers. Langmuir, 2004, 20, 9291-9298.	3.5	32
64	Gramicidin A Backbone and Side Chain Dynamics Evaluated by Molecular Dynamics Simulations and Nuclear Magnetic Resonance Experiments. I: Molecular Dynamics Simulations. Journal of Physical Chemistry B, 2011, 115, 7417-7426.	2.6	31
65	Investigation of the interaction between thallous ions and gramicidin A in dimyristoylphosphatidylcholine vesicles: a thallium-205 NMR equilibrium study. Biochemistry, 1986, 25, 6103-6108.	2.5	30
66	Semisynthesis of linear gramicidins using diphenyl phosphorazidate (DPPA). International Journal of Peptide and Protein Research, 1985, 26, 305-310.	0.1	29
67	Influence of Proline upon the Folding and Geometry of the WALP19 Transmembrane Peptide. Biochemistry, 2009, 48, 11883-11891.	2.5	28
68	Conformation of the Acylation Site of Palmitoylgramicidin in Lipid Bilayers of Dimyristoylphosphatidylcholineâ€. Biochemistry, 1996, 35, 3641-3648.	2.5	26
69	Is There a Preferential Interaction between Cholesterol and Tryptophan Residues in Membrane Proteins?. Biochemistry, 2008, 47, 2638-2649.	2.5	26
70	Ionization Properties of Histidine Residues in the Lipid Bilayer Membrane Environment. Journal of Biological Chemistry, 2016, 291, 19146-19156.	3.4	26
71	Combined Experimental/Theoretical Refinement of Indole Ring Geometry Using Deuterium Magnetic Resonance and ab Initio Calculations. Journal of the American Chemical Society, 2003, 125, 12268-12276.	13.7	24
72	Phosphoinositides alter lipid bilayer properties. Journal of General Physiology, 2013, 141, 673-690.	1.9	23

#	Article	IF	CITATIONS
73	Effects of green tea catechins on gramicidin channel function and inferred changes in bilayer properties. FEBS Letters, 2011, 585, 3101-3105.	2.8	22
74	Accommodation of a Central Arginine in a Transmembrane Peptide by Changing the Placement of Anchor Residues. Journal of Physical Chemistry B, 2012, 116, 12980-12990.	2.6	22
75	Membrane Bending Moduli of Coexisting Liquid Phases Containing Transmembrane Peptide. Biophysical Journal, 2018, 114, 2152-2164.	0.5	22
76	Importance of indole NH hydrogen bonding in the organization and dynamics of gramicidin channels. Biochimica Et Biophysica Acta - Biomembranes, 2014, 1838, 419-428.	2.6	21
77	Studies on rat brain acyl-coenzyme A hydrolase (short chain). Biochemical and Biophysical Research Communications, 1976, 71, 959-965.	2.1	20
78	Modulation of Gramicidin Channel Structure and Function by the Aliphatic "Spacer―Residues 10, 12, and 14 between the Tryptophans. Biochemistry, 1999, 38, 1030-1039.	2.5	20
79	Modulation of membrane structure and function by hydrophobic mismatch between proteins and lipids. Pure and Applied Chemistry, 1998, 70, 75-82.	1.9	20
80	Formation of serine from glycerol-1,3-C14. Archives of Biochemistry and Biophysics, 1957, 68, 355-361.	3.0	19
81	Importance of Tensor Asymmetry for the Analysis of2H NMR Spectra from Deuterated Aromatic Rings. Journal of the American Chemical Society, 2005, 127, 17488-17493.	13.7	19
82	Membrane Organization and Dynamics of "Inner Pair―and "Outer Pair―Tryptophan Residues in Gramicidin Channels. Journal of Physical Chemistry B, 2012, 116, 11056-11064.	2.6	19
83	Concerning Tryptophan and Protein–Bilayer Interactions. Journal of General Physiology, 2007, 130, 223-224.	1.9	18
84	Exchange of Gramicidin between Lipid Bilayers: Implications for the Mechanism of Channel Formation. Biophysical Journal, 2017, 113, 1757-1767.	0.5	18
85	The toxicity of monosodium glutamate in young rats. Biochimica Et Biophysica Acta - General Subjects, 1971, 244, 318-321.	2.4	17
86	Response of GWALP Transmembrane Peptides to Changes in the Tryptophan Anchor Positions. Biochemistry, 2011, 50, 7522-7535.	2.5	17
87	The Membrane Interface Dictates Different Anchor Roles for "Inner Pair―and "Outer Pair―Tryptophan Indole Rings in Gramicidin A Channels. Biochemistry, 2011, 50, 4855-4866.	2.5	17
88	Juxtaâ€ŧerminal Helix Unwinding as a Stabilizing Factor to Modulate the Dynamics of Transmembrane Helices. ChemBioChem, 2016, 17, 462-465.	2.6	16
89	Molecular and channel-forming characteristics of gramicidin K's: a family of naturally occurring acylated gramicidins. Biochemistry, 1992, 31, 7311-7319.	2.5	15
90	Dynamic regulation of lipid–protein interactions. Biochimica Et Biophysica Acta - Biomembranes, 2015, 1848, 1849-1859.	2.6	15

#	Article	IF	CITATIONS
91	Stimulation of cation transport in mitochondria by gramicidin and truncated derivatives. Biochemistry, 1989, 28, 4361-4367.	2.5	14
92	Neighboring Aliphatic/Aromatic Side Chain Interactions between Residues 9 and 10 in Gramicidin Channelsâ€. Biochemistry, 2000, 39, 2235-2242.	2.5	14
93	Characterizing Residue-Bilayer Interactions Using Gramicidin A as a Scaffold and Tryptophan Substitutions as Probes. Journal of Chemical Theory and Computation, 2017, 13, 5054-5064.	5.3	14
94	Gramicidin Channels: Versatile Tools. , 2007, , 33-80.		14
95	Influence of High pH and Cholesterol on Single Arginine-Containing Transmembrane Peptide Helices. Biochemistry, 2016, 55, 6337-6343.	2.5	13
96	Kinetics of the activation of rat liver pyruvate kinase by fructose 1,6-disphosphate and methods for characterizing hysteretic transitions. Biochemical Journal, 1974, 141, 119-125.	3.7	12
97	Single Tryptophan and Tyrosine Comparisons in the N-Terminal and C-Terminal Interface Regions of Transmembrane GWALP Peptides. Journal of Physical Chemistry B, 2013, 117, 13786-13794.	2.6	12
98	Influence of glutamic acid residues and pH on the properties of transmembrane helices. Biochimica Et Biophysica Acta - Biomembranes, 2017, 1859, 484-492.	2.6	12
99	Control of Transmembrane Helix Dynamics by Interfacial Tryptophan Residues. Biophysical Journal, 2018, 114, 2617-2629.	0.5	12
100	Effect of salt and membrane fluidity on fluorophore motions of a gramicidin C derivative. Biochemistry, 1991, 30, 7984-7990.	2.5	11
101	Proline Kink Angle Distributions for GWALP23 in Lipid Bilayers of Different Thicknesses. Biochemistry, 2012, 51, 3554-3564.	2.5	11
102	Free amino acids of testes. Concentrations of free amino acids in the testes of several species and the precursors of glutamate and glutamine in rat testes <i>in vivo</i> . Biochemical Journal, 1973, 132, 353-359.	3.1	10
103	Peptide Backbone Chemistry and Membrane Channel Function:Â Effects of a Single Amide-to-Ester Replacement on Gramicidin Channel Structure and Functionâ€. Biochemistry, 2001, 40, 1460-1472.	2.5	10
104	Transmembrane Helix Integrity versus Fraying To Expose Hydrogen Bonds at a Membrane–Water Interface. Biochemistry, 2019, 58, 633-645.	2.5	10
105	Labeling patterns in glutamic acid in Nicotiana rustica from carbon-14 dioxide. Journal of the American Chemical Society, 1967, 89, 3938-3939.	13.7	9
106	Role of the TIGN sequence in E. coli tryptophanyl-tRNA synthetase. BBA - Proteins and Proteomics, 1994, 1205, 223-229.	2.1	9
107	Mannose-6-P and mannose-1-P in rat brain, kidney and liver. Biochemical and Biophysical Research Communications, 1979, 89, 279-285.	2.1	8
108	Role of lysine-195 in the KMSKS sequence ofE. colitryptophanyl-tRNA synthetase. FEBS Letters, 1995, 363, 33-36.	2.8	7

#	Article	IF	CITATIONS
109	Steric Interactions of Valines 1, 5, and 7 in [Valine 5, d-Alanine 8] Gramicidin A Channels. Biophysical Journal, 1999, 77, 1927-1935.	0.5	7
110	Properties of Membrane-Incorporated WALP Peptides That Are Anchored on Only One End. Biochemistry, 2012, 51, 10066-10074.	2.5	7
111	Breaking the Backbone: Central Arginine Residues Induce Membrane Exit and Helix Distortions within a Dynamic Membrane Peptide. Journal of Physical Chemistry B, 2019, 123, 8034-8047.	2.6	7
112	Crystallization of Non-Racemic Mixtures of the Isomers of Serine. Nature, 1960, 185, 459-460.	27.8	6
113	The effect of fasting and several hyperglycaemic agents on the free amino acids of rat liver. Life Sciences, 1970, 9, 1045-1051.	4.3	6
114	Polar Groups in Membrane Channels: Consequences of Replacing Alanines with Serines in Membrane-Spanning Gramicidin Channels. Biochemistry, 2010, 49, 6856-6865.	2.5	6
115	Multivariate Data Analysis for Enhanced Interpretation of Electrochemical Impedance Spectra of Gramicidinâ ``Ion Interactions in Phospholipid Monolayers. Langmuir, 2007, 23, 5029-5032.	3.5	5
116	Gramicidin A Backbone and Side Chain Dynamics Evaluated by Molecular Dynamics Simulations and Nuclear Magnetic Resonance Experiments. II: Nuclear Magnetic Resonance Experiments. Journal of Physical Chemistry B, 2011, 115, 7427-7432.	2.6	5
117	Influence of Lipid Saturation, Hydrophobic Length and Cholesterol on Doubleâ€Arginineâ€Containing Helical Peptides in Bilayer Membranes. ChemBioChem, 2019, 20, 2784-2792.	2.6	5
118	Effect of Linker Length on Avidin Binding to Biotinylated Gramicidin A. International Journal of Peptide Research and Therapeutics, 2006, 12, 243-252.	1.9	4
119	Lack of temperature-sensitivity of rat liver pyruvate kinase. Biochemical Journal, 1973, 133, 391-394.	3.7	3
120	Comparing Interfacial Trp, Interfacial His and pH Dependence for the Anchoring of Tilted Transmembrane Helical Peptides. Biomolecules, 2020, 10, 273.	4.0	3
121	Examination of pH dependency and orientation differences of membrane spanning alpha helices carrying a single or pair of buried histidine residues. Biochimica Et Biophysica Acta - Biomembranes, 2021, 1863, 183501.	2.6	3
122	Lipid-Dependent Titration of Glutamic Acid at a Bilayer Membrane Interface. ACS Omega, 2021, 6, 8488-8494.	3.5	3
123	Membrane electrostatics sensed by tryptophan anchors in hydrophobic model peptides depends on non-aromatic interfacial amino acids: implications in hydrophobic mismatch. Faraday Discussions, 2021, 232, 330-346.	3.2	3
124	How do Amino Acid Substitutions Alter the Function of Gramicidin Channels?. Jerusalem Symposia on Quantum Chemistry and Biochemistry, 1988, , 133-145.	0.2	3
125	Do Amino Acid Substitutions Alter the Structure of Gramicidin Channels? Chemistry at the Single Molecule Level. Jerusalem Symposia on Quantum Chemistry and Biochemistry, 1988, , 115-132.	0.2	3
126	Pathway of Ethanol Metabolism in the Rat. Experimental Biology and Medicine, 1969, 132, 33-34.	2.4	2

#	Article	IF	CITATIONS
127	The effect of pre-incubation on trypsin kinetics at low pH. Biochimica Et Biophysica Acta - Biomembranes, 1977, 481, 617-621.	2.6	2
128	On the recovery of Cys-containing peptides during peptide mapping by HPLC. FEBS Letters, 1985, 183, 313-316.	2.8	2
129	Gramicidin Channels as Cation Nanotubes. , 2011, , 11-30.		2
130	Wavelength-Selective Fluorescence of a Model Transmembrane Peptide: Constrained Dynamics of Interfacial Tryptophan Anchors. Journal of Fluorescence, 2018, 28, 1317-1323.	2.5	2
131	Design and Characterization of Gramicidin Channels with Side Chain or Backbone Mutations. Novartis Foundation Symposium, 1999, 225, 44-61.	1.1	2
132	Effect of fatty acids on gluconeogenesis in the rat. Biochimica Et Biophysica Acta - General Subjects, 1970, 222, 231-234.	2.4	1
133	Influence of Cholesterol on Single Arginine-Containing Transmembrane Helical Peptides. Biophysical Journal, 2015, 108, 553a.	0.5	1
134	Flanking aromatic residue competition influences transmembrane peptide helix dynamics. FEBS Letters, 2020, 594, 4280-4291.	2.8	1
135	Illuminating Disorder Induced by Glu in a Stable Arg-Anchored Transmembrane Helix. ACS Omega, 2021, 6, 20611-20618.	3.5	1
136	Single-Molecule Methods for Monitoring Changes in Bilayer Elastic Properties. , 0, , 543-570.		1
137	On the Treatment of Dynamics During Combined 2H GALA and 15N/1H PISEMA Analysis of Transmembrane Peptide Tilt using Solid-State NMR Data. Biophysical Journal, 2011, 100, 638a.	0.5	Ο
138	Influence of interfacial tryptophan residues on an arginine-flanked transmembrane helix. Biochimica Et Biophysica Acta - Biomembranes, 2020, 1862, 183134.	2.6	0
139	Peptide Influences on Lipids. Novartis Foundation Symposium, 1999, 225, 170-187.	1.1	0
140	Transmembrane Helix Orientation and Dynamics. , 2013, , 2655-2657.		0
141	Transmembrane Helix Orientation and Dynamics. , 2020, , 1-4.		0