

# Terence Kin-Wah Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7507486/publications.pdf>

Version: 2024-02-01

109  
papers

9,928  
citations

36691

53  
h-index

40945

97  
g-index

112  
all docs

112  
docs citations

112  
times ranked

12904  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Cancer stem cells in hepatocellular carcinoma – from origin to clinical implications. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2022, 19, 26-44.  | 8.2 | 185       |
| 2  | Histone chaperone FACT complex coordinates with HIF to mediate an expeditious transcription program to adapt to poorly oxygenated cancers. <i>Cell Reports</i> , 2022, 38, 110304.  | 2.9 | 6         |
| 3  | Preclinical mouse models of hepatocellular carcinoma: An overview and update. <i>Experimental Cell Research</i> , 2022, 412, 113042.  | 1.2 | 4         |
| 4  | Patient plgR-enriched extracellular vesicles drive cancer stemness, tumorigenesis and metastasis in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2022, 76, 883-895.   | 1.8 | 32        |
| 5  | CircTUBD1: A Novel Circular RNA Molecule as a Therapeutic Target in Radiation-induced Liver Fibrosis. <i>Journal of Clinical and Translational Hepatology</i> , 2022, 000, 000-000.   | 0.7 | 1         |
| 6  | Network-Pharmacology-Based Study on Active Phytochemicals and Molecular Mechanism of <i>Cnidium monnieri</i> in Treating Hepatocellular Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5400.                                 | 1.8 | 11        |
| 7  | Caspase-3–Induced Activation of SREBP2 Drives Drug Resistance via Promotion of Cholesterol Biosynthesis in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2022, 82, 3102-3115.  | 0.4 | 22        |
| 8  | Clinicopathologic features, tumor immune microenvironment and genomic landscape of Epstein-Barr virus-associated intrahepatic cholangiocarcinoma. <i>Journal of Hepatology</i> , 2021, 74, 838-849.   | 1.8 | 53        |
| 9  | PRMT6 deficiency induces autophagy in hostile microenvironments of hepatocellular carcinoma tumors by regulating BAG5-associated HSC70 stability. <i>Cancer Letters</i> , 2021, 501, 247-262.   | 3.2 | 18        |
| 10 | RSK2-inactivating mutations potentiate MAPK signaling and support cholesterol metabolism in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2021, 74, 360-371.   | 1.8 | 30        |
| 11 | The interplay of UBE2T and Mule in regulating Wnt/ $\beta$ -catenin activation to promote hepatocellular carcinoma progression. <i>Cell Death and Disease</i> , 2021, 12, 148.  | 2.7 | 23        |
| 12 | EPHB2 Activates $\beta$ -Catenin to Enhance Cancer Stem Cell Properties and Drive Sorafenib Resistance in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2021, 81, 3229-3240.   | 0.4 | 59        |
| 13 | Cancer-Associated Fibroblasts: Orchestrating the Crosstalk Between Liver Cancer Cells and Neutrophils Through the Cardiotrophin-Like Cytokine Factor 1–Mediated Chemokine (CXCL1) Ligand 6/TGF $\beta$ 2 Axis. <i>Hepatology</i> , 2021, 73, 1631-1633. | 3.6 | 6         |
| 14 | Hampering Stromal Cells in the Tumor Microenvironment as a Therapeutic Strategy to Destem Cancer Stem Cells. <i>Cancers</i> , 2021, 13, 3191.   | 1.7 | 8         |
| 15 | Glucose deprivation–induced aberrant FUT1-mediated fucosylation drives cancer stemness in hepatocellular carcinoma. <i>Journal of Clinical Investigation</i> , 2021, 131, .   | 3.9 | 42        |
| 16 | Cancer Stem Cells: Emerging Key Players in Immune Evasion of Cancers. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 692940.   | 1.8 | 55        |
| 17 | Loss of tyrosine catabolic enzyme HPD promotes glutamine anaplerosis through mTOR signaling in liver cancer. <i>Cell Reports</i> , 2021, 36, 109617.  | 2.9 | 18        |
| 18 | UBE2T: A new molecular regulator of cancer stemness in hepatocellular carcinoma. <i>Oncotarget</i> , 2021, 12, 1727-1728.   | 0.8 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | FSTL1 Secreted by Activated Fibroblasts Promotes Hepatocellular Carcinoma Metastasis and Stemness. <i>Cancer Research</i> , 2021, 81, 5692-5705.   | 0.4 | 48        |
| 20 | Chemotherapy-Enriched THBS2-Deficient Cancer Stem Cells Drive Hepatocarcinogenesis through Matrix Softness Induced Histone H3 Modifications. <i>Advanced Science</i> , 2021, 8, 2002483.   | 5.6 | 24        |
| 21 | CRAF Methylation by PRMT6 Regulates Aerobic Glycolysis-Driven Hepatocarcinogenesis via ERK-Dependent PKM2 Nuclear Relocalization and Activation. <i>Hepatology</i> , 2020, 71, 1279-1296.  | 3.6 | 71        |
| 22 | Overriding Adaptive Resistance to Sorafenib Through Combination Therapy With Src Homology 2 Domain-Containing Phosphatase 2 Blockade in Hepatocellular Carcinoma. <i>Hepatology</i> , 2020, 72, 155-168.   | 3.6 | 58        |
| 23 | Deficiency in Embryonic Stem Cell Marker Reduced Expression 1 Activates Mitogen-Activated Protein Kinase Kinase 6-Dependent p38 Mitogen-Activated Protein Kinase Signaling to Drive Hepatocarcinogenesis. <i>Hepatology</i> , 2020, 72, 183-197. | 3.6 | 18        |
| 24 | Nidogen 1-Enriched Extracellular Vesicles Facilitate Extrahepatic Metastasis of Liver Cancer by Activating Pulmonary Fibroblasts to Secrete Tumor Necrosis Factor Receptor 1. <i>Advanced Science</i> , 2020, 7, 2002157.                        | 5.6 | 50        |
| 25 | The Pivotal Role of the Dysregulation of Cholesterol Homeostasis in Cancer: Implications for Therapeutic Targets. <i>Cancers</i> , 2020, 12, 1410.   | 1.7 | 26        |
| 26 | Anti-tumour effects of PIM kinase inhibition on progression and chemoresistance of hepatocellular carcinoma. <i>Journal of Pathology</i> , 2020, 252, 65-76.   | 2.1 | 9         |
| 27 | MAP9/ERCC3 signaling cascade: A new insight on understanding the chromosomal instability in hepatocellular carcinoma. <i>EBioMedicine</i> , 2020, 54, 102709.  | 2.7 | 2         |
| 28 | NRF2/SHH signaling cascade promotes tumor-initiating cell lineage and drug resistance in hepatocellular carcinoma. <i>Cancer Letters</i> , 2020, 476, 48-56.   | 3.2 | 37        |
| 29 | Single-cell transcriptomics reveals the landscape of intra-tumoral heterogeneity and stemness-related subpopulations in liver cancer. <i>Cancer Letters</i> , 2019, 459, 176-185.  | 3.2 | 129       |
| 30 | Emerging role of fatty acid binding proteins in cancer pathogenesis. <i>Histology and Histopathology</i> , 2019, 34, 1-12.   | 0.5 | 9         |
| 31 | IRAK1 Augments Cancer Stemness and Drug Resistance via the AP-1/AKR1B10 Signaling Cascade in Hepatocellular Carcinoma. <i>Cancer Research</i> , 2018, 78, 2332-2342.   | 0.4 | 93        |
| 32 | Cripto-1 contributes to stemness in hepatocellular carcinoma by stabilizing Dishevelled-3 and activating Wnt/ $\beta$ -catenin pathway. <i>Cell Death and Differentiation</i> , 2018, 25, 1426-1441.   | 5.0 | 47        |
| 33 | PRMT6 Regulates RAS/RAF Binding and MEK/ERK-Mediated Cancer Stemness Activities in Hepatocellular Carcinoma through CRAF Methylation. <i>Cell Reports</i> , 2018, 25, 690-701.e8.  | 2.9 | 76        |
| 34 | Efficacy of annexin A3 blockade in sensitizing hepatocellular carcinoma to sorafenib and regorafenib. <i>Journal of Hepatology</i> , 2018, 69, 826-839.  | 1.8 | 89        |
| 35 | SENP1 promotes hypoxia-induced cancer stemness by HIF-1 $\alpha$ deSUMOylation and SENP1/HIF-1 $\alpha$ positive feedback loop. <i>Gut</i> , 2017, 66, 2149-2159.  | 6.1 | 141       |
| 36 | Notch Inhibitor PF-03084014 Inhibits Hepatocellular Carcinoma Growth and Metastasis via Suppression of Cancer Stemness due to Reduced Activation of Notch1-Stat3. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 1531-1543.                    | 1.9 | 64        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | The CCCTC-binding factor (CTCF)-forkhead box protein M1 axis regulates tumour growth and metastasis in hepatocellular carcinoma. <i>Journal of Pathology</i> , 2017, 243, 418-430.                                 | 2.1 | 29        |
| 38 | FSTL1 Promotes Metastasis and Chemoresistance in Esophageal Squamous Cell Carcinoma through NF- $\kappa$ B/BMP Signaling Cross-talk. <i>Cancer Research</i> , 2017, 77, 5886-5899.                                 | 0.4 | 48        |
| 39 | Chronic inflammation-elicited liver progenitor cell conversion to liver cancer stem cell with clinical significance. <i>Hepatology</i> , 2017, 66, 1934-1951.  | 3.6 | 96        |
| 40 | Stearoyl-CoA desaturase regulates sorafenib resistance via modulation of ER stress-induced differentiation. <i>Journal of Hepatology</i> , 2017, 67, 979-990.  | 1.8 | 124       |
| 41 | TP53INP1 Downregulation Activates a p73-Dependent DUSP10/ERK Signaling Pathway to Promote Metastasis of Hepatocellular Carcinoma. <i>Cancer Research</i> , 2017, 77, 4602-4612.                                    | 0.4 | 39        |
| 42 | Shp2 promotes liver cancer stem cell expansion by augmenting $\beta$ -catenin signaling and predicts chemotherapeutic response of patients. <i>Hepatology</i> , 2017, 65, 1566-1580.                               | 3.6 | 127       |
| 43 | Cancer Stem Cells and Their Microenvironment: Biology and Therapeutic Implications. <i>Stem Cells International</i> , 2017, 2017, 1-11.  | 1.2 | 132       |
| 44 | C-terminal truncated hepatitis B virus X protein regulates tumorigenicity, self-renewal and drug resistance via STAT3/Nanog signaling pathway. <i>Oncotarget</i> , 2017, 8, 23507-23516.                           | 0.8 | 29        |
| 45 | Dishevelled-3 phosphorylation is governed by HIPK2/PP1 $\beta$ /ITCH axis and the non-phosphorylated form promotes cancer stemness via LGR5 in hepatocellular carcinoma. <i>Oncotarget</i> , 2017, 8, 39430-39442. | 0.8 | 6         |
| 46 | Sox9 confers stemness properties in hepatocellular carcinoma through Frizzled-7 mediated Wnt/ $\beta$ -catenin signaling. <i>Oncotarget</i> , 2016, 7, 29371-29386.  | 0.8 | 70        |
| 47 | What are the options for hepatocellular carcinoma patients who progress under sorafenib?. <i>Hepatic Oncology</i> , 2016, 3, 105-108.  | 4.2 | 1         |
| 48 | Cancer-Associated Fibroblasts Regulate Tumor-Initiating Cell Plasticity in Hepatocellular Carcinoma through c-Met/FRA1/HEY1 Signaling. <i>Cell Reports</i> , 2016, 15, 1175-1189.                                  | 2.9 | 253       |
| 49 | Octamer 4/microRNA-1246 signaling axis drives Wnt/ $\beta$ -catenin activation in liver cancer stem cells. <i>Hepatology</i> , 2016, 64, 2062-2076.  | 3.6 | 153       |
| 50 | Anti-CD47 antibody suppresses tumour growth and augments the effect of chemotherapy treatment in hepatocellular carcinoma. <i>Liver International</i> , 2016, 36, 737-745.   | 1.9 | 62        |
| 51 | Tie-2 regulates the stemness and metastatic properties of prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 2572-2584.   | 0.8 | 21        |
| 52 | Adipocytes promote prostate cancer stem cell self-renewal through amplification of the cholecystokinin autocrine loop. <i>Oncotarget</i> , 2016, 7, 4939-4948.   | 0.8 | 24        |
| 53 | Nuclear factor $\kappa$ B-mediated CD47 upregulation promotes sorafenib resistance and its blockade synergizes the effect of sorafenib in hepatocellular carcinoma in mice. <i>Hepatology</i> , 2015, 62, 534-545. | 3.6 | 149       |
| 54 | ANXA3/JNK Signaling Promotes Self-Renewal and Tumor Growth, and Its Blockade Provides a Therapeutic Target for Hepatocellular Carcinoma. <i>Stem Cell Reports</i> , 2015, 5, 45-59.                                | 2.3 | 74        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Phosphorylation of Nucleophosmin at Threonine 234/237 is associated with HCC metastasis. <i>Oncotarget</i> , 2015, 6, 43483-43495.  | 0.8 | 12        |
| 56 | Polysaccharopeptide enhanced the anti-cancer effect of gamma-tocotrienol through activation of AMPK. <i>BMC Complementary and Alternative Medicine</i> , 2014, 14, 303.   | 3.7 | 16        |
| 57 | Blockade of CD47-mediated cathepsin S/protease-activated receptor 2 signaling provides a therapeutic target for hepatocellular carcinoma. <i>Hepatology</i> , 2014, 60, 179-191.                                    | 3.6 | 167       |
| 58 | Regulatory role of miR-142-3p on the functional hepatic cancer stem cell marker CD133. <i>Oncotarget</i> , 2014, 5, 5725-5735.  | 0.8 | 65        |
| 59 | Liver tumor-initiating cells as a therapeutic target for hepatocellular carcinoma. <i>Cancer Letters</i> , 2013, 338, 101-109.  | 3.2 | 52        |
| 60 | Caveolin-1 overexpression is associated with hepatocellular carcinoma tumorigenesis and metastasis. <i>Journal of Pathology</i> , 2012, 226, 645-653.   | 2.1 | 72        |
| 61 | CD133+ liver tumor-initiating cells promote tumor angiogenesis, growth, and self-renewal through neurotensin/interleukin-8/CXCL1 signaling. <i>Hepatology</i> , 2012, 55, 807-820.                                  | 3.6 | 206       |
| 62 | CD24+ Liver Tumor-Initiating Cells Drive Self-Renewal and Tumor Initiation through STAT3-Mediated NANOG Regulation. <i>Cell Stem Cell</i> , 2011, 9, 50-63.   | 5.2 | 545       |
| 63 | Lupeol targets liver tumor-initiating cells through phosphatase and tensin homolog modulation. <i>Hepatology</i> , 2011, 53, 160-170.   | 3.6 | 91        |
| 64 | Gamma-tocotrienol as an effective agent in targeting prostate cancer stem cell-like population. <i>International Journal of Cancer</i> , 2011, 128, 2182-2191.  | 2.3 | 76        |
| 65 | MicroRNA-616 Induces Androgen-Independent Growth of Prostate Cancer Cells by Suppressing Expression of Tissue Factor Pathway Inhibitor TFPI-2. <i>Cancer Research</i> , 2011, 71, 583-592.                          | 0.4 | 80        |
| 66 | An N-terminal truncated carboxypeptidase E splice isoform induces tumor growth and is a biomarker for predicting future metastasis in human cancers. <i>Journal of Clinical Investigation</i> , 2011, 121, 880-892. | 3.9 | 61        |
| 67 | Chemopreventive Effect of PSP Through Targeting of Prostate Cancer Stem Cell-Like Population. <i>PLoS ONE</i> , 2011, 6, e19804.  | 1.1 | 40        |
| 68 | Suppression of tumorigenesis and metastasis of hepatocellular carcinoma by shRNA interference targeting on homeoprotein Six1. <i>International Journal of Cancer</i> , 2010, 127, 859-872.                          | 2.3 | 37        |
| 69 | miR-130b Promotes CD133+ Liver Tumor-Initiating Cell Growth and Self-Renewal via Tumor Protein 53-Induced Nuclear Protein 1. <i>Cell Stem Cell</i> , 2010, 7, 694-707.  | 5.2 | 368       |
| 70 | Targeting cadherin-17 inactivates Wnt signaling and inhibits tumor growth in liver carcinoma. <i>Hepatology</i> , 2009, 50, 1453-1463.  | 3.6 | 107       |
| 71 | Liver cancer stem cells: implications for a new therapeutic target. <i>Liver International</i> , 2009, 29, 955-965.   | 1.9 | 75        |
| 72 | CD133+ HCC cancer stem cells confer chemoresistance by preferential expression of the Akt/PKB survival pathway. <i>Oncogene</i> , 2008, 27, 1749-1758.  | 2.6 | 720       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Id-1 Induces Proteasome-dependent Degradation of the HBX Protein. <i>Journal of Molecular Biology</i> , 2008, 382, 34-43.   | 2.0 | 29        |
| 74 | Aldehyde Dehydrogenase Discriminates the CD133 Liver Cancer Stem Cell Populations. <i>Molecular Cancer Research</i> , 2008, 6, 1146-1153.   | 1.5 | 427       |
| 75 | Identification of a Novel Inhibitor of Differentiation-1 (ID-1) Binding Partner, Caveolin-1, and Its Role in Epithelial-Mesenchymal Transition and Resistance to Apoptosis in Prostate Cancer Cells. <i>Journal of Biological Chemistry</i> , 2007, 282, 33284-33294. | 1.6 | 73        |
| 76 | Lupeol Suppresses Cisplatin-Induced Nuclear Factor- $\kappa$ B Activation in Head and Neck Squamous Cell Carcinoma and Inhibits Local Invasion and Nodal Metastasis in an Orthotopic Nude Mouse Model. <i>Cancer Research</i> , 2007, 67, 8800-8809.                  | 0.4 | 119       |
| 77 | Fascin over-expression is associated with aggressiveness of oral squamous cell carcinoma. <i>Cancer Letters</i> , 2007, 254, 308-315.   | 3.2 | 47        |
| 78 | Clinicopathological significance of missing in metastasis B expression in hepatocellular carcinoma. <i>Human Pathology</i> , 2007, 38, 1201-1206.   | 1.1 | 43        |
| 79 | Identification and Characterization of Tumorigenic Liver Cancer Stem/Progenitor Cells. <i>Gastroenterology</i> , 2007, 132, 2542-2556.  | 0.6 | 1,096     |
| 80 | Ischemia-reperfusion of small liver remnant promotes liver tumor growth and metastases—Activation of cell invasion and migration pathways. <i>Liver Transplantation</i> , 2007, 13, 1669-1677.  | 1.3 | 109       |
| 81 | The significance of proline-rich tyrosine kinase2 (Pyk2) on hepatocellular carcinoma progression and recurrence. <i>British Journal of Cancer</i> , 2007, 97, 50-57.  | 2.9 | 60        |
| 82 | Twist Overexpression Correlates with Hepatocellular Carcinoma Metastasis through Induction of Epithelial-Mesenchymal Transition. <i>Clinical Cancer Research</i> , 2006, 12, 5369-5376.   | 3.2 | 378       |
| 83 | FTY720, a fungus metabolite, inhibits invasion ability of androgen-independent prostate cancer cells through inactivation of RhoA-GTPase. <i>Cancer Letters</i> , 2006, 233, 36-47.   | 3.2 | 52        |
| 84 | Clinicopathological significance of homeoprotein Six1 in hepatocellular carcinoma. <i>British Journal of Cancer</i> , 2006, 95, 1050-1055.  | 2.9 | 81        |
| 85 | Attenuation of acute phase shear stress by somatostatin improves small-for-size liver graft survival. <i>Liver Transplantation</i> , 2006, 12, 621-627.   | 1.3 | 81        |
| 86 | Rac Activation Is Associated with Hepatocellular Carcinoma Metastasis by Up-regulation of Vascular Endothelial Growth Factor Expression. <i>Clinical Cancer Research</i> , 2006, 12, 5082-5089.   | 3.2 | 40        |
| 87 | Regulation of Angiogenesis by Id-1 through Hypoxia-Inducible Factor-1 $\alpha$ -Mediated Vascular Endothelial Growth Factor Up-regulation in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2006, 12, 6910-6919.   | 3.2 | 62        |
| 88 | Signal Transducers and Activators of Transcription 5b Activation Enhances Hepatocellular Carcinoma Aggressiveness through Induction of Epithelial-Mesenchymal Transition. <i>Cancer Research</i> , 2006, 66, 9948-9956.   | 0.4 | 105       |
| 89 | Effects of a novel immunomodulating agent, FTY720, on tumor growth and angiogenesis in hepatocellular carcinoma. <i>Molecular Cancer Therapeutics</i> , 2005, 4, 1430-1438.   | 1.9 | 79        |
| 90 | Significance of the Rac signaling pathway in HCC cell motility: implications for a new therapeutic target. <i>Carcinogenesis</i> , 2005, 26, 681-687.   | 1.3 | 41        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | FTY720: A Promising Agent for Treatment of Metastatic Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2005, 11, 8458-8466.  | 3.2 | 90        |
| 92  | FTY720 Attenuates Hepatic Ischemia-Reperfusion Injury in Normal and Cirrhotic Livers. <i>American Journal of Transplantation</i> , 2005, 5, 40-49.  | 2.6 | 74        |
| 93  | FTY720 induces apoptosis of human hepatoma cell lines through PI3-K-mediated Akt dephosphorylation. <i>Carcinogenesis</i> , 2004, 25, 2397-2405.  | 1.3 | 77        |
| 94  | PIN1 overexpression and $\beta$ -catenin gene mutations are distinct oncogenic events in human hepatocellular carcinoma. <i>Oncogene</i> , 2004, 23, 4182-4186.                           | 2.6 | 101       |
| 95  | Attenuation of Small-for-Size Liver Graft Injury by FTY720: Significance of Cell-survival Akt Signaling Pathway. <i>American Journal of Transplantation</i> , 2004, 4, 1399-1407.         | 2.6 | 37        |
| 96  | Insulin in UW solution exacerbates hepatic ischemia / reperfusion injury by energy depletion through the IRS-2 / SREBP-1c pathway. <i>Liver Transplantation</i> , 2004, 10, 1173-1182.    | 1.3 | 17        |
| 97  | FK 409 Ameliorates Small-for-Size Liver Graft Injury by Attenuation of Portal Hypertension and Down-Regulation of Egr-1 Pathway. <i>Annals of Surgery</i> , 2004, 240, 159-168.           | 2.1 | 64        |
| 98  | Disruption of p53-p21/WAF1 cell cycle pathway contributes to progression and worse clinical outcome of hepatocellular carcinoma. <i>Oncology Reports</i> , 2004, 12, 25-31.               | 1.2 | 12        |
| 99  | Intra-graft gene expression profiles by cDNA microarray in small-for-size liver grafts. <i>Liver Transplantation</i> , 2003, 9, 425-432.  | 1.3 | 60        |
| 100 | Over-expression of Id-1 induces cell proliferation in hepatocellular carcinoma through inactivation of p16INK4a/RB pathway. <i>Carcinogenesis</i> , 2003, 24, 1729-1736.                  | 1.3 | 47        |
| 101 | Graft Injury in Relation to Graft Size in Right Lobe Live Donor Liver Transplantation. <i>Annals of Surgery</i> , 2003, 237, 256-264.   | 2.1 | 211       |
| 102 | Distinct intra-graft response pattern in relation to graft size in liver transplantation. <i>Transplantation</i> , 2003, 75, 673-678.   | 0.5 | 69        |
| 103 | INSULIN IN UNIVERSITY OF WISCONSIN SOLUTION EXACERBATES THE ISCHEMIC INJURY AND DECREASES THE GRAFT SURVIVAL RATE IN RAT LIVER TRANSPLANTATION. <i>Transplantation</i> , 2003, 76, 44-49. | 0.5 | 13        |
| 104 | Gene expression profiling by cDNA array in human hepatoma cell line in response to cisplatin treatment. <i>Life Sciences</i> , 2002, 70, 1677-1690.                                       | 2.0 | 20        |
| 105 | Doxorubicin-induced apoptosis and chemosensitivity in hepatoma cell lines. <i>Cancer Chemotherapy and Pharmacology</i> , 2002, 49, 78-86.   | 1.1 | 122       |
| 106 | Activation of MAPK signaling pathway is essential for Id-1 induced serum independent prostate cancer cell growth. <i>Oncogene</i> , 2002, 21, 8498-8505.                                  | 2.6 | 93        |
| 107 | Gene delivery using a receptor-mediated gene transfer system targeted to hepatocellular carcinoma cells. <i>International Journal of Cancer</i> , 2001, 93, 393-400.                      | 2.3 | 30        |
| 108 | RhoE/ROCK2 regulates chemoresistance through NF- $\kappa$ B/IL-6/ STAT3 signaling in hepatocellular carcinoma. <i>Oncotarget</i> , 0, 7, 41445-41459.                                     | 0.8 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Targeting protein kinases in cancer stem cells. Essays in Biochemistry, 0, , . | 2.1 | 2         |