Sumit Ranjan Majumdar

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7509631/publications.pdf

Version: 2024-02-01

109 papers 4,826 citations

34 h-index 102487 66 g-index

113 all docs

113 docs citations

113 times ranked 7359 citing authors

#	Article	IF	CITATIONS
1	Accounts of health risk assessment survey administration in the Catch a Break Program: the social construction of osteoporosis risk identification and need for intervention. Archives of Osteoporosis, 2021, 16, 136.	2.4	1
2	Successful implementation of a Fracture Liaison Service through effective change management: a qualitative study. Archives of Osteoporosis, 2020, 15, 44.	2.4	7
3	An Outreach Rehabilitation Program for Nursing Home Residents After Hip Fracture May Be Cost-Saving. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, e159-e165.	3.6	7
4	Blood pressure reduction in hypertensive acute ischemic stroke patients does not affect cerebral blood flow. Journal of Cerebral Blood Flow and Metabolism, 2019, 39, 1878-1887.	4.3	8
5	Impact of a household-level deductible on prescription drug use among lower-income adults: a quasi-experimental study. CMAJ Open, 2019, 7, E167-E173.	2.4	7
6	Changes in employer-sponsored private health insurance among retirees in Ontario: a cross-sectional study. CMAJ Open, 2019, 7, E15-E22.	2.4	6
7	Quality improvement strategies to prevent falls in older adults: a systematic review and network meta-analysis. Age and Ageing, 2019, 48, 337-346.	1.6	17
8	Cost-Effectiveness of Osteoporosis Interventions to Improve Quality of Care After Upper Extremity Fracture: Results From a Randomized Trial (C-STOP Trial). Journal of Bone and Mineral Research, 2019, 34, 1220-1228.	2.8	13
9	Rehabilitation After Hip Fracture for Nursing Home Residents: A Controlled Feasibility Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 1518-1525.	3.6	13
10	Association Between Fluid Balance and Outcomes in Critically III Children. JAMA Pediatrics, 2018, 172, 257.	6.2	261
11	Comparative Effectiveness and Safety of Cognitive Enhancers for Treating Alzheimer's Disease: Systematic Review and Network Metaanalysis. Journal of the American Geriatrics Society, 2018, 66, 170-178.	2.6	89
12	Comparative Safety of Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylureas and Other Glucose-lowering Therapies for Three Acute Outcomes. Scientific Reports, 2018, 8, 15142.	3.3	17
13	Examining the risk of depression or self-harm associated with incretin-based therapies used to manage hyperglycaemia in patients with type 2 diabetes: a cohort study using the UK Clinical Practice Research Datalink. BMJ Open, 2018, 8, e023830.	1.9	15
14	Engaging patients and primary care providers in the design of novel opinion leader based interventions for acute asthma in the emergency department: a mixed methods study. BMC Health Services Research, 2018, 18, 789.	2.2	3
15	Sustaining knowledge translation interventions for chronic disease management in older adults: protocol for a systematic review and network meta-analysis. Systematic Reviews, 2018, 7, 140.	5. 3	5
16	Comparing Strategies Targeting Osteoporosis to Prevent Fractures After an Upper Extremity Fracture (C-STOP Trial): A Randomized Controlled Trial. Journal of Bone and Mineral Research, 2018, 33, 2114-2121.	2.8	23
17	The diagnostic threshold for osteoporosis impedes fracture prevention in women at high risk for fracture: A registry-based cohort study. Bone, 2018, 114, 298-303.	2.9	19
18	Metformin, Asian ethnicity and risk of prostate cancer in type 2 diabetes: a systematic review and meta-analysis. BMC Cancer, 2018, 18, 65.	2.6	24

#	Article	IF	CITATIONS
19	Measuring improvement in fracture risk prediction for a new risk factor: a simulation. BMC Research Notes, 2018, 11, 62.	1.4	6
20	Association of Mental Disorders and Related Medication Use With Risk for Major Osteoporotic Fractures. JAMA Psychiatry, 2017, 74, 641.	11.0	60
21	The evaluating self-management and educational support in severely obese patients awaiting multidisciplinary bariatric care (EVOLUTION) trial: principal results. BMC Medicine, 2017, 15, 46.	5.5	15
22	Impact of income-based deductibles on drug use and health care utilization among older adults. Cmaj, 2017, 189, E690-E696.	2.0	11
23	Objectively-Verified Parental Non-Hip Major Osteoporotic Fractures and Offspring Osteoporotic Fracture Risk: A Population-Based Familial Linkage Study. Journal of Bone and Mineral Research, 2017, 32, 716-721.	2.8	7
24	Associations Between Fluid Balance and Outcomes in Critically Ill Children. Canadian Journal of Kidney Health and Disease, 2017, 4, 205435811769256.	1.1	14
25	Change in Trabecular Bone Score (TBS) With Antiresorptive Therapy Does Not Predict Fracture in Women: The Manitoba BMD Cohort. Journal of Bone and Mineral Research, 2017, 32, 618-623.	2.8	22
26	Dietary intake and prospective changes in cardiometabolic risk factors in children and youth. Applied Physiology, Nutrition and Metabolism, 2017, 42, 39-45.	1.9	20
27	Total Hip Bone Area Affects Fracture Prediction With FRAX® in Canadian White Women. Journal of Clinical Endocrinology and Metabolism, 2017, 102, 4242-4249.	3.6	7
28	Comparisons of Interventions for Preventing Falls in Older Adults. JAMA - Journal of the American Medical Association, 2017, 318, 1687.	7.4	420
29	Association of insulin dosage with mortality or major adverse cardiovascular events: a retrospective cohort study. Lancet Diabetes and Endocrinology,the, 2017, 5, 43-52.	11.4	43
30	Sitagliptin and risk of fractures in type 2 diabetes: <scp>R</scp> esults from the <scp>TECOS</scp> trial. Diabetes, Obesity and Metabolism, 2017, 19, 78-86.	4.4	52
31	Association of Preference-Based Health-Related Quality of Life with Weight Loss in Obese Adults. Value in Health, 2017, 20, 694-698.	0.3	7
32	Invasive Pneumococcal Disease: Still Lots to Learn and a Need for Standardized Data Collection Instruments. Canadian Respiratory Journal, 2017, 2017, 1-9.	1.6	15
33	The impact of a physician detailing and sampling program for generic atorvastatin: an interrupted time series analysis. Implementation Science, 2017, 12, 141.	6.9	2
34	Rates of, and risk factors for, septic arthritis in patients with invasive pneumococcal disease: prospective cohort study. BMC Infectious Diseases, 2017, 17, 680.	2.9	8
35	Comparative effectiveness and safety of gastric bypass, sleeve gastrectomy and adjustable gastric banding in a population-based bariatric program: prospective cohort study. Canadian Journal of Surgery, 2016, 59, 233-241.	1.2	18
36	A qualitative study examining healthcare managers and providers' perspectives on participating in primary care implementation research. BMC Health Services Research, 2016, 16, 316.	2.2	4

#	Article	IF	Citations
37	Medication Discrepancies Associated With a Medication Reconciliation Program and Clinical Outcomes After Hospital Discharge. Pharmacotherapy, 2016, 36, 415-421.	2.6	16
38	Comparing three different measures of frailty in medical inpatients: Multicenter prospective cohort study examining 30â€day risk of readmission or death. Journal of Hospital Medicine, 2016, 11, 556-562.	1.4	33
39	Does Sitagliptin Affect the Rate of Osteoporotic Fractures in Type 2 Diabetes? Population-Based Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 1963-1969.	3.6	38
40	Current depressive symptoms but not history of depression predict hospital readmission or death after discharge from medical wards: a multisite prospective cohort study. General Hospital Psychiatry, 2016, 39, 80-85.	2.4	16
41	Current Smoking and Reduced Mortality in Bacteremic Pneumococcal Pneumonia. Chest, 2016, 150, 652-660.	0.8	7
42	Longer Duration of Diabetes Strongly Impacts Fracture Risk Assessment: The Manitoba BMD Cohort. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4489-4496.	3.6	92
43	Asplenic patients and invasive pneumococcal diseaseâ€"how bad is it these days?. International Journal of Infectious Diseases, 2016, 51, 27-30.	3.3	14
44	A Rapid Bedside Screen to Predict Unplanned Hospitalization and Death in Outpatients With Cirrhosis: A Prospective Evaluation of the Clinical Frailty Scale. American Journal of Gastroenterology, 2016, 111, 1759-1767.	0.4	152
45	A prospective multicenter cohort study of frailty in younger critically ill patients. Critical Care, 2016, 20, 175.	5.8	98
46	Cost-Effectiveness Evaluation of Collaborative Care for Diabetes and Depression in Primary Care. American Journal of Preventive Medicine, 2016, 51, e13-e20.	3.0	18
47	Objectively Verified Parental Hip Fracture Is an Independent Risk Factor for Fracture: a Linkage Analysis of 478,792 Parents and 261,705 Offspring. Journal of Bone and Mineral Research, 2016, 31, 1753-1759.	2.8	31
48	Comparative safety and effectiveness of cognitive enhancers for Alzheimer's dementia: protocol for a systematic review and individual patient data network meta-analysis. BMJ Open, 2016, 6, e010251.	1.9	16
49	Depressive symptoms are associated with higher rates of readmission or mortality after medical hospitalization: A systematic review and metaâ€analysis. Journal of Hospital Medicine, 2016, 11, 373-380.	1.4	57
50	Patient-Reported Discharge Readiness and 30-Day Risk of Readmission or Death: AÂProspective Cohort Study. American Journal of Medicine, 2016, 129, 89-95.	1.5	37
51	Antihypertensive treatments for adults with type 2 diabetes. BMJ, The, 2016, 352, i560.	6.0	2
52	Patient isolation precautions and 30-day risk of readmission or death after hospital discharge: a prospective cohort study. International Journal of Infectious Diseases, 2016, 43, 74-76.	3.3	6
53	Associations of Body Mass Index With Incident Fractures and Hip Structural Parameters in a Large Canadian Cohort. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 476-484.	3.6	26
54	Telemonitoring and Protocolized Case Management for Hypertensive Community-Dwelling Seniors With Diabetes: Protocol of the TECHNOMED Randomized Controlled Trial. JMIR Research Protocols, 2016, 5, e107.	1.0	14

#	Article	IF	Citations
55	A Comparison of Casual In-Clinic Blood Pressure Measurements to Standardized Guideline-Concordant Measurements in Severely Obese Individuals. International Journal of Hypertension, 2015, 2015, 1-5.	1.3	2
56	Association between frailty and 30-day outcomes after discharge from hospital. Cmaj, 2015, 187, 799-804.	2.0	173
57	Limited Impact of Drug Exposure Misclassification From Non-Benefit Thiazolidinedione Drug Use on Mortality and Hospitalizations From Saskatchewan, Canada: A Cohort Study. Clinical Therapeutics, 2015, 37, 629-642.	2.5	O
58	Association of Inadequate Health Literacy with Health Outcomes in Patients with Type 2 Diabetes and Depression: Secondary Analysis of a Controlled Trial. Canadian Journal of Diabetes, 2015, 39, 259-265.	0.8	33
59	Challenges in Identifying Patients with Type 2 Diabetes for Quality-Improvement Interventions in Primary Care Settings and the Importance of Valid Disease Registries. Canadian Journal of Diabetes, 2015, 39, S77-S82.	0.8	9
60	Impact of Organizational Stability on Adoption of Quality-Improvement Interventions for Diabetes in Primary Care Settings. Canadian Journal of Diabetes, 2015, 39, S100-S112.	0.8	6
61	Contextualizing the Effectiveness of a Collaborative Care Model forÂPrimary Care Patients with Diabetes and Depression (Teamcare): A Qualitative Assessment Using RE-AlM. Canadian Journal of Diabetes, 2015, 39, S83-S91.	0.8	30
62	The Alberta's Caring for Diabetes (ABCD) Study: Rationale, Design and Baseline Characteristics of a Prospective Cohort of Adults with Type 2 Diabetes. Canadian Journal of Diabetes, 2015, 39, S113-S119.	0.8	26
63	Collaborative Care Versus Screening and Follow-up for Patients With Diabetes and Depressive Symptoms: Results of a Primary Care–Based Comparative Effectiveness Trial. Diabetes Care, 2014, 37, 3220-3226.	8.6	63
64	Prioritization and willingness to pay for bariatric surgery: the patient perspective. Canadian Journal of Surgery, 2014, 57, 33-39.	1.2	20
65	Safely and effectively reducing inpatient length of stay: a controlled study of the General Internal Medicine Care Transformation Initiative. BMJ Quality and Safety, 2014, 23, 446-456.	3.7	28
66	Safety and effectiveness of dipeptidyl peptidase-4 inhibitors versus intermediate-acting insulin or placebo for patients with type 2 diabetes failing two oral antihyperglycaemic agents: a systematic review and network meta-analysis. BMJ Open, 2014, 4, e005752.	1.9	31
67	Case management reduces global vascular risk after stroke: Secondary results from the The preventing recurrent vascular events and neurological worsening through intensive organized case-management randomized controlled trial. American Heart Journal, 2014, 168, 924-930.	2.7	16
68	Cholesterol End Points Predict Outcome in Patients With Coronary Disease: Quality Improvement Metrics from The Enhancing Secondary Prevention in Coronary Artery Disease (ESP-CAD) Trial. Canadian Journal of Cardiology, 2014, 30, 1627-1632.	1.7	3
69	Case management for blood pressure and lipid level control after minor stroke: PREVENTION randomized controlled trial. Cmaj, 2014, 186, 577-584.	2.0	69
70	Safety, effectiveness, and cost effectiveness of long acting versus intermediate acting insulin for patients with type 1 diabetes: systematic review and network meta-analysis. BMJ, The, 2014, 349, g5459-g5459.	6.0	84
71	Outdoor Time Is Associated with Physical Activity, Sedentary Time, andÂCardiorespiratory Fitness in Youth. Journal of Pediatrics, 2014, 165, 516-521.	1.8	68
72	Measurement properties and comparative performance of health literacy screening questions in a predominantly low income African American population with diabetes. Patient Education and Counseling, 2014, 97, 88-95.	2.2	13

#	Article	IF	Citations
73	Cost-Effectiveness of Osteoporosis Interventions for 'Incidental' Vertebral Fractures. American Journal of Medicine, 2013, 126, 169.e9-169.e17.	1.5	12
74	Of Fracture Thresholds and Bone Mineral Density Reference Data: Does One Size Really Fit All?. Journal of Clinical Densitometry, 2013, 16, 543-548.	1.2	2
7 5	Cost-Effectiveness of Two Inexpensive Postfracture Osteoporosis Interventions: Results of a Randomized Trial. Journal of Clinical Endocrinology and Metabolism, 2013, 98, 1991-2000.	3.6	22
76	The Disconnect Between Better Quality of Glucocorticoid-induced Osteoporosis Preventive Care and Better Outcomes: A Population-based Cohort Study. Journal of Rheumatology, 2013, 40, 1736-1741.	2.0	24
77	A Simple Prediction Rule for All-Cause Mortality in a Cohort Eligible for Bariatric Surgery. JAMA Surgery, 2013, 148, 1109.	4.3	37
78	Macrolide Use in the Treatment of Critically Ill Patients with Pneumonia: Incidence, Correlates, Timing and Outcomes. Canadian Journal of Infectious Diseases and Medical Microbiology, 2013, 24, e107-e112.	1.9	10
79	Quality-improvement interventions for osteoporosis: When are the results worth the effort?. Cmaj, 2012, 184, 279-280.	2.0	3
80	Heart Failure Is a Clinically and Densitometrically Independent Risk Factor for Osteoporotic Fractures: Population-Based Cohort Study of 45,509 Subjects. Journal of Clinical Endocrinology and Metabolism, 2012, 97, 1179-1186.	3.6	50
81	Interventions to Increase Osteoporosis Treatment in Patients with †Incidentally' Detected Vertebral Fractures. American Journal of Medicine, 2012, 125, 929-936.	1.5	33
82	Understanding the relationship between heart failure and osteoporosis-related fractures. Expert Review of Endocrinology and Metabolism, 2012, 7, 1-4.	2.4	1
83	Successful high-quality knowledge translation research: three case studies. Journal of Clinical Epidemiology, 2011, 64, 21-24.	5.0	4
84	Oxygen Saturations Less than 92% Are Associated with Major Adverse Events in Outpatients with Pneumonia: A Population-Based Cohort Study. Clinical Infectious Diseases, 2011, 52, 325-331.	5.8	106
85	The preventing recurrent vascular events and neurological worsening through intensive organized case-management (PREVENTION) trial protocol [clinicaltrials.gov identifier: NCT00931788]. Implementation Science, 2010, 5, 27.	6.9	9
86	Prevalence and predictors of vertebral fracture in patients with chronic obstructive pulmonary disease. Respiratory Medicine, 2010, 104, 260-266.	2.9	43
87	Response to Letter Regarding Article, "Heart Failure Is a Risk Factor for Orthopedic Fracture: A Population-Based Analysis of 16 294 Patients― Circulation, 2009, 120, .	1.6	0
88	The Unhealthy State Of Health Policy Research. Health Affairs, 2009, 28, w900-w908.	5.2	33
89	Forced Euvolemic Diuresis With Mannitol and Furosemide for Prevention of Contrast-Induced Nephropathy in Patients With CKD Undergoing Coronary Angiography: A Randomized Controlled Trial. American Journal of Kidney Diseases, 2009, 54, 602-609.	1.9	107
90	Multifaceted intervention to improve diagnosis and treatment of osteoporosis in patients with recent wrist fracture: a randomized controlled trial. Cmaj, 2008, 178, 569-575.	2.0	132

#	Article	IF	CITATIONS
91	Better Outcomes for Patients Treated at Hospitals That Participate in Clinical Trials. Archives of Internal Medicine, 2008, 168, 657.	3.8	142
92	Viral Infection in Adults Hospitalized With Community-Acquired Pneumonia. Chest, 2008, 134, 1141-1148.	0.8	268
93	Use of a Case Manager to Improve Osteoporosis Treatment After Hip Fracture. Archives of Internal Medicine, 2007, 167, 2110.	3.8	129
94	Impact of opinion leader–endorsed evidence summaries on the quality of prescribing for patients with cardiovascular disease: A randomized controlled trial. American Heart Journal, 2007, 153, 22.e1-22.e8.	2.7	34
95	Statins and outcomes in patients admitted to hospital with community acquired pneumonia: population based prospective cohort study. BMJ: British Medical Journal, 2006, 333, 999.	2.3	230
96	A cluster randomized trial to assess the impact of opinion leader endorsed evidence summaries on improving quality of prescribing for patients with chronic cardiovascular disease: rationale and design [ISRCTN26365328]. BMC Cardiovascular Disorders, 2005, 5, 17.	1.7	7
97	A Controlled Trial To Increase Detection and Treatment of Osteoporosis in Older Patients with a Wrist Fracture. Annals of Internal Medicine, 2004, 141, 366.	3.9	148
98	Improvements in Patient-Reported Outcomes Associated With an Intervention to Enhance Quality of Care for Rural Patients With Type 2 Diabetes: Results of a controlled trial. Diabetes Care, 2004, 27, 1306-1312.	8.6	46
99	Promotion and Prescribing of Hormone Therapy After Report of Harm by the Women's Health Initiative. JAMA - Journal of the American Medical Association, 2004, 292, 1983.	7.4	144
100	From knowledge to practice in chronic cardiovascular disease: a long and winding road. Journal of the American College of Cardiology, 2004, 43, 1738-1742.	2.8	133
101	Do evidence-based treatments provide incremental benefits to patients with congestive heart failure already receiving angiotensin-converting enzyme inhibitors? A secondary analysis of one-year outcomes from the assessment of treatment with lisinopril and survival (ATLAS) study. Clinical Therapeutics, 2004, 26, 694-703.	2.5	22
102	Physician-Perceived Barriers to Adopting a Critical Pathway for Community-Acquired Pneumonia. Joint Commission Journal on Quality and Safety, 2004, 30, 387-395.	1.3	19
103	Synergy between publication and promotion: comparing adoption of new evidence in Canada and the United States. American Journal of Medicine, 2003, 115, 467-472.	1.5	61
104	Controlled Trial of a Multifaceted Intervention for Improving Quality of Care for Rural Patients With Type 2 Diabetes. Diabetes Care, 2003, 26, 3061-3066.	8.6	85
105	Why most interventions to improve physician prescribing do not seem to work. Cmaj, 2003, 169, 30-1.	2.0	27
106	Do the investigative sites that take part in a positive clinical trial translate that evidence into practice?. American Journal of Medicine, 2002, 113, 140-145.	1.5	41
107	Influence of physician specialty on adoption and relinquishment of calcium channel blockers and other treatments for myocardial infarction. Journal of General Internal Medicine, 2001, 16, 351-359.	2.6	37
108	The Knowledge-to-Action Cycle., 0,, 57-181.		5

ARTICLE IF CITATIONS

109 Evaluating and Improving Physician Prescribing., 0, , 419-437.