Patrick J Hanly

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7510646/publications.pdf Version: 2024-02-01



ΔΑΤΡΙCK | ΗΛΝΙΧ

#	Article	IF	CITATIONS
1	Sleep monitoring in the intensive care unit: comparison of nurse assessment, actigraphy and polysomnography. Intensive Care Medicine, 2008, 34, 2076-2083.	8.2	1,130
2	Continuous Positive Airway Pressure for Central Sleep Apnea and Heart Failure. New England Journal of Medicine, 2005, 353, 2025-2033.	27.0	1,093
3	Suppression of Central Sleep Apnea by Continuous Positive Airway Pressure and Transplant-Free Survival in Heart Failure. Circulation, 2007, 115, 3173-3180.	1.6	625
4	Improvement of Sleep Apnea in Patients with Chronic Renal Failure Who Undergo Nocturnal Hemodialysis. New England Journal of Medicine, 2001, 344, 102-107.	27.0	517
5	Contribution of the Intensive Care Unit Environment to Sleep Disruption in Mechanically Ventilated Patients and Healthy Subjects. American Journal of Respiratory and Critical Care Medicine, 2003, 167, 708-715.	5.6	482
6	Sleep in Critically III Patients Requiring Mechanical Ventilation. Chest, 2000, 117, 809-818.	0.8	426
7	The Effect of Oxygen on Respiration and Sleep in Patients with Congestive Heart Failure. Annals of Internal Medicine, 1989, 111, 777.	3.9	211
8	Sleep Disturbances among Medical Students: A Global Perspective. Journal of Clinical Sleep Medicine, 2015, 11, 69-74.	2.6	205
9	Pathogenesis of Cheyne-Stokes Respiration in Patients With Congestive Heart Failure. Chest, 1993, 104, 1079-1084.	0.8	177
10	Declining Kidney Function Increases the Prevalence of Sleep Apnea and Nocturnal Hypoxia. Chest, 2012, 141, 1422-1430.	0.8	165
11	Mechanisms of breathing instability in patients with obstructive sleep apnea. Journal of Applied Physiology, 2007, 103, 1929-1941.	2.5	151
12	Intermittent hypoxia and vascular function: implications for obstructive sleep apnoea. Experimental Physiology, 2007, 92, 51-65.	2.0	145
13	Intermittent Hypoxia Increases Arterial Blood Pressure in Humans Through a Renin-Angiotensin System-Dependent Mechanism. Hypertension, 2010, 56, 369-377.	2.7	144
14	Daytime sleepiness in patients with CRF: Impact of nocturnal hemodialysis. American Journal of Kidney Diseases, 2003, 41, 403-410.	1.9	136
15	Relationship between Arousal Intensity and Heart Rate Response to Arousal. Sleep, 2014, 37, 645-653.	1.1	130
16	Odds Ratio Product of Sleep EEG as a Continuous Measure of Sleep State. Sleep, 2015, 38, 641-654.	1.1	127
17	Determinants of Ventilatory Instability in Obstructive Sleep Apnea: Inherent or Acquired?. Sleep, 2009, 32, 1355-1365.	1.1	121
18	Sleep disruption in the intensive care unit. Current Opinion in Critical Care, 2001, 7, 21-27.	3.2	105

#	Article	IF	CITATIONS
19	Nocturnal Hypoxia and Loss of Kidney Function. PLoS ONE, 2011, 6, e19029.	2.5	105
20	Evaluation of Continuous Positive Airway Pressure Therapy on Renin–Angiotensin System Activity in Obstructive Sleep Apnea. American Journal of Respiratory and Critical Care Medicine, 2014, 190, 572-580.	5.6	98
21	Staging Sleep in Polysomnograms: Analysis of Inter-Scorer Variability. Journal of Clinical Sleep Medicine, 2016, 12, 885-894.	2.6	98
22	Daytime Sleepiness in Patients With Congestive Heart Failure and Cheyne-Stokes Respiration. Chest, 1995, 107, 952-958.	0.8	88
23	Does Snoring Intensity Correlate with the Severity of Obstructive Sleep Apnea?. Journal of Clinical Sleep Medicine, 2010, 06, 475-478.	2.6	86
24	DAILY HEMODIALYSIS-SELECTED TOPICS: Sleep Apnea and Daytime Sleepiness in End-Stage Renal Disease. Seminars in Dialysis, 2004, 17, 109-114.	1.3	84
25	Effects of Continuous Positive Airway Pressure on Cerebral Vascular Response to Hypoxia in Patients with Obstructive Sleep Apnea. American Journal of Respiratory and Critical Care Medicine, 2007, 175, 720-725.	5.6	81
26	Effect on Intermittent Hypoxia on Plasma Exosomal Micro RNA Signature and Endothelial Function in Healthy Adults. Sleep, 2016, 39, 2077-2090.	1.1	75
27	Nocturnal haemodialysis increases pharyngeal size in patients with sleep apnoea and end-stage renal disease. Nephrology Dialysis Transplantation, 2007, 23, 673-679.	0.7	71
28	Impact of obstructive sleep apnoea and intermittent hypoxia on cardiovascular and cerebrovascular regulation. Experimental Physiology, 2017, 102, 743-763.	2.0	70
29	Impact of kidney transplantation on sleep apnoea in patients with end-stage renal disease. Nephrology Dialysis Transplantation, 2007, 22, 3028-3033.	0.7	69
30	Sleep Apnea and the Kidney. Chest, 2014, 146, 1114-1122.	0.8	64
31	Nocturnal Hypoxemia Severity and Renin–Angiotensin System Activity in Obstructive Sleep Apnea. American Journal of Respiratory and Critical Care Medicine, 2015, 192, 873-880.	5.6	59
32	Sleep Disorders over the Full Range of Chronic Kidney Disease. Blood Purification, 2011, 31, 146-150.	1.8	58
33	Sleep Apnea in Patients With Transient Ischemic Attack and Minor Stroke. Stroke, 2010, 41, 2973-2975.	2.0	56
34	Decreased chemosensitivity and improvement of sleep apnea by nocturnal hemodialysis. Sleep Medicine, 2009, 10, 47-54.	1.6	53
35	Clinical Presentation of Obstructive Sleep Apnea in Patients with End-stage Renal Disease. Journal of Clinical Sleep Medicine, 2009, 05, 115-121.	2.6	52
36	Evidence of association between sleep quality and <i>APOE</i> Îμ4 in healthy older adults. Neurology, 2016, 87, 1836-1842.	1.1	51

#	Article	IF	CITATIONS
37	Diagnostic Value of Screening Instruments for Identifying Obstructive Sleep Apnea in Kidney Failure. Journal of Clinical Sleep Medicine, 2013, 09, 31-38.	2.6	48
38	Immediate postarousal sleep dynamics: an important determinant of sleep stability in obstructive sleep apnea. Journal of Applied Physiology, 2016, 120, 801-808.	2.5	46
39	Clinical Presentation of Obstructive Sleep Apnea in Patients with Chronic Kidney Disease. Journal of Clinical Sleep Medicine, 2012, 08, 381-387.	2.6	42
40	Chronic sleep disorders in survivors of the acute respiratory distress syndrome. Intensive Care Medicine, 2009, 35, 314-20.	8.2	38
41	The Prevalence of Restless Legs Syndrome across the Full Spectrum of Kidney Disease. Journal of Clinical Sleep Medicine, 2013, 09, 455-459.	2.6	37
42	Sleep disorders and end-stage renal disease. Current Opinion in Pulmonary Medicine, 2008, 14, 543-550.	2.6	36
43	Sleep Disruption in Patients with Sleep Apnea and End-Stage Renal Disease. Journal of Clinical Sleep Medicine, 2009, 05, 324-329.	2.6	34
44	Effect of Obstructive Sleep Apnea Treatment on Renal Function in Patients with Cardiovascular Disease. American Journal of Respiratory and Critical Care Medicine, 2017, 196, 1456-1462.	5.6	32
45	Imaging and Baseline Predictors of Cognitive Performance in Minor Ischemic Stroke and Patients With Transient Ischemic Attack at 90 Days. Stroke, 2016, 47, 726-731.	2.0	30
46	Chronic Kidney Disease and Sleep Apnea Association of Kidney Disease With Obstructive Sleep Apnea in a Population Study of Men. Sleep, 2017, 40, .	1.1	26
47	Nocturnal Hypoxemia Is Associated with White Matter Hyperintensities in Patients with a Minor Stroke or Transient Ischemic Attack. Journal of Clinical Sleep Medicine, 2015, 11, 1417-1424.	2.6	23
48	Prevalence of Sleep-disordered Breathing in Obese Patients with Chronic Hypoxemia. A Cross-Sectional Study. Annals of the American Thoracic Society, 2015, 12, 921-927.	3.2	22
49	Improvement of Periodic Limb Movements following Kidney Transplantation. Nephron Clinical Practice, 2008, 109, c133-c139.	2.3	21
50	Circulating biomarkers to identify cardiometabolic complications in patients with Obstructive Sleep Apnea: A systematic review. Sleep Medicine Reviews, 2019, 44, 48-57.	8.5	20
51	Association of sleep spindle characteristics with executive functioning in healthy sedentary middleâ€aged and older adults. Journal of Sleep Research, 2021, 30, e13037.	3.2	20
52	Effects of Wait Times on Treatment Adherence and Clinical Outcomes in Patients With Severe Sleep-Disordered Breathing. JAMA Network Open, 2020, 3, e203088.	5.9	19
53	Minimizing Interrater Variability in Staging Sleep by Use of Computer-Derived Features. Journal of Clinical Sleep Medicine, 2016, 12, 1347-1356.	2.6	18
54	Association between risk of obstructive sleep apnea, inflammation and cognition after 45 years old in the Canadian Longitudinal Study on Aging. Sleep Medicine, 2022, 91, 21-30.	1.6	18

#	Article	IF	CITATIONS
55	Plasma Exosomes and Improvements in Endothelial Function by Angiotensin 2 Type 1 Receptor or Cyclooxygenase 2 Blockade following Intermittent Hypoxia. Frontiers in Neurology, 2017, 8, 709.	2.4	17
56	Sleep in the Critically III Patient. Seminars in Respiratory and Critical Care Medicine, 2001, 22, 153-164.	2.1	16
57	Human intermittent hypoxia-induced respiratory plasticity is not caused by inflammation. European Respiratory Journal, 2015, 46, 1072-1083.	6.7	16
58	Effect of CPAP Therapy on Kidney Function in Patients With Chronic Kidney Disease. Chest, 2021, 159, 2008-2019.	0.8	16
59	A portrait of obstructive sleep apnea risk factors in 27,210 middle-aged and older adults in the Canadian Longitudinal Study on Aging. Scientific Reports, 2022, 12, 5127.	3.3	16
60	Short-Term Potentiation in the Control of Pharyngeal Muscles in Obstructive Apnea Patients. Sleep, 2014, 37, 1833-1849.	1.1	15
61	Sleep Disorders and Home Dialysis. Advances in Chronic Kidney Disease, 2009, 16, 179-188.	1.4	14
62	An observational study of the effectiveness of alternative care providers in the management of obstructive sleep apnea. Journal of Sleep Research, 2016, 25, 234-240.	3.2	13
63	Treatment of Sleep Disordered Breathing Liberates Obese Hypoxemic Patients from Oxygen. PLoS ONE, 2015, 10, e0140135.	2.5	13
64	Nocturnal hypoxemia severity influences the effect of CPAP therapy on renal renin–angiotensin–aldosterone system activity in humans with obstructive sleep apnea. Sleep, 2021, 44, .	1.1	13
65	Risk of chronic kidney disease in patients with obstructive sleep apnea. Sleep, 2022, 45, .	1.1	13
66	Effects of continuous positive airway pressure and isocapnicâ€hypoxia on cerebral autoregulation in patients with obstructive sleep apnoea. Journal of Physiology, 2016, 594, 7089-7104.	2.9	12
67	CPAP Therapy Delays Cardiovagal Reactivation and Decreases Arterial Renin-Angiotensin System Activity in Humans With Obstructive Sleep Apnea. Journal of Clinical Sleep Medicine, 2018, 14, 1509-1520.	2.6	11
68	Helping Canadian health care providers to optimize Sleep Disordered Breathing management for their patients during the COVID-19 pandemic. Canadian Journal of Respiratory, Critical Care, and Sleep Medicine, 2020, 4, 81-82.	0.5	11
69	Key Highlights From the Canadian Thoracic Society's Position Statement on Optimizing the Management of Sleep Disordered Breathing During the Coronavirus Disease 2019 Pandemic. Chest, 2020, 158, 899-900.	0.8	11
70	Effect of CPAP therapy on kidney function in patients with obstructive sleep apnoea and chronic kidney disease: a protocol for a randomised controlled clinical trial. BMJ Open, 2019, 9, e024632.	1.9	10
71	Sex differences in renal hemodynamics and renin-angiotensin system activity post-CPAP therapy in humans with obstructive sleep apnea. American Journal of Physiology - Renal Physiology, 2020, 318, F25-F34.	2.7	10
72	Impact of obstructive sleep apnea and intermittent hypoxia on blood rheology – a translational study. European Respiratory Journal, 2021, 58, 2100352.	6.7	10

#	Article	IF	CITATIONS
73	Profile of CPAP treated patients in Ontario, Canada, 2006–2013: a population-based cohort study. Sleep Medicine, 2018, 51, 22-28.	1.6	9
74	Vascular responses to hypoxia are not impaired in obstructive sleep apnoea patients free of overt cardiovascular disease. Experimental Physiology, 2019, 104, 580-600.	2.0	9
75	Symptom subtypes and cognitive function in a clinic-based OSA cohort: a multi-centre Canadian study. Sleep Medicine, 2020, 74, 92-98.	1.6	8
76	Contribution of hypercapnia to cognitive impairment in severe sleep-disordered breathing. Journal of Clinical Sleep Medicine, 2022, 18, 245-254.	2.6	7
77	Healthcare Use in Individuals with Obesity and Chronic Hypoxemia Treated for Sleep Disordered Breathing. Journal of Clinical Sleep Medicine, 2016, 12, 543-548.	2.6	7
78	Urine biomarkers of renal renin–angiotensin system activity: Exploratory analysis in humans with and without obstructive sleep apnea. Physiological Reports, 2020, 8, e14376.	1.7	6
79	Association of insomnia and short sleep duration, alone or with comorbid obstructive sleep apnea, and the risk of chronic kidney disease. Sleep, 2022, 45, .	1.1	6
80	Adherence Index: sleep depth and nocturnal hypoventilation predict long-term adherence with positive airway pressure therapy in severe obstructive sleep apnea. Journal of Clinical Sleep Medicine, 2022, 18, 1933-1944.	2.6	6
81	Effects of Six-Month Aerobic Exercise Intervention on Sleep in Healthy Older Adults in the Brain in Motion Study: A Pilot Study. Journal of Alzheimer's Disease Reports, 2018, 2, 229-238.	2.2	5
82	Predictors of successful completion of diagnostic home sleep testing in patients with chronic kidney disease. Sleep and Breathing, 2015, 19, 669-675.	1.7	4
83	Evaluation of an alternative care provider clinic for severe sleep-disordered breathing: a study protocol for a randomised controlled trial. BMJ Open, 2017, 7, e014012.	1.9	4
84	Consider the Kidney when Managing Obstructive Sleep Apnea. Journal of Clinical Sleep Medicine, 2015, 11, 845-846.	2.6	4
85	Predicting CPAP failure in patients with suspected sleep hypoventilation identified on ambulatory testing. Journal of Clinical Sleep Medicine, 2020, 16, 1555-1565.	2.6	4
86	Impact of Sleeping Angle on the Upper Airway and Pathogenesis of Cheyne Stokes Respiration. Sleep, 2009, 32, 1412-1413.	1.1	3
87	Impact of nocturnal oxygen and CPAP on the ventilatory response to hypoxia in OSA patients free of overt cardiovascular disease. Experimental Neurology, 2021, 346, 113852.	4.1	3
88	Impact of intermittent hypoxia on human vascular responses during sleep. Experimental Neurology, 2022, 347, 113897.	4.1	3
89	Updated recommendations for resumption of sleep clinic and laboratory testing. Canadian Journal of Respiratory, Critical Care, and Sleep Medicine, 2020, 4, 160-162.	0.5	2
90	Prevalence of chronic kidney disease in obesity hypoventilation syndrome and obstructive sleep apnoea with severe obesity. Sleep Medicine, 2020, 74, 73-77.	1.6	2

#	Article	IF	CITATIONS
91	The Brain in Motion II Study: study protocol for a randomized controlled trial of an aerobic exercise intervention for older adults at increased risk of dementia. Trials, 2021, 22, 394.	1.6	2
92	0091 Spindle Characteristics Are Associated With Executive Function In Healthy Older Adults From The Brain In Motion Study. Sleep, 2019, 42, A37-A38.	1.1	1
93	Decreased Renal Function and the Prevalence of Obstructive Sleep Apnea: Response. Chest, 2012, 142, 1076-1077.	0.8	0
94	Recruitment of patients with chronic kidney disease and obstructive sleep apnoea for a clinical trial. Journal of Sleep Research, 2021, 30, e13384.	3.2	0
95	Ageâ€stratified, sexâ€specific differences in cognitive performance based on risk of obstructive sleep apnea and systemic inflammation: A crossâ€sectional analysis of the Canadian Longitudinal Study of Aging. Alzheimer's and Dementia, 2021, 17, .	0.8	0
96	Renal disorders and sleep. , 2022, , .		0