## Carlo Feo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7515703/publications.pdf

Version: 2024-02-01

567281 501196 32 805 15 28 citations h-index g-index papers 33 33 33 1101 all docs docs citations times ranked citing authors

#	Article	IF	Citations
1	Swab test in biological fluids as predictor of COVID-19 transmission risk during surgery: a prospective cross-sectional study from an Italian COVID center. BMC Surgery, 2022, 22, 119.	1.3	4
2	Enhanced Recovery Program in Laparoscopic Colorectal Surgery: An Observational Controlled Trial. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2021, 31, 363-370.	1.0	0
3	Colorectal Carcinoma Affected Patients Are Significantly Poor Responders Against the Oncogenic JC Polyomavirus. Frontiers in Immunology, 2021, 12, 632129.	4.8	1
4	Impact of Covid-19 on surgical activities and personnel: lessons for the future. Minerva Surgery, 2021,	0.6	3
5	Laparoscopic versus Open Transverse-Incision Approach for Right Hemicolectomy: A Systematic Review and Meta-Analysis. Medicina (Lithuania), 2021, 57, 80.	2.0	2
6	The SIFIPAC/WSES/SICG/SIMEU guidelines for diagnosis and treatment of acute appendicitis in the elderly (2019 edition). World Journal of Emergency Surgery, 2020, 15, 19.	5.0	48
7	Multimodal prehabilitation in colorectal cancer patients to improve functional capacity and reduce postoperative complications: the first international randomized controlled trial for multimodal prehabilitation. BMC Cancer, 2019, 19, 98.	2.6	204
8	Laparoscopic versus open transverseâ€incision right hemicolectomy: a retrospective comparison study. ANZ Journal of Surgery, 2019, 89, E292-E296.	0.7	4
9	Protocol for the longâ€ŧerm culture of human primary keratinocytes from the normal colorectal mucosa. Journal of Cellular Physiology, 2019, 234, 9895-9905.	4.1	17
10	Impact of a colorectal enhanced recovery program implementation on clinical outcomes and institutional costs: A prospective cohort study with retrospective control. International Journal of Surgery, 2018, 53, 206-213.	2.7	13
11	Adrenal cavernous hemangioma: a case report. BMC Surgery, 2018, 18, 103.	1.3	14
12	Upregulation of the alternative splicing factor NOVA2 in colorectal cancer vasculature. OncoTargets and Therapy, 2018, Volume 11, 6049-6056.	2.0	23
13	Combined rectal and gynecologic surgery in complex pelvic floor dysfunction: clinical outcomes and quality of life of patients treated by a multidisciplinary group. Minerva Surgery, 2018, 73, 345-347.	0.6	2
14	Laparoscopic versus open incisional hernia repair: a retrospective cohort study with costs analysis on 269 patients. Hernia: the Journal of Hernias and Abdominal Wall Surgery, 2017, 21, 609-618.	2.0	25
15	Reply. Journal of Vascular Surgery, 2016, 64, 1191-1192.	1.1	0
16	The effect of an Enhanced Recovery Program in elective retroperitoneal abdominal aortic aneurysm repair. Journal of Vascular Surgery, 2016, 63, 888-894.	1.1	22
17	Applicability of laparoscopic approach to the resection of large adrenal tumours: a retrospective cohort study on 200 patients. Surgical Endoscopy and Other Interventional Techniques, 2016, 30, 3532-3540.	2.4	25
18	Preoperative endoscopic tattooing to mark the tumour site does not improve lymph node retrieval in colorectal cancer: a retrospective cohort study. Journal of Negative Results in BioMedicine, 2015, 14, 9.	1.4	11

#	Article	IF	CITATIONS
19	Inhibition of epithelial growth factor receptor can play an important role in reducing cell growth and survival in adrenocortical tumors. Biochemical Pharmacology, 2015, 98, 639-648.	4.4	14
20	Mitotane enhances doxorubicin cytotoxic activity by inhibiting P-gp in human adrenocortical carcinoma cells. Endocrine, 2014, 47, 943-951.	2.3	29
21	Enhanced recovery after surgery (ERAS) strategies: possible advantages also for head and neck surgery patients?. European Archives of Oto-Rhino-Laryngology, 2014, 271, 439-443.	1.6	30
22	Radio-guided selective compartment neck dissection improves staging in papillary thyroid carcinoma: A prospective study on 345 patients with a 3-year follow-up. Surgery, 2014, 156, 147-157.	1.9	24
23	Esophageal achalasia with recurrent aspiration pneumoniae treated by laparoscopic Heller myotomy. American Surgeon, 2012, 78, E168-70.	0.8	0
24	Importance of a multidisciplinary approach for the treatment of Barrett's esophagus. Updates in Surgery, 2011, 63, 5-9.	2.0	2
25	Should esophageal resections for cancer be performed in high-volume centers only?. Updates in Surgery, 2011, 63, 147-150.	2.0	12
26	Fast Track Postoperative Management after Elective Colorectal Surgery: A Controlled Trail. American Surgeon, 2009, 75, 1247-1251.	0.8	19
27	Fast track postoperative management after elective colorectal surgery: a controlled trail. American Surgeon, 2009, 75, 1247-51.	0.8	18
28	Oesophageal Achalasia with Epiphrenic Diverticulum with Laparoscopic Approach: A 6-Year Follow-Up. Digestive Surgery, 2006, 23, 27-27.	1.2	5
29	Randomized clinical trial of the effect of preoperative dexamethasone on nausea and vomiting after laparoscopic cholecystectomy. British Journal of Surgery, 2006, 93, 295-299.	0.3	71
30	Early oral feeding after colorectal resection: a randomized controlled study. ANZ Journal of Surgery, 2004, 74, 298-301.	0.7	104
31	Early and Late Outcome after Surgery for Colorectal Cancer Elective versus Emergency Surgery. Tumori, 2003, 89, 36-41.	1.1	54
32	Laparoscopic approach for esophageal achalasia with epiphrenic diverticulum. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2001, 11, 112-5.	0.8	3