

Christopher G Proud

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7518148/publications.pdf>

Version: 2024-02-01

322
papers

24,602
citations

6124

83
h-index

11608

140
g-index

395
all docs

395
docs citations

395
times ranked

25317
citing authors

#	ARTICLE	IF	CITATIONS
1	Mitogen-activated protein kinases activate the serine/threonine kinases Mnk1 and Mnk2. <i>EMBO Journal</i> , 1997, 16, 1909-1920.	3.5	860
2	Regulation of elongation factor 2 kinase by p90RSK1 and p70 S6 kinase. <i>EMBO Journal</i> , 2001, 20, 4370-4379.	3.5	675
3	The mTOR Pathway in the Control of Protein Synthesis. <i>Physiology</i> , 2006, 21, 362-369.	1.6	549
4	Signalling to translation: how signal transduction pathways control the protein synthetic machinery. <i>Biochemical Journal</i> , 2007, 403, 217-234.	1.7	443
5	Activation of AMP-Activated Protein Kinase Leads to the Phosphorylation of Elongation Factor 2 and an Inhibition of Protein Synthesis. <i>Current Biology</i> , 2002, 12, 1419-1423.	1.8	415
6	Regulation of peptide-chain elongation in mammalian cells. <i>FEBS Journal</i> , 2002, 269, 5360-5368.	0.2	404
7	The eEF2 Kinase Confers Resistance to Nutrient Deprivation by Blocking Translation Elongation. <i>Cell</i> , 2013, 153, 1064-1079.	13.5	348
8	eIF2 and the control of cell physiology. <i>Seminars in Cell and Developmental Biology</i> , 2005, 16, 3-12.	2.3	331
9	Regulation of mammalian translation factors by nutrients. <i>FEBS Journal</i> , 2002, 269, 5338-5349.	0.2	327
10	Amino acid availability regulates p70 S6 kinase and multiple translation factors. <i>Biochemical Journal</i> , 1998, 334, 261-267.	1.7	322
11	Screen for Chemical Modulators of Autophagy Reveals Novel Therapeutic Inhibitors of mTORC1 Signaling. <i>PLoS ONE</i> , 2009, 4, e7124.	1.1	313
12	The Tuberous Sclerosis Protein TSC2 Is Not Required for the Regulation of the Mammalian Target of Rapamycin by Amino Acids and Certain Cellular Stresses. <i>Journal of Biological Chemistry</i> , 2005, 280, 18717-18727.	1.6	312
13	Stimulation of the AMP-activated Protein Kinase Leads to Activation of Eukaryotic Elongation Factor 2 Kinase and to Its Phosphorylation at a Novel Site, Serine 398. <i>Journal of Biological Chemistry</i> , 2004, 279, 12220-12231.	1.6	306
14	The kinase DYRK phosphorylates protein-synthesis initiation factor eIF2B ϵ at Ser539 and the microtubule-associated protein tau at Thr212: potential role for DYRK as a glycogen synthase kinase 3-priming kinase. <i>Biochemical Journal</i> , 2001, 355, 609-615.	1.7	299
15	Activation of AMP-activated Protein Kinase Inhibits Protein Synthesis Associated with Hypertrophy in the Cardiac Myocyte. <i>Journal of Biological Chemistry</i> , 2004, 279, 32771-32779.	1.6	294
16	Regulation of targets of mTOR (mammalian target of rapamycin) signalling by intracellular amino acid availability. <i>Biochemical Journal</i> , 2003, 372, 555-566.	1.7	279
17	The Phosphorylation of Eukaryotic Initiation Factor eIF4E in Response to Phorbol Esters, Cell Stresses, and Cytokines Is Mediated by Distinct MAP Kinase Pathways. <i>Journal of Biological Chemistry</i> , 1998, 273, 9373-9377.	1.6	277
18	Regulation of eukaryotic initiation factor eIF2B: glycogen synthase kinase-3 phosphorylates a conserved serine which undergoes dephosphorylation in response to insulin. <i>FEBS Letters</i> , 1998, 421, 125-130.	1.3	264

#	ARTICLE	IF	CITATIONS
19	Does phosphorylation of the cap-binding protein eIF4E play a role in translation initiation?. FEBS Journal, 2002, 269, 5350-5359.	0.2	263
20	Translation matters: protein synthesis defects in inherited disease. Nature Reviews Genetics, 2007, 8, 711-723.	7.7	246
21	A Novel mTOR-Regulated Phosphorylation Site in Elongation Factor 2 Kinase Modulates the Activity of the Kinase and Its Binding to Calmodulin. Molecular and Cellular Biology, 2004, 24, 2986-2997.	1.1	234
22	mTOR inhibitors in cancer therapy. F1000Research, 2016, 5, 2078.	0.8	228
23	Regulation of Protein Kinase B and Glycogen Synthase Kinase-3 by Insulin and β -Adrenergic Agonists in Rat Epididymal Fat Cells. Journal of Biological Chemistry, 1997, 272, 7713-7719.	1.6	224
24	Phosphorylation of Eukaryotic Initiation Factor 4E Markedly Reduces Its Affinity for Capped mRNA. Journal of Biological Chemistry, 2002, 277, 3303-3309.	1.6	224
25	mTORC1 signaling controls multiple steps in ribosome biogenesis. Seminars in Cell and Developmental Biology, 2014, 36, 113-120.	2.3	216
26	PKR: a new name and new roles. Trends in Biochemical Sciences, 1995, 20, 241-246.	3.7	214
27	PRAS40 Is a Target for Mammalian Target of Rapamycin Complex 1 and Is Required for Signaling Downstream of This Complex*. Journal of Biological Chemistry, 2007, 282, 24514-24524.	1.6	212
28	Distinct Signaling Events Downstream of mTOR Cooperate To Mediate the Effects of Amino Acids and Insulin on Initiation Factor 4E-Binding Proteins. Molecular and Cellular Biology, 2005, 25, 2558-2572.	1.1	194
29	p70 S6 kinase: an enigma with variations. Trends in Biochemical Sciences, 1996, 21, 181-185.	3.7	193
30	The Purification and Properties of Rabbit Skeletal Muscle Glycogen Synthase. FEBS Journal, 1976, 68, 21-30.	0.2	192
31	mTOR-mediated regulation of translation factors by amino acids. Biochemical and Biophysical Research Communications, 2004, 313, 429-436.	1.0	192
32	Comparative analysis of the regulation of the interferoninducible protein kinase PKR by Epstein - Barr virus RNAs EBER-1 and EBER-2 and adenovirus VA, RNA. Nucleic Acids Research, 1993, 21, 4483-4490.	6.5	189
33	The Mitogen-Activated Protein Kinase Signal-Integrating Kinase Mnk2 Is a Eukaryotic Initiation Factor 4E Kinase with High Levels of Basal Activity in Mammalian Cells. Molecular and Cellular Biology, 2001, 21, 743-754.	1.1	188
34	The Mnks Are Novel Components in the Control of TNF α Biosynthesis and Phosphorylate and Regulate hnRNP A1. Immunity, 2005, 23, 177-189.	6.6	188
35	Nutrient control of TORC1, a cell-cycle regulator. Trends in Cell Biology, 2009, 19, 260-267.	3.6	186
36	When translation meets transformation: the mTOR story. Oncogene, 2006, 25, 6423-6435.	2.6	176

#	ARTICLE	IF	CITATIONS
37	Protein Phosphorylation in Translational Control. <i>Current Topics in Cellular Regulation</i> , 1992, 32, 243-369.	9.6	176
38	Regulation of cyclin D1 expression by mTORC1 signaling requires eukaryotic initiation factor 4E-binding protein 1. <i>Oncogene</i> , 2008, 27, 1106-1113.	2.6	171
39	Regulation of elongation factor-2 by multisite phosphorylation. <i>FEBS Journal</i> , 1993, 213, 689-699.	0.2	170
40	The Extracellular Signal-regulated Kinase Pathway Regulates the Phosphorylation of 4E-BP1 at Multiple Sites. <i>Journal of Biological Chemistry</i> , 2002, 277, 11591-11596.	1.6	166
41	mTOR's role in ageing: protein synthesis or autophagy?. <i>Aging</i> , 2009, 1, 586-597.	1.4	154
42	Cellular stresses profoundly inhibit protein synthesis and modulate the states of phosphorylation of multiple translation factors. <i>FEBS Journal</i> , 2002, 269, 3076-3085.	0.2	149
43	eIF2B-Related Disorders: Antenatal Onset and Involvement of Multiple Organs. <i>American Journal of Human Genetics</i> , 2003, 73, 1199-1207.	2.6	149
44	Ras, PI3-kinase and mTOR signaling in cardiac hypertrophy. <i>Cardiovascular Research</i> , 2004, 63, 403-413.	1.8	149
45	The Mnks: MAP kinase-interacting kinases (MAP kinase signal-integrating kinases). <i>Frontiers in Bioscience - Landmark</i> , 2008, Volume, 5359.	3.0	149
46	Eukaryotic elongation factor 2 kinase, an unusual enzyme with multiple roles. <i>Advances in Biological Regulation</i> , 2014, 55, 15-27.	1.4	149
47	Serine 209, Not Serine 53, Is the Major Site of Phosphorylation in Initiation Factor eIF-4E in Serum-treated Chinese Hamster Ovary Cells. <i>Journal of Biological Chemistry</i> , 1995, 270, 21684-21688.	1.6	139
48	GSK3: a SHAGGY frog story. <i>Trends in Cell Biology</i> , 1996, 6, 274-279.	3.6	133
49	Guanine nucleotides, protein phosphorylation and the control of translation. <i>Trends in Biochemical Sciences</i> , 1986, 11, 73-77.	3.7	132
50	Re-evaluating the Roles of Proposed Modulators of Mammalian Target of Rapamycin Complex 1 (mTORC1) Signaling. <i>Journal of Biological Chemistry</i> , 2008, 283, 30482-30492.	1.6	132
51	Targeting Mnks for Cancer Therapy. <i>Oncotarget</i> , 2012, 3, 118-131.	0.8	132
52	Caspase Cleavage of Initiation Factor 4E-Binding Protein 1 Yields a Dominant Inhibitor of Cap-Dependent Translation and Reveals a Novel Regulatory Motif. <i>Molecular and Cellular Biology</i> , 2002, 22, 1674-1683.	1.1	129
53	Structure and regulation of eukaryotic initiation factor eIF-2. Sequence of the site in the alpha subunit phosphorylated by the haem-controlled repressor and by the double-stranded RNA-activated inhibitor. <i>FEBS Journal</i> , 1987, 166, 357-363.	0.2	127
54	ABC50 Interacts with Eukaryotic Initiation Factor 2 and Associates with the Ribosome in an ATP-dependent Manner. <i>Journal of Biological Chemistry</i> , 2000, 275, 34131-34139.	1.6	124

#	ARTICLE	IF	CITATIONS
55	Ras/Erk Signaling Is Essential for Activation of Protein Synthesis by Gq Protein-Coupled Receptor Agonists in Adult Cardiomyocytes. <i>Circulation Research</i> , 2002, 91, 821-829.	2.0	124
56	Two-Stage Translational Control of Dentate Gyrus LTP Consolidation Is Mediated by Sustained BDNF-TrkB Signaling to MNK. <i>Cell Reports</i> , 2014, 9, 1430-1445.	2.9	122
57	Amino acids and mTOR signalling in anabolic function. <i>Biochemical Society Transactions</i> , 2007, 35, 1187-1190.	1.6	118
58	Cross-talk between the ERK and p70 S6 Kinase (S6K) Signaling Pathways. <i>Journal of Biological Chemistry</i> , 2001, 276, 32670-32677.	1.6	116
59	Target of Rapamycin (TOR)-signaling and RAIP Motifs Play Distinct Roles in the Mammalian TOR-dependent Phosphorylation of Initiation Factor 4E-binding Protein 1. <i>Journal of Biological Chemistry</i> , 2003, 278, 40717-40722.	1.6	116
60	The Phosphorylation of Rabbit Skeletal Muscle Glycogen Synthase by Glycogen Synthase Kinase-2 and Adenosine-3': 5'-Monophosphate-Dependent Protein Kinase. <i>FEBS Journal</i> , 1976, 68, 31-44.	0.2	114
61	DNA-damaging agents cause inactivation of translational regulators linked to mTOR signalling. <i>Oncogene</i> , 2000, 19, 3021-3031.	2.6	114
62	mTORC1 signaling: what we still don't know. <i>Journal of Molecular Cell Biology</i> , 2011, 3, 206-220.	1.5	114
63	Mutations Linked to Leukoencephalopathy with Vanishing White Matter Impair the Function of the Eukaryotic Initiation Factor 2B Complex in Diverse Ways. <i>Molecular and Cellular Biology</i> , 2004, 24, 3295-3306.	1.1	113
64	Intracellular Sensing of Amino Acids in <i>Xenopus laevis</i> Oocytes Stimulates p70 S6 Kinase in a Target of Rapamycin-dependent Manner. <i>Journal of Biological Chemistry</i> , 2002, 277, 9952-9957.	1.6	112
65	mTORC1 signalling and mRNA translation. <i>Biochemical Society Transactions</i> , 2009, 37, 227-231.	1.6	112
66	Eukaryotic initiation factor 2B: identification of multiple phosphorylation sites in the epsilon-subunit and their functions in vivo. <i>EMBO Journal</i> , 2001, 20, 4349-4359.	3.5	110
67	Activation of protein synthesis in cardiomyocytes by the hypertrophic agent phenylephrine requires the activation of ERK and involves phosphorylation of tuberous sclerosis complex 2 (TSC2). <i>Biochemical Journal</i> , 2005, 388, 973-984.	1.7	110
68	Identification of the phosphorylation sites in elongation factor-2 from rabbit reticulocytes. <i>FEBS Letters</i> , 1991, 282, 253-258.	1.3	109
69	Amino acid sequences at the two sites on glycogen synthetase phosphorylated by cyclic AMP-dependent protein kinase and their dephosphorylation by protein phosphatase-III. <i>FEBS Letters</i> , 1977, 80, 435-442.	1.3	108
70	Activation of mRNA translation in rat cardiac myocytes by insulin involves multiple rapamycin-sensitive steps. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 278, H1056-H1068.	1.5	103
71	Mnks, eIF4E phosphorylation and cancer. <i>Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms</i> , 2015, 1849, 766-773.	0.9	102
72	The guanine nucleotide-exchange factor, eIF-2B. <i>Biochimie</i> , 1994, 76, 748-760.	1.3	101

#	ARTICLE	IF	CITATIONS
73	Distinct Signalling Pathways Mediate Insulin and Phorbol Ester-stimulated Eukaryotic Initiation Factor 4F Assembly and Protein Synthesis in HEK 293 Cells. <i>Journal of Biological Chemistry</i> , 2000, 275, 11249-11256.	1.6	101
74	Changes in the phosphorylation of initiation factor eIF-2 \pm , elongation factor eEF-2 and p70 S6 kinase after transient focal cerebral ischaemia in mice. <i>Journal of Neurochemistry</i> , 2001, 78, 779-787.	2.1	100
75	Eukaryotic translation initiation factor 5 (eIF5) acts as a classical GTPase-activator protein. <i>Current Biology</i> , 2001, 11, 55-59.	1.8	100
76	The C Terminus of Initiation Factor 4E-Binding Protein 1 Contains Multiple Regulatory Features That Influence Its Function and Phosphorylation. <i>Molecular and Cellular Biology</i> , 2003, 23, 1546-1557.	1.1	100
77	The N and C Termini of the Splice Variants of the Human Mitogen-Activated Protein Kinase-Interacting Kinase Mnk2 Determine Activity and Localization. <i>Molecular and Cellular Biology</i> , 2003, 23, 5692-5705.	1.1	96
78	Molecular mechanisms in the control of translation by hormones and growth factors. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994, 1220, 147-162.	1.9	95
79	Both rapamycin-sensitive and -insensitive pathways are involved in the phosphorylation of the initiation factor-4E-binding protein (4E-BP1) in response to insulin in rat epididymal fat-cells. <i>Biochemical Journal</i> , 1996, 316, 447-453.	1.7	95
80	Activation of translation initiation factor eIF2B by insulin requires phosphatidyl inositol 3-kinase. <i>FEBS Letters</i> , 1997, 410, 418-422.	1.3	93
81	The rapid activation of protein synthesis by growth hormone requires signaling through mTOR. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E1647-E1655.	1.8	93
82	ABC50 Promotes Translation Initiation in Mammalian Cells. <i>Journal of Biological Chemistry</i> , 2009, 284, 24061-24073.	1.6	91
83	cdc2 α cyclin B regulates eEF2 kinase activity in a cell cycle- and amino acid-dependent manner. <i>EMBO Journal</i> , 2008, 27, 1005-1016.	3.5	89
84	Phosphorylation and Signal Transduction Pathways in Translational Control. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019, 11, a033050.	2.3	89
85	mTOR signaling regulates the processing of pre-rRNA in human cells. <i>Nucleic Acids Research</i> , 2012, 40, 2527-2539.	6.5	88
86	Analysis of mTOR signaling by the small G-proteins, Rheb and RhebL1. <i>FEBS Letters</i> , 2005, 579, 4763-4768.	1.3	87
87	Rapid induction of apoptosis mediated by peptides that bind initiation factor eIF4E. <i>Current Biology</i> , 2000, 10, 793-796.	1.8	86
88	Eukaryotic Elongation Factor 2 Kinase Activity Is Controlled by Multiple Inputs from Oncogenic Signaling. <i>Molecular and Cellular Biology</i> , 2014, 34, 4088-4103.	1.1	84
89	Tuning Specific Translation in Cancer Metastasis and Synaptic Memory: Control at the MNK α -eIF4E Axis. <i>Trends in Biochemical Sciences</i> , 2016, 41, 847-858.	3.7	84
90	T-cell Activation Leads to Rapid Stimulation of Translation Initiation Factor eIF2B and Inactivation of Glycogen Synthase Kinase-3. <i>Journal of Biological Chemistry</i> , 1996, 271, 11410-11413.	1.6	83

#	ARTICLE	IF	CITATIONS
91	Exercise rapidly increases eukaryotic elongation factor 2 phosphorylation in skeletal muscle of men. <i>Journal of Physiology</i> , 2005, 569, 223-228.	1.3	83
92	MAP Kinase-Interacting Kinases—Emerging Targets against Cancer. <i>Chemistry and Biology</i> , 2014, 21, 441-452.	6.2	83
93	Eukaryotic elongation factor 2 kinase as a drug target in cancer, and in cardiovascular and neurodegenerative diseases. <i>Acta Pharmacologica Sinica</i> , 2016, 37, 285-294.	2.8	82
94	Regulation of Eukaryotic Initiation Factor eIF2B. <i>Progress in Molecular and Subcellular Biology</i> , 2001, 26, 95-114.	0.9	82
95	Glucose Stimulates the Activity of the Guanine Nucleotide-exchange Factor eIF-2B in Isolated Rat Islets of Langerhans. <i>Journal of Biological Chemistry</i> , 1996, 271, 2121-2125.	1.6	81
96	Eukaryotic initiation factor 2B (eIF2B). <i>International Journal of Biochemistry and Cell Biology</i> , 1997, 29, 1127-1131.	1.2	81
97	Stable isotope-labelling analysis of the impact of inhibition of the mammalian target of rapamycin on protein synthesis. <i>Biochemical Journal</i> , 2012, 444, 141-151.	1.7	79
98	Consolidation and translation regulation: Figure 1.. <i>Learning and Memory</i> , 2012, 19, 410-422.	0.5	77
99	Crosstalk between mTOR complexes. <i>Nature Cell Biology</i> , 2013, 15, 1263-1265.	4.6	77
100	Regulation and roles of elongation factor 2 kinase. <i>Biochemical Society Transactions</i> , 2015, 43, 328-332.	1.6	77
101	Coupled Activation and Degradation of eEF2K Regulates Protein Synthesis in Response to Genotoxic Stress. <i>Science Signaling</i> , 2012, 5, ra40.	1.6	76
102	BDNF Stimulation of Protein Synthesis in Cortical Neurons Requires the MAP Kinase-Interacting Kinase MNK1. <i>Journal of Neuroscience</i> , 2015, 35, 972-984.	1.7	76
103	The multifaceted role of mTOR in cellular stress responses. <i>DNA Repair</i> , 2004, 3, 927-934.	1.3	75
104	Peptide-chain elongation in eukaryotes. <i>Molecular Biology Reports</i> , 1994, 19, 161-170.	1.0	74
105	Nutrients differentially regulate multiple translation factors and their control by insulin. <i>Biochemical Journal</i> , 1999, 344, 433-441.	1.7	74
106	Insulin-stimulated phosphorylation of initiation factor 4E is mediated by the MAP kinase pathway. <i>FEBS Letters</i> , 1996, 389, 162-166.	1.3	73
107	A Quantitative Molecular Model for Modulation of Mammalian Translation by the eIF4E-binding Protein 1. <i>Journal of Biological Chemistry</i> , 2001, 276, 20750-20757.	1.6	71
108	Roles of the mammalian target of rapamycin, mTOR, in controlling ribosome biogenesis and protein synthesis. <i>Biochemical Society Transactions</i> , 2012, 40, 168-172.	1.6	71

#	ARTICLE	IF	CITATIONS
109	The PSF ^Δ p54 ^{nrb} Complex Is a Novel Mnk Substrate That Binds the mRNA for Tumor Necrosis Factor $\hat{\alpha}$. <i>Journal of Biological Chemistry</i> , 2008, 283, 57-65.	1.6	70
110	GCN2 contributes to mTORC1 inhibition by leucine deprivation through an ATF4 independent mechanism. <i>Scientific Reports</i> , 2016, 6, 27698.	1.6	70
111	Heat Shock Increases the Association of Binding Protein-1 with Initiation Factor 4E. <i>Journal of Biological Chemistry</i> , 1997, 272, 32779-32784.	1.6	69
112	Cloning and Expression of cDNA Encoding Protein Synthesis Elongation Factor-2 Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 17547-17554.	1.6	68
113	Severity of vanishing white matter disease does not correlate with deficits in eIF2B activity or the integrity of eIF2B complexes. <i>Human Mutation</i> , 2011, 32, 1036-1045.	1.1	68
114	Purification, phosphorylation and control of the guanine-nucleotide-exchange factor from rabbit reticulocyte lysates. <i>FEBS Journal</i> , 1992, 208, 73-81.	0.2	67
115	Analysis of the subunit organization of the eIF2B complex reveals new insights into its structure and regulation. <i>FASEB Journal</i> , 2014, 28, 2225-2237.	0.2	67
116	Differing substrate specificities of members of the DYRK family of arginine-directed protein kinases. <i>FEBS Letters</i> , 2002, 510, 31-36.	1.3	66
117	Protein Kinase C Phosphorylates Ribosomal Protein S6 Kinase $\hat{\alpha}$ II and Regulates Its Subcellular Localization. <i>Molecular and Cellular Biology</i> , 2003, 23, 852-863.	1.1	65
118	Involvement of phosphoinositide 3-kinase in insulin stimulation of MAP-kinase and phosphorylation of protein kinase-B in human skeletal muscle: implications for glucose metabolism. <i>Diabetologia</i> , 1997, 40, 1172-1177.	2.9	63
119	Peptide Substrates Suitable for Assaying Glycogen Synthase Kinase-3 in Crude Cell Extracts. <i>Analytical Biochemistry</i> , 1997, 244, 16-21.	1.1	63
120	Cleavage of translation initiation factor 4AI (eIF4AI) but not eIF4AII by foot-and-mouth disease virus 3C protease: identification of the eIF4AI cleavage site. <i>FEBS Letters</i> , 2001, 507, 1-5.	1.3	63
121	Purification and phosphorylation of elongation factor-2 kinase from rabbit reticulocytes. <i>FEBS Journal</i> , 1993, 212, 511-520.	0.2	62
122	Elongation Factor 2 Kinase Is Regulated by Proline Hydroxylation and Protects Cells during Hypoxia. <i>Molecular and Cellular Biology</i> , 2015, 35, 1788-1804.	1.1	62
123	Role of AMPK in regulation of LC3 lipidation as a marker of autophagy in skeletal muscle. <i>Cellular Signalling</i> , 2016, 28, 663-674.	1.7	62
124	Impaired associative taste learning and abnormal brain activation in kinase-defective eEF2K mice. <i>Learning and Memory</i> , 2012, 19, 116-125.	0.5	61
125	Regulation of the Elongation Phase of Protein Synthesis Enhances Translation Accuracy and Modulates Lifespan. <i>Current Biology</i> , 2019, 29, 737-749.e5.	1.8	60
126	Mechanisms Underlying Suppression of Protein Synthesis Induced by Transient Focal Cerebral Ischemia in Mouse Brain. <i>Experimental Neurology</i> , 2002, 177, 538-546.	2.0	59

#	ARTICLE	IF	CITATIONS
127	Features of the Catalytic Domains and C Termini of the MAPK Signal-integrating Kinases Mnk1 and Mnk2 Determine Their Differing Activities and Regulatory Properties. <i>Journal of Biological Chemistry</i> , 2005, 280, 37623-37633.	1.6	59
128	Leucine or carbohydrate supplementation reduces AMPK and eEF2 phosphorylation and extends postprandial muscle protein synthesis in rats. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2011, 301, E1236-E1242.	1.8	59
129	The MAP kinase-interacting kinases regulate cell migration, vimentin expression and eIF4E/CYFIP1 binding. <i>Biochemical Journal</i> , 2015, 467, 63-76.	1.7	58
130	Nerve and Epidermal Growth Factor Induce Protein Synthesis and eIF2B Activation in PC12 Cells. <i>Journal of Biological Chemistry</i> , 1998, 273, 5536-5541.	1.6	57
131	eEF2K/eEF2 Pathway Controls the Excitation/Inhibition Balance and Susceptibility to Epileptic Seizures. <i>Cerebral Cortex</i> , 2017, 27, bhw075.	1.6	57
132	Turned on by insulin. <i>Nature</i> , 1994, 371, 747-748.	13.7	56
133	mTOR Signalling in Health and Disease. <i>Biochemical Society Transactions</i> , 2011, 39, 431-436.	1.6	56
134	Chloroquine and bafilomycin A mimic lysosomal storage disorders and impair mTORC1 signalling. <i>Bioscience Reports</i> , 2020, 40, .	1.1	56
135	ATP depletion increases phosphorylation of elongation factor eEF2 in adult cardiomyocytes independently of inhibition of mTOR signalling. <i>FEBS Letters</i> , 2002, 531, 448-452.	1.3	55
136	mTOR direct interactions with Rheb-GTPase and raptor: sub-cellular localization using fluorescence lifetime imaging. <i>BMC Cell Biology</i> , 2013, 14, 3.	3.0	55
137	Protein synthesis and its control in neuronal cells with a focus on vanishing white matter disease. <i>Biochemical Society Transactions</i> , 2009, 37, 1298-1310.	1.6	54
138	Use of monoclonal antibodies to study the structure and function of eukaryotic protein synthesis initiation factor eIF-2B. <i>FEBS Journal</i> , 1994, 221, 399-410.	0.2	53
139	Structure of the Eukaryotic Initiation Factor (eIF) 5 Reveals a Fold Common to Several Translation Factors,. <i>Biochemistry</i> , 2006, 45, 4550-4558.	1.2	53
140	A Novel Mechanism for the Control of Translation Initiation by Amino Acids, Mediated by Phosphorylation of Eukaryotic Initiation Factor 2B. <i>Molecular and Cellular Biology</i> , 2008, 28, 1429-1442.	1.1	52
141	ANG II activates effectors of mTOR via PI3-K signaling in human coronary smooth muscle cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H1232-H1238.	1.5	51
142	mTORC1 Plays an Important Role in Skeletal Development by Controlling Preosteoblast Differentiation. <i>Molecular and Cellular Biology</i> , 2017, 37, .	1.1	51
143	eIF2B: recent structural and functional insights into a key regulator of translation. <i>Biochemical Society Transactions</i> , 2015, 43, 1234-1240.	1.6	50
144	p70 S6 Kinase Is Activated by Sodium Arsenite in Adult Rat Cardiomyocytes: Roles for Phosphatidylinositol 3-Kinase and p38 MAP Kinase. <i>Biochemical and Biophysical Research Communications</i> , 1997, 238, 207-212.	1.0	49

#	ARTICLE	IF	CITATIONS
145	Regulation of the phosphorylation of elongation factor 2 by MEK-dependent signalling in adult rat cardiomyocytes. <i>FEBS Letters</i> , 2002, 531, 285-289.	1.3	49
146	Translation factors: in sickness and in health. <i>Trends in Biochemical Sciences</i> , 2004, 29, 25-31.	3.7	49
147	Identification of autophosphorylation sites in eukaryotic elongation factor-2 kinase. <i>Biochemical Journal</i> , 2012, 442, 681-692.	1.7	49
148	mTORC1 signalling and eIF4E/4E-BP1 translation initiation factor stoichiometry influence recombinant protein productivity from GS-CHOK1 cells. <i>Biochemical Journal</i> , 2016, 473, 4651-4664.	1.7	49
149	Eukaryotic Elongation Factor 2 Kinase (eEF2K) in Cancer. <i>Cancers</i> , 2017, 9, 162.	1.7	49
150	Characterization of the Mammalian Initiation Factor eIF2B Complex as a GDP Dissociation Stimulator Protein. <i>Journal of Biological Chemistry</i> , 2001, 276, 24697-24703.	1.6	48
151	Interplay between insulin and nutrients in the regulation of translation factors. <i>Biochemical Society Transactions</i> , 2001, 29, 541-547.	1.6	47
152	Staurosporine inhibits phosphorylation of translational regulators linked to mTOR. <i>Cell Death and Differentiation</i> , 2001, 8, 841-849.	5.0	47
153	Regulation of protein synthesis in lymphoblasts from vanishing white matter patients. <i>Neurobiology of Disease</i> , 2006, 21, 496-504.	2.1	46
154	MNK Inhibition Sensitizes <i>KRAS</i> -Mutant Colorectal Cancer to mTORC1 Inhibition by Reducing eIF4E Phosphorylation and c-MYC Expression. <i>Cancer Discovery</i> , 2021, 11, 1228-1247.	7.7	45
155	Quantitative Proteomics Identifies Gemin5, A Scaffolding Protein Involved in Ribonucleoprotein Assembly, as a Novel Partner for Eukaryotic Initiation Factor 4E. <i>Journal of Proteome Research</i> , 2006, 5, 1367-1378.	1.8	44
156	Rapamycin enhances eIF4E phosphorylation by activating MAP kinase-interacting kinase 2a (Mnk2a). <i>FEBS Letters</i> , 2013, 587, 2623-2628.	1.3	44
157	Ribosomal stress activates eEF2K-eEF2 pathway causing translation elongation inhibition and recruitment of Terminal Oligopyrimidine (TOP) mRNAs on polysomes. <i>Nucleic Acids Research</i> , 2014, 42, 12668-12680.	6.5	44
158	<i>Mycobacterium tuberculosis</i> subverts negative regulatory pathways in human macrophages to drive immunopathology. <i>PLoS Pathogens</i> , 2017, 13, e1006367.	2.1	44
159	Evidence that the dephosphorylation of Ser535 in the β -subunit of eukaryotic initiation factor (eIF) 2B is insufficient for the activation of eIF2B by insulin. <i>Biochemical Journal</i> , 2002, 367, 475-481.	1.7	43
160	Features in the N and C Termini of the MAPK-interacting Kinase Mnk1 Mediate Its Nucleocytoplasmic Shuttling. <i>Journal of Biological Chemistry</i> , 2003, 278, 44197-44204.	1.6	43
161	Detailed Analysis of the Phosphorylation of the Human La (SS-B) Autoantigen. (De)phosphorylation Does Not Affect Its Subcellular Distribution. <i>Biochemistry</i> , 2000, 39, 3023-3033.	1.2	42
162	Protein Kinase D Is a Key Regulator of Cardiomyocyte Lipoprotein Lipase Secretion After Diabetes. <i>Circulation Research</i> , 2008, 103, 252-260.	2.0	42

#	ARTICLE	IF	CITATIONS
163	Requirement for lysosomal localization of mTOR for its activation differs between leucine and other amino acids. <i>Cellular Signalling</i> , 2014, 26, 1918-1927.	1.7	42
164	Eukaryotic elongation factor 2 kinase regulates the synthesis of microtubule-related proteins in neurons. <i>Journal of Neurochemistry</i> , 2016, 136, 276-284.	2.1	42
165	Characterization of the Initiation Factor eIF2B and Its Regulation in <i>Drosophila melanogaster</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 3733-3742.	1.6	41
166	Oxidized LDL-Mediated Macrophage Survival Involves Elongation Factor-2 Kinase. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2009, 29, 92-98.	1.1	41
167	Transcriptional and metabolic rewiring of colorectal cancer cells expressing the oncogenic KRASG13D mutation. <i>British Journal of Cancer</i> , 2019, 121, 37-50.	2.9	41
168	mTOR, Unleashed. <i>Science</i> , 2007, 318, 926-927.	6.0	40
169	Pharmacological and Genetic Evaluation of Proposed Roles of Mitogen-activated Protein Kinase/Extracellular Signal-regulated Kinase Kinase (MEK), Extracellular Signal-regulated Kinase (ERK), and p90RSK in the Control of mTORC1 Protein Signaling by Phorbol Esters. <i>Journal of Biological Chemistry</i> , 2011, 286, 27111-27122.	1.6	40
170	Insights into the regulation of eukaryotic elongation factor 2 kinase and the interplay between its domains. <i>Biochemical Journal</i> , 2012, 442, 105-118.	1.7	40
171	Signaling crosstalk between the mTOR complexes. <i>Translation</i> , 2014, 2, e28174.	2.9	40
172	Growth-factor dependent expression of the translationally controlled tumour protein TCTP is regulated through the PI3-K/Akt/mTORC1 signalling pathway. <i>Cellular Signalling</i> , 2015, 27, 1557-1568.	1.7	40
173	Eukaryotic elongation factor 2 kinase promotes angiogenesis in hepatocellular carcinoma via PI3K/Akt and STAT3. <i>International Journal of Cancer</i> , 2020, 146, 1383-1395.	2.3	40
174	Differing effects of rapamycin and mTOR kinase inhibitors on protein synthesis. <i>Biochemical Society Transactions</i> , 2011, 39, 446-450.	1.6	39
175	Impairing the production of ribosomal RNA activates mammalian target of rapamycin complex 1 signalling and downstream translation factors. <i>Nucleic Acids Research</i> , 2014, 42, 5083-5096.	6.5	39
176	Molecular Mechanism for the Control of Eukaryotic Elongation Factor 2 Kinase by pH: Role in Cancer Cell Survival. <i>Molecular and Cellular Biology</i> , 2015, 35, 1805-1824.	1.1	39
177	Insulin and Phorbol Ester Stimulate Initiation Factor eIF-4E Phosphorylation by Distinct Pathways in Chinese Hamster Ovary Cells Overexpressing the Insulin Receptor. <i>FEBS Journal</i> , 1996, 236, 40-47.	0.2	38
178	cAMP inhibits translation by inducing Ca ²⁺ /calmodulin-independent elongation factor 2 kinase activity in IPC-81 cells. <i>FEBS Letters</i> , 1999, 444, 97-101.	1.3	38
179	The two forms of the $\hat{2}$ -subunit of initiation factor-2 from reticulocyte lysates arise from proteolytic degradation. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1989, 1008, 177-182.	2.4	37
180	Eukaryotic Initiation Factors 4A (eIF4A) and 4G (eIF4G) Mutually Interact in a 1:1 Ratio in Vivo. <i>Journal of Biological Chemistry</i> , 2001, 276, 29111-29115.	1.6	37

#	ARTICLE	IF	CITATIONS
181	Shut-Down of Translation, a Global Neuronal Stress Response: Mechanisms and Pathological Relevance. <i>Current Pharmaceutical Design</i> , 2007, 13, 1887-1902.	0.9	36
182	Control of the translational machinery by amino acids. <i>American Journal of Clinical Nutrition</i> , 2014, 99, 231S-236S.	2.2	36
183	Elongation factor 2 kinase promotes cell survival by inhibiting protein synthesis without inducing autophagy. <i>Cellular Signalling</i> , 2016, 28, 284-293.	1.7	36
184	The N-terminal region of ABC50 interacts with eukaryotic initiation factor eIF2 and is a target for regulatory phosphorylation by CK2. <i>Biochemical Journal</i> , 2008, 409, 223-231.	1.7	34
185	β^2 -Adrenergic agonists increase phosphorylation of elongation factor 2 in cardiomyocytes without eliciting calcium-independent eEF2 kinase activity. <i>FEBS Letters</i> , 2001, 489, 225-228.	1.3	33
186	Methods for Studying Signal-Dependent Regulation of Translation Factor Activity. <i>Methods in Enzymology</i> , 2007, 431, 113-142.	0.4	33
187	Dynamics of Elongation Factor 2 Kinase Regulation in Cortical Neurons in Response to Synaptic Activity. <i>Journal of Neuroscience</i> , 2015, 35, 3034-3047.	1.7	33
188	A synthetic peptide substrate for initiation factor-2 kinases. <i>Biochemical and Biophysical Research Communications</i> , 1991, 178, 430-437.	1.0	32
189	Glucose and amino acids modulate translation factor activation by growth factors in PC12 cells. <i>Biochemical Journal</i> , 2000, 347, 399-406.	1.7	32
190	Glucose exerts a permissive effect on the regulation of the initiation factor 4E binding protein 4E-BP1. <i>Biochemical Journal</i> , 2001, 358, 497-503.	1.7	32
191	Muscarinic receptor-mediated activation of p70 S6 kinase 1 (S6K1) in 1321N1 astrocytoma cells: permissive role of phosphoinositide 3-kinase. <i>Biochemical Journal</i> , 2003, 374, 137-143.	1.7	32
192	Translational Regulation of Terminal Oligopyrimidine mRNAs Induced by Serum and Amino Acids Involves Distinct Signaling Events. <i>Journal of Biological Chemistry</i> , 2004, 279, 13522-13531.	1.6	32
193	Defective translation initiation causes vanishing of cerebral white matter. <i>Trends in Molecular Medicine</i> , 2006, 12, 159-166.	3.5	32
194	Adult-onset leukoencephalopathies with vanishing white matter with novel missense mutations in EIF2B2, EIF2B3, and EIF2B5. <i>Neurogenetics</i> , 2011, 12, 259-261.	0.7	32
195	Eukaryotic elongation factor 2 kinase upregulates the expression of proteins implicated in cell migration and cancer cell metastasis. <i>International Journal of Cancer</i> , 2018, 142, 1865-1877.	2.3	32
196	Structure and phosphorylation of eukaryotic initiation factor 2. Casein kinase 2 and protein kinase C phosphorylate distinct but adjacent sites in the β^2 -subunit. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1988, 968, 211-219.	1.9	31
197	Glucose exerts a permissive effect on the regulation of the initiation factor 4E binding protein 4E-BP1. <i>Biochemical Journal</i> , 2001, 358, 497.	1.7	31
198	A novel role for CRTC2 in hepatic cholesterol synthesis through SREBP-2. <i>Hepatology</i> , 2017, 66, 481-497.	3.6	31

#	ARTICLE	IF	CITATIONS
199	The composition of the gut microbiota following early-life antibiotic exposure affects host health and longevity in later life. <i>Cell Reports</i> , 2021, 36, 109564.	2.9	31
200	Identification of Novel Phosphorylation Sites in the $\hat{2}$ -Subunit of Translation Initiation Factor eIF-2. <i>Biochemical and Biophysical Research Communications</i> , 1994, 201, 1279-1288.	1.0	30
201	eIF2B, the guanine nucleotide-exchange factor for eukaryotic initiation factor 2. Sequence conservation between the $\hat{1}$, $\hat{2}$ and $\hat{1}$ subunits of eIF2B from mammals and yeast. <i>Biochemical Journal</i> , 1996, 318, 637-643.	1.7	30
202	The binding of PRAS40 to 14-3-3 proteins is not required for activation of mTORC1 signalling by phorbol esters/ERK. <i>Biochemical Journal</i> , 2008, 411, 141-149.	1.7	30
203	The MAP kinase-interacting kinases (MNKs) as targets in oncology. <i>Expert Opinion on Therapeutic Targets</i> , 2019, 23, 187-199.	1.5	30
204	Purification and phosphorylation of initiation factor eIF-2 from rabbit skeletal muscle. <i>FEBS Letters</i> , 1982, 143, 55-59.	1.3	29
205	The role of the $\hat{2}$ -subunit of initiation factor eIF-2 in initiation complex formation. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1174, 117-121.	2.4	29
206	Ca ²⁺ -independent protein kinase C activity is required for alpha1-adrenergic-receptor-mediated regulation of ribosomal protein S6 kinases in adult cardiomyocytes. <i>Biochemical Journal</i> , 2003, 373, 603-611.	1.7	29
207	Who does TORC2 talk to?. <i>Biochemical Journal</i> , 2018, 475, 1721-1738.	1.7	29
208	Engineering mRNA Translation Initiation to Enhance Transient Gene Expression in Chinese Hamster Ovary Cells. <i>Biotechnology Progress</i> , 2003, 19, 121-129.	1.3	28
209	Analysis of the regulatory motifs in eukaryotic initiation factor 4E-binding protein 1. <i>FEBS Journal</i> , 2008, 275, 2185-2199.	2.2	28
210	Design, synthesis and activity of Mnk1 and Mnk2 selective inhibitors containing thieno[2,3-d]pyrimidine scaffold. <i>European Journal of Medicinal Chemistry</i> , 2019, 162, 735-751.	2.6	28
211	Progress in developing MNK inhibitors. <i>European Journal of Medicinal Chemistry</i> , 2021, 219, 113420.	2.6	28
212	Dynamic Balancing: DEPTOR Tips the Scales. <i>Journal of Molecular Cell Biology</i> , 2009, 1, 61-63.	1.5	27
213	Glycine restores the anabolic response to leucine in a mouse model of acute inflammation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 310, E970-E981.	1.8	26
214	Amino acid sequence analysis of the $\hat{2}$ - and $\hat{3}$ -subunits of eukaryotic initiation factor eIF-2. Identification of regions interacting with GTP. <i>BBA - Proteins and Proteomics</i> , 1991, 1079, 308-315.	2.1	25
215	eEF2K enhances expression of PD-L1 by promoting the translation of its mRNA. <i>Biochemical Journal</i> , 2020, 477, 4367-4381.	1.7	25
216	Regulation of binding of initiator tRNA to eukaryotic initiation factor eIF-2. <i>FEBS Letters</i> , 1982, 148, 214-220.	1.3	24

#	ARTICLE	IF	CITATIONS
217	Nutrients differentially regulate multiple translation factors and their control by insulin. <i>Biochemical Journal</i> , 1999, 344, 433.	1.7	24
218	The eukaryotic initiation factor 4E-binding proteins and apoptosis. <i>Cell Death and Differentiation</i> , 2005, 12, 541-546.	5.0	24
219	Rheb activates protein synthesis and growth in adult rat ventricular cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 812-820.	0.9	24
220	Natural Product-Derived Antitumor Compound Phenethyl Isothiocyanate Inhibits mTORC1 Activity via TSC2. <i>Journal of Natural Products</i> , 2012, 75, 1051-1057.	1.5	24
221	ABC50 mutants modify translation start codon selection. <i>Biochemical Journal</i> , 2015, 467, 217-229.	1.7	24
222	Depletion of ribosomal protein S19 causes a reduction of rRNA synthesis. <i>Scientific Reports</i> , 2016, 6, 35026.	1.6	24
223	Eukaryotic initiation factor 2 from rat liver: no apparent function for the \hat{I}^2 -subunit in the formation of initiation complexes. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1986, 868, 77-86.	2.4	23
224	Identification of Residues That Underpin Interactions within the Eukaryotic Initiation Factor (eIF2) 2B Complex. <i>Journal of Biological Chemistry</i> , 2012, 287, 8263-8274.	1.6	23
225	Dissecting the signaling pathways that mediate cancer in <i>PTEN</i> and <i>LKB1</i> double-knockout mice. <i>Science Signaling</i> , 2015, 8, pe1.	1.6	23
226	The eEF2 kinase-induced STAT3 inactivation inhibits lung cancer cell proliferation by phosphorylation of PKM2. <i>Cell Communication and Signaling</i> , 2020, 18, 25.	2.7	23
227	Regulation of polypeptide-chain initiation in rat skeletal muscle Starvation does not alter the activity or phosphorylation state of initiation factor eIF-2. <i>FEBS Letters</i> , 1988, 239, 333-338.	1.3	22
228	Rapamycin-resistant phosphorylation of the initiation factor-4E-binding protein (4E-BP1) in v-SRC-transformed hamster fibroblasts. , 1999, 81, 963-969.		22
229	Glucose and amino acids modulate translation factor activation by growth factors in PC12 cells. <i>Biochemical Journal</i> , 2000, 347, 399.	1.7	22
230	p90RSKs mediate the activation of ribosomal RNA synthesis by the hypertrophic agonist phenylephrine in adult cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2013, 59, 139-147.	0.9	22
231	MRTF-A-NF- \hat{I}^B /p65 axis-mediated PDL1 transcription and expression contributes to immune evasion of non-small-cell lung cancer via TGF- \hat{I}^2 . <i>Experimental and Molecular Medicine</i> , 2021, 53, 1366-1378.	3.2	22
232	Phosphorylation of only serine-51 in protein synthesis initiation factor-2 is associated with inhibition of peptide-chain initiation in reticulocyte lysates. <i>Biochemical and Biophysical Research Communications</i> , 1991, 176, 993-999.	1.0	21
233	Phosphorylated seryl and threonyl, but not tyrosyl, residues are efficient specificity determinants for GSK-3 \hat{I}^2 and Shaggy. <i>FEBS Letters</i> , 1999, 448, 86-90.	1.3	21
234	A Conserved Loop in the Catalytic Domain of Eukaryotic Elongation Factor 2 Kinase Plays a Key Role in Its Substrate Specificity. <i>Molecular and Cellular Biology</i> , 2014, 34, 2294-2307.	1.1	21

#	ARTICLE	IF	CITATIONS
235	mTORC2 is a tyrosine kinase. <i>Cell Research</i> , 2016, 26, 1-2.	5.7	21
236	eEF2/eEF2K Pathway in the Mature Dentate Gyrus Determines Neurogenesis Level and Cognition. <i>Current Biology</i> , 2020, 30, 3507-3521.e7.	1.8	21
237	Evidence for a role for protein kinase C in the stimulation of protein synthesis by insulin in swiss 3T3 fibroblasts. <i>FEBS Letters</i> , 1993, 316, 241-246.	1.3	20
238	The activation of eukaryotic initiation factor (eIF)2B by growth factors in PC12 cells requires MEK/ERK signalling. <i>FEBS Letters</i> , 2000, 476, 262-265.	1.3	20
239	The C-terminal domain of Mnk1a plays a dual role in tightly regulating its activity. <i>Biochemical Journal</i> , 2009, 423, 279-290.	1.7	20
240	The gene for the lysosomal protein LAMP3 is a direct target of the transcription factor ATF4. <i>Journal of Biological Chemistry</i> , 2020, 295, 7418-7430.	1.6	20
241	The $\hat{1}$ -Subunit of the Mammalian Guanine Nucleotide-Exchange Factor eIF-2B Is Essential for Catalytic Activity in Vitro. <i>Biochemical and Biophysical Research Communications</i> , 1996, 220, 843-847.	1.0	19
242	Cloning of cDNA for the $\hat{3}$ -subunit of mammalian translation initiation factor 2B, the guanine nucleotide-exchange factor for eukaryotic initiation factor 2. <i>Biochemical Journal</i> , 1996, 318, 631-636.	1.7	19
243	Localisation and regulation of the eIF4E-binding protein 4E-BP3. <i>FEBS Letters</i> , 2002, 532, 319-323.	1.3	19
244	Blocking eukaryotic initiation factor 4F complex formation does not inhibit the mTORC1-dependent activation of protein synthesis in cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2009, 296, H505-H514.	1.5	19
245	A novel fluorescent probe reveals starvation controls the commitment of amyloid precursor protein to the lysosome. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 1554-1565.	1.9	19
246	Structure and Regulation of Enzymes for the Degradation and Resynthesis of Glycogen. <i>Biochemical Society Transactions</i> , 1975, 3, 849-854.	1.6	18
247	Phosphorylation of protein synthesis initiation factor-2. Identification of the site in the $\hat{1}$ -subunit phosphorylated in reticulocyte lysates. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1990, 1054, 83-88.	1.9	18
248	The substrate specificity of protein kinases which phosphorylate the alpha subunit of eukaryotic initiation factor 2. <i>FEBS Journal</i> , 1991, 195, 771-779.	0.2	18
249	Regulated stability of eukaryotic elongation factor 2 kinase requires intrinsic but not ongoing activity. <i>Biochemical Journal</i> , 2015, 467, 321-331.	1.7	18
250	Quantitative Non-canonical Amino Acid Tagging (QuaNCAT) Proteomics Identifies Distinct Patterns of Protein Synthesis Rapidly Induced by Hypertrophic Agents in Cardiomyocytes, Revealing New Aspects of Metabolic Remodeling. <i>Molecular and Cellular Proteomics</i> , 2016, 15, 3170-3189.	2.5	18
251	Disabling MNK protein kinases promotes oxidative metabolism and protects against diet-induced obesity. <i>Molecular Metabolism</i> , 2020, 42, 101054.	3.0	18
252	Identification of DNA response elements regulating expression of CCAAT/enhancer-binding protein (C/EBP) $\hat{2}$ and $\hat{1}$ and MAP kinase-interacting kinases during early adipogenesis. <i>Adipocyte</i> , 2020, 9, 427-442.	1.3	18

#	ARTICLE	IF	CITATIONS
253	The regulation of protein synthesis and translation factors by CD3 and CD28 in human primary T lymphocytes. <i>BMC Biochemistry</i> , 2002, 3, 11.	4.4	17
254	Functional analysis of recently identified mutations in eukaryotic translation initiation factor 2B ϵ (eIF2B ϵ) identified in Chinese patients with vanishing white matter disease. <i>Journal of Human Genetics</i> , 2011, 56, 300-305.	1.1	17
255	Evaluation of mTOR-Regulated mRNA Translation. <i>Methods in Molecular Biology</i> , 2012, 821, 171-185.	0.4	17
256	Biochemical effects of mutations in the gene encoding the alpha subunit of eukaryotic initiation factor (eIF) 2B associated with Vanishing White Matter disease. <i>BMC Medical Genetics</i> , 2015, 16, 64.	2.1	17
257	Characterization of p75 neurotrophin receptor expression in human dental pulp stem cells. <i>International Journal of Developmental Neuroscience</i> , 2016, 53, 90-98.	0.7	17
258	Vanishing white matter: Eukaryotic initiation factor 2B model and the impact of missense mutations. <i>Molecular Genetics & Genomic Medicine</i> , 2021, 9, e1593.	0.6	17
259	Oncogenic MNK signalling regulates the metastasis suppressor NDRG1. <i>Oncotarget</i> , 2017, 8, 46121-46135.	0.8	17
260	Guanine nucleotide exchange factor for eukaryotic initiation factor-2. Cloning of cDNA for the ϵ -subunit of rabbit translation initiation factor-2B. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1217, 207-210.	2.4	16
261	Control of the translational machinery in mammalian cells. <i>FEBS Journal</i> , 2002, 269, 5337-5337.	0.2	16
262	On the Diversification of the Translation Apparatus across Eukaryotes. <i>Comparative and Functional Genomics</i> , 2012, 2012, 1-14.	2.0	16
263	Differing effects of the protein phosphatase inhibitors okadaic acid and microcystin on translation in reticulocyte lysates. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1093, 36-41.	1.9	15
264	Decreased insulin binding to mononuclear leucocytes and erythrocytes from dogs after S-nitroso-N-acetypenicillamine administration. <i>BMC Biochemistry</i> , 2002, 3, 1.	4.4	15
265	mTORC1 regulates the efficiency and cellular capacity for protein synthesis. <i>Biochemical Society Transactions</i> , 2013, 41, 923-926.	1.6	15
266	Impairing Eukaryotic Elongation Factor 2 Kinase Activity Decreases Atherosclerotic Plaque Formation. <i>Canadian Journal of Cardiology</i> , 2014, 30, 1684-1688.	0.8	15
267	Stoichiometry of the eIF2B complex is maintained by mutual stabilization of subunits. <i>Biochemical Journal</i> , 2016, 473, 571-580.	1.7	15
268	capCLIP: a new tool to probe translational control in human cells through capture and identification of the eIF4E-mRNA interactome. <i>Nucleic Acids Research</i> , 2021, 49, e105-e105.	6.5	15
269	Rpl24Bst mutation suppresses colorectal cancer by promoting eEF2 phosphorylation via eEF2K. <i>ELife</i> , 2021, 10, .	2.8	15
270	Signalling pathways which regulate eIF4E. <i>Biochemical Society Transactions</i> , 1997, 25, 192S-192S.	1.6	14

#	ARTICLE	IF	CITATIONS
271	The Drosophila protein kinase LK6 is regulated by ERK and phosphorylates the eukaryotic initiation factor eIF4E in vivo. <i>Biochemical Journal</i> , 2005, 385, 695-702.	1.7	14
272	Ablation of elongation factor 2 kinase enhances heat-shock protein 90 chaperone expression and protects cells under proteotoxic stress. <i>Journal of Biological Chemistry</i> , 2019, 294, 7169-7176.	1.6	14
273	Reciprocal signaling between mTORC1 and MNK2 controls cell growth and oncogenesis. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 249-270.	2.4	14
274	Casein kinase-2 phosphorylates serine-2 in the \hat{I}^2 -subunit of initiation factor-2. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1989, 1010, 377-380.	1.9	13
275	The RNA-binding properties of protein synthesis initiation factor eIF-2. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1994, 1219, 293-301.	2.4	13
276	The highly acidic C-terminal region of the yeast initiation factor subunit 2 \hat{I}^{\pm} (eIF-2 \hat{I}^{\pm}) contains casein kinase phosphorylation sites and is essential for maintaining normal regulation of GCN4. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1995, 1261, 337-348.	2.4	13
277	Proteomic and Metabolomic Analyses of Vanishing White Matter Mouse Astrocytes Reveal Deregulation of ER Functions. <i>Frontiers in Cellular Neuroscience</i> , 2017, 11, 411.	1.8	13
278	Osteocalcin \hat{a} €dependent regulation of glucose metabolism and fertility: Skeletal implications for the development of insulin resistance. <i>Journal of Cellular Physiology</i> , 2018, 233, 3769-3783.	2.0	13
279	A high-throughput screening assay for eukaryotic elongation factor 2 kinase inhibitors. <i>Acta Pharmaceutica Sinica B</i> , 2016, 6, 557-563.	5.7	12
280	Regulation of mRNA translation. <i>Essays in Biochemistry</i> , 2001, 37, 97-108.	2.1	12
281	Purification and characterisation of an initiation-factor-2 kinase from uninduced mouse erythroleukaemia cells. <i>FEBS Journal</i> , 1993, 211, 529-538.	0.2	10
282	Glutamine deficiency in solid tumor cells confers resistance to ribosomal RNA synthesis inhibitors. <i>Nature Communications</i> , 2022, 13, .	5.8	10
283	Isolation and characterisation of the guanine nucleotide exchange factor from rat liver. <i>BBA - Proteins and Proteomics</i> , 1987, 914, 64-73.	2.1	9
284	The prohibitin-binding compound fluorizoline affects multiple components of the translational machinery and inhibits protein synthesis. <i>Journal of Biological Chemistry</i> , 2020, 295, 9855-9867.	1.6	9
285	The Lifeact-EGFP mouse is a translationally controlled fluorescent reporter of T cell activation. <i>Journal of Cell Science</i> , 2020, 133, .	1.2	9
286	Inhibiting mTOR activity using AZD2014 increases autophagy in the mouse cerebral cortex. <i>Neuropharmacology</i> , 2021, 190, 108541.	2.0	8
287	Phosphorylation of elongation factor-2 from the lepidopteran insect, <i>spodoptera frugiperda</i> . <i>FEBS Letters</i> , 1993, 327, 71-74.	1.3	7
288	A New Link in the Chain from Amino Acids to mTORC1 Activation. <i>Molecular Cell</i> , 2011, 44, 7-8.	4.5	7

#	ARTICLE	IF	CITATIONS
289	Non-high density lipoprotein cholesterol is more informative than traditional cholesterol indices in predicting diabetes risk for women with normal glucose tolerance. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1304-1311.	1.1	7
290	Thioflavin T Monitoring of Guanine Quadruplex Formation in the rs689-Dependent INS Intron 1. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 16, 770-777.	2.3	7
291	Regulation of Protein Synthesis by Insulin Through IRS-1. <i>Progress in Molecular and Subcellular Biology</i> , 2001, 26, 49-93.	0.9	7
292	Gut Microbiome Regulation of Autophagic Flux and Neurodegenerative Disease Risks. <i>Frontiers in Microbiology</i> , 2021, 12, 817433.	1.5	7
293	The role of eIF2 phosphorylation in cell and organismal physiology: new roles for well-known actors. <i>Biochemical Journal</i> , 2022, 479, 1059-1082.	1.7	7
294	Vanishing white matter: the next 10 years. <i>Future Neurology</i> , 2012, 7, 81-92.	0.9	6
295	MAPK-interacting kinase 2 (MNK2) regulates adipocyte metabolism independently of its catalytic activity. <i>Biochemical Journal</i> , 2020, 477, 2735-2754.	1.7	6
296	A sharper instrument for dissecting signalling events: a specific AGC kinase inhibitor. <i>Biochemical Journal</i> , 2007, 401, e1-3.	1.7	5
297	mTORC1 and Cell Cycle Control. <i>The Enzymes</i> , 2010, 27, 129-146.	0.7	5
298	Bicuculline regulated protein synthesis is dependent on Homer1 and promotes its interaction with eEF2K through mTORC1-dependent phosphorylation. <i>Journal of Neurochemistry</i> , 2021, 157, 1086-1101.	2.1	5
299	The mTORC1 complex in pre-osteoblasts regulates whole-body energy metabolism independently of osteocalcin. <i>Bone Research</i> , 2021, 9, 10.	5.4	5
300	TSC-insensitive Rheb mutations induce oncogenic transformation through a combination of constitutively active mTORC1 signalling and proteome remodelling. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 4035-4052.	2.4	5
301	Metabolite-induced activation of hepatic phosphofructokinase. <i>Biochemical and Biophysical Research Communications</i> , 1984, 118, 567-572.	1.0	4
302	The effect of ethanol on polypeptide chain initiation in reticulocyte lysates. <i>Biochemical Pharmacology</i> , 1988, 37, 2045-2049.	2.0	4
303	Da-Chai-Hu-Tang Protects From Acute Intrahepatic Cholestasis by Inhibiting Hepatic Inflammation and Bile Accumulation via Activation of PPAR α . <i>Frontiers in Pharmacology</i> , 2022, 13, 847483.	1.6	4
304	Synthesis of human initiation factor-2 β in <i>Saccharomyces cerevisiae</i> . <i>Gene</i> , 1991, 108, 253-258.	1.0	3
305	Cyclosporin A but not FK506 activates the integrated stress response in human cells. <i>Journal of Biological Chemistry</i> , 2020, 295, 15134-15143.	1.6	3
306	Eukaryotic elongation factor 2 kinase regulates foam cell formation via translation of CD36. <i>FASEB Journal</i> , 2022, 36, e22154.	0.2	3

#	ARTICLE	IF	CITATIONS
307	Structural and functional properties of protein synthesis initiation factors eIF-2 and eIF-2B from rat liver. <i>Biochemical Society Transactions</i> , 1985, 13, 756-757.	1.6	2
308	Initiation complexes "reply to Gupta. <i>Trends in Biochemical Sciences</i> , 1987, 12, 55.	3.7	2
309	Cloning of cDNA for the $\hat{2}$ -subunit of rabbit translation initiation factor-2 using PCR. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1993, 1216, 170-172.	2.4	2
310	Role of Eukaryotic Initiation Factor eIF2B in Vanishing White Matter Disease. , 0, , 595-618.		1
311	Deletion of <i>Rptor</i> in Preosteoblasts Reveals a Role for the Mammalian Target of Rapamycin Complex 1 (mTORC1) Complex in Dietary-Induced Changes to Bone Mass and Glucose Homeostasis in Female Mice. <i>JBMR Plus</i> , 2021, 5, e10486.	1.3	1
312	Elongation factor eEF2 kinase and autophagy jointly promote survival of cancer cells. <i>Biochemical Journal</i> , 2021, 478, 1547-1569.	1.7	1
313	Constitutively active Rheb mutants [T23M] and [E40K] drive increased production and secretion of recombinant protein in Chinese hamster ovary cells. <i>Biotechnology and Bioengineering</i> , 2021, 118, 2422-2434.	1.7	1
314	The Phosphorylation of Rabbit Skeletal-Muscle Glycogen Synthase by Cyclic AMP-Dependent Protein Kinase. <i>Biochemical Society Transactions</i> , 1978, 6, 950-951.	1.6	0
315	Resonance assignment for the N-terminal region of the eukaryotic initiation factor 5 (eIF5). <i>Journal of Biomolecular NMR</i> , 2006, 36, 42-42.	1.6	0
316	The Worm Profits from Undercharging. <i>Cell Metabolism</i> , 2009, 9, 309-310.	7.2	0
317	mTOR Signaling Pathways. , 2021, , 1-7.		0
318	Regulation mTOR and its Substrates. , 2021, , 614-630.		0
319	Downstream Targets of mTORC1. , 2009, , 179-200.		0
320	Phosphorylation of Initiation and Elongation Factors and the Control of Translation. , 1990, , 527-537.		0
321	mTOR Signaling Pathways. , 2021, , 1010-1016.		0
322	eEF2K activity is required for the phenotypes of the Rpl24 mouse. <i>Journal of Investigative Dermatology</i> , 2022, , .	0.3	0