Gabriella PÃ;sztor

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7519718/publications.pdf

Version: 2024-02-01

464 papers 18,039 citations

14655 66 h-index 29157 104 g-index

484 all docs 484 docs citations

times ranked

484

9299 citing authors

#	Article	IF	CITATIONS
1	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	3.9	489
2	Muon reconstruction performance of the ATLAS detector in proton–proton collision data at \$\$sqrt{s}\$\$ s =13ÂTeV. European Physical Journal C, 2016, 76, 292.	3.9	453
3	Combined measurements of Higgs boson couplings in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 421.	3.9	355
4	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	3.9	325
5	Performance of pile-up mitigation techniques for jets in \$\$pp\$\$ p p collisions at \$\$\$qrt{s}=8\$\$. European Physical Journal C, 2016, 76, 581.	3.9	298
6	Luminosity determination in pp collisions at $\$\$qrt\{s\}$ s = 8 TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	3.9	279
7	Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $s=7$ and 8ÂTeV in the ATLAS experiment. European Physical Journal C, 2016, 76, 6.	3.9	274
8	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\frac{s}{s} = 8 - s$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	3.9	238
9	Observation of Higgs Boson Decay to Bottom Quarks. Physical Review Letters, 2018, 121, 121801.	7.8	219
10	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton–proton collision data. European Physical Journal C, 2014, 74, 3130.	3.9	213
11	Observation of <mmi:math 1998="" display="inline" http:="" math="" mathml"="" www.w3.org="" xmins:mmi="http://www.w3.org/1998/Math/Math/Mith/Mith/Mith/Mith/Mith/Mith/Mith/Mi</td><td>7.8
nml:math</td><td>209</td></tr><tr><td>12</td><td>Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.</td><td>3.9</td><td>198</td></tr><tr><td>13</td><td>Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.</td><td>3.9</td><td>172</td></tr><tr><td>14</td><td>Search for Heavy Neutral Leptons in Events with Three Charged Leptons in Proton-Proton Collisions at <mml:math xmlns:mml="><mml:mrow><mml:msqrt><mml:mrow><mml:msqrt><mml:mi>s</mml:mi></mml:msqrt></mml:mrow></mml:msqrt><mml 120,="" 2018,="" 221801.<="" letters,="" physical="" review="" td=""><td>:<mark>7.8</mark> :mo>=<td>160 ıml:mo><mm< td=""></mm<></td></td></mml></mml:mrow></mmi:math>	: <mark>7.8</mark> :mo>= <td>160 ıml:mo><mm< td=""></mm<></td>	160 ıml:mo> <mm< td=""></mm<>
15	Measurement of the transverse momentum and \$\$phi ^*_{eta }\$\$ i∙ î∙ ∗ distributions of Drell–Yan lepton pairs in proton–proton collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	3.9	154
16	Precision measurement and interpretation of inclusive $$W^+$ W + , W^- W European Physical Journal C, 2017, 77, 367.$	3.9	145
17	Measurement of the $\frac{t}{s}$ t t \hat{A}^- production cross-section using \frac{s} emu \hat{A}^- events with $\frac{s}{s}$ b -tagged jets in $\frac{s}{p}$ p collisions at $\frac{s}{s}$ s = 7 and \hat{A}^- with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	3.9	143
18	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	3.9	138

#	Article	IF	Citations
19	Measurement of the $Z\hat{I}^3$ * boson transverse momentum distribution in pp collisions at s = 7 \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	131
20	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 $ sqrt $s=8 $ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	4.7	128
21	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into s 0 into s 0 into s 0 b s 0 in s 0 varvec{pp}\$\$ p p collisions at s 0 varvec{bar{b}}= varvec{8{{,mathrm TeV}}}\$\$ s = 8 T e V with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	3.9	123
22	Precision luminosity measurement in proton–proton collisions at \$\$sqrt{s} = 13,hbox {TeV}\$\$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	3.9	123
23	Measurements of inclusive W and Z cross sections in pp collisions at sqrt s $ = 7 $ TeV. Journal of High Energy Physics, 2011, 2011, 1.	4.7	122
24	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	116
25	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\$$ sqrt{s}=8,~{mathrm {TeV}}\$\$ s = 8 TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	3.9	115
26	Searches for scalar leptoquarks in pp collisions at $\$$ varvec $\{$ sqrt $\{$ s $\}$ $\}$ $\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 5.	3.9	109
27	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	108
28	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	101
29	Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $q=7$ mbox $=7$. European Physical Journal C, 2012, 72, 1.	3.9	100
30	Search for new phenomena with the $M_{mathrm} T2}$ \$\$ M T 2 variable in the all-hadronic final state produced in protonâ f proton collisions at \$\$sqrt{s} = 13\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2017, 77, 710.	3.9	98
31	Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	3.9	95
32	Search for new phenomena in events with at least three photons collected in pp collisions at $\$$ sqrt $\{s\}$ \$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	3.9	95
33	Measurements of the \$\$W\$\$ W production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	3.9	92
34	Search for Higgs boson pair production in the $\$$ bar $\{b\}$ bar $\{b\}$ \$\$ b b \hat{A}^- b b \hat{A}^- final state from pp collisions at $\$\$$ sqrt $\{s\}$ = 8 $\$$ \$ s = 8 TeVwith the ATLAS detector. European Physical Journal C, 2015, 75, 412.	3.9	90
35	Search for the b b \hat{A}^- \$\$ boverline{b} \$\$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	89
36	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton–proton collision data. European Physical Journal C, 2017, 77, 195.	3.9	87

#	Article	IF	Citations
37	Search for high-mass resonances in dilepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	86
38	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	84
39	Performance of the CMS Level-1 trigger in proton-proton collisions at $\hat{a}\hat{s}\langle i\rangle s\langle i\rangle = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	1.2	84
40	Measurement of prompt and nonprompt charmonium suppression in $\$$ ext $\{PbPb\}$ \$\$ collisions at 5.02\$\$,ext $\{Te\}$ ext $\{V\}$ \$\$. European Physical Journal C, 2018, 78, 509.	3.9	83
41	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	82
42	Search for narrow and broad dijet resonances in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV and constraints on dark matter mediators and other new particles. Journal of High Energy Physics, 2018, 2018, 1.	4.7	82
43	Measurement of the prompt J/ $\$$ psi $\$$ $\mathring{\Gamma}$ pair production cross-section in pp collisions at $\$\$$ sqrt $\{s\}$ = 8 $\$$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	3.9	81
44	Search for production of $\$ WW/WZ\$\$ W W / W Z resonances decaying to a lepton, neutrino and jets in \$\$pp\$\$ p p collisions at \$\$sqrt{s}=8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	3.9	79
45	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	3.9	79
46	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	4.7	78
47	Search for production of four top quarks in final states with same-sign or multiple leptons in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2020, 80, 75.	3.9	78
48	Search for dark matter in events with heavy quarks and missing transverse momentum in \$\$pp\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	3.9	77
49	Search for resonant diboson production in the $\$ mathrm {ell ell }qar{q}\$\$ â,, a, q q final state in \$\$pp\$\$ p p collisions at \$\$sqrt{s} = 8\$\$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	3.9	74
50	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	3.9	73
51	Search for squarks and gluinos in final states with jets and missing transverse momentum at \frac{s} s = 13 $\frac{TeV}{}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	3.9	73
52	Search for additional neutral MSSM Higgs bosons in the \ddot{i} , \ddot{i} , final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	73
53	Search for supersymmetry at $\$$ sqrt $\{s\}=13$ \$\$ s = 13 ÂTeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	3.9	72
54	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	71

#	Article	IF	Citations
55	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	71
56	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton–proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	3.9	71
57	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $\$$ qrt $\{s\}=8$ \$\$ s = 8 \$\$,hbox {TeV}\$\$ TeV. European Physical Journal C, 2015, 75, 303.	3.9	70
58	Search for resonances in diphoton events at s = 13 \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	70
59	xmlns:mml="http://www.w3.org/1998/Math/MathML" display="inline"> <mml:mi>p</mml:mi> y and Pb-Pb Collisions at <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">Measure ments symml:mathxmlns:mml#"http://www.w3.org/1998/Math/MathMLmi>s<td>7.8</td><td>70</td></mml:math>	7.8	70
60	display="inline"> <mml:msup><mml:mi>D</mml:mi><mml:mn>O</mml:mn></mml:msup> Meson Azimuthal Anisotropy in Pb-Pb Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msqrt><mml:mrow><mml:msub><mml:mrow><mml:mi>s<td>7.8</td><td>70</td></mml:mi></mml:mrow></mml:msub></mml:mrow></mml:msqrt></mml:mrow></mml:math>	7.8	70
61	Physical Review Letters, 2018, 120, 202301 Searches for physics beyond the standard model with the \$\$M_{mathrm {T2}}\$\$ variable in hadronic final states with and without disappearing tracks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 3.	3.9	70
62	Search for charged Higgs bosons decaying via H $\hat{A}\pm\hat{a}\uparrow'\hat{I}$, $\hat{A}\pm\hat{l}\frac{1}{2}$ in fully hadronic final states using pp collision data at s \$\$ sqrt{s} \$\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	69
63	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\frac{5}{5}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	3.9	68
64	Measurement of the $f(t) = \frac{1}{2} $ Measurement of $f(t) = \frac{1}{2} $ Measurement	3.9	68
65	Measurement of charged-particle spectra in Pb+Pb collisions at s N N = 2.76 $\$$ sqrt{s_{mathrm{NN}}}=2.76 $\$$ TeV with the ATLAS detector at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	67
66	Search for direct pair production of a chargino and a neutralino decaying to the 125\^A GeV Higgs boson in \$\$sqrt{varvec{s}} = 8\$\$ s = 8 \^ATeV \$\$varvec{pp}\$\$ p p collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	3.9	67
67	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in s $\$$ sqrt $\$$ = 8 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	66
68	A search for t t \hat{A}^- \$\$ toverline{t} \$\$ resonances using lepton-plus-jets events in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	66
69	Search for high mass dijet resonances with a new background prediction method in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	66
70	Observation and measurements of the production of prompt and non-prompt $\$ prompt $\$ production of prompt and non-prompt $\$ production with a $\$ production in $\$ prompt and non-prompt $\$ production in association with a $\$ production in $\$ prompt and non-prompt $\$ production in association with a $\$ production in a $\$ production in association with a $\$ production with a $\$ production in association with a $\$ production	3.9	64
71	Measurement of the differential cross-sections of prompt and non-prompt production of $\$$ J/psi $\$$ J/ $\ddot{\Gamma}$ and $\$$ psi (2mathrm $\{S\}$) $\$$ $\ddot{\Gamma}$ (2 S) in pp collisions at $\$$ sqrt $\{s\}$ = 7 $\$$ \$ s = 7 and 8 $\dot{\Lambda}$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	3.9	63
72	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	63

#	Article	IF	CITATIONS
73	Performance of the ATLAS muon trigger in pp collisions at $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 TeV. European Physical Journal C, 2015, 75, 120.	3.9	62
74	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at \$\$\$qrt{s} = 8\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 154.	3.9	62
7 5	display="inline"> <mml:msup><mml:mi>B</mml:mi><mml:mo>A±</mml:mo></mml:msup> Meson Nuclear Modification Factor in Pb-Pb Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msurb><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msurb></mml:mrow><mml:msurb></mml:msurb><!--</td--><td>7.8</td><td>62 ml·mrows er</td></mml:math>	7.8	62 ml·mrows er
76	Physical Review Letters, 2017 , 119 , 152301 . Search for dark matter produced with an energetic jet or a hadronically decaying W or Z boson at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	62
77	Measurement of the inelastic proton-proton cross section at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	62
78	Search for resonant and nonresonant new phenomena in high-mass dilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	62
79	Measurement of ZZ production in pp collisions at \$ $qt{s}=7$ TeV and limits on anomalous ZZZ and $ZZ\hat{1}^3$ couplings with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.	4.7	61
80	Charged-particle distributions at low transverse momentum in $\$$ sqrt $\{s\}$ = 13 $\$$ 5 s = 13 ÂTeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	3.9	61
81	Performance of algorithms that reconstruct missing transverse momentum in \$\$sqrt{s}\$\$ s = 8 TeV proton–proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	3.9	61
82	Summary of the searches for squarks and gluinos using $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
83	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $s=8 $ \$\$ sqrt{ s }= $8 $ \$\$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	60
84	Search for a new resonance decaying to a W or Z boson and a Higgs boson in the \$\$ell ell / ell u / u u + b ar{b}\$\$ â," â," \hat{a} ," \hat{a} ," \hat{i} ½ / \hat{i} ½ + b b \hat{A} final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	3.9	60
85	Search for direct top-squark pair production in final states with two leptons in pp collisions at	4.7	59
86	Measurement of the weak mixing angle using the forward–backward asymmetry of Drell–Yan events in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 701.	3.9	58
87	Search for physics beyond the standard model in events with two leptons of same sign, missing transverse momentum, and jets in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2017, 77, 578.	3.9	57
88	Combined search for electroweak production of charginos and neutralinos in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
89	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	57
90	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\$$ sqrt $\{s\}$ =8 $\$$ s = 8 ÂTeV pp collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	3.9	56

#	Article	IF	Citations
91	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8ÂTeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	3.9	56
92	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 â€" interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.	4.7	55
93	Measurements of fiducial cross-sections for $\frac{t}{s}$ t t \hat{A} production with one or two additional b-jets in pp collisions at $\frac{s}{s}$ s =8 TeVÂusing the ATLAS detector. European Physical Journal C, 2016, 76, 11.	3.9	54
94	Search for charged Higgs bosons in the H± â†' τ±ντ decay channel in proton-proton collisions at \$\$ $qrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
95	Search for supersymmetry in proton-proton collisions at 13 TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	4.7	54
96	Evidence for Higgs boson decay to a pair of muons. Journal of High Energy Physics, 2021, 2021, 1.	4.7	54
97	Measurement of prompt and nonprompt $\mbox{mathrm{J}}{psi}$ production in $\mbox{mathrm {p}mathrm {p}}$ p p and $\mbox{mathrm {p}}$ athrm {Pb}\$\$ p Pb collisions at $\mbox{sqrt{s_{mathrm {NN}}}} = 5.02$,ext {TeV} \$\$ s. European Physical Journal C, 2017, 77, 269.	3.9	53
98	Search for lepton-flavour-violating H \hat{a}^{\dagger} , \hat{l}^{\dagger} , decays of the Higgs boson with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	52
99	Measurement of the top quark mass in the $\frac{1}{ightarrow}$ ext{ lepton+jets } \$\$ t t Â^ â†' lepton+jets and \$\$tar{t}ightarrow ext{ dilepton } \$\$ t t Â^ â†' dilepton channels using \$\$sqrt{s}=7\$\$ s = 7 \$\${mathrm { TeV}}\$\$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	3.9	52
100	Measurement of double-differential cross sections for top quark pair production in pp collisions at $s=8$ s = 8 \$,ext {TeV}\$ TeV and impact on parton distribution functions. European Physical Journal C, 2017, 77, 459.	3.9	52
101	Measurements of the $\$ mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}\$\$ p p → Z Z production cross section and the $\$ mathrm{Z}ightarrow 4ell \$\$ Z → 4 â,," branching fraction, and constraints on anomalous triple gauge couplings at. European Physical Journal C, 2018, 78, 165.	3.9	52
102	Search for minimal supersymmetric standard model Higgs Bosons $H\hat{A}/\hat{A}A$ and for a \$\$Z^{prime}\$\$ Z $\hat{a} \in \mathbb{Z}$ boson in the \$\$au au \$\$ \mathbb{Z} , final state produced in pp collisions at \$\$sqrt{s}= 13\$\$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	3.9	51
103	Measurement of the charged-particle multiplicity inside jets from $\$$ qrt $\{s\}=8$ \$ s = 8 $\$$ 4 mathrm $\{TeV\}$ \$\$ TeV Âpp collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	3.9	51
104	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	3.9	50
105	Search for a heavy pseudoscalar boson decaying to a Z and a Higgs boson at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 564.	3.9	50
106	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	49
107	Search for contact interactions and large extra dimensions in the dilepton channel using proton–proton collisions at \$\$sqrt{s}~=\$\$ s = Â8ÂTeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	3.9	48
108	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	3.9	48

#	Article	IF	CITATIONS
109	Search for vector-like quarks in events with two oppositely charged leptons and jets in protonâ \in "proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 364.	3.9	48
110	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	47
111	Measurements of the production cross section of a \$\$Z\$\$ Z boson in association with jets in pp collisions at \$\$sqrt{s} = 13\$\$ s. European Physical Journal C, 2017, 77, 361. Search for the <mml:math <="" td="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>3.9</td><td>47</td></mml:math>	3.9	47
112	display="inline"> <mml:mrow><mml:mi>X</mml:mi><mml:mo stretchy="false">(</mml:mo><mml:mo><mml:mn>5568</mml:mn><mml:mo) 0="" 10="" 50="" 622="" <="" etqq0="" overlock="" rgbt="" td="" tf="" tj="" xmlns:mml="http://www.w3.org/1998/Math/MathML"><td>(stretchy 7.8</td><td>="false">)</td></mml:mo)></mml:mo></mml:mrow>	(stretchy 7.8	="false">)
113	display="inline"> <mml:msubsup><mml:msubsup><mml:mrow><mml:mi>B<mml:mi> /mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:mrow><mml:< td=""><td>ml:mi>s<!--</td--><td>/mml:mi></td></td></mml:<></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mrow></mml:mi></mml:mi></mml:mrow></mml:msubsup></mml:msubsup>	ml:mi>s </td <td>/mml:mi></td>	/mml:mi>
114	Study of the rare decays of $\$B^0_s\$ B \circ 0$ and $\$B^0\$ B \circ 0$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	3.9	46
115	Search for third-generation scalar leptoquarks decaying to a top quark and a $\$$ au $\$$ i,, lepton at $\$$ qrt{s}=13,ext {Te}ext {V} $\$$ s = 13 Te. European Physical Journal C, 2018, 78, 707.	3.9	46
116	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
117	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
118	Search for supersymmetry at \sqrt{s} = 8 TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
119	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	45
120	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	44
121	Search for standard model production of four top quarks with same-sign and multilepton final states in protonâ \in proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 140.	3.9	44
122	Search for charged Higgs bosons in the H $\hat{A}\pm\hat{a}\dagger$ tb decay channel in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	43
123	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\$\$qrt\{s\} = 8\$$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	3.9	43
124	Search for single top-quark production via flavour-changing neutral currents at 8ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 55.	3.9	43
125	Search for natural and split supersymmetry in proton-proton collisions at $\$\$ $ sqrt $\{\$\}=13 \$\$ $ TeV in final states with jets and missing transverse momentum. Journal of High Energy Physics, 2018, 2018, 1.	4.7	43
126	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 $ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	42

#	Article	IF	CITATIONS
127	Two-particle Bose–Einstein correlations in pp collisions at \$\$mathbf {sqrt{s} =}\$\$ s = 0.9 and 7 TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	3.9	42
128	Search for vector-like T and B quark pairs in final states with leptons at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
129	Search for low mass vector resonances decaying into quark-antiquark pairs in proton-proton collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	42
130	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at s $\$ sqrt{s} $\$ = 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	41
131	Measurement of the production and lepton charge asymmetry of $\$W$ \$\$ W bosons in Pb+Pb collisions at $\$$ mathbf {sqrt{mathbf {s}_{mathrm {mathbf {NN}}}}=2.76;TeV}\$\$ s NN = 2.76 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	3.9	41
132	Measurement of the $\frak{f^TZ}$ t t $\frak{A^TZ}$ and $\frak{varvec\{tar\{t\}W\}}$ t t $\frak{A^TW}$ production cross sections in multilepton final states using 3.2 fb $\frak{A^TZ}$ of $\frak{A^TW}$ production states using 3.2 fb $\frak{A^TZ}$ of $\frak{A^TZ}$ p p collisions at $\frak{A^TZ}$ with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	3.9	41
133	Search for third-generation scalar leptoquarks and heavy right-handed neutrinos in final states with two tau leptons and two jets in proton-proton collisions at $s=13~$ \$ sqrt $s=13~$ 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	41
134	Measurement of properties of \$\$ {mathrm{B}}_{{mathrm{s}}}^0 \$\$a†' $1^{1}/4+1^{1}/4$ a^' decays and search for B0a†' $1^{1}/4+1$ with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	μâ^' 4.7	41
135	Search for charged Higgs bosons decaying into a top and a bottom quark in the all-jet final state of pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	41
136	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in $pp $ p collisions at $s=7,mathrm{TeV}$ s = 7 TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	3.9	40
137	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s=8$ \$ sqrt{ $s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	40
138	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	40
139	Study of the S_c^+ ightarrow J/psi D_s^+\$ B c + \hat{a}^+ J / $\hat{\Gamma}$ D s + and S_c^+ ightarrow J/psi D_s^{*+}\$ B c + \hat{a}^+ J / $\hat{\Gamma}$ D s \hat{a}^- + decays with the ATLAS detector. European Physical Journal C, 2016, 76, 4.	3.9	40
140	Search for new physics in dijet angular distributions using proton–proton collisions at \$\$sqrt{s}=13hbox {TeV}\$\$ and constraints on dark matter and other models. European Physical Journal C, 2018, 78, 789.	3.9	40
141	Measurement of the top quark mass in the all-jets final state at \$\$sqrt{s}=13,ext {TeV} \$\$ s = 13 TeV and combination with the lepton+jets channel. European Physical Journal C, 2019, 79, 313.	3.9	40
142	Search for heavy Majorana neutrinos in same-sign dilepton channels in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	40
143	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\$$ sqrt $\{s\} = 13$,ext $\{Te\}$ ext $\{V\}$ $\$$ s. European Physical Journal C, 2021, 81, 378.	3.9	40
144	Search for flavour-changing neutral current top-quark decays to $\$ varvec{qZ}\$\$ q Z in \$\varvec{pp}\$\$ p p collision data collected with the ATLAS detector at \$\varvec{sqrt{s}=8}\$\$ s = 8 ÂTeV. European Physical Journal C, 2016, 76, 12.	3.9	39

#	Article	IF	CITATIONS
145	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $s=0.76$, mathrm TeV{}\$\$ s = 8 T e. European Physical Journal C, 2016, 76, 87.	3.9	39
146	Measurement of differential cross sections for $\{Z\}$ Z boson production in association with jets in proton-proton collisions at $\{z\}$ Z	3.9	39
147	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s=8$ \$\$ sqrt{s} = 8 \$\$ TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	38
148	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	38
149	Search for dark matter produced in association with heavy-flavor quark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2017, 77, 845.	3.9	38
150	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\$$ sqrt $\{s\}$ = 13 $\$$ s = 13 $\$$ s,ext $\{TeV\}$ \$\$ TeV. European Physical Journal C, 2017, 77, 636.	3.9	38
151	Suppression of Excited <mmi:math <math="" xmins:mmi="http://www.w3.org/1998/Math/Math/Mith/Mith/Mith/Mith/Mith/Mith/Mith/Mi</td><td>7.8
mrow></</td><td>38
mml:msqrt></td></tr><tr><td>152</td><td>Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying I, leptons at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.</td><td>4.7</td><td>38</td></tr><tr><td>153</td><td>Search for bottom squark pair production in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.</td><td>3.9</td><td>37</td></tr><tr><td>154</td><td>Measurement of the W boson polarisation in <math>\frac{1}{5}</math> t t <math>\hat{A}</math> events from pp collisions at <math>\frac{1}{5}</math> s = 8 TeV in the lepton <math>\hat{A}</math> + <math>\hat{A}</math> et annel with ATLAS. European Physical Journal C, 2017, 77, 264.</td><td>3.9</td><td>37</td></tr><tr><td>155</td><td>Search for a new scalar resonance decaying to a pair of Z bosons in proton-proton collisions at <math>\\$\\$</math> sqrt<math>\\$=13</math> \$\\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.</td><td>4.7</td><td>37</td></tr><tr><td>156</td><td>Search for heavy Higgs bosons decaying to a top quark pair in proton-proton collisions at <math>\\$</math> sqrt{s} <math>\\$</math> = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.</td><td>4.7</td><td>37</td></tr><tr><td>157</td><td>Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at <math>s=8</math> \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.</td><td>4.7</td><td>36</td></tr><tr><td>158</td><td>Search for heavy long-lived multi-charged particles in pp collisions at <math>\\$</math>sqrt<math>\{s\}</math>=8<math>\\$</math>s = 8 ÂTeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.</td><td>3.9</td><td>36</td></tr><tr><td>159</td><td>Search for resonant and nonresonant Higgs boson pair production in the b b <math>\hat{A}^-</math> <math>\hat{a}</math>, ">\hat{1}/$2\hat{a}$, "$\hat{1}$/$2\hat{a}$," $\hat{1}$/$2\hat{a}$, "$\hat{1}$/$2\hat{a}$," $\hat{1}$/$2\hat{a}$," $\hat{1}$/$2\hat{a}$</mmi:math>	4.7	36
160	Search for Narrow Resonances in the <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mi>b</mml:mi></mml:math> -Tagged Dijet Mass Spectrum in Proton-Proton Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:mrow><mml:msqrt><mml:mrow><mml:mi>s</mml:mi></mml:mrow></mml:msqrt><mm< td=""><td>7.8 l:mo>=<td>36 mml:mo><mn< td=""></mn<></td></td></mm<></mml:mrow></mml:mrow></mml:math>	7.8 l:mo>= <td>36 mml:mo><mn< td=""></mn<></td>	36 mml:mo> <mn< td=""></mn<>
161	Physical Review Letters, 2018, 120, 201801. Search for new particles in events with energetic jets and large missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	36
162	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	35

#	Article	IF	Citations
163	Search for \$\$W' ightarrow tb ightarrow qqbb\$\$ W $\hat{a}\in^2 \hat{a}\dagger$ ' t b $\hat{a}\dagger$ ' q q b b decays in \$\$pp\$\$ p p collisions at \$\$\$qrt{s}\$\$ s $\hat{A}=\hat{A}8\hat{A}$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	3.9	35
164	Measurement of the inclusive jet cross-section in proton-proton collisions at $s=7 $ \$\$ sqrt{s}=7 \$\$ TeV using 4.5 fbâ^1 of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	35
165	Search for Low Mass Vector Resonances Decaying to Quark-Antiquark Pairs in Proton-Proton Collisions at <mml:math display="inline" xmlns:mml="http://www.w3.org/1998/Math/MathML"><mml:mrow><mml:msqrt><mm!:msqrt><mm 111802.<="" 119,="" 2017,="" letters,="" physical="" review="" td=""><td>ıl:mo>=<td>nml:mo><mr< td=""></mr<></td></td></mm></mm!:msqrt></mml:msqrt></mml:mrow></mml:math>	ıl:mo>= <td>nml:mo><mr< td=""></mr<></td>	nml:mo> <mr< td=""></mr<>
166	Measurement of the cross section for top quark pair production in association with a W or Z boson in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	35
167	Measurement of exclusive $\mbox{mathrm {Upsilon }$$ photoproduction from protons in $$mathrm {p}$$Pb collisions at $$sqrt{smash [b]{s_{_{mathrm {NN}}}}} = 5.02,ext {TeV} $$. European Physical Journal C, 2019, 79, 277.$	3.9	35
168	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 488.	3.9	35
169	Search for an exotic decay of the Higgs boson to a pair of light pseudoscalars in the final state of two muons and two \ddot{l} , leptons in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
170	Measurement of the top quark mass with lepton+jets final states using $\$$ mathrm {p} $\$$ mathrm {p} $\$$ s collisions at $\$$ sqrt{s}=13,ext {TeV} $\$$ s. European Physical Journal C, 2018, 78, 891.	3.9	34
171	Search for a heavy right-handed W boson and a heavy neutrino in events with two same-flavor leptons and two jets at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	34
172	Search for single production of vector-like quarks decaying to a top quark and a $\$$ mathrm $\{W\}$ $\$$ W boson in protonâ \in "proton collisions at $\$$ sqrt $\{s\}$ = 13 ,ext $\{TeV\}$ $\$$ \$ s = 13 TeV. European Physical Journal C, 2019, 79, 90.	3.9	34
173	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
174	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	33
175	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	33
176	Measurements of $\ddot{\Gamma}(2S)$ and $X(3872)$ $\hat{a}\dagger'$ $J/\ddot{\Gamma}\ddot{l}\in +\ddot{l}\in \hat{a}\hat{l}'$ production in pp collisions at $s=8$ \$\$ sqrt $\{s\}=8$ \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	33
177	Search for heavy neutrinos and third-generation leptoquarks in hadronic states of two \ddot{l} , leptons and two jets in proton-proton collisions at \$\$ $\sqrt{s}=13 $ \$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	33
178	Measurement of exclusive $\{\{\{uprho_{}^{}\}\}_{}^{}\}\{\{left(\{770\}ight)\}\{\}_{}^{}\}\}\}$ $\{0\}$ \$\$\$\$\$photoproduction in ultraperipheral pPb collisions at \$\$sqrt{smash [b]{s_{_}{mathrm {NN}}}} = 5.02,ext {Te}ext {V} \$\$. European Physical Journal C, 2019, 79, 702.	3.9	33
179	Search for dark matter produced in association with a leptonically decaying \$\${mathrm{Z}} \$\$ boson in protonâ€"proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 13.	3.9	33
180	Search for top squark pair production using dilepton final states in $f(p)$ ext p for top squark pair production using dilepton final states in $f(p)$ ext p for the square pair of the square states in $f(p)$ for the square pair of the s	3.9	33

#	Article	IF	Citations
181	Measurement of \$\$hbox {t}{ar{hbox {t}}}\$\$ normalised multi-differential cross sections in \$\$\${ext {p}}{ext {p}}\$\$ collisions at \$\$sqrt{s}=13,{ext {TeV}} \$\$, and simultaneous determination of the strong coupling strength, top quark pole mass, and parton distribution functions. European Physical Journal C. 2020, 80, 1.	3.9	33
182	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $s=13 \text{ Te V}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	3.9	31
183	A search for prompt lepton-jets in pp collisions at $s=8$ \$\$ sqrt{mathrm{s}}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	31
184	Search for top squark pair production in pp collisions at s = $13 $ \$\$ sqrt{s}= $13 $ \$\$ TeV using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	4.7	31
185	Search for disappearing tracks as a signature of new long-lived particles in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	31
186	A multi-dimensional search for new heavy resonances decaying to boosted $\$\text{W}_{}}$ \$\\$ \\$\ W \{\}_{}\\$\\$ \\$\ \ \ \ \}_{}\\$\\$\\$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	3.9	31
187	Search for invisible particles produced in association with single-top-quarks in proton–proton collisions at \$\$sqrt{s}=mathrm {8~TeV}\$\$ s = 8 TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	3.9	30
188	Measurement of the t t \hat{A}^- \$\$ toverline{t} \$\$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	30
189	Study of hard double-parton scattering in four-jet events in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	30
190	Charged-particle distributions in pp interactions at $\$$ sqrt $\{s\}$ =8 mathrm $\{$, TeV $\}$ \$\$ s = 8 TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	3.9	30
191	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	3.9	29
192	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $s=13 $ \$ sqrt $s=13 $ \$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	29
193	Search for lepton flavour violating decays of the Higgs boson to $1\frac{1}{4}$, and e, in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
194	Observation of proton-tagged, central (semi)exclusive production of high-mass lepton pairs in pp collisions at 13 TeV with the CMS-TOTEM precision proton spectrometer. Journal of High Energy Physics, 2018, 2018, 1.	4.7	29
195	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$ s = 13 Te. European Physical Journal C, 2019, 79, 280.	3.9	29
196	Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 $ \$\$ sqrt{s}=7 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	28
197	Measurements of $\$ mathrm{t}overline{mathrm{t}} \$\$ differential cross sections in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV using events containing two leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
198	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the $\$$ mathrm{H}o mathrm{b}overline{mathrm{b}} $\$$ decay channel with leptonic $\$$ mathrm{t}overline{mathrm{t}} $\$$ decays in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28

#	Article	IF	CITATIONS
199	Search for supersymmetry in final states with two oppositely charged same-flavor leptons and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	28
200	Measurements of differential Z boson production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	28
201	Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\$ sqrt{s} = 8}\$\$ s = 8 ÂTeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	3.9	27
202	Measurement of the WW + WZ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at s = $7 $ \$ sqrt{s}=7 \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	27
203	Measurements of top-quark pair differential cross-sections in the \$\$emu \$\$ e $1\frac{1}{4}$ channel in pp collisions at \$\$sqrt{s} = 13\$\$ s = 13 ÂTeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	3.9	27
204	Search for pair production of vector-like T and B quarks in single-lepton final states using boosted jet substructure in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	27
205	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton–proton collisions at \$\$sqrt{s} \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 291.	3.9	27
206	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\hat{a} \leq x > 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	1.2	27
207	Search for new neutral Higgs bosons through the $\$ mathrm{H}o mathrm{ZA}o {ell}^{+}{ell}^{-}, mathrm{b}overline{mathrm{b}} \$\$ process in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	27
208	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	27
209	Search for a charged Higgs boson decaying to charm and bottom quarks in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	26
210	Search for nonresonant Higgs boson pair production in final states with two bottom quarks and two photons in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	26
211	Search for a charged Higgs boson decaying into top and bottom quarks in events with electrons or muons in proton-proton collisions at $$$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	26
212	Determination of the top-quark pole mass using t t \hat{A}^- \$\$ toverline{t} \$\$ + 1-jet events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	4.7	25
213	Searches for heavy diboson resonances in pp collisions at $s=13 \$\$ $ sqrt $\{s\}=13 \$\$ $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	25
214	Search for triboson $\W^{pm}W^{pm}W^{mp}\$ W ± W ± W â-" production in pp collisions at \$\$sqrt{s}=8\$\$ s = 8 \$\$ext {TeV}\$\$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	3.9	25
215	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	25
216	Search for physics beyond the standard model in multilepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25

#	Article	IF	Citations
217	Search for a heavy Higgs boson decaying to a pair of W bosons in proton-proton collisions at $\$\$$ sqrt $\{s\}$ $\$\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	25
218	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	3.9	24
219	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $\scriptstyle $ in $\scriptstyle $ varvec{sqrt{s}}\$\$ s $\hat{A}=\hat{A}13\hat{A}$ TeV $\scriptstyle $ varvec{pp}\$\$. European Physical Journal C, 2016, 76, 517.	3.9	24
220	Search for new particles decaying to a jet and an emerging jet. Journal of High Energy Physics, 2019, 2019, 1.	4.7	24
221	Measurements of $\$\{mathrm{p}\}\$ {mathrm{p}} ightarrow {mathrm{Z}} {mathrm{Z}} \$\$ production cross sections and constraints on anomalous triple gauge couplings at $\$\$qrt{s} = 13,ext {TeV} $$$. European Physical Journal C, 2021, 81, 200.	3.9	24
222	A measurement of the ratio of the production cross sections for $\$W$ \$ W and $\$Z$ \$ Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	3.9	23
223	A search for high-mass resonances decaying to $\ddot{\parallel}$, $+\ddot{\parallel}$, \hat{a} in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	23
224	Measurement of three-jet production cross-sections in $pp $ p collisions at $7\hat{A}$ \$mathrm { Te,V}\$ Te V centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	3.9	23
225	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $s=13$ frev with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	3.9	23
226	Measurement of the jet mass in highly boosted $f(t)=0$ where t^{t} events from pp collisions at $f(t)=0$ so that t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of the jet mass in highly boosted $f(t)=0$ for all t^{t} is a collision of	3.9	23
227	Observation of Top Quark Production in Proton-Nucleus Collisions. Physical Review Letters, 2017, 119, 242001.	7.8	23
228	Measurement of the top quark mass using single top quark events in proton-proton collisions at $s=8$ and $s=8$ are	3.9	23
229	Measurement of the triple-differential dijet cross section in proton-proton collisions at $$$ sqrt ${s}=8$,ext ${TeV}$ $$$ s = 8 ${TeV}$ and constraints on parton distribution functions. European Physical Journal C, 2017, 77, 746.	3.9	23
230	Searches for pair production of charginos and top squarks in final states with two oppositely charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
231	Search for the flavor-changing neutral current interactions of the top quark and the Higgs boson which decays into a pair of b quarks at $$$ sqrt ${s}=13 $ \$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	23
232	Search for resonant $\$ mathrm{t}overline{mathrm{t}} \$\$ production in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	23
233	Search for a light pseudoscalar Higgs boson in the boosted $\hat{l}/4\hat{l}/4\hat{l}$,,, final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	23
234	Search for physics beyond the standard model in events with jets and two same-sign or at least three charged leptons in proton-proton collisions at $\$$ sqrt $\{s\}=13,\{ext \{TeV\}\} \$$. European Physical Journal C, 2020, 80, 752.	3.9	23

#	Article	IF	CITATIONS
235	Measurement of the t t \hat{A}^-W \$\$ toverline{t}W \$\$ and t t \hat{A}^-Z \$\$ toverline{t}Z \$\$ production cross sections in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
236	Study of (W/Z)H production and Higgs boson couplings using H→ W W â $^-$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	22
237	Search for t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ resonances in highly boosted lepton+jets and fully hadronic final states in proton-proton collisions at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
238	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s=13$ \$\$ $qt{s}=13$ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	22
239	Search for direct pair production of supersymmetric partners to the \$\${uptau }_{}^{}\$\$ lepton in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 189.	3.9	22
240	Measurement of differential cross sections and charge ratios for t-channel single top quark production in proton–proton collisions at \$\$sqrt{s}=13\$\$ \$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2020, 80, 370.	3.9	22
241	Measurement of the production cross-section of Ï^(2S) → J/Ĩ⁻(→μ + μ â^')Ï€ + Ï€ â^' in pp collisions at s \$\$ sqrt = 7 TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	{ _{\$}} ,\$\$	21
242	Determination of spin and parity of the Higgs boson in the \$\$WW^*ightarrow e u mu u \$\$ W W \hat{a} — \hat{a} †' e \hat{l} ½ \hat{l} ½ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	3.9	21
243	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	3.9	21
244	Search for the Standard Model Higgs boson decaying into b b \hat{A}^- \$\$ boverline{b} \$\$ produced in association with top quarks decaying hadronically in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	21
245	Search for associated production of a Z boson with a single top quark and for tZ flavour-changing interactions in pp collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	21
246	Search for supersymmetry in events with a \ddot{l} , lepton pair and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
247	Search for beyond the standard model Higgs bosons decaying into a \$\$ mathrm{b}overline{mathrm{b}} \$\$ pair in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	21
248	A Deep Neural Network for Simultaneous Estimation of b Jet Energy and Resolution. Computing and Software for Big Science, 2020, 4, 10.	2.9	21
249	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	4.7	21
250	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 $ \$ sqrt{ s }=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	20
251	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	20
252	Measurements of top quark spin observables in t t \hat{A}^- \$\$ toverline{t} \$\$ events using dilepton final states in s = 8 \$\$ sqrt{s}=8 \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	20

#	Article	lF	CITATIONS
253	Search for $\$$ mathrm{t}overline{mathrm{t}}mathrm{H} $\$$ production in the all-jet final state in proton-proton collisions at $\$$ sqrt{s}=13 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
254	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	20
255	Search for rare decays of \$\$mathrm {Z}\$\$ Z and Higgs bosons to \$\${mathrm {J}/psi } \$\$ J / $\ddot{\Gamma}$ and a photon in proton-proton collisions at \$\$sqrt{s}\$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2019, 79, 94.	3.9	20
256	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
257	Measurement of the cross section for electroweak production of a Z boson, a photon and two jets in proton-proton collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV and constraints on anomalous quartic couplings. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
258	A search for the standard model Higgs boson decaying to charm quarks. Journal of High Energy Physics, 2020, 2020, 1.	4.7	20
259	Search for flavour-changing neutral current top quark decays t \hat{a}^{\dagger} Hq in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	4.7	19
260	Addendum to $\hat{a} \in \mathbb{Z}$ Measurement of the $\hat{t} = \hat{t} $ to \hat{A}^- production cross-section using $\hat{t} = \hat{l} $ events with b-tagged jets in pp collisions at $\hat{t} = 1$ and $\hat{t} $	3.9	19
261	Search for the production of single vector-like and excited quarks in the Wt final state in pp collisions at $s = 8 $ sqrt $s = 8 $ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	19
262	Probing lepton flavour violation via neutrinoless $\$$ varvec{au longrightarrow 3mu } $\$$ \$ \ddot{i} , \mathring{a} \ddot{y} ¶ 3 \mathring{i} $\rlap{/}4$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	3.9	19
263	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $$$ sqrt ${s}=13$ $$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	19
264	Search for Physics Beyond the Standard Model in Events with High-Momentum Higgs Bosons and Missing Transverse Momentum in Proton-Proton Collisions at 13ÅTeV. Physical Review Letters, 2018, 120, 241801.	7.8	19
265	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton–proton collisions at \$\$sqrt{s} = 13,{ext {TeV}} \$\$. European Physical Journal C, 2021, 81, 723.	3.9	19
266	Absence of chaos in a self-organized critical coupled map lattice. Physical Review E, 1994, 50, 1083-1092.	2.1	18
267	Measurement of normalized differential $\mbox{mathrm{t}}$ overline{mathrm{t}} \mbox{normal} cross sections in the dilepton channel from pp collisions at \mbox{normal} sqrt{s}=13 \mbox{normal} TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
268	Measurements of the differential jet cross section as a function of the jet mass in dijet events from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
269	Search for resonant pair production of Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	18
270	Measurement of differential cross sections for inclusive isolated-photon and photon+jet production in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 20.	3.9	18

#	Article	IF	Citations
271	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\$\$$ sqrt{mathrm{s}} $\$\$ = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	18
272	MUSiC: a model-unspecific search for new physics in proton–proton collisions at \$\$sqrt{s} = 13,ext {TeV} \$\$. European Physical Journal C, 2021, 81, 629.	3.9	18
273	Combined searches for the production of supersymmetric top quark partners in proton–proton collisions at \$\$sqrt{s} = 13,ext {Te}ext {V} \$\$. European Physical Journal C, 2021, 81, 970.	3.9	18
274	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton–proton collisions at \$\$sqrt{s}=13,ext {TeV} \$\$. European Physical Journal C, 2022, 82, 290.	3.9	18
275	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s=7$ \$\$ sqrt{s}=7 \$\$ TeV using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	4.7	17
276	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s=7 \text{ TeV}$ s = 7 TeV. European Physical Journal C, 2015, 75, 158.	3.9	17
277	Identification of high transverse momentum top quarks in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	17
278	Search for new physics in the monophoton final state in proton-proton collisions at $s=13 \$\$$ sqrt $\{s\}=13 \$\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
279	Probing the W tb vertex structure in t-channel single-top-quark production and decay in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
280	Measurements of jet charge with dijet events in pp collisions at $s=8$ \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	17
281	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13 $ sqrt $\{s\}=13 $ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
282	Constraints on the double-parton scattering cross section from same-sign W boson pair production in proton-proton collisions at $s=8$ \$\$ sqrt{ s }=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
283	Charged-particle nuclear modification factors in XeXe collisions at $\$$ sqrt $\{s_{mathrm{NN}}\} = 5.44$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
284	Search for $Z\hat{I}^3$ resonances using leptonic and hadronic final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
285	Measurement of the production cross section for single top quarks in association with W bosons in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
286	Search for the decay of a Higgs boson in the \hat{a} , " \hat{a} ," " \hat{a} channel in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	17
287	Measurement of charged particle spectra in minimum-bias events from proton–proton collisions at \$\$\$qrt{s}=13,ext {TeV} \$\$ s = 13 TeV. European Physical Journal C, 2018, 78, 697.	3.9	17
288	Electroweak production of two jets in association with a Z boson in protonâ \in proton collisions at \$\$sqrt{s}= \$\$ s = 13 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 1.	3.9	17

#	Article	IF	CITATIONS
289	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	17
290	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	16
291	Top-quark mass measurement in the all-hadronic t t \hat{A}^- \$\$ toverline{t} \$\$ decay channel at s = 8 \$\$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	4.7	16
292	Measurement of associated Z + charm production in proton–proton collisions at \$\$sqrt{s} = 8\$\$ s = 8 \$\$,ext {TeV}\$\$ TeV. European Physical Journal C, 2018, 78, 287.	3.9	16
293	Search for single production of vector-like quarks decaying to a b quark and a Higgs boson. Journal of High Energy Physics, 2018, 2018, 1.	4.7	16
294	Search for new physics in top quark production in dilepton final states in proton-proton collisions at $\$$ sqrt $\{s\} = 13$,ext $\{TeV\}$ $\$$. European Physical Journal C, 2019, 79, 886.	3.9	16
295	Measurement of event-shape observables in \$\$Z ightarrow ell $^{+}$ ell $^{-}$ \$\$ Z â†' â," + â," - events in pp collisions at \$\$sqrt{s}=7\$\$ s = 7 \$\${mathrm{TeV}}\$\$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	3.9	15
296	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to WW $\hat{a}-\hat{a}\dagger'\hat{e}^{1}/\hat{2}\hat{l}/\hat{4}\hat{l}/2$ with the ATLAS detector at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	4.7	15
297	Search for strong gravity in multijet final states produced in pp collisions at $s = 13 $ sqrt $s = $	4.7	15
298	Search for electroweak production of charginos and neutralinos in WH events in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
299	Search for new physics with dijet angular distributions in proton-proton collisions at $s=13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	15
300	Search for a singly produced third-generation scalar leptoquark decaying to a \ddot{l} , lepton and a bottom quark in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	15
301	Measurement of b hadron lifetimes in pp collisions at $\$$ sqrt $\{s\}$ = 8 $\$$ \$ s = 8 $\$$,ext $\{Te\}$ ext $\{V\}$ \$\$ TeV. European Physical Journal C, 2018, 78, 457.	3.9	15
302	Search for new physics in final states with a single photon and missing transverse momentum in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
303	Search for lepton flavour violating decays of a neutral heavy Higgs boson to $1\frac{1}{4}$, and ei, in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	15
304	Measurement of the inclusive and differential Higgs boson production cross sections in the leptonic WW decay mode at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	15
305	Search for anomalous triple gauge couplings in WW and WZ production in lepton + jet events in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	15
306	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14

#	Article	IF	CITATIONS
307	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	4.7	14
308	Search for associated production of dark matter with a Higgs boson decaying to b b \hat{A}^- \$\$ mathrm{b}overline{mathrm{b}} \$\$ or $\hat{I}^3\hat{I}^3$ at s = 13 \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
309	Search for supersymmetry in events with at least one photon, missing transverse momentum, and large transverse event activity in proton-proton collisions at $s=13~$ \$ sqrt $s=13~$ \$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	14
310	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $s=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	14
311	Studies of \$\${mathrm {B}} ^{*}_{{mathrm {s}}2}(5840)^0 \$\$ B s 2 \hat{a} — (5840) 0 and \$\${mathrm {B}}		

#	Article	IF	Citations
325	Search for top squarks decaying via four-body or chargino-mediated modes in single-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
326	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
327	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $$$ sqrt ${s}=13 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
328	Jet properties in PbPb and pp collisions at $\$$ sqrt $\{s_{mathrm}N\}$; mathrm $\{N\}\}$ =5.02 $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	13
329	Search for top quark partners with charge 5/3 in the same-sign dilepton and single-lepton final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
330	Search for supersymmetry with a compressed mass spectrum in the vector boson fusion topology with 1-lepton and 0-lepton final states in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
331	Search for contact interactions and large extra dimensions in the dilepton mass spectra from proton-proton collisions at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
332	Search for dark photons in decays of Higgs bosons produced in association with Z bosons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	13
333	Inclusive search for highly boosted Higgs bosons decaying to bottom quark-antiquark pairs in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	13
334	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	13
335	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 20 fba^1 of s \$\$ sqrt{s} \$\$ = 8 TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	4.7	12
336	Measurement of the $\$$ boverline $\{b\}$ \$\$ b b \hat{A}^- dijet cross section in pp collisions at $\$$ sqrt $\{s\}$ = 7\$\$ s = 7 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	3.9	12
337	Comparing transverse momentum balance of b jet pairs in pp and PbPb collisions at \$\$ sqrt{s_{mathrm{NN}}}=5.02 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
338	Measurement of the groomed jet mass in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}=5.02 \$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
339	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\$\$$ sqrt $\$\}=13$ $\$\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
340	Search for dark matter produced in association with a Higgs boson decaying to $\hat{l}^3\hat{l}^3$ or $\hat{l}_* + \hat{l}_*$, \hat{a}^* at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	12
341	Measurement of the energy density as a function of pseudorapidity in proton–proton collisions at \$\$\$qrt{s} =13,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 1.	3.9	12
342	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13TeV . Journal of High Energy Physics, $2019, 2019, 1$.	4.7	12

#	Article	IF	CITATIONS
343	Measurement of the average very forward energy as a function of the track multiplicity at central pseudorapidities in proton-proton collisions at $$\sqrt{s}=13,ext {TeV} $ \$. European Physical Journal C, 2019, 79, 893.	3.9	12
344	Investigation into the event-activity dependence of $i'(nS)$ relative production in proton-proton collisions at \$\$ sqrt{s} \$\$ = 7 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	12
345	Search for new physics in top quark production with additional leptons in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV using effective field theory. Journal of High Energy Physics, 2021, 2021, 1.	4.7	12
346	Development and validation of HERWIGÂ7 tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	3.9	12
347	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	12
348	Measurement of four-jet differential cross sections in $s = 8 $ \$ sqrt $\{s\}=8 $ \$ TeV proton-proton collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-76.	4.7	11
349	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	1.2	11
350	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton–proton collisions at \$\$sqrt{s}=13\$\$ s = 13 ÅTeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	3.9	11
351	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\frac{13}{s}=13$ s = 13 TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	3.9	11
352	Measurement of the semileptonic t t \hat{A}^- \$\$ mathrm{t}overline{mathrm{t}} \$\$ + \hat{I}^3 production cross section in pp collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	11
353	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
354	Search for a heavy resonance decaying to a pair of vector bosons in the lepton plus merged jet final state at $\$$ sqrt $\{s\}=13$ $\$$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	11
355	Search for supersymmetry in events with a photon, jets, \$\$mathrm {b}\$\$-jets, and missing transverse momentum in proton–proton collisions at 13\$\$,ext {Te}ext {V}\$\$. European Physical Journal C, 2019, 79, 444.	3.9	11
356	Search for nonresonant Higgs boson pair production in the $\$$ mathrm{b}overline{mathrm{b}} state at $\$$ sqrt{s} $\$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
357	Study of the underlying event in top quark pair production in \$\$mathrm {p}mathrm {p}\$\$ p p collisions at 13 \$\$~ext {Te}ext {V}\$\$ Te. European Physical Journal C, 2019, 79, 123.	3.9	11
358	Search for the production of four top quarks in the single-lepton and opposite-sign dilepton final states in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	11
359	Measurement of electroweak production of a \$\$mathrm{W} \$\$ boson in association with two jets in proton–proton collisions at \$\$sqrt{s}=13,ext {Te}ext {V} \$\$. European Physical Journal C, 2020, 80, 43.	3.9	11
360	First measurement of large area jet transverse momentum spectra in heavy-ion collisions. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11

#	Article	IF	CITATIONS
361	Search for a heavy Higgs boson decaying into two lighter Higgs bosons in the ττbb final state at 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	11
362	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at s $$$ sqrt $\{s\}$ $$$ = 8 TeV. Journal of High Energy Physics, 2014, 2014, 1.	4.7	10
363	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s=8 $ \$\$ sqrt $s=8 $ \$\$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	10
364	Search for direct top squark pair production in final states with two tau leptons in pp collisions at $s=8$ s = 8 ÂTeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	3.9	10
365	Measurements of the pp \hat{a} †' $\hat{W}^{\hat{j}}\hat{l}^{\hat{j}}$ and pp \hat{a} †' $\hat{Z}^{\hat{j}}\hat{l}^{\hat{j}}$ cross sections and limits on anomalous quartic gauge couplings at s = 8 \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	⁵ 4.7	10
366	Measurement of the inclusive energy spectrum in the very forward direction in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
367	Search for a light pseudoscalar Higgs boson produced in association with bottom quarks in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	10
368	Study of dijet events with a large rapidity gap between the two leading jets in pp collisions at \$\$\$qrt{s}=7\$\$ \$\$,ext {TeV}\$\$. European Physical Journal C, 2018, 78, 242.	3.9	10
369	Measurement of the \$\$mathrm {Z}/gamma ^{*} ightarrow au au \$\$ Z / \hat{I} 3 \hat{I} 6 \hat{I} 7 \hat{I} 7, \hat{I} 8, cross section in pp collisions at \$\$sqrt{s} = 13 hbox { TeV}\$\$ s = 13 TeV and validation of \$\$. European Physical Journal C, 2018, 78, 708.	3.9	10
370	Search for a heavy resonance decaying into a Z boson and a vector boson in the $\$ u overline{u}mathrm{q}overline{mathrm{q}} \$\$ final state. Journal of High Energy Physics, 2018, 2018, 1.	4.7	10
371	Search for resonances decaying to a pair of Higgs bosons in the b\$\$ overline{mathrm{b}} \$\$q\$\$ overline{mathrm{q}} \$\$'â,,"ν final state in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	10
372	Measurement of quark- and gluon-like jet fractions using jet charge in PbPb and pp collisions at 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	10
373	Evidence for \$\$ext {W}ext {W}\$\$ production from double-parton interactions in proton–proton collisions at \$\$sqrt{s} = 13 ,ext {TeV} \$\$. European Physical Journal C, 2020, 80, 1.	3.9	10
374	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	3.9	9
375	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	9
376	Measurement of the ZZ production cross section in proton-proton collisions at s = 8 \$\$ sqrt{s}=8 \$\$ TeV using the ZZ \hat{a}^{\dagger} \hat{a} , " \hat{a}^{\dagger} \hat{a} ," \hat{a}^{\dagger} \$\$ ZZo {ell}^{-}{ell}^{-}{+}u overly with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	lian.er{u}\$\$	decay chan
377	Search for resonances in the mass spectrum of muon pairs produced in association with b quark jets in proton-proton collisions at \$\$ sqrt{s}=8 \$\$ and 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9
378	Search for lepton-flavor violating decays of heavy resonances and quantum black holes to e $\hat{1}$ /4 final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	9

#	Article	IF	Citations
379	Azimuthal correlations for inclusive 2-jet, 3-jet, and 4-jet events in pp collisions at $\$$ sqrt $\{s\}$ = 13-hbox $\{TeV\}$ \$ s = 13 TeV. European Physical Journal C, 2018, 78, 1.	3.9	9
380	Search for a heavy resonance decaying to a top quark and a vector-like top quark in the lepton + jets final state in pp collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 1.	3.9	9
381	Search for a low-mass $\ddot{\ }$, $\hat{\ }$, $\hat{\ }$, + resonance in association with a bottom quark in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	9
382	Angular analysis of the decay B+ \hat{a} †' K \hat{a} ^-(892)+ \hat{i} ½+ \hat{i} ½ \hat{a} °' in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = TeV. Journal of High Energy Physics, 2021, 2021, 1.	8 4.7	9
383	Search for a heavy vector resonance decaying to a $f(z) = 13$, and a Higgs boson in proton-proton collisions at $f(z) = 13$, and $f(z) = 13$,	3.9	9
384	Measurement of the relative width difference of the B 0 $\hat{a} \in B \hat{A}^- 0 $ {B}^0hbox{-} {overline{B}}^0 \$\$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	8
385	Searches for W′ bosons decaying to a top quark and a bottom quark in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	8
386	Pseudorapidity distributions of charged hadrons in proton-lead collisions at s N N = $5.02 $ \$ sqrt{s_{mathrm{NN}}}= $5.02 $ \$\$ and $8.16 $ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
387	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2\hat{a}$, "2q final states at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	8
388	Search for supersymmetry in final states with photons and missing transverse momentum in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	8
389	Azimuthal separation in nearly back-to-back jet topologies in inclusive 2- and 3-jet events in $f(x) = 13$, ext $f(x) = 13$,	3.9	8
390	Dependence of inclusive jet production on the anti-kT distance parameter in pp collisions at $\$$ sqrt{mathrm{s}} $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	8
391	Search for chargino-neutralino production in events with Higgs and W bosons using 137 fb \hat{a} °1 of proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
392	Study of quark and gluon jet substructure in Z+jet and dijet events from pp collisions. Journal of High Energy Physics, 2022, 2022, 1.	4.7	8
393	Probing effective field theory operators in the associated production of top quarks with a Z boson in multilepton final states at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	8
394	Search for the associated production of the Higgs boson and a vector boson in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV via Higgs boson decays to \ddot{I} , leptons. Journal of High Energy Physics, 2019, 2019, 1.	4.7	7
395	Study of central exclusive "Equation missing" No EquationSource Format="TEX", only image production in proton-proton collisions at $\$\$qrt{s} = 5.02\$\$$ and 13TeV. European Physical Journal C, 2020, 80, 718.	3.9	7
396	Measurement of the top quark forward-backward production asymmetry and the anomalous chromoelectric and chromomagnetic moments in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	7

#	Article	IF	CITATIONS
397	Measurements of the pp \hat{a}^{\dagger} ' $\hat{WA}\pm\hat{a}^{\dagger}$ and pp \hat{a}^{\dagger} ' \hat{Z}^{\dagger} cross sections at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV and limits anomalous quartic gauge couplings. Journal of High Energy Physics, 2021, 2021, 1.	9 <u>n</u>	7
398	Search for supersymmetry in events with at least three electrons or muons, jets, and missing transverse momentum in proton-proton collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	6
399	Search for supersymmetry in events with a photon, a lepton, and missing transverse momentum in proton-proton collisions at $\$$ sqrt $\{s\}$ = 13 $\$$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	6
400	Measurements of triple-differential cross sections for inclusive isolated-photon+jet events in $\mbox{smathrm}_{p}\$ collisions at $\$ = 8,ext {TeV} \$\$. European Physical Journal C, 2019, 79, 969.	3.9	6
401	Search for decays of the 125 GeV Higgs boson into a Z boson and a ϕor ϕ meson. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
402	Determination of the strong coupling constant $\hat{l}\pm S(mZ)$ from measurements of inclusive $W\hat{A}\pm$ and Z boson production cross sections in proton-proton collisions at \$\$ $q\pm M$ and 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	6
403	Measurement of double-parton scattering in inclusive production of four jets with low transverse momentum in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
404	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $$$ sqrt ${s}$ $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
405	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	6
406	Search for a heavy resonance decaying to a top quark and a vector-like top quark at $s=13 \$$ sqrt $\{s\}=13 \$$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	5
407	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ cross section in pp collisions at \$\$ sqrt{s}=5.02 \$\$ TeV using final states with at least one charged lepton. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
408	Search for new phenomena in final states with two opposite-charge, same-flavor leptons, jets, and missing transverse momentum in pp collisions at $s=13$ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	5
409	Search for a $W\hat{a}\in \mathbb{R}^2$ boson decaying to a vector-like quark and a top or bottom quark in the all-jets final state. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
410	Search for the pair production of light top squarks in the $e\hat{A}\pm\hat{l}^{1/4}\hat{a}^{**}$ final state in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	5
411	Measurement of the cross section for $\$ mathrm{t}overline{mathrm{t}} \$\$ production with additional jets and b jets in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	5
412	Measurement of differential cross sections for Z bosons produced in association with charm jets in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
413	In-medium modification of dijets in PbPb collisions at $\$$ sqrt $\{s_{mathrm{NN}}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
414	Measurement of single-diffractive dijet production in proton–proton collisions at \$\$sqrt{s} = 8,ext {Te}ext {V} \$\$ with the CMS and TOTEM experiments. European Physical Journal C, 2020, 80, 1164.	3.9	5

#	Article	IF	CITATIONS
415	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
416	Measurement of the top quark mass using events with a single reconstructed top quark in pp collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	5
417	Search for long-lived particles decaying into muon pairs in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	4.7	5
418	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
419	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\$\$$ sqrt $\$\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	5
420	Search for single production of a vector-like T quark decaying to a top quark and a Z boson in the final state with jets and missing transverse momentum at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	5
421	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $s = 8 $ \$\$ sqrt $\{s\}=8 $ \$\$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	4.7	4
422	Measurement of jet activity in top quark events using the $el^{1}/4$ final state with two b-tagged jets in pp collisions at $s = 8 $ \$ sqrt{s}=8 \$\$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	4.7	4
423	Measurement of differential cross sections in the kinematic angular variable i* for inclusive Z boson production in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
424	Search for ZZ resonances in the $2\hat{a}$, " $2\hat{l}$ ½ final state in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
425	Event shape variables measured using multijet final states in proton-proton collisions at \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	4
426	Search for resonant production of second-generation sleptons with same-sign dimuon events in protonâ \in proton collisions at $\$$ qrt $\{s\} = 13$,ext $\{TeV\}$ $\$$ s = 13 TeV. European Physical Journal C, 2019, 79, 305.	3.9	4
427	The production of isolated photons in PbPb and pp collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
428	Search for supersymmetry in proton-proton collisions at $\$\$$ sqrt $\{\$\}$ = 13 TeV in events with high-momentum Z bosons and missing transverse momentum. Journal of High Energy Physics, 2020, 2020, 1.	4.7	4
429	Measurement of b jet shapes in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 5.02 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	4
430	Search for supersymmetry using Higgs boson to diphoton decays at $\$\$ $ sqrt $\$\$ $ = 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	4
431	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\$\$$ sqrt $\$\$ = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	4
432	Search for top quark partners with charge $5/3$ in proton-proton collisions at $s = 13 $ \$\$ sqrt{s}=13 \$\$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	4.7	3

#	Article	IF	CITATIONS
433	Inclusive search for supersymmetry in pp collisions at \$\$ sqrt{s}=13 \$\$ TeV using razor variables and boosted object identification in zero and one lepton final states. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
434	Search for excited leptons in \hat{a} , " \hat{a} ," \hat{a} ," \hat{a} final states in proton-proton collisions at \$\$ sqrt{mathrm{s}}=13 \$\$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
435	Search for the lepton flavor violating decay \ddot{l} , \hat{a}^{\dagger} , \hat{a}^{\dagger} , in proton-proton collisions at \$\$ sqrt{mathrm{s}} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
436	Study of Drell-Yan dimuon production in proton-lead collisions at $\$$ sqrt $\{s_{NN}\}$ $\$$ = 8.16 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
437	Measurement of the inclusive jet cross-section in proton-proton collisions at ($sqrt{s}=7$) TeV using 4.5 fbâ^'1 of data with the ATLAS detector., 2015, 2015, 1.		3
438	Study of the $\$ {mathrm{B}}^{+}o mathrm{J}/uppsi overline{Lambda}mathrm{p} \$\$ decay in proton-proton collisions at \$\$ sqrt{s} \$\$ = 8 TeV. Journal of High Energy Physics, 2019, 2019, 1.	4.7	3
439	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider., 2015, 75, 1.		3
440	Measurements of the (mathrm {p}mathrm {p}ightarrow mathrm{Z}mathrm{Z}) production cross section and the (mathrm{Z}ightarrow 4ell) branching fraction, and constraints on anomalous triple gauge couplings at (sqrt{s} = 13,ext {TeV})., 2018, 78, 1.		3
441	Search for long-lived particles produced in association with a Z boson in proton-proton collisions at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	3
442	Measurement of the inclusive and differential t\$\$ overline{t} $$$\hat{i}^3$$ cross sections in the single-lepton channel and EFT interpretation at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	3
443	A search for an excited muon decaying to a muon and two jets inppcollisions at $\$ sqrt{s};=;8;{m{TeV}}\$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	2.9	2
444	Search for an excited lepton that decays via a contact interaction to a lepton and two jets in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
445	Measurement of the top quark pair production cross section in dilepton final states containing one \ddot{l} , lepton in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	2
446	Measurements of the differential cross sections of the production of Z + jets and \hat{l}^3 + jets and of Z boson emission collinear with a jet in pp collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
447	Measurement of the Z boson differential production cross section using its invisible decay mode (Z →) Tj ETQq1 Physics, 2021, 2021, 1.	1 0.78431 4.7	14 rgBT /Ov
448	Measurements of angular distance and momentum ratio distributions in three-jet and $\{Z\}$ + two-jet final states in $\{p\}$ {ext $\{p\}$ } {ext $\{p\}$ } collisions. European Physical Journal C, 2021, 81, 852.	3.9	2
449	Measurement of the (toverline $\{t\}$) production cross-section using (emu) events with (b)-tagged jets in (pp) collisions at (sqrt $\{s\}$ =7) and 8 TeV with the ATLAS detector., 2014, 74, 1.		2
450	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at (sqrt $\{s\}=8\sim$)TeV with the ATLAS detector., 2015, 75, 1.		2

#	Article	IF	CITATIONS
451	Observation of tW production in the single-lepton channel in pp collisions at $\$\$ $ sqrt $\$\$ = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
452	Measurement of prompt open-charm production cross sections in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2021, 2021, 1.	4.7	2
453	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $$$ sqrt{s} $$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
454	Measurement of the inclusive $\$ mathrm{t}overline{mathrm{t}} \$\$ production cross section in proton-proton collisions at \$\$ sqrt{s} \$\$ = 5.02 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	2
455	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\$$ sqrt $\$$ $\$$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
456	Measurement of the inclusive and differential t\$\$ overline{t} \$\$ $\hat{1}^3$ cross sections in the dilepton channel and effective field theory interpretation in proton-proton collisions at \$\$ sqrt{s} \$\$ = 13 TeV. Journal of High Energy Physics, 2022, 2022, .	4.7	2
457	Search for top squark pair production in a final state with two tau leptons in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV. Journal of High Energy Physics, 2020, 2020, 1.	4.7	1
458	Search for production of (WW/WZ) resonances decaying to a lepton, neutrino and jets in (pp) collisions at ($sqrt\{s\}=8$) TeV with the ATLAS detector., 2015, 75, 1.		1
459	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at (sqrt $\{s\}=8$,mathrm TeV $\{\}$) with the ATLAS detector., 2016, 76, 1.		1
460	Measurement of b hadron lifetimes in pp collisions at (sqrt $\{s\} = 8$) (,ext $\{Te\}$ ext $\{V\}$)., 2018, 78, 1.		1
461	Study of dijet events with large rapidity separation in proton-proton collisions at $\$$ sqrt $\{s\}$ $\$$ = 2.76 TeV. Journal of High Energy Physics, 2022, 2022, 1.	4.7	1
462	Search for a heavy resonance decaying to a top quark and a W boson at $\$$ sqrt $\{s\}$ $\$$ = 13 TeV in the fully hadronic final state. Journal of High Energy Physics, 2021, 2021, 1.	4.7	1
463	Observation of B\$\$^0\$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ uppi ^+uppi ^-\$\$ and B\$\$^0_mathrm $\{s\}$ \$\$ \$\$ightarrow \$\$ \$\$uppsi \$\$(2S)K\$\$^0_mathrm $\{S\}$ \$\$ decays. European Physical Journal C, 2022, 82, .	3.9	1
464	Search for natural supersymmetry in events with top quark pairs and photons in pp collisions at \$\$ sqrt{s}=8 \$\$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	4.7	0