## Hu-Biao Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7520018/publications.pdf Version: 2024-02-01



HU-RIAO CHEN

| #  | Article  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | Tu-San-Qi (Gynura japonica): the culprit behind pyrrolizidine alkaloid-induced liver injury in China.<br>Acta Pharmacologica Sinica, 2021, 42, 1212-1222.  | 6.1  | 40        |
| 2  | Structure of a laminarin-type β-(1→3)-glucan from brown algae Sargassum henslowianum and its<br>potential on regulating gut microbiota. Carbohydrate Polymers, 2021, 255, 117389.  | 10.2 | 34        |
| 3  | Ginseng ameliorates exercise-induced fatigue potentially by regulating the gut microbiota. Food and Function, 2021, 12, 3954-3964.   | 4.6  | 30        |
| 4  | A hybrid platform featuring nanomagnetic ligand fishing for discovering COX-2 selective inhibitors<br>from aerial part of Saussurea laniceps HandMazz. Journal of Ethnopharmacology, 2021, 271, 113849.  | 4.1  | 14        |
| 5  | Synergistic effects of autophagy/mitophagy inhibitors and magnolol promote apoptosis and antitumor efficacy. Acta Pharmaceutica Sinica B, 2021, 11, 3966-3982.   | 12.0 | 28        |
| 6  | Application of Nanotechnology in Analysis and Removal of Heavy Metals in Food and Water Resources.<br>Nanomaterials, 2021, 11, 1792.   | 4.1  | 18        |
| 7  | Stronger anti-obesity effect of white ginseng over red ginseng and the potential mechanisms<br>involving chemically structural/compositional specificity to gut microbiota. Phytomedicine, 2020, 74,<br>152761.  | 5.3  | 23        |
| 8  | Qualitative and quantitative characterization of carbohydrate profiles in three different parts of<br>Poria cocos. Journal of Pharmaceutical and Biomedical Analysis, 2020, 179, 113009.   | 2.8  | 23        |
| 9  | A novel inulin-type fructan from Asparagus cochinchinensis and its beneficial impact on human intestinal microbiota. Carbohydrate Polymers, 2020, 247, 116761.   | 10.2 | 54        |
| 10 | Food-Derived Nanoscopic Drug Delivery Systems for Treatment of Rheumatoid Arthritis. Molecules,<br>2020, 25, 3506.   | 3.8  | 2         |
| 11 | Pristimerin induces apoptosis and inhibits proliferation, migration in H1299 Lung Cancer Cells. Journal of Cancer, 2020, 11, 6348-6355.  | 2.5  | 19        |
| 12 | Network Pharmacology Analysis and Molecular Characterization of the Herbal Medicine Formulation<br>Qi-Fu-Yin for the Inhibition of the Neuroinflammatory Biomarker iNOS in Microglial BV-2 Cells:<br>Implication for the Treatment of Alzheimer's Disease. Oxidative Medicine and Cellular Longevity, 2020,<br>2020, 1-15. | 4.0  | 9         |
| 13 | Suitability evaluation on material specifications and edible methods of Dendrobii Officinalis Caulis based on holistic polysaccharide marker. Chinese Medicine, 2020, 15, 46.  | 4.0  | 5         |
| 14 | The Role of Exosomal microRNA in Cancer Drug Resistance. Frontiers in Oncology, 2020, 10, 472.   | 2.8  | 36        |
| 15 | Exosomes with low miR-34c-3p expression promote invasion and migration of non-small cell lung cancer by upregulating integrin $\hat{I}\pm2\hat{I}^21$ . Signal Transduction and Targeted Therapy, 2020, 5, 39.   | 17.1 | 88        |
| 16 | Anti-Cancer Effects of Pristimerin and the Mechanisms: A Critical Review. Frontiers in Pharmacology, 2019, 10, 746.  | 3.5  | 50        |
| 17 | Chemotaxonomy studies on the genus Hedysarum. Biochemical Systematics and Ecology, 2019, 86, 103902.   | 1.3  | 5         |
| 18 | Characterization of Chemical Component Variations in Different Growth Years and Tissues of<br>Morindae Officinalis Radix by Integrating Metabolomics and Glycomics. Journal of Agricultural and<br>Food Chemistry, 2019, 67, 7304-7314.  | 5.2  | 10        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Comparative quality of the forms of decoction pieces evaluated by multidimensional chemical analysis and chemometrics: Poria cocos, a pilot study. Journal of Food and Drug Analysis, 2019, 27, 766-777.  | 1.9  | 12        |
| 20 | Less SO2 residue may not indicate higher quality, better efficacy and weaker toxicity of sulfur-fumigated herbs: Ginseng, a pilot study. Journal of Hazardous Materials, 2019, 364, 376-387.  | 12.4 | 20        |
| 21 | Recent progress in nanomaterial-based assay for the detection of phytotoxins in foods. Food Chemistry, 2019, 277, 162-178.  | 8.2  | 28        |
| 22 | Comprehensive quality evaluation and comparison of Angelica sinensis radix and Angelica acutiloba radix by integrated metabolomics and glycomics. Journal of Food and Drug Analysis, 2018, 26, 1122-1137.   | 1.9  | 21        |
| 23 | Dual-ligand modified liposomes provide effective local targeted delivery of lung-cancer drug by antibody and tumor lineage-homing cell-penetrating peptide. Drug Delivery, 2018, 25, 256-266.   | 5.7  | 94        |
| 24 | Anti-inflammatory and antiproliferative prenylated chalcones from <i>Hedysarum gmelinii</i> .<br>Journal of Asian Natural Products Research, 2018, 20, 1009-1018.   | 1.4  | 9         |
| 25 | Tissue-based metabolite profiling and qualitative comparison of two species of Achyranthes roots by use of UHPLC-QTOF MS and laser micro-dissection. Journal of Pharmaceutical Analysis, 2018, 8, 10-19.  | 5.3  | 15        |
| 26 | Oolong tea: A critical review of processing methods, chemical composition, health effects, and risk.<br>Critical Reviews in Food Science and Nutrition, 2018, 58, 2957-2980.  | 10.3 | 88        |
| 27 | Laser microdissection hyphenated with high performance gel permeation chromatography-charged aerosol detector and ultra performance liquid chromatography-triple quadrupole mass spectrometry for histochemical analysis of polysaccharides in herbal medicine: Ginseng, a case study. International Journal of Biological Macromolecules, 2018, 107, 332-342 | 7.5  | 14        |
| 28 | Qualitatively and quantitatively comparing secondary metabolites in three medicinal parts derived from Poria cocos (Schw.) Wolf using UHPLC-QTOF-MS/MS-based chemical profiling. Journal of Pharmaceutical and Biomedical Analysis, 2018, 150, 278-286.   | 2.8  | 44        |
| 29 | Correlation between Quality and Geographical Origins of Poria cocos Revealed by Qualitative<br>Fingerprint Profiling and Quantitative Determination of Triterpenoid Acids. Molecules, 2018, 23, 2200.   | 3.8  | 31        |
| 30 | Integrating Targeted and Untargeted Metabolomics to Investigate the Processing Chemistry of Polygoni Multiflori Radix. Frontiers in Pharmacology, 2018, 9, 934.   | 3.5  | 26        |
| 31 | Tissue-Specific Analysis of Secondary Metabolites Creates a Reliable Morphological Criterion for<br>Quality Grading of Polygoni Multiflori Radix. Molecules, 2018, 23, 1115.  | 3.8  | 10        |
| 32 | Corni Fructus: a review of chemical constituents and pharmacological activities. Chinese Medicine, 2018, 13, 34.  | 4.0  | 79        |
| 33 | Comparison of the chemical profiles and inflammatory mediator-inhibitory effects of three<br>Siegesbeckia herbs used as Herba Siegesbeckiae (Xixiancao). BMC Complementary and Alternative<br>Medicine, 2018, 18, 141.  | 3.7  | 16        |
| 34 | Long-lasting Insulin Treatment Via a Single Subcutaneous Administration of Liposomes in<br>Thermoreversible Pluronic® F127 Based Hydrogel. Current Pharmaceutical Design, 2018, 23, 6079-6085.  | 1.9  | 14        |
| 35 | Determination of ginsenosides in Asian and American ginsengs by liquid<br>chromatography–quadrupole/time-of-flight MS: assessing variations based on morphological<br>characteristics. Journal of Ginseng Research, 2017, 41, 10-22.  | 5.7  | 38        |
| 36 | Economic botany collections: A source of material evidence for exploring historical changes in<br>Chinese medicinal materials. Journal of Ethnopharmacology, 2017, 200, 209-227.  | 4.1  | 18        |

| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 37 | Qualitative and quantitative characterization of secondary metabolites and carbohydrates in<br>Bai-Hu-Tang using ultraperformance liquid chromatography coupled with quadrupole time-of-flight<br>mass spectrometry and ultraperformance liquid chromatography coupled with photodiode array<br>detector. Journal of Food and Drug Analysis, 2017, 25, 946-959. | 1.9  | 13        |
| 38 | Effects of boiling duration in processing of White Paeony Root on its overall quality evaluated by<br>ultra-high performance liquid chromatography quadrupole/time-of-flight mass spectrometry based<br>metabolomics analysis and high performance liquid chromatography quantification. Chinese Journal<br>of Natural Medicines, 2017, 15, 62-70.              | 1.3  | 7         |
| 39 | Pulmonary delivery of triptolide-loaded liposomes decorated with anti-carbonic anhydrase IX antibody for lung cancer therapy. Scientific Reports, 2017, 7, 1097.  | 3.3  | 65        |
| 40 | Bioactivity, toxicity and detoxification assessment of Dioscorea bulbifera L.: a comprehensive review.<br>Phytochemistry Reviews, 2017, 16, 573-601.  | 6.5  | 32        |
| 41 | Synchronous characterization of carbohydrates and ginsenosides yields deeper insights into the processing chemistry of ginseng. Journal of Pharmaceutical and Biomedical Analysis, 2017, 145, 59-70.  | 2.8  | 16        |
| 42 | Comparison of chemical profiles between the root and aerial parts from three Bupleurum species based on a UHPLC-QTOF-MS metabolomics approach. BMC Complementary and Alternative Medicine, 2017, 17, 305.   | 3.7  | 55        |
| 43 | Understanding the Molecular Mechanisms of the Interplay Between Herbal Medicines and Gut<br>Microbiota. Medicinal Research Reviews, 2017, 37, 1140-1185.  | 10.5 | 241       |
| 44 | Multiconstituent identification in root, branch, and leaf extracts of <i>Juglans mandshurica</i><br>using ultra high performance liquid chromatography with quadrupole timeâ€ofâ€flight mass<br>spectrometry. Journal of Separation Science, 2017, 40, 3440-3452.   | 2.5  | 11        |
| 45 | Preparationâ€related structural diversity and medical potential in the treatment of diabetes mellitus with ginseng pectins. Annals of the New York Academy of Sciences, 2017, 1401, 75-89.  | 3.8  | 38        |
| 46 | Comparative evaluation of chemical profiles of three representative 'snow lotus' herbs by<br>UPLCâ€ÐADâ€QTOFâ€MS combined with principal component and hierarchical cluster analyses. Drug Testing<br>and Analysis, 2017, 9, 1105-1115.   | 2.6  | 45        |
| 47 | Two new prenylated isoflavones from Hedysarum multijugum. Journal of Asian Natural Products<br>Research, 2017, 19, 444-447.   | 1.4  | 4         |
| 48 | Euphorbia factor L2 induces apoptosis in A549 cells through the mitochondrial pathway. Acta<br>Pharmaceutica Sinica B, 2017, 7, 59-64.  | 12.0 | 53        |
| 49 | Identification of Polar Constituents in the Decoction of Juglans mandshurica and in the Medicated Egg Prepared with the Decoction by HPLC-Q-TOF MS2. Molecules, 2017, 22, 1452.   | 3.8  | 10        |
| 50 | Structure Identification and In Vitro Anticancer Activity of Lathyrol-3-phenylacetate-5,15-diacetate.<br>Molecules, 2017, 22, 1412.   | 3.8  | 11        |
| 51 | Ultrasound-Assisted Extraction May Not Be a Better Alternative Approach than Conventional Boiling for Extracting Polysaccharides from Herbal Medicines. Molecules, 2016, 21, 1569.  | 3.8  | 12        |
| 52 | Rapid Fingerprint Analysis of Flos Carthami by Ultra-Performance Liquid Chromatography and Similarity Evaluation. Journal of Chromatographic Science, 2016, 54, 1619-1624.  | 1.4  | 20        |
| 53 | Rapid differentiation of Xihuangcao from the three Isodon species by UPLC-ESI-QTOF-MS/MS and chemometrics analysis. Chinese Medicine, 2016, 11, 48.   | 4.0  | 7         |
| 54 | The critical roles of mitophagy in cerebral ischemia. Protein and Cell, 2016, 7, 699-713.   | 11.0 | 82        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Tissues-based chemical profiling and semi-quantitative analysis of bioactive components in the root of<br>Salvia miltiorrhiza Bunge by using laser microdissection system combined with UPLC-q-TOF-MS.<br>Chemistry Central Journal, 2016, 10, 42.  | 2.6 | 13        |
| 56 | Gut microbiota-involved mechanisms in enhancing systemic exposure of ginsenosides by coexisting polysaccharides in ginseng decoction. Scientific Reports, 2016, 6, 22474.   | 3.3 | 132       |
| 57 | HSCCC-based strategy for preparative separation of in vivo metabolites after administration of an herbal medicine: Saussurea laniceps, a case study. Scientific Reports, 2016, 6, 33036.  | 3.3 | 18        |
| 58 | The variation in the major constituents of the dried rhizome of Ligusticum chuanxiong (Chuanxiong) after herbal processing. Chinese Medicine, 2016, 11, 26.   | 4.0 | 19        |
| 59 | Astragalus saponins Inhibits Lipopolysaccharide-Induced Inflammation in Mouse Macrophages. The<br>American Journal of Chinese Medicine, 2016, 44, 579-593.  | 3.8 | 26        |
| 60 | Review on Saussurea laniceps, a potent medicinal plant known as "snow lotus― botany,<br>phytochemistry and bioactivities. Phytochemistry Reviews, 2016, 15, 537-565.  | 6.5 | 19        |
| 61 | Distributive and Quantitative Analysis of the Main Active Saponins in Panax notoginseng by<br>UHPLC-QTOF/MS Combining with Fluorescence Microscopy and Laser Microdissection. Planta Medica,<br>2016, 82, 263-272.  | 1.3 | 8         |
| 62 | A targeted strategy to analyze untargeted mass spectral data: Rapid chemical profiling of Scutellaria<br>baicalensis using ultra-high performance liquid chromatography coupled with hybrid quadrupole<br>orbitrap mass spectrometry and key ion filtering. Journal of Chromatography A, 2016, 1441, 83-95. | 3.7 | 141       |
| 63 | UPLC-QTOF-MS based metabolomics coupled with the diagnostic ion exploration strategy for rapidly evaluating sulfur-fumigation caused holistic quality variation in medicinal herbs, Moutan Cortex as an example. Analytical Methods, 2016, 8, 1034-1043.  | 2.7 | 15        |
| 64 | Sulfur dioxide residue in sulfur-fumigated edible herbs: The fewer, the safer?. Food Chemistry, 2016, 192, 119-124.   | 8.2 | 28        |
| 65 | Bruceine D induces apoptosis in human chronic myeloid leukemia K562 cells via mitochondrial pathway. American Journal of Cancer Research, 2016, 6, 819-26.  | 1.4 | 26        |
| 66 | Exploring Different Strategies for Efficient Delivery of Colorectal Cancer Therapy. International<br>Journal of Molecular Sciences, 2015, 16, 26936-26952.  | 4.1 | 38        |
| 67 | Combinational Treatment of Curcumin and Quercetin against Gastric Cancer MGC-803 Cells in Vitro.<br>Molecules, 2015, 20, 11524-11534.   | 3.8 | 90        |
| 68 | Ingredient authentication of commercial Xihuangcao herbal tea by a microscopic technique combined with UPLC-ESI-QTOF-MS/MS. Analytical Methods, 2015, 7, 4257-4268.   | 2.7 | 3         |
| 69 | Tissue-specific metabolite profiling and quantitative analysis of ginsenosides in Panax quinquefolium<br>using laser microdissection and liquid chromatography–quadrupole/time of flight-mass<br>spectrometry. Chemistry Central Journal, 2015, 9, 66.  | 2.6 | 9         |
| 70 | Comparison of ten major constituents in seven types of processed tea using HPLC-DAD-MS followed by<br>principal component and hierarchical cluster analysis. LWT - Food Science and Technology, 2015, 62,<br>194-201.   | 5.2 | 124       |
| 71 | UPLC-QTOF-MS identification of metabolites in rat biosamples after oral administration of Dioscorea saponins: A comparative study. Journal of Ethnopharmacology, 2015, 165, 127-140.  | 4.1 | 66        |
| 72 | Localization of ginsenosides in the rhizome and root of Panax ginseng by laser microdissection and liquid chromatography–quadrupole/time of flight-mass spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2015, 105, 121-133.  | 2.8 | 44        |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Metabolite Profiling of Tissues of Acorus calamus and Acorus tatarinowii Rhizomes by Using LMD, UHPLC-QTOF MS, and GC-MS. Planta Medica, 2015, 81, 333-341.  | 1.3 | 23        |
| 74 | Saussurea involucrata: A review of the botany, phytochemistry and ethnopharmacology of a rare traditional herbal medicine. Journal of Ethnopharmacology, 2015, 172, 44-60.   | 4.1 | 67        |
| 75 | Saussurea medusa, source of the medicinal herb snow lotus: a review of its botany, phytochemistry, pharmacology and toxicology. Phytochemistry Reviews, 2015, 14, 353-366.   | 6.5 | 21        |
| 76 | Fingerprint analysis of processed Rhizoma Chuanxiong by high-performance liquid chromatography coupled with diode array detection. Chinese Medicine, 2015, 10, 2.  | 4.0 | 24        |
| 77 | Cardioprotective effect of total saponins from three medicinal species of Dioscorea against<br>isoprenaline-induced myocardial ischemia. Journal of Ethnopharmacology, 2015, 175, 451-455.   | 4.1 | 53        |
| 78 | Comprehensive quantitative analysis of Shuang-Huang-Lian oral liquid using UHPLC–Q-TOF-MS and HPLC-ELSD. Journal of Pharmaceutical and Biomedical Analysis, 2015, 102, 1-8.  | 2.8 | 22        |
| 79 | Chemical Profile Analysis and Comparison of Two Versions of the Classic TCM Formula Danggui Buxue<br>Tang by HPLC-DAD-ESI-IT-TOF-MSn. Molecules, 2014, 19, 5650-5673.  | 3.8 | 13        |
| 80 | A Systematic Review of the Botanical, Phytochemical and Pharmacological Profile of Dracaena<br>cochinchinensis, a Plant Source of the Ethnomedicine "Dragon's Blood― Molecules, 2014, 19,<br>10650-10669.  | 3.8 | 80        |
| 81 | Carbonic anhydrase IX-directed immunoliposomes for targeted drug delivery to human lung cancer<br>cells in vitro. Drug Design, Development and Therapy, 2014, 8, 993.  | 4.3 | 30        |
| 82 | Comparative authentication of three "snow lotus―herbs by macroscopic and microscopic features.<br>Microscopy Research and Technique, 2014, 77, 631-641.  | 2.2 | 24        |
| 83 | A novel and rapid HPGPC-based strategy for quality control of saccharide-dominant herbal materials:<br>Dendrobium officinale, a case study. Analytical and Bioanalytical Chemistry, 2014, 406, 6409-6417.  | 3.7 | 52        |
| 84 | An integrated strategy based on UPLC–DAD–QTOF-MS for metabolism and pharmacokinetic studies of<br>herbal medicines: Tibetan "Snow Lotus―herb (Saussurea laniceps), a case study. Journal of<br>Ethnopharmacology, 2014, 153, 701-713.  | 4.1 | 50        |
| 85 | Cell type-specific qualitative and quantitative analysis of saikosaponins in three Bupleurum species<br>using laser microdissection and liquid chromatography–quadrupole/time of flight-mass<br>spectrometry. Journal of Pharmaceutical and Biomedical Analysis, 2014, 97, 157-165.  | 2.8 | 33        |
| 86 | A mixed microscopic method for differentiating seven species of "Bixieâ€â€felated Chinese Materia<br>Medica. Microscopy Research and Technique, 2014, 77, 57-70.   | 2.2 | 19        |
| 87 | Tissue-Specific Metabolite Profiling ofCyperus rotundusL. Rhizomes and (+)-Nootkatone Quantitation<br>by Laser Microdissection, Ultra-High-Performance Liquid Chromatography–Quadrupole Time-of-Flight<br>Mass Spectrometry, and Gas Chromatography–Mass Spectrometry Techniques. Journal of Agricultural<br>and Food Chemistry, 2014, 62, 7302-7316 | 5.2 | 25        |
| 88 | Comparative analysis of diosgenin in Dioscorea species and related medicinal plants by UPLC-DAD-MS.<br>BMC Biochemistry, 2014, 15, 19.   | 4.4 | 64        |
| 89 | Distribution of toxic alkaloids in tissues from three herbal medicine Aconitum species using laser<br>micro-dissection, UHPLC–QTOF MS and LC–MS/MS techniques. Phytochemistry, 2014, 107, 155-174.   | 2.9 | 28        |
| 90 | Microscopic research on a multi-source traditional Chinese medicine, Astragali Radix. Journal of<br>Natural Medicines. 2014, 68, 340-350.  | 2.3 | 17        |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Structural diversity requires individual optimization of ethanol concentration in polysaccharide precipitation. International Journal of Biological Macromolecules, 2014, 67, 205-209.   | 7.5 | 105       |
| 92  | Determination of five flavonoids in different parts of Fordia cauliflora by ultra performance liquid chromatography/triple-quadrupole mass spectrometry and chemical comparison with the root of Millettia pulchra var. laxior. Chemistry Central Journal, 2013, 7, 126. | 2.6 | 11        |
| 93  | Chemical quantification and antioxidant assay of four active components in Ficus hirtaroot using UPLC-PAD-MS fingerprinting combined with cluster analysis. Chemistry Central Journal, 2013, 7, 115.   | 2.6 | 53        |
| 94  | Determination of the content of rosmarinic acid by HPLC and analytical comparison of volatile constituents by GC-MS in different parts of Perilla frutescens (L.) Britt. Chemistry Central Journal, 2013, 7, 61.   | 2.6 | 63        |
| 95  | Chemistry, bioactivity and quality control of Dendrobium, a commonly used tonic herb in traditional Chinese medicine. Phytochemistry Reviews, 2013, 12, 341-367.   | 6.5 | 154       |
| 96  | Why are Angelicae Sinensis radix and Chuanxiong Rhizoma different? An explanation from a chemical perspective. Food Research International, 2013, 54, 439-447.   | 6.2 | 15        |
| 97  | Alkyl and phenolic glycosides from Saussurea stella. Fìtoterapìâ, 2013, 88, 38-43.   | 2.2 | 17        |
| 98  | Quercetin Induces Apoptosis via the Mitochondrial Pathway in KB and KBv200 Cells. Journal of Agricultural and Food Chemistry, 2013, 61, 2188-2195.   | 5.2 | 52        |
| 99  | Profiling of secondary metabolites in tissues from Rheum palmatum L. using laser microdissection and liquid chromatography mass spectrometry. Analytical and Bioanalytical Chemistry, 2013, 405, 4199-4212.  | 3.7 | 33        |
| 100 | Quantitative Comparison of Multiple Components in <i>Dioscorea nipponica</i> and <i>D.<br/>panthaica</i> by Ultraâ€High Performance Liquid Chromatography Coupled with Quadrupole<br>Timeâ€ofâ€Flight Mass Spectrometry. Phytochemical Analysis, 2013, 24, 413-422.      | 2.4 | 38        |
| 101 | Characterization of Flavonoids in the Ethomedicine Fordiae Cauliflorae Radix and Its Adulterant<br>Millettiae Pulchrae Radix by HPLC-DAD-ESI-IT-TOF-MSn. Molecules, 2013, 18, 15134-15152.   | 3.8 | 9         |
| 102 | Apoptosis Sensitization by Euphorbia Factor L1 in ABCB1-Mediated Multidrug Resistant K562/ADR Cells.<br>Molecules, 2013, 18, 12793-12808.  | 3.8 | 26        |
| 103 | Tissue-specific metabolite profiling of alkaloids in Sinomenii Caulis using laser microdissection and<br>liquid chromatography–quadrupole/time of flight-mass spectrometry. Journal of Chromatography A,<br>2012, 1248, 93-103.  | 3.7 | 57        |
| 104 | Characterization and determination of six flavonoids in the ethnomedicine "Dragon's Blood―by<br>UPLC-PAD-MS. Chemistry Central Journal, 2012, 6, 116.  | 2.6 | 34        |
| 105 | Comparison of the Chemical Composition and Pharmacological Effects of the Aqueous and Ethanolic<br>Extracts from a Tibetan "Snow Lotus―(Saussurea laniceps) Herb. Molecules, 2012, 17, 7183-7194.  | 3.8 | 32        |
| 106 | Comparison of the chemical profiles and anti-platelet aggregation effects of two "Dragon's Blood―<br>drugs used in traditional Chinese medicine. Journal of Ethnopharmacology, 2011, 133, 796-802.   | 4.1 | 53        |
| 107 | Structure Identification of Euphorbia Factor L3 and Its Induction of Apoptosis through the Mitochondrial Pathway. Molecules, 2011, 16, 3222-3231.  | 3.8 | 17        |
| 108 | Histochemical analysis of the root tuber of Polygonum multiflorum Thunb. (Fam. Polygonaceae).<br>Microscopy Research and Technique, 2011, 74, 488-495.   | 2.2 | 18        |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Euphorbia factor L1 reverses ABCB1â€mediated multidrug resistance involving interaction with ABCB1 independent of ABCB1 downregualtion. Journal of Cellular Biochemistry, 2011, 112, 1076-1083.                                       | 2.6 | 23        |
| 110 | Chemical Analysis of the Principal Flavonoids of Radix Hedysari by HPLC. Natural Product Communications, 2010, 5, 1934578X1000500.  | 0.5 | 0         |
| 111 | Comparison of the Immunoregulatory Function of Different Constituents in Radix Astragali and Radix<br>Hedysari. Journal of Biomedicine and Biotechnology, 2010, 2010, 1-12.   | 3.0 | 34        |
| 112 | Comparison of the anti-inflammatory and anti-nociceptive effects of three medicinal plants known as<br>"Snow Lotus―herb in traditional Uighur and Tibetan medicines. Journal of Ethnopharmacology, 2010,<br>128, 405-411.             | 4.1 | 65        |
| 113 | Structure elucidation and complete NMR spectral assignment of two triterpenoid saponins from<br>Radix Hedysari. FìtoterapìA¢, 2009, 80, 127-129.  | 2.2 | 10        |
| 114 | Authentication of the 31 species of toxic and potent Chinese Materia Medica by light microscopy, part<br>3: Two species of T/PCMM from flowers and their common adulterants. Microscopy Research and<br>Technique, 2009, 72, 454-463. | 2.2 | 12        |
| 115 | Simultaneous quantification of five major constituents in stems of <i> Dracaena </i> plants and related medicinal preparations from China and Vietnam by HPLC–DAD. Biomedical Chromatography, 2009, 23, 1191-1200.                    | 1.7 | 21        |
| 116 | Identification and Determination of the Major Constituents in the Traditional Uighur Medicinal Plant<br>Saussurea involucrata by LC-DAD-MS. Chromatographia, 2009, 69, 537-542.   | 1.3 | 33        |
| 117 | Comparative Analysis of the Major Constituents in the Traditional Tibetan Medicinal Plants Saussurea<br>laniceps and S. medusa by LC–DAD–MS. Chromatographia, 2009, 70, 957-962.  | 1.3 | 28        |
| 118 | Cardenolides from <i>Saussurea stella</i> with Cytotoxicity toward Cancer Cells. Journal of Natural Products, 2007, 70, 1429-1433.  | 3.0 | 33        |
| 119 | Saponins from the roots of Hedysarum polybotrys. Biochemical Systematics and Ecology, 2007, 35, 389-391.  | 1.3 | 11        |
| 120 | Quantification and Stability Studies on the Flavonoids ofRadix hedysari. Journal of Agricultural and<br>Food Chemistry, 2006, 54, 6634-6639.  | 5.2 | 30        |
| 121 | Coumestans fromHedysarummultijugum. Journal of Natural Products, 2006, 69, 876-880.   | 3.0 | 47        |
| 122 | Structural determination of saponins from Hedysarum polybotrys. Magnetic Resonance in Chemistry, 2006, 44, 1128-1130.   | 1.9 | 6         |
| 123 | Flavonoids of the roots of Hedysarum kirghisorum. Biochemical Systematics and Ecology, 2005, 33, 809-812.   | 1.3 | 7         |
| 124 | Two new isoprenyl chalcones from Hedysarum gmelinii. Journal of Asian Natural Products Research, 2005, 7, 723-727.  | 1.4 | 8         |
| 125 | Two new pterocarpenes fromHedysarum multijugum. Journal of Asian Natural Products Research, 2003, 5, 31-34.   | 1.4 | 11        |