

Lars-Åke Persson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7521049/publications.pdf>

Version: 2024-02-01

180
papers

8,784
citations

38742

50
h-index

49909

87
g-index

185
all docs

185
docs citations

185
times ranked

8319
citing authors

#	ARTICLE	IF	CITATIONS
1	Risk of childhood undernutrition related to small-for-gestational age and preterm birth in low- and middle-income countries. <i>International Journal of Epidemiology</i> , 2013, 42, 1340-1355.	1.9	413
2	Breast-feeding protects against celiac disease. <i>American Journal of Clinical Nutrition</i> , 2002, 75, 914-921.	4.7	401
3	Arsenic Exposure During Pregnancy and Size at Birth: A Prospective Cohort Study in Bangladesh. <i>American Journal of Epidemiology</i> , 2008, 169, 304-312.	3.4	225
4	Iron and zinc supplementation promote motor development and exploratory behavior among Bangladeshi infants. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 903-910.	4.7	212
5	Factors Associated with Spousal Physical Violence Against Women in Bangladesh. <i>Studies in Family Planning</i> , 2005, 36, 289-300.	1.8	209
6	Association of Arsenic Exposure during Pregnancy with Fetal Loss and Infant Death: A Cohort Study in Bangladesh. <i>American Journal of Epidemiology</i> , 2007, 165, 1389-1396.	3.4	204
7	Gender and age differences in the metabolism of inorganic arsenic in a highly exposed population in Bangladesh. <i>Environmental Research</i> , 2008, 106, 110-120.	7.5	200
8	Urinary arsenic concentration adjustment factors and malnutrition. <i>Environmental Research</i> , 2008, 106, 212-218.	7.5	197
9	Effects of in utero arsenic exposure on child immunity and morbidity in rural Bangladesh. <i>Toxicology Letters</i> , 2009, 185, 197-202.	0.8	190
10	A community-based randomized controlled trial of iron and zinc supplementation in Indonesian infants: interactions between iron and zinc. <i>American Journal of Clinical Nutrition</i> , 2003, 77, 883-890.	4.7	180
11	A community-based randomized controlled trial of iron and zinc supplementation in Indonesian infants: effects on growth and development. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 729-736.	4.7	179
12	Physical violence by husbands: Magnitude, disclosure and help-seeking behavior of women in Bangladesh. <i>Social Science and Medicine</i> , 2006, 62, 2917-2929.	3.8	178
13	Arsenic Exposure in Pregnancy Increases the Risk of Lower Respiratory Tract Infection and Diarrhea during Infancy in Bangladesh. <i>Environmental Health Perspectives</i> , 2011, 119, 719-724.	6.0	178
14	Arsenic Exposure and Risk of Spontaneous Abortion, Stillbirth, and Infant Mortality. <i>Epidemiology</i> , 2010, 21, 797-804.	2.7	169
15	Arsenic in Drinking Water and Adult Mortality. <i>Epidemiology</i> , 2009, 20, 824-830.	2.7	162
16	Modifiers of the effect of maternal multiple micronutrient supplementation on stillbirth, birth outcomes, and infant mortality: a meta-analysis of individual patient data from 17 randomised trials in low-income and middle-income countries. <i>The Lancet Global Health</i> , 2017, 5, e1090-e1100.	6.3	162
17	Prevalence of arsenic exposure and skin lesions. A population based survey in Matlab, Bangladesh. <i>Journal of Epidemiology and Community Health</i> , 2006, 60, 242-248.	3.7	158
18	Effects of Prenatal Micronutrient and Early Food Supplementation on Maternal Hemoglobin, Birth Weight, and Infant Mortality Among Children in Bangladesh. <i>JAMA - Journal of the American Medical Association</i> , 2012, 307, 2050-9.	7.4	153

#	ARTICLE	IF	CITATIONS
19	The risk of arsenic induced skin lesions in Bangladeshi men and women is affected by arsenic metabolism and the age at first exposure. <i>Toxicology and Applied Pharmacology</i> , 2008, 230, 9-16.	2.8	151
20	Appropriate infant feeding practices result in better growth of infants and young children in rural Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 1852-1859.	4.7	142
21	Effects of prenatal food and micronutrient supplementation on infant development: a randomized trial from the Maternal and Infant Nutrition Interventions, Matlab (MINIMat) study. <i>American Journal of Clinical Nutrition</i> , 2008, 87, 704-711.	4.7	140
22	Measuring Children's Diets: Evaluation of Dietary Assessment Techniques in Infancy and Childhood. <i>International Journal of Epidemiology</i> , 1984, 13, 506-517.	1.9	119
23	Physical partner abuse during pregnancy: a risk factor for low birth weight in Nicaragua. <i>Obstetrics and Gynecology</i> , 2002, 100, 700-705.	2.4	111
24	Simultaneous Weekly Supplementation of Iron and Zinc Is Associated with Lower Morbidity Due to Diarrhea and Acute Lower Respiratory Infection in Bangladeshi Infants. <i>Journal of Nutrition</i> , 2003, 133, 4150-4157.	2.9	111
25	Environmental exposure to arsenic and cadmium during pregnancy and fetal size: A longitudinal study in rural Bangladesh. <i>Reproductive Toxicology</i> , 2012, 34, 504-511.	2.9	102
26	Nutritional Status Has Marginal Influence on the Metabolism of Inorganic Arsenic in Pregnant Bangladeshi Women. <i>Environmental Health Perspectives</i> , 2008, 116, 315-321.	6.0	99
27	Influence of iron and zinc status on cadmium accumulation in Bangladeshi women. <i>Toxicology and Applied Pharmacology</i> , 2007, 222, 221-226.	2.8	97
28	Effectiveness of the WHO/UNICEF guidelines on infant feeding for HIV-positive women: results from a prospective cohort study in South Africa. <i>Aids</i> , 2007, 21, 1791-1797.	2.2	93
29	Violence against women increases the risk of infant and child mortality: a case-referent study in Nicaragua. <i>Bulletin of the World Health Organization</i> , 2003, 81, 10-6.	3.3	88
30	Screening of arsenic in tubewell water with field test kits: Evaluation of the method from public health perspective. <i>Science of the Total Environment</i> , 2007, 379, 167-175.	8.0	86
31	Arsenic exposure in pregnancy: a population-based study in Matlab, Bangladesh. <i>Journal of Health, Population and Nutrition</i> , 2006, 24, 236-45.	2.0	86
32	Arsenic Exposure and Age- and Sex-Specific Risk for Skin Lesions: A Population-Based Case-Referent Study in Bangladesh. <i>Environmental Health Perspectives</i> , 2006, 114, 1847-1852.	6.0	85
33	Household Food Security Is Associated with Infant Feeding Practices in Rural Bangladesh. <i>Journal of Nutrition</i> , 2008, 138, 1383-1390.	2.9	82
34	Early infections are associated with increased risk for celiac disease: an incident case-referent study. <i>BMC Pediatrics</i> , 2012, 12, 194.	1.7	81
35	Efficacy and trial effectiveness of weekly and daily iron supplementation among pregnant women in rural Bangladesh: disentangling the issues. <i>American Journal of Clinical Nutrition</i> , 2002, 76, 1392-1400.	4.7	77
36	Distance decay in delivery care utilisation associated with neonatal mortality. A case referent study in northern Vietnam. <i>BMC Public Health</i> , 2010, 10, 762.	2.9	77

#	ARTICLE	IF	CITATIONS
37	Goodstart: a cluster randomised effectiveness trial of an integrated, community-based package for maternal and newborn care, with prevention of mother-to-child transmission of HIV in a South African township. <i>Tropical Medicine and International Health</i> , 2014, 19, 256-266.	2.3	74
38	Impact of Smoking and Chewing Tobacco on Arsenic-Induced Skin Lesions. <i>Environmental Health Perspectives</i> , 2010, 118, 533-538.	6.0	70
39	Selenium status in pregnancy influences children's cognitive function at 1.5 years of age. <i>Clinical Nutrition</i> , 2015, 34, 923-930.	5.0	70
40	Violence against pregnant women: prevalence and characteristics. A population-based study in Nicaragua. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2005, 112, 1243-1248.	2.3	69
41	Neuroendocrine response to violence during pregnancy – impact on duration of pregnancy and fetal growth. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009, 88, 818-823.	2.8	69
42	The Swedish coeliac disease epidemic with a prevailing twofold higher risk in girls compared to boys may reflect gender specific risk factors. <i>European Journal of Epidemiology</i> , 2002, 18, 677-684.	5.7	65
43	Effect of Facilitation of Local Maternal-and-Newborn Stakeholder Groups on Neonatal Mortality: Cluster-Randomized Controlled Trial. <i>PLoS Medicine</i> , 2013, 10, e1001445.	8.4	65
44	Use of stable-isotope techniques to validate infant feeding practices reported by Bangladeshi women receiving breastfeeding counseling. <i>American Journal of Clinical Nutrition</i> , 2007, 85, 1075-1082.	4.7	63
45	Effects of prenatal food and micronutrient supplementation on child growth from birth to 54 months of age: a randomized trial in Bangladesh. <i>Nutrition Journal</i> , 2011, 10, 134.	3.4	63
46	Iron supplementation of iron-replete Indonesian infants is associated with reduced weight-for-age. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 770-775.	1.5	62
47	Early exposure to toxic metals has a limited effect on blood pressure or kidney function in later childhood, rural Bangladesh. <i>International Journal of Epidemiology</i> , 2013, 42, 176-185.	1.9	62
48	Sexual abuse during childhood and adolescence among Nicaraguan men and women: a population-based anonymous survey. <i>Child Abuse and Neglect</i> , 2000, 24, 1579-1589.	2.6	59
49	A Longitudinal Qualitative Study of Infant-Feeding Decision Making and Practices among HIV-Positive Women in South Africa. <i>Journal of Nutrition</i> , 2006, 136, 2421-2426.	2.9	58
50	Dowry and Spousal Physical Violence Against Women in Bangladesh. <i>Journal of Family Issues</i> , 2010, 31, 830-856.	1.6	55
51	Review of the evidence regarding the use of antenatal multiple micronutrient supplementation in low- and middle-income countries. <i>Annals of the New York Academy of Sciences</i> , 2019, 1444, 6-21.	3.8	55
52	Effects of weaning cereals with different phytate contents on hemoglobin, iron stores, and serum zinc: a randomized intervention in infants from 6 to 12 mo of age. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 168-175.	4.7	54
53	Health system context and implementation of evidence-based practices – development and validation of the Context Assessment for Community Health (COACH) tool for low- and middle-income settings. <i>Implementation Science</i> , 2015, 10, 120.	6.9	51
54	Diet, Growth, and the Risk for Type 1 Diabetes in Childhood: A matched case-referent study. <i>Diabetes Care</i> , 2004, 27, 2784-2789.	8.6	49

#	ARTICLE	IF	CITATIONS
55	Anaemia and iron deficiency during pregnancy in rural Bangladesh. <i>Public Health Nutrition</i> , 2004, 7, 1065-1070.	2.2	47
56	Unreported births and deaths, a severe obstacle for improved neonatal survival in low-income countries; a population based study. <i>BMC International Health and Human Rights</i> , 2008, 8, 4.	2.5	47
57	Sex Differences in Iron Stores of Adolescents. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 1995, 20, 215-224.	1.8	46
58	Comparative analysis of patterns of survival by season of birth in rural Bangladeshi and Gambian populations. <i>International Journal of Epidemiology</i> , 2004, 33, 137-143.	1.9	46
59	Violence against women and the risk of under-five mortality: analysis of community-based data from rural Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 226-232.	1.5	45
60	Improving quality and use of routine health information system data in low- and middle-income countries: A scoping review. <i>PLoS ONE</i> , 2020, 15, e0239683.	2.5	43
61	Spatial patterns of fetal loss and infant death in an arsenic-affected area in Bangladesh. <i>International Journal of Health Geographics</i> , 2010, 9, 53.	2.5	42
62	Food Habits and Nutrient Intake in Childhood in Relation to Health and Socioeconomic Conditions.. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 1986, 75, 1-56.	1.5	41
63	Temporal and seasonal variability of arsenic in drinking water wells in Matlab, southeastern Bangladesh: A preliminary evaluation on the basis of a 4 year study. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2011, 46, 1177-1184.	1.7	41
64	Stunted at 10 Years. Linear Growth Trajectories and Stunting from Birth to Pre-Adolescence in a Rural Bangladeshi Cohort. <i>PLoS ONE</i> , 2016, 11, e0149700.	2.5	40
65	The Nicaraguan Health and Demographic Surveillance Site, HDSS-León: A platform for public health research. <i>Scandinavian Journal of Public Health</i> , 2008, 36, 318-325.	2.3	38
66	An effectiveness study of an integrated, community-based package for maternal, newborn, child and HIV care in South Africa: study protocol for a randomized controlled trial. <i>Trials</i> , 2011, 12, 236.	1.6	38
67	Combined Food and Micronutrient Supplements during Pregnancy Have Limited Impact on Child Blood Pressure and Kidney Function in Rural Bangladesh. <i>Journal of Nutrition</i> , 2013, 143, 728-734.	2.9	36
68	Maternal Multiple Micronutrient Supplementation Has Limited Impact on Micronutrient Status of Bangladeshi Infants Compared with Standard Iron and Folic Acid Supplementation. <i>Journal of Nutrition</i> , 2010, 140, 618-624.	2.9	35
69	Dietary Iron Intake Is Positively Associated with Hemoglobin Concentration During Infancy but Not During the Second Year of Life. <i>Journal of Nutrition</i> , 2004, 134, 1064-1070.	2.9	34
70	Persistent neonatal mortality despite improved under-five survival: a retrospective cohort study in northern Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 166-170.	1.5	34
71	Evidence-based practice in neonatal health: knowledge among primary health care staff in northern Viet Nam. <i>Human Resources for Health</i> , 2009, 7, 36.	3.1	34
72	Implementing knowledge into practice for improved neonatal survival; a cluster-randomised, community-based trial in Quang Ninh province, Vietnam. <i>BMC Health Services Research</i> , 2011, 11, 239.	2.2	32

#	ARTICLE	IF	CITATIONS
73	Ethnic inequity in neonatal survival: a case-referent study in northern Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 340-346.	1.5	31
74	Effect of prenatal food supplementation on birth weight: an observational study from Bangladesh. <i>American Journal of Clinical Nutrition</i> , 2006, 83, 1355-1361.	4.7	30
75	Mental health of Bosnian refugee children: A comparison of clinician appraisal with parent, child and teacher reports. <i>Nordic Journal of Psychiatry</i> , 2008, 62, 204-216.	1.3	30
76	Social circumstances that drive early introduction of formula milk: an exploratory qualitative study in a peri-urban slum in an African community. <i>Maternal and Child Nutrition</i> , 2014, 10, 102-111.	3.0	30
77	Time trends and sociodemographic determinants of preterm births in pregnancy cohorts in Matlab, Bangladesh, 1990-2014. <i>BMJ Global Health</i> , 2019, 4, e001462.	4.7	30
78	Causes of neonatal death: results from NeOKIP community-based trial in Quang Ninh province, Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2012, 101, 368-373.	1.5	29
79	Routine health management information system data in Ethiopia: consistency, trends, and challenges. <i>Global Health Action</i> , 2021, 14, 1868961.	1.9	29
80	A modified routine analysis of arsenic content in drinking-water in Bangladesh by hydride generation-atomic absorption spectrophotometry. <i>Journal of Health, Population and Nutrition</i> , 2006, 24, 36-41.	2.0	29
81	Trends and social differentials in child mortality in Rwanda 1990-2010: results from three demographic and health surveys. <i>Journal of Epidemiology and Community Health</i> , 2015, 69, 834-840.	3.7	27
82	Early life arsenic exposure, infant and child growth, and morbidity: a systematic review. <i>Archives of Toxicology</i> , 2017, 91, 3459-3467.	4.2	27
83	Wealth-based equity in maternal, neonatal, and child health services utilization: a cross-sectional study from Ethiopia. <i>International Journal for Equity in Health</i> , 2019, 18, 201.	3.5	27
84	Process evaluation of a knowledge translation intervention using facilitation of local stakeholder groups to improve neonatal survival in the Quang Ninh province, Vietnam. <i>Trials</i> , 2016, 17, 23.	1.6	26
85	Geographic differences in maternal and child health care utilization in four Ethiopian regions; a cross-sectional study. <i>International Journal for Equity in Health</i> , 2019, 18, 173.	3.5	26
86	Maternal factors influencing the occurrence of low birthweight in northern Vietnam. <i>Annals of Tropical Paediatrics</i> , 1996, 16, 327-333.	1.0	25
87	Women's autonomy and social support and their associations with infant and young child feeding and nutritional status: community-based survey in rural Nicaragua. <i>Public Health Nutrition</i> , 2015, 18, 1979-1990.	2.2	25
88	Effect of an integrated community-based package for maternal and newborn care on feeding patterns during the first 12 weeks of life: a cluster-randomized trial in a South African township. <i>Public Health Nutrition</i> , 2015, 18, 2660-2668.	2.2	24
89	Burning 'Centre Bolt': Experiences of sexually transmitted infections and health care seeking behaviour described by street boys in Urban Kenya. <i>Children and Youth Services Review</i> , 2007, 29, 600-617.	1.9	23
90	Urinary iodine concentrations of pregnant women in rural Bangladesh: A longitudinal study. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2014, 24, 504-509.	3.9	23

#	ARTICLE	IF	CITATIONS
91	Relative importance of prenatal and postnatal determinants of stunting: data mining approaches to the MINIMat cohort, Bangladesh. <i>BMJ Open</i> , 2019, 9, e025154.	1.9	23
92	Infant anaemia is associated with infection, low birthweight and iron deficiency in rural Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2011, 100, 220-225.	1.5	22
93	Intimate partner violence and early child growth: a community-based cohort study in Nicaragua. <i>BMC Pediatrics</i> , 2012, 12, 82.	1.7	22
94	Effects of prenatal micronutrient and early food supplementation on metabolic status of the offspring at 4.5 years of age. The MINIMat randomized trial in rural Bangladesh. <i>International Journal of Epidemiology</i> , 2016, 45, 1656-1667.	1.9	22
95	Anaemia among non-pregnant women in rural Bangladesh. <i>Public Health Nutrition</i> , 2001, 4, 79-83.	2.2	21
96	Effects of mode of oral iron administration on serum ferritin and haemoglobin in infants. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2008, 97, 1055-1060.	1.5	21
97	Elevated Manganese Concentrations in Drinking Water May Be Beneficial for Fetal Survival. <i>PLoS ONE</i> , 2013, 8, e74119.	2.5	21
98	Early prenatal food supplementation ameliorates the negative association of maternal stress with birth size in a randomised trial. <i>Maternal and Child Nutrition</i> , 2015, 11, 537-549.	3.0	21
99	Cohort Profile: The Maternal and Infant Nutrition Interventions in Matlab (MINIMat) cohort in Bangladesh. <i>International Journal of Epidemiology</i> , 2018, 47, 1737-1738e.	1.9	21
100	Early invitation to food and/or multiple micronutrient supplementation in pregnancy does not affect body composition in offspring at 54 months: follow-up of the MINIMat randomized trial, Bangladesh. <i>Maternal and Child Nutrition</i> , 2015, 11, 385-397.	3.0	20
101	Perinatal services and outcomes in Quang Ninh province, Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2010, 99, 1478-1483.	1.5	19
102	Early Vaccinations Are Not Risk Factors for Celiac Disease. <i>Pediatrics</i> , 2012, 130, e63-e70.	2.1	19
103	Protocol for the evaluation of a complex intervention aiming at increased utilisation of primary child health services in Ethiopia: a before and after study in intervention and comparison areas. <i>BMC Health Services Research</i> , 2020, 20, 339.	2.2	19
104	Stories of pre-war, war and exile: Bosnian refugee children in Sweden. <i>Medicine, Conflict and Survival</i> , 2001, 17, 25-47.	0.9	18
105	Effect of a randomised exclusive breastfeeding counselling intervention nested into the MINIMat prenatal nutrition trial in Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 49-54.	1.5	18
106	Insufficient referral practices of sick children in Ethiopia shown in a cross-sectional survey. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 1867-1874.	1.5	18
107	Health Extension Workers' diagnostic accuracy for common childhood illnesses in four regions of Ethiopia: a cross-sectional study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2019, 108, 2100-2106.	1.5	17
108	Cost-effectiveness of prenatal food and micronutrient interventions on under-five mortality and stunting: Analysis of data from the MINIMat randomized trial, Bangladesh. <i>PLoS ONE</i> , 2018, 13, e0191260.	2.5	16

#	ARTICLE	IF	CITATIONS
109	Whom can I rely on? Mothers' approaches to support for feeding: An interview study in suburban Dar es Salaam, Tanzania. <i>Midwifery</i> , 2007, 23, 172-183.	2.3	15
110	Progress towards millennium development goal 1 in northern rural Nicaragua: Findings from a health and demographic surveillance site. <i>International Journal for Equity in Health</i> , 2012, 11, 43.	3.5	15
111	Body Composition of Bangladeshi Children: Comparison and Development of Leg-to-Leg Bioelectrical Impedance Equation. <i>Journal of Health, Population and Nutrition</i> , 2012, 30, 281-90.	2.0	15
112	Equity in adherence to and effect of prenatal food and micronutrient supplementation on child mortality: results from the MINIMat randomized trial, Bangladesh. <i>BMC Public Health</i> , 2014, 14, 5.	2.9	15
113	Nutrition and health in childhood: causal and quantitative interpretations of dental caries. <i>Community Dentistry and Oral Epidemiology</i> , 1984, 12, 390-397.	1.9	14
114	Duration of Exclusive Breast-Feeding and Infant Iron and Zinc Status in Rural Bangladesh. <i>Journal of Nutrition</i> , 2009, 139, 1562-1567.	2.9	14
115	Does a complex intervention targeting communities, health facilities and district health managers increase the utilisation of community-based child health services? A before and after study in intervention and comparison areas of Ethiopia. <i>BMJ Open</i> , 2020, 10, e040868.	1.9	14
116	Assessing the quality of care in sick child services at health facilities in Ethiopia. <i>BMC Health Services Research</i> , 2020, 20, 574.	2.2	14
117	Consumption of highly processed snacks, sugar-sweetened beverages and child feeding practices in a rural area of Nicaragua. <i>Maternal and Child Nutrition</i> , 2016, 12, 164-176.	3.0	13
118	Rebuilding research capacity in fragile states: the case of a Somali-Swedish global health initiative. <i>Global Health Action</i> , 2017, 10, 1348693.	1.9	13
119	Spatial modelling of individual arsenic exposure via well water: evaluation of arsenic in urine, main water source and influence of neighbourhood water sources in rural Bangladesh. <i>Journal of Environmental Monitoring</i> , 2010, 12, 1341.	2.1	12
120	Free formula milk in the prevention of mother-to-child transmission programme: voices of a peri-urban community in South Africa on policy change. <i>Health Policy and Planning</i> , 2013, 28, 761-768.	2.7	12
121	Socio-economic resources, young child feeding practices, consumption of highly processed snacks and sugar-sweetened beverages: a population-based survey in rural northwestern Nicaragua. <i>BMC Public Health</i> , 2015, 15, 25.	2.9	12
122	Contraceptive patterns among women and men in León, Nicaragua. <i>Contraception</i> , 1996, 54, 359-365.	1.5	11
123	Newborn care and knowledge translation - perceptions among primary healthcare staff in northern Vietnam. <i>Implementation Science</i> , 2011, 6, 29.	6.9	11
124	Early Participation in a Prenatal Food Supplementation Program Ameliorates the Negative Association of Food Insecurity with Quality of Maternal-Infant Interaction. <i>Journal of Nutrition</i> , 2012, 142, 1095-1101.	2.9	11
125	Nutritional status and childhood wheezing in rural Bangladesh. <i>Public Health Nutrition</i> , 2014, 17, 1570-1577.	2.2	11
126	Women's development group leaders' promotion of maternal, neonatal and child health care in Ethiopia: a cross-sectional study. <i>Global Health Action</i> , 2020, 13, 1748845.	1.9	11

#	ARTICLE	IF	CITATIONS
127	Exploring data quality and use of the routine health information system in Ethiopia: a mixed-methods study. <i>BMJ Open</i> , 2021, 11, e050356.	1.9	11
128	The growth chart – a road to health chart? Maternal comprehension of the growth chart in two Somali villages. <i>Paediatric and Perinatal Epidemiology</i> , 1990, 4, 340-350.	1.7	10
129	Associations between oxidative parameters in pregnancy and birth anthropometry in a cohort of women and children in rural Bangladesh: The MINIMat-cohort. <i>Free Radical Research</i> , 2012, 46, 253-264.	3.3	10
130	Secular trend, seasonality and effects of a community-based intervention on neonatal mortality: follow-up of a cluster-randomised trial in Quang Ninh province, Vietnam. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 776-782.	3.7	10
131	Food insecurity and self-rated health in rural Nicaraguan women of reproductive age: a cross-sectional study. <i>International Journal for Equity in Health</i> , 2018, 17, 146.	3.5	10
132	Stunting, recovery from stunting and puberty development in the MINIMat cohort, Bangladesh. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2020, 109, 122-133.	1.5	10
133	Implementation of the “Optimising the Health Extension Program”™ Intervention in Ethiopia: A Process Evaluation Using Mixed Methods. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 5803.	2.6	10
134	Embed capacity development within all global health research. <i>BMJ Global Health</i> , 2021, 6, e004692.	4.7	10
135	A cohort study of the association between prenatal arsenic exposure and age at menarche in a rural area, Bangladesh. <i>Environment International</i> , 2021, 154, 106562.	10.0	10
136	Bridging the quality chasm in maternal, newborn, and child healthcare in low- and middle-income countries. <i>PLoS Medicine</i> , 2017, 14, e1002465.	8.4	9
137	Quality of clinical assessment and management of sick children by Health Extension Workers in four regions of Ethiopia: A cross-sectional survey. <i>PLoS ONE</i> , 2020, 15, e0239361.	2.5	9
138	Gender and social patterning of health: The Norsj� cardiovascular preventive programme in Northern Sweden 1985-1990. <i>Scandinavian Journal of Primary Health Care</i> , 1994, 12, 155-161.	1.5	8
139	Impact of daily and weekly iron supplementation to women in pregnancy and puerperium on haemoglobin and iron status six weeks postpartum: results from a community-based study in Bangladesh. <i>Scandinavian Journal of Nutrition</i> , 2003, 47, 19-25.	0.2	8
140	Prenatal nutrition, socioenvironmental conditions, and child development. <i>The Lancet Global Health</i> , 2017, 5, e127-e128.	6.3	8
141	Prevention and treatment of suspected pneumonia in Ethiopian children less than five years from household to primary care. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 602-610.	1.5	8
142	Effect of Facilitation of Local Stakeholder Groups on Equity in Neonatal Survival; Results from the NeoKIP Trial in Northern Vietnam. <i>PLoS ONE</i> , 2015, 10, e0145510.	2.5	8
143	Health care providers' perceptions on harmful traditional health practices in Ethiopia. <i>Ethiopian Journal of Health Development</i> , 2003, 17, 35.	0.2	7
144	Cost-effectiveness of invitation to food supplementation early in pregnancy combined with multiple micronutrients on infant survival: analysis of data from MINIMat randomized trial, Bangladesh. <i>BMC Pregnancy and Childbirth</i> , 2015, 15, 125.	2.4	7

#	ARTICLE	IF	CITATIONS
145	Breaking the cycles of poverty: Strategies, achievements, and lessons learned in Los Cuatro Santos, Nicaragua, 1990â€“2014. <i>Global Health Action</i> , 2017, 10, 1272884.	1.9	7
146	Prenatal early food and multiple micronutrient supplementation trial reduced infant mortality in Bangladesh, but did not influence morbidity. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 1979-1986.	1.5	7
147	Assessing the Multiple Dimensions of Poverty. Data Mining Approaches to the 2004â€“14 Health and Demographic Surveillance System in Cuatro Santos, Nicaragua. <i>Frontiers in Public Health</i> , 2019, 7, 409.	2.7	7
148	Association between a complex community intervention and quality of health extension workersâ€™ performance to correctly classify common childhood illnesses in four regions of Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0247474.	2.5	7
149	Health extension workersâ€™ perceived health system context and health post preparedness to provide services: a cross-sectional study in four Ethiopian regions. <i>BMJ Open</i> , 2021, 11, e048517.	1.9	7
150	Detecting arsenic-related skin lesions: Experiences from a large community-based survey in Bangladesh. <i>International Journal of Environmental Health Research</i> , 2007, 17, 141-149.	2.7	6
151	Distance, difference in altitude and socioeconomic determinants of utilisation of maternal and child health services in Ethiopia: a geographic and multilevel modelling analysis. <i>BMJ Open</i> , 2021, 11, e042095.	1.9	6
152	Wealth and Education Inequities in Maternal and Child Health Services Utilization in Rural Ethiopia. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5421.	2.6	6
153	Arsenic exposure from drinking water and mortality in Bangladesh. <i>Lancet, The</i> , 2010, 376, 1641.	13.7	5
154	Tracking progress towards equitable child survival in a Nicaraguan community: neonatal mortality challenges to meet the MDG 4. <i>BMC Public Health</i> , 2011, 11, 455.	2.9	5
155	Breastfeeding in low-resource settings: Not a â€œsmall matterâ€œ. <i>PLoS Medicine</i> , 2018, 15, e1002646.	8.4	5
156	Comparing progress toward the millennium development goal for under-five mortality in León and Cuatro Santos, Nicaragua, 1990â€“2008. <i>BMC Pediatrics</i> , 2014, 14, 9.	1.7	4
157	Child survival revolutions revisited â€“ lessons learned from Bangladesh, Nicaragua, Rwanda and Vietnam. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2017, 106, 871-877.	1.5	4
158	â€œWith an open heart we receive the childrenâ€œ: Caregivers' strategies for reaching and caring for street children in Kenya. <i>Journal of Social Work</i> , 2017, 17, 579-598.	1.4	4
159	Caregiversâ€™ and Health Extension Workersâ€™ Perceptions and Experiences of Outreach Management of Childhood Illnesses in Ethiopia: A Qualitative Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3816.	2.6	4
160	Factors associated with the referral of children with severe illnesses at primary care level in Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e047640.	1.9	4
161	Exploring womenâ€™s development group leadersâ€™ support to maternal, neonatal and child health care: A qualitative study in Tigray region, Ethiopia. <i>PLoS ONE</i> , 2021, 16, e0257602.	2.5	4
162	A mixed-methods study exploring adherence to the referral of severely sick children in primary health care in Southern Ethiopia. <i>Archives of Public Health</i> , 2021, 79, 159.	2.4	4

#	ARTICLE	IF	CITATIONS
163	Strengthening routine health data analysis in Ethiopia: the Operational Research and Coaching for Analysts (ORCA) experience. <i>Global Health Action</i> , 2021, 14, 1901390.	1.9	4
164	Health postservice readiness and use of preventive and curative services for suspected childhood pneumonia in Ethiopia: a cross-sectional study. <i>BMJ Open</i> , 2022, 12, e058055.	1.9	3
165	Antenatal multiple micronutrient supplementation: call to action for change in recommendation. <i>Annals of the New York Academy of Sciences</i> , 2020, 1465, 5-7.	3.8	2
166	Reply to B Sreedhar. <i>American Journal of Clinical Nutrition</i> , 2003, 78, 1226-1227.	4.7	1
167	Reply to FT Wieringa et al. <i>American Journal of Clinical Nutrition</i> , 2004, 80, 789-790.	4.7	1
168	Promoting short-term and long-term health: keep the growth track!. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2018, 107, 1116-1117.	1.5	1
169	Nutrition for women and children—Are we doing the right things in the right way?. <i>PLoS Medicine</i> , 2019, 16, e1002906.	8.4	1
170	Global investment is needed so that countries can reduce neonatal mortality to below 12 deaths per 1000 live births by 2030. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2021, 110, 14-16.	1.5	1
171	The unfinished child survival revolution: the role of nutrition. <i>Scandinavian Journal of Nutrition</i> , 2005, 49, 146-150.	0.2	0
172	Prenatal Micronutrient and Early Pregnancy Food Supplementation in Bangladesh—Reply. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 971.	7.4	0
173	Using health and demographic surveillance for the early detection of cholera outbreaks: analysis of community- and hospital-based data from Matlab, Bangladesh. <i>Global Health Action</i> , 2016, 9, 30834.	1.9	0
174	The Epidemiology of Global Child Health. <i>Pediatric and Adolescent Medicine</i> , 2018, , 85-96.	0.4	0
175	Timing of prenatal food supplementation influences birth outcomes in women experiencing stress in Bangladesh. <i>FASEB Journal</i> , 2010, 24, 227.2.	0.5	0
176	Trends and factors related to adolescent pregnancies: an incidence trend and conditional inference trees analysis of northern Nicaragua demographic surveillance data. <i>BMC Pregnancy and Childbirth</i> , 2021, 21, 749.	2.4	0
177	Title is missing!. , 2020, 15, e0239683.		0
178	Title is missing!. , 2020, 15, e0239683.		0
179	Title is missing!. , 2020, 15, e0239683.		0
180	Title is missing!. , 2020, 15, e0239683.		0