

Sarah E F D'orazio

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7523709/publications.pdf>

Version: 2024-02-01

29
papers

683
citations

471509

17
h-index

580821

25
g-index

40
all docs

40
docs citations

40
times ranked

910
citing authors

#	ARTICLE	IF	CITATIONS
1	Cyclic di-GMP-dependent Signaling Pathways in the Pathogenic Firmicute <i>Listeria monocytogenes</i> . <i>PLoS Pathogens</i> , 2014, 10, e1004301.	4.7	80
2	InIA Promotes Dissemination of <i>Listeria monocytogenes</i> to the Mesenteric Lymph Nodes during Food Borne Infection of Mice. <i>PLoS Pathogens</i> , 2012, 8, e1003015.	4.7	77
3	Cytosolic Localization of <i>Listeria monocytogenes</i> Triggers an Early IFN- γ Response by CD8+ T Cells That Correlates with Innate Resistance to Infection. <i>Journal of Immunology</i> , 2006, 177, 7146-7154.	0.8	44
4	Intracellular <i>Listeria monocytogenes</i> Comprises a Minimal but Vital Fraction of the Intestinal Burden following Foodborne Infection. <i>Infection and Immunity</i> , 2015, 83, 3146-3156.	2.2	34
5	Class Ia MHC-Deficient BALB/c Mice Generate CD8+ T Cell-Mediated Protective Immunity Against <i>Listeria monocytogenes</i> Infection. <i>Journal of Immunology</i> , 2003, 171, 291-298.	0.8	33
6	Innate and Adaptive Immune Responses during <i>Listeria monocytogenes</i> Infection. <i>Microbiology Spectrum</i> , 2019, 7, .	3.0	33
7	Heat Shock Factor 1 Protects Mice from Rapid Death during <i>Listeria monocytogenes</i> Infection by Regulating Expression of Tumor Necrosis Factor Alpha during Fever. <i>Infection and Immunity</i> , 2011, 79, 177-184.	2.2	32
8	Monocytes Are the Predominant Cell Type Associated with <i>Listeria monocytogenes</i> in the Gut, but They Do Not Serve as an Intracellular Growth Niche. <i>Journal of Immunology</i> , 2017, 198, 2796-2804.	0.8	31
9	Animal models for oral transmission of <i>Listeria monocytogenes</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2014, 4, 15.	3.9	29
10	Comparison between <i>Listeria sensu stricto</i> and <i>Listeria sensu lato</i> strains identifies novel determinants involved in infection. <i>Scientific Reports</i> , 2017, 7, 17821.	3.3	29
11	<i>Listeria monocytogenes</i> : Cultivation and Laboratory Maintenance. <i>Current Protocols in Microbiology</i> , 2013, 31, 9B.2.1-9B.2.7.	6.5	28
12	Type I IFN Does Not Promote Susceptibility to Foodborne <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2016, 196, 3109-3116.	0.8	27
13	A Comparison of Oral and Intravenous Mouse Models of Listeriosis. <i>Pathogens</i> , 2018, 7, 13.	2.8	25
14	T Cell-Intrinsic Factors Contribute to the Differential Ability of CD8+ T Cells To Rapidly Secrete IFN- γ in the Absence of Antigen. <i>Journal of Immunology</i> , 2011, 186, 1703-1712.	0.8	24
15	A Mouse Model of Foodborne <i>Listeria monocytogenes</i> Infection. <i>Current Protocols in Microbiology</i> , 2013, 31, 9B.3.1-9B.3.16.	6.5	24
16	Lymphocytes serve as a reservoir for <i>Listeria monocytogenes</i> growth during infection of mice. <i>Microbial Pathogenesis</i> , 2009, 46, 214-221.	2.9	23
17	Oral Transmission of <i>Listeria monocytogenes</i> in Mice via Ingestion of Contaminated Food. <i>Journal of Visualized Experiments</i> , 2013, , e50381.	0.3	22
18	Multiple Mechanisms Contribute to the Robust Rapid Gamma Interferon Response by CD8 ⁺ T Cells during <i>Listeria monocytogenes</i> Infection. <i>Infection and Immunity</i> , 2009, 77, 1492-1501.	2.2	15

#	ARTICLE	IF	CITATIONS
19	H2-M3â€restricted CD8+ T cells are not required for MHC class Ibâ€restricted immunity against <i>Listeria monocytogenes</i> . <i>Journal of Experimental Medicine</i> , 2006, 203, 383-391.	8.5	13
20	Use of the CD107 mobilization assay reveals that cytotoxic T lymphocytes with novel MHC-Ib restriction are activated during <i>Listeria monocytogenes</i> infection. <i>Journal of Immunological Methods</i> , 2007, 328, 45-52.	1.4	11
21	Neurotropic Lineage III Strains of <i>Listeria monocytogenes</i> Disseminate to the Brain without Reaching High Titer in the Blood. <i>MSphere</i> , 2020, 5, .	2.9	11
22	Neutrophils from Both Susceptible and Resistant Mice Efficiently Kill Opsonized <i>Listeria monocytogenes</i> . <i>Infection and Immunity</i> , 2018, 86, .	2.2	10
23	Human CD8+ T cells display a differential ability to undergo cytokine-driven bystander activation. <i>Cellular Immunology</i> , 2011, 272, 79-86.	3.0	9
24	<i>Listeria monocytogenes</i> Replicate in Bone Marrowâ€Derived CD11c+ Cells but Not in Dendritic Cells Isolated from the Murine Gastrointestinal Tract. <i>Journal of Immunology</i> , 2017, 199, 3789-3797.	0.8	9
25	Prostaglandin E2 Inhibits the Ability of Neutrophils to Kill <i>Listeria monocytogenes</i> . <i>Journal of Immunology</i> , 2019, 202, 3474-3482.	0.8	7
26	Enrichment of Neutrophils and Monocytes From the Liver Following Either Oral or Intravenous <i>Listeria monocytogenes</i> Infection. <i>Current Protocols in Immunology</i> , 2020, 130, e102.	3.6	1
27	Genome Sequences of Neurotropic Lineage III <i>Listeria monocytogenes</i> Isolates UKVDL9 and 2010L-2198. <i>Microbiology Resource Announcements</i> , 2021, 10, .	0.6	1
28	mSphere of Influence: the View from the Microbiologists of the Future. <i>MSphere</i> , 2019, 4, .	2.9	0
29	Innate and Adaptive Immune Responses during <i>Listeria monocytogenes</i> Infection. , 2019, , 803-835.		0