

David B Miklos

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7524236/publications.pdf>

Version: 2024-02-01

151
papers

13,789
citations

71102

41
h-index

22166

113
g-index

151
all docs

151
docs citations

151
times ranked

11345
citing authors

#	ARTICLE	IF	CITATIONS
1	Axicabtagene Ciloleucel CAR T-Cell Therapy in Refractory Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2017, 377, 2531-2544.	27.0	3,865
2	Long-term safety and activity of axicabtagene ciloleucel in refractory large B-cell lymphoma (ZUMA-1): a single-arm, multicentre, phase 1–2 trial. <i>Lancet Oncology</i> , The, 2019, 20, 31-42.	10.7	1,467
3	KTE-X19 CAR T-Cell Therapy in Relapsed or Refractory Mantle-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2020, 382, 1331-1342.	27.0	1,067
4	Axicabtagene Ciloleucel as Second-Line Therapy for Large B-Cell Lymphoma. <i>New England Journal of Medicine</i> , 2022, 386, 640-654.	27.0	586
5	Standard-of-Care Axicabtagene Ciloleucel for Relapsed or Refractory Large B-Cell Lymphoma: Results From the US Lymphoma CAR T Consortium. <i>Journal of Clinical Oncology</i> , 2020, 38, 3119-3128.	1.6	481
6	Rituximab for steroid-refractory chronic graft-versus-host disease. <i>Blood</i> , 2006, 108, 756-762.	1.4	422
7	Measurement and Clinical Monitoring of Human Lymphocyte Clonality by Massively Parallel V-DJ Pyrosequencing. <i>Science Translational Medicine</i> , 2009, 1, 12ra23.	12.4	372
8	Antibody responses to H-Y minor histocompatibility antigens correlate with chronic graft-versus-host disease and disease remission. <i>Blood</i> , 2005, 105, 2973-2978.	1.4	361
9	Ibrutinib for chronic graft-versus-host disease after failure of prior therapy. <i>Blood</i> , 2017, 130, 2243-2250.	1.4	352
10	The Biology of Chronic Graft-versus-Host Disease: A Task Force Report from the National Institutes of Health Consensus Development Project on Criteria for Clinical Trials in Chronic Graft-versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 211-234.	2.0	328
11	CAR T cells with dual targeting of CD19 and CD22 in adult patients with recurrent or refractory B cell malignancies: a phase 1 trial. <i>Nature Medicine</i> , 2021, 27, 1419-1431.	30.7	273
12	Noninvasive monitoring of diffuse large B-cell lymphoma by immunoglobulin high-throughput sequencing. <i>Blood</i> , 2015, 125, 3679-3687.	1.4	270
13	Tumor burden, inflammation, and product attributes determine outcomes of axicabtagene ciloleucel in large B-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 4898-4911.	5.2	238
14	Minor Histocompatibility Antigen DBY Elicits a Coordinated B and T Cell Response after Allogeneic Stem Cell Transplantation. <i>Journal of Experimental Medicine</i> , 2004, 199, 1133-1142.	8.5	162
15	High-throughput VDJ sequencing for quantification of minimal residual disease in chronic lymphocytic leukemia and immune reconstitution assessment. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 21194-21199.	7.1	160
16	TLI and ATG conditioning with low risk of graft-versus-host disease retains antitumor reactions after allogeneic hematopoietic cell transplantation from related and unrelated donors. <i>Blood</i> , 2009, 114, 1099-1109.	1.4	150
17	Antibody response to DBY minor histocompatibility antigen is induced after allogeneic stem cell transplantation and in healthy female donors. <i>Blood</i> , 2004, 103, 353-359.	1.4	149
18	Toward Biomarkers for Chronic Graft-versus-Host Disease: National Institutes of Health Consensus Development Project on Criteria for Clinical Trials in Chronic Graft-versus-Host Disease: III. Biomarker Working Group Report. <i>Biology of Blood and Marrow Transplantation</i> , 2006, 12, 126-137.	2.0	139

#	ARTICLE	IF	CITATIONS
19	Use of Chimeric Antigen Receptor T Cell Therapy in Clinical Practice for Relapsed/Refractory Aggressive B Cell Non-Hodgkin Lymphoma: An Expert Panel Opinion from the American Society for Transplantation and Cellular Therapy. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2305-2321.	2.0	132
20	Immunoglobulin and T Cell Receptor Gene High-Throughput Sequencing Quantifies Minimal Residual Disease in Acute Lymphoblastic Leukemia and Predicts Post-Transplantation Relapse and Survival. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1307-1313.	2.0	124
21	Pirfenidone ameliorates murine chronic GVHD through inhibition of macrophage infiltration and TGF- β production. <i>Blood</i> , 2017, 129, 2570-2580.	1.4	122
22	Prophylactic rituximab after allogeneic transplantation decreases B-cell alloimmunity with low chronic GVHD incidence. <i>Blood</i> , 2012, 119, 6145-6154.	1.4	107
23	Identifying compartment-specific non-HLA targets after renal transplantation by integrating transcriptome and antibodyome measures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 4148-4153.	7.1	98
24	Immune reconstitution and infectious complications following axicabtagene ciloleucel therapy for large B-cell lymphoma. <i>Blood Advances</i> , 2021, 5, 143-155.	5.2	92
25	Outcomes of older patients in ZUMA-1, a pivotal study of axicabtagene ciloleucel in refractory large B-cell lymphoma. <i>Blood</i> , 2020, 135, 2106-2109.	1.4	90
26	H-Y Antibody Development Associates With Acute Rejection in Female Patients With Male Kidney Transplants. <i>Transplantation</i> , 2008, 86, 75-81.	1.0	84
27	CD19 target evasion as a mechanism of relapse in large B-cell lymphoma treated with axicabtagene ciloleucel. <i>Blood</i> , 2021, 138, 1081-1085.	1.4	84
28	Three-Year Follow-Up of KTE-X19 in Patients With Relapsed/Refractory Mantle Cell Lymphoma, Including High-Risk Subgroups, in the ZUMA-2 Study. <i>Journal of Clinical Oncology</i> , 2023, 41, 555-567.	1.6	82
29	Axicabtagene Ciloleucel (Axi-cel) CD19 Chimeric Antigen Receptor (CAR) T-Cell Therapy for Relapsed/Refractory Large B-Cell Lymphoma: Real World Experience. <i>Blood</i> , 2018, 132, 91-91.	1.4	81
30	Monitoring of Circulating Tumor DNA Improves Early Relapse Detection After Axicabtagene Ciloleucel Infusion in Large B-Cell Lymphoma: Results of a Prospective Multi-Institutional Trial. <i>Journal of Clinical Oncology</i> , 2021, 39, 3034-3043.	1.6	76
31	Ibrutinib efficacy and tolerability in patients with relapsed chronic lymphocytic leukemia following allogeneic HCT. <i>Blood</i> , 2016, 128, 2899-2908.	1.4	70
32	A Randomized Phase II Crossover Study of Imatinib or Rituximab for Cutaneous Sclerosis after Hematopoietic Cell Transplantation. <i>Clinical Cancer Research</i> , 2016, 22, 319-327.	7.0	68
33	CNS Endothelial Cell Activation Emerges as a Driver of CAR T Cell-Associated Neurotoxicity. <i>Cancer Discovery</i> , 2017, 7, 1371-1373.	9.4	65
34	Ibrutinib for Chronic Graft-versus-Host Disease After Failure of Prior Therapy: 1-Year Update of a Phase 1b/2 Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 2002-2007.	2.0	64
35	Allogeneic HY antibodies detected 3 months after female-to-male HCT predict chronic GVHD and nonrelapse mortality in humans. <i>Blood</i> , 2015, 125, 3193-3201.	1.4	59
36	Molecular Imaging of Chimeric Antigen Receptor T Cells by ICOS-ImmunoPET. <i>Clinical Cancer Research</i> , 2021, 27, 1058-1068.	7.0	53

#	ARTICLE	IF	CITATIONS
37	CD22-directed CAR T-cell therapy induces complete remissions in CD19-directed CAR-refractory large B-cell lymphoma. <i>Blood</i> , 2021, 137, 2321-2325.	1.4	51
38	Clinical impact of H-Y alloimmunity. <i>Immunologic Research</i> , 2014, 58, 249-258.	2.9	50
39	Outcomes of Patients with Large B-cell Lymphoma Progressing after Axicabtagene Ciloleucel. <i>Blood</i> , 2021, 137, 1832-1835.	1.4	48
40	CD19-Loss with Preservation of Other B Cell Lineage Features in Patients with Large B Cell Lymphoma Who Relapsed Post-Axi-Cel. <i>Blood</i> , 2019, 134, 203-203.	1.4	48
41	Long-Term (4 Year and 5 Year) Overall Survival (OS) By 12- and 24-Month Event-Free Survival (EFS): An Updated Analysis of ZUMA-1, the Pivotal Study of Axicabtagene Ciloleucel (Axi-Cel) in Patients (Pts) with Refractory Large B-Cell Lymphoma (LBCL). <i>Blood</i> , 2021, 138, 1764-1764.	1.4	48
42	Transplantation of donor grafts with defined ratio of conventional and regulatory T cells in HLA-matched recipients. <i>JCI Insight</i> , 2019, 4, .	5.0	46
43	End of Phase 1 Results from Zuma-6: Axicabtagene Ciloleucel (Axi-Cel) in Combination with Atezolizumab for the Treatment of Patients with Refractory Diffuse Large B Cell Lymphoma. <i>Blood</i> , 2018, 132, 4192-4192.	1.4	46
44	Phase I Experience with a Bi-Specific CAR Targeting CD19 and CD22 in Adults with B-Cell Malignancies. <i>Blood</i> , 2018, 132, 490-490.	1.4	43
45	Comparison of 2-year outcomes with CAR T cells (ZUMA-1) vs salvage chemotherapy in refractory large B-cell lymphoma. <i>Blood Advances</i> , 2021, 5, 4149-4155.	5.2	42
46	Experience with Axicabtagene Ciloleucel (Axi-cel) in Patients with Secondary CNS Involvement: Results from the US Lymphoma CAR T Consortium. <i>Blood</i> , 2019, 134, 763-763.	1.4	42
47	Phase I Trial Using CD19/CD22 Bispecific CAR T Cells in Pediatric and Adult Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , 2019, 134, 744-744.	1.4	42
48	Risks and benefits of sex-mismatched hematopoietic cell transplantation differ according to conditioning strategy. <i>Haematologica</i> , 2015, 100, 1477-1485.	3.5	41
49	A phase 1 study of imatinib for corticosteroid-dependent/refractory chronic graft-versus-host disease: response does not correlate with anti-PDGFR α antibodies. <i>Blood</i> , 2011, 118, 4070-4078.	1.4	40
50	Phase 1 Study of CD19/CD22 Bispecific Chimeric Antigen Receptor (CAR) Therapy in Children and Young Adults with B Cell Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , 2018, 132, 898-898.	1.4	40
51	ABO Mismatch Is Associated with Increased Nonrelapse Mortality after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 746-754.	2.0	37
52	Allogeneic T cells impair engraftment and hematopoiesis after stem cell transplantation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 14721-14726.	7.1	33
53	H α -Y antigen-binding B cells develop in male recipients of female hematopoietic cells and associate with chronic graft vs. host disease. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 3005-3010.	7.1	30
54	Antibodies specifically target AML antigen NuSAP1 after allogeneic bone marrow transplantation. <i>Blood</i> , 2010, 115, 2077-2087.	1.4	29

#	ARTICLE	IF	CITATIONS
55	Incidence and risk factors associated with bleeding and thrombosis following chimeric antigen receptor T-cell therapy. <i>Blood Advances</i> , 2021, 5, 4465-4475.	5.2	28
56	CD58 Aberrations Limit Durable Responses to CD19 CAR in Large B Cell Lymphoma Patients Treated with Axicabtagene Ciloleucel but Can be Overcome through Novel CAR Engineering. <i>Blood</i> , 2020, 136, 53-54.	1.4	28
57	Circulating tumor DNA assessment in patients with diffuse large B-cell lymphoma following CAR T-cell therapy. <i>Leukemia and Lymphoma</i> , 2019, 60, 503-506.	1.3	26
58	Autologous tumor cell vaccine induces antitumor T cell immune responses in patients with mantle cell lymphoma: A phase I/II trial. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	26
59	Nonmyeloablative allogeneic transplantation achieves clinical and molecular remission in cutaneous T-cell lymphoma. <i>Blood Advances</i> , 2020, 4, 4474-4482.	5.2	25
60	Therapeutic benefits targeting B-cells in chronic graft-versus-host disease. <i>International Journal of Hematology</i> , 2015, 101, 438-451.	1.6	22
61	Red blood cell transfusions are associated with <scp>HLA</scp> class I but not Hâ€¥ alloantibodies in children with sickle cell disease. <i>British Journal of Haematology</i> , 2015, 170, 247-256.	2.5	21
62	Small-molecule BCL6 inhibitor effectively treats mice with nonsclerodermatous chronic graft-versus-host disease. <i>Blood</i> , 2019, 133, 94-99.	1.4	21
63	Concordance of peripheral blood and bone marrow measurable residual disease in adult acute lymphoblastic leukemia. <i>Blood Advances</i> , 2021, 5, 3147-3151.	5.2	21
64	Combined CD4 T-Cell and Antibody Response to Human Minor Histocompatibility Antigen DBY After Allogeneic Stem-Cell Transplantation. <i>Transplantation</i> , 2011, 92, 359-365.	1.0	19
65	Total Lymphoid Irradiationâ€™ Antithymocyte Globulin Conditioning and Allogeneic Transplantation for Patients with Myelodysplastic Syndromes and Myeloproliferative Neoplasms. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 837-843.	2.0	18
66	A Fructo-Oligosaccharide Prebiotic Is Well Tolerated in Adults Undergoing Allogeneic Hematopoietic Stem Cell Transplantation: A Phase I Dose-Escalation Trial. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 932.e1-932.e11.	1.2	18
67	KTE-X19, an Anti-CD19 Chimeric Antigen Receptor (CAR) T Cell Therapy, in Patients (Pts) With Relapsed/Refractory (R/R) Mantle Cell Lymphoma (MCL): Results of the Phase 2 ZUMA-2 Study. <i>Blood</i> , 2019, 134, 754-754.	1.4	18
68	Primary Analysis of ZUMA-7: A Phase 3 Randomized Trial of Axicabtagene Ciloleucel (Axi-Cel) Versus Standard-of-Care Therapy in Patients with Relapsed/Refractory Large B-Cell Lymphoma. <i>Blood</i> , 2021, 138, 2-2.	1.4	16
69	Antiâ€™Platelet-Derived Growth Factor Receptor Alpha Chain Antibodies Predict for Response to Nilotinib in Steroid-Refractory or -Dependent Chronic Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 373-380.	2.0	15
70	Non-Myeloablative Allogeneic Transplantation Resulting in Clinical and Molecular Remission with Low Non-Relapse Mortality (NRM) in Patients with Advanced Stage Mycosis Fungoides (MF) and SÃ©zary Syndrome (SS). <i>Blood</i> , 2014, 124, 2544-2544.	1.4	15
71	Inhibition of inositol kinase B controls acute and chronic graft-versus-host disease. <i>Blood</i> , 2020, 135, 28-40.	1.4	14
72	Allotype Reagents Distinguish Donor and Recipient Antibodies after Hematopoietic Transplantation.. <i>Blood</i> , 2006, 108, 2906-2906.	1.4	14

#	ARTICLE	IF	CITATIONS
73	Recombinant Antigen Microarrays for Serum/Plasma Antibody Detection. <i>Methods in Molecular Biology</i> , 2011, 723, 81-104.	0.9	13
74	Validation of the Hematopoietic Cell Transplantation-Specific Comorbidity Index in Nonmyeloablative Allogeneic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1744-1748.	2.0	12
75	A confirmation of chronic graft-versus-host disease prediction using allogeneic HY antibodies following sex-mismatched hematopoietic cell transplantation. <i>Haematologica</i> , 2019, 104, e314-e317.	3.5	11
76	Target Antigen Downregulation and Other Mechanisms of Failure after Axicabtagene Ciloleucl (CAR19) Therapy. <i>Blood</i> , 2018, 132, 4656-4656.	1.4	11
77	Safety and Efficacy of Ibrutinib in Patients with Relapsed/Refractory Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Who Have Undergone Prior Allogeneic Stem Cell Transplant. <i>Blood</i> , 2014, 124, 4697-4697.	1.4	11
78	Real-World Experience of Cryopreserved Allogeneic Hematopoietic Grafts during the COVID-19 Pandemic: A Single-Center Report. <i>Transplantation and Cellular Therapy</i> , 2022, 28, 215.e1-215.e10.	1.2	11
79	A Reduced-Toxicity Regimen Is Associated with Durable Engraftment and Clinical Cure of Nonmalignant Genetic Diseases among Children Undergoing Blood and Marrow Transplantation with an HLA-Matched Related Donor. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 440-444.	2.0	10
80	Outcomes with Autologous or Allogeneic Stem Cell Transplantation in Patients with Plasma Cell Leukemia in the Era of Novel Agents. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, e328-e332.	2.0	10
81	Targeting PI3K \hat{K} function for amelioration of murine chronic graft-versus-host disease. <i>American Journal of Transplantation</i> , 2019, 19, 1820-1830.	4.7	9
82	Outcomes after delayed and second autologous stem cell transplant in patients with relapsed multiple myeloma. <i>Bone Marrow Transplantation</i> , 2021, 56, 2664-2671.	2.4	9
83	Complete Donor Chimerism Predicts Molecular Remission in High Risk CLL Following Nonmyeloablative Transplantation.. <i>Blood</i> , 2008, 112, 3283-3283.	1.4	9
84	Real-World Outcomes of Axicabtagene Ciloleucl (Axi-cel) for the Treatment of Large B-Cell Lymphoma (LBCL): Impact of Age and Specific Organ Dysfunction. <i>Blood</i> , 2021, 138, 530-530.	1.4	9
85	Rituximab Provides Steroid-Sparing Therapy in New-Onset Chronic Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, S140.	2.0	8
86	HLA-mismatched unrelated donor transplantation using TLI-ATG conditioning has a low risk of GVHD and potent antitumor activity. <i>Blood Advances</i> , 2017, 1, 1347-1357.	5.2	8
87	Outcomes with autologous stem cell transplant vs. non-transplant therapy in patients 70 years and older with multiple myeloma. <i>Bone Marrow Transplantation</i> , 2021, 56, 368-375.	2.4	8
88	A Comparison of Two-Year Outcomes in ZUMA-1 (Axicabtagene Ciloleucl) and SCHOLAR-1 in Patients with Refractory Large B Cell Lymphoma. <i>Blood</i> , 2019, 134, 4095-4095.	1.4	8
89	Long-Term Survival and Gradual Recovery of B Cells in Patients with Refractory Large B Cell Lymphoma Treated with Axicabtagene Ciloleucl (Axi-Cel). <i>Blood</i> , 2020, 136, 40-42.	1.4	8
90	Identification of Two CAR T-Cell Populations Associated with Complete Response or Progressive Disease in Adult Lymphoma Patients Treated with Axi-Cel. <i>Blood</i> , 2019, 134, 779-779.	1.4	6

#	ARTICLE	IF	CITATIONS
91	One-Year Follow-up of ZUMA-2, the Multicenter, Registrational Study of KTE-X19 in Patients with Relapsed/Refractory Mantle Cell Lymphoma. <i>Blood</i> , 2020, 136, 20-22.	1.4	6
92	Ibrutinib Treatment of Relapsed CLL Following Allogeneic Transplantation: Sustained Disease Response and Promising Donor Immune Modulation. <i>Blood</i> , 2014, 124, 1186-1186.	1.4	6
93	Severity of Cytokine Release Syndrome Influences Outcome After Axicabtagene Ciloleucel for Large B cell Lymphoma: Results from the US Lymphoma CAR-T Consortium. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 753-759.	0.4	6
94	Rituximab in hematopoietic cell transplantation. <i>Expert Opinion on Biological Therapy</i> , 2010, 10, 971-982.	3.1	5
95	Presensitization to HY antigens in female donors prior to transplant is not associated with male recipient post-transplant HY antibody development nor with clinical outcomes. <i>Haematologica</i> , 2016, 101, e30-e33.	3.5	5
96	Stem Cell Mobilization in Multiple Myeloma: Comparing Safety and Efficacy of Cyclophosphamide +/- Plerixafor versus Granulocyte Colony-Stimulating Factor +/- Plerixafor in the Lenalidomide Era. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 590.e1-590.e8.	1.2	5
97	ZUMA-11: A Phase 1/2 Multicenter Study of Axicabtagene Ciloleucel (Axi-Cel) + Utomilumab Patients with Refractory Large B Cell Lymphoma. <i>Blood</i> , 2019, 134, 4084-4084.	1.4	5
98	Use of Backup Stem Cells for Stem Cell Boost and Second Transplant in Patients with Multiple Myeloma Undergoing Autologous Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 405.e1-405.e6.	1.2	4
99	Orca-T, a Precision Treg-Engineered Donor Product, Prevents Acute Gvhd with Less Immunosuppression in an Early Multicenter Experience with Myeloablative HLA-Matched Transplants. <i>Blood</i> , 2020, 136, 47-48.	1.4	4
100	Improved Outcomes for Relapsed/Refractory Classic Hodgkin Lymphoma Following Autologous Stem Cell Transplantation in the Era of Novel Agents. <i>Blood</i> , 2019, 134, 2022-2022.	1.4	4
101	CD22-CAR T-Cell Therapy Mediates High Durable Remission Rates in Adults with Large B-Cell Lymphoma Who Have Relapsed after CD19-CAR T-Cell Therapy. <i>Blood</i> , 2021, 138, 741-741.	1.4	4
102	Bleeding and Thrombosis Are Associated with Endothelial Dysfunction in CAR-T Cell Therapy and Are Increased in Patients Experiencing Neurologic Toxicity. <i>Blood</i> , 2020, 136, 32-33.	1.4	4
103	Molecular Imaging of Chimeric Antigen Receptor T Cells By ICOS-Immunopet. <i>Blood</i> , 2020, 136, 5-6.	1.4	3
104	Profiling T-Cell Receptor Diversity and Dynamics during Lymphoma Immunotherapy Using Cell-Free DNA (cfDNA). <i>Blood</i> , 2020, 136, 49-50.	1.4	3
105	Allogeneic Antibodies Identify GVL Targets CHAF1b and NuSAP1 in AML Patients.. <i>Blood</i> , 2007, 110, 168-168.	1.4	3
106	IgG Allotypes Reveal That Antimicrobial Humoral Immunity Persists after Reduced-Intensity Hematopoietic Cell Transplantation. <i>Blood</i> , 2008, 112, 349-349.	1.4	3
107	Clinical Outcomes Following Allogeneic Hematopoietic Cell Transplantation (HCT) Using Nonmyeloablative Host Conditioning with Total Lymphoid Irradiation and Anti-Thymocyte Globulin Confirm a Low Incidence of Graft Versus Host Disease (GVHD) and Retained Graft Anti-Tumor Activity.. <i>Blood</i> , 2006, 108, 603-603.	1.4	3
108	Outcomes of Patients (Pts) in ZUMA-9, a Multicenter, Open-Label Study of Axicabtagene Ciloleucel (Axi-Cel) in Relapsed/Refractory Large B Cell Lymphoma (R/R LBCL) for Expanded Access and Commercial Out-of-Specification (OOS) Product. <i>Blood</i> , 2020, 136, 2-3.	1.4	3

#	ARTICLE	IF	CITATIONS
109	Allogeneic Hematopoietic Cell Transplantation for Adult Acute Lymphoblastic Leukemia in the Modern Era. <i>Transplantation and Cellular Therapy</i> , 2022, , .	1.2	3
110	Impaired B Cell Clonotype Diversification After Allogeneic Hematopoietic Cell Transplantation Predicts Graft-Versus-Host Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, S148-S149.	2.0	2
111	A Randomized Phase II Study of Imatinib and Rituximab for Cutaneous Sclerosis after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, S324.	2.0	2
112	Ibrutinib Treatment of Relapsed CLL Following Allogeneic Transplantation: Sustained Disease Response and Promising Donor Immune Modulation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, S307-S308.	2.0	2
113	High-throughput allogeneic antibody detection using protein microarrays. <i>Journal of Immunological Methods</i> , 2016, 432, 57-64.	1.4	2
114	Recurrent Status Epilepticus in the Setting of Chimeric Antigen Receptor (CAR)-T Cell Therapy. <i>Neurohospitalist</i> , The, 2022, 12, 194187442110009.	0.8	2
115	Ibrutinib for Chronic Pulmonary Graft-Versus-Host-Disease after Progression on Prior Therapy. <i>Blood</i> , 2019, 134, 4532-4532.	1.4	2
116	Monitoring Measurable Residual Disease Using Peripheral Blood in Acute Lymphoblastic Leukemia: Results of a Prospective, Observational Study. <i>Blood</i> , 2020, 136, 22-23.	1.4	2
117	Rituximab Therapy for Steroid-Refractory Chronic GVHD: Safety and Efficacy Analysis.. <i>Blood</i> , 2004, 104, 2251-2251.	1.4	2
118	Mgta-145 + Plerixafor Provides GCSF-Free Rapid and Reliable Hematopoietic Stem Cell Mobilization for Autologous Stem Cell Transplant in Patients with Multiple Myeloma: A Phase 2 Study. <i>Blood</i> , 2021, 138, 3885-3885.	1.4	2
119	Orca-T Results in High Gvhd-Free and Relapse-Free Survival Following Myeloablative Conditioning for Hematological Malignancies: Results of a Single Center Phase 2 and a Multicenter Phase 1b Study. <i>Blood</i> , 2021, 138, 98-98.	1.4	2
120	Allogeneic hematopoietic cell transplant for normal karyotype AML: indirect evidence of selection for adverse molecular profile. <i>Bone Marrow Transplantation</i> , 2015, 50, 1004-1006.	2.4	1
121	Hematopoietic Cell Transplantation for Chronic Lymphocytic Leukemia. , 0, , 897-913.		1
122	Cytokine Induced Killer (CIK) Cells as Post-Transplant Immunotherapy Following Allogeneic Hematopoietic Cell Transplantation.. <i>Blood</i> , 2006, 108, 412-412.	1.4	1
123	Rituximab Infusion Two Months after HCT Decreases Alloreactive B Cell Responses While Recipient Plasma Cells Persist.. <i>Blood</i> , 2008, 112, 2234-2234.	1.4	1
124	Donor-Derived CIK Cell Infusion As Consolidative Therapy after Non-Myeloablative Allogeneic Transplant in Patients with Myeloid Neoplasms. <i>Blood</i> , 2015, 126, 3232-3232.	1.4	1
125	NUTRITIONAL DEFICIENCY CONTRIBUTING TO REFRACTORY ERYTHRODERMA IN HEMATOPOETIC CELL TRANSPLANT PATIENTS: DISTINCTIVE CLINICAL AND HISTOPATHOLOGICAL FINDINGS. <i>Journal of the American Academy of Dermatology</i> , 2021, , .	1.2	0
126	The Y-Specific Gene PRY Is Expressed in Normal Blood Cells as Well as Leukemia Cells and Can Elicit a Specific Antibody Response in Male Recipients of Hematopoietic Stem Cells from Female Donors.. <i>Blood</i> , 2004, 104, 4976-4976.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Sirolimus and Tacrolimus as Graft-vs.-Host Disease Prophylaxis in Allogeneic Stem Cell Transplantation: The Dana-Farber Cancer Institute Experience.. Blood, 2004, 104, 1227-1227.	1.4	0
128	Allogeneic B Cell Response to H-Y Minor Histocompatibility Antigens after Donor Lymphocyte Infusion Correlates with Disease Response.. Blood, 2004, 104, 296-296.	1.4	0
129	Prevention of Acute GVHD with Sirolimus Does Not Abrogate the Risk of Chronic GVHD.. Blood, 2004, 104, 3317-3317.	1.4	0
130	Donor T Cells from B Cell Deficient Mice Inhibit B Cell Development in Normal Recipients after Hematopoietic Cell Transplantation.. Blood, 2007, 110, 3265-3265.	1.4	0
131	Comparison of Three Minor-Mismatched Mouse Models of Chronic Graft Versus Host Disease.. Blood, 2007, 110, 3237-3237.	1.4	0
132	Composition and Persistence of Donor Cell Infiltrates in Host Target Organs Instigate the Development of Chronic Graft-Versus-Host Disease. Blood, 2008, 112, 3523-3523.	1.4	0
133	Long-Term Outcomes of Myeloablative Conditioning and Matched-Related Donor Hematopoietic Cell Transplantation for Patients with High-Risk and Advanced-Stage Hematolymphoid Malignancies. Blood, 2008, 112, 4383-4383.	1.4	0
134	Identification of a Homeobox-Like Protein Immune Response in Bone Marrow Transplant Patients. Blood, 2008, 112, 4856-4856.	1.4	0
135	Post Transplant Allogeneic Antibody Responses Form against Annexin 8. Blood, 2008, 112, 4605-4605.	1.4	0
136	Sirolimus and Mycophenolate Mofetil as Graft-Versus-Host Disease Prophylaxis in Myeloablative, Matched Related Donor Hematopoietic Cell Transplantation. Blood, 2008, 112, 4348-4348.	1.4	0
137	Phase I/II Trial of a Novel Gemcitabine and Vinorelbine-Containing Conditioning Regimen in Autologous Hematopoietic Cell Transplantation for High-Risk Recurrent and Refractory Hodgkin Lymphoma.. Blood, 2008, 112, 2194-2194.	1.4	0
138	Modeling Chronic Graft-Versus-Host-Disease: A New MHC-Matched Model of Late-Onset Scleroderma After Low-Dose Conditioning and Hematopoietic Cell Transplantation That Affects Only Male Recipients of Female Grafts.. Blood, 2009, 114, 3560-3560.	1.4	0
139	A Dose Escalation Trial of Imatinib for Steroid Dependent Chronic Graft-Versus-Host Disease with Anti-PDGFR α Antibody Analysis.. Blood, 2009, 114, 3304-3304.	1.4	0
140	High-Throughput VDJ Sequencing Is Superior to Quantitative PCR and Flow Cytometry for the Quantification of Minimal Residual Disease In Chronic Lymphocytic Leukemia After Hematopoietic Cell Transplantation.. Blood, 2010, 116, 1290-1290.	1.4	0
141	Chronic Graft-Versus-Host Disease Responds to Imatinib and Pre Transplant/Donor Anti-PDGFR α Antibodies Predict for Chronic Graft-Versus-Host Disease Development. Blood, 2010, 116, 2320-2320.	1.4	0
142	Protein Microarrays Identify Elevated Allogeneic Antibodies In Association with Extensive Chronic Graft Versus Host Disease. Blood, 2010, 116, 2344-2344.	1.4	0
143	A Phase 1 Open Label, Dose Escalation Study of Nilotinib in Steroid Dependent/Refractory Chronic Graft-Versus-Host Disease. Blood, 2011, 118, 1986-1986.	1.4	0
144	Non-Myeloablative Conditioning with Total Lymphoid Irradiation and ATG and Allogeneic Transplantation for Patients with Myelodysplastic Syndrome, Therapy-Related Myeloid Neoplasms, and Myeloproliferative Neoplasms.. Blood, 2012, 120, 3087-3087.	1.4	0

#	ARTICLE	IF	CITATIONS
145	The Expansion of Gastrointestinal-associated $\hat{1}\hat{2}$ T Cell Clones in Peripheral Blood Over Time Is a Disease Feature of Severe Acute Graft-Versus-Host Disease. <i>Blood</i> , 2012, 120, 228-228.	1.4	0
146	Risks and Benefits of Sex-Mismatched Hematopoietic Cell Transplantation Differ By Conditioning Intensity. <i>Blood</i> , 2014, 124, 2537-2537.	1.4	0
147	Prediction of Early Onset Cytokine Release Syndrome and Neurologic Events after Axicabtagene Ciloleucel in Large B-Cell Lymphoma Based on Machine Learning Algorithms. <i>Blood</i> , 2021, 138, 2833-2833.	1.4	0
148	Long-Term Outcomes of Patients with Peripheral T-Cell Lymphoma after Autologous Hematopoietic Cell Transplantation. <i>Blood</i> , 2020, 136, 33-34.	1.4	0
149	Survival Following Post-HCT Relapse in Adult Acute Lymphoblastic Leukemia Has Improved in the Era of Novel Immunotherapies: A Single Institution Analysis. <i>Blood</i> , 2020, 136, 48-49.	1.4	0
150	Outcomes after Autologous Stem Cell Transplant in Patients with Relapsed Multiple Myeloma. <i>Blood</i> , 2020, 136, 11-12.	1.4	0
151	Outcomes after Second Allogeneic Transplantation and Donor Lymphocyte Infusion for Relapse after a First Allogeneic Transplant. <i>Blood</i> , 2020, 136, 22-23.	1.4	0