

Tiange Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7527098/publications.pdf>

Version: 2024-02-01

70
papers

4,694
citations

236925

25
h-index

102487

66
g-index

70
all docs

70
docs citations

70
times ranked

7029
citing authors

#	ARTICLE	IF	CITATIONS
1	Individual and Combined Cardiometabolic Morbidities and the Subsequent Risk of Cardiovascular Events in Chinese Adults. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e84-e94.	3.6	6
2	Causal Associations of Obesity With Chronic Kidney Disease and Arterial Stiffness: A Mendelian Randomization Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e825-e835.	3.6	11
3	Metabolomics study reveals systematic metabolic dysregulation and early detection markers associated with incident pancreatic cancer. <i>International Journal of Cancer</i> , 2022, 150, 1091-1100.	5.1	12
4	Hypertension Defined by 2017 ACC/AHA Guideline, Ideal Cardiovascular Health Metrics, and Risk of Cardiovascular Disease: A Nationwide Prospective Cohort Study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 20, 100350.	2.9	15
5	Association of soy food with cardiovascular outcomes and all-cause mortality in a Chinese population: a nationwide prospective cohort study. <i>European Journal of Nutrition</i> , 2022, 61, 1609-1620.	3.9	3
6	Pan-ethnic risk factor for a comprehensive cardiovascular health management. <i>Journal of Diabetes</i> , 2022, 14, 179-191.	1.8	2
7	Impact of visit-to-visit fasting plasma glucose variability on the development of diabetes: The mediation by insulin resistance. <i>Journal of Diabetes</i> , 2022, 14, 205-215.	1.8	4
8	Negative Risk Markers for Cardiovascular Risk Evaluation in Chinese Adults. <i>Frontiers in Cardiovascular Medicine</i> , 2022, 9, 800671.	2.4	0
9	Sexual Dimorphism in the Association of Serum Retinol-Binding Protein-4 With Long-Term Dynamic Metabolic Profiles in Non-Diabetes. <i>Frontiers in Endocrinology</i> , 2022, 13, .	3.5	1
10	Comprehensive risk profiles of family history and lifestyle and metabolic risk factors in relation to diabetes: A prospective cohort study. <i>Journal of Diabetes</i> , 2022, 14, 414-424.	1.8	2
11	Diabesity phenotype and the risks of cardiovascular disease and subclinical atherosclerosis: A prospective cohort study. <i>Obesity</i> , 2022, 30, 1681-1690.	3.0	6
12	The association of low-grade albuminuria with incident non-alcoholic fatty liver disease and non-invasive markers of liver fibrosis by glycaemia status. <i>Liver International</i> , 2021, 41, 101-109.	3.9	5
13	Chinese Adults Are More Susceptible to Effects of Overall Obesity and Fat Distribution on Cardiometabolic Risk Factors. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021, 106, e2775-e2788.	3.6	9
14	The 2017 ACC/AHA stage 1 hypertension is associated with arterial stiffness: a prospective analysis. <i>Aging</i> , 2021, 13, 10075-10086.	3.1	2
15	Urinary albumin-to-creatinine ratio levels are associated with subclinical atherosclerosis and predict CVD events and all-cause deaths: a prospective analysis. <i>BMJ Open</i> , 2021, 11, e040890.	1.9	9
16	Cardiovascular Risk Based on ASCVD and KDIGO Categories in Chinese Adults: A Nationwide, Population-Based, Prospective Cohort Study. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 927-937.	6.1	9
17	Genetic susceptibility, family history of diabetes and healthy lifestyle factors in relation to diabetes: A gene-environment interaction analysis in Chinese adults. <i>Journal of Diabetes Investigation</i> , 2021, 12, 2089-2098.	2.4	8
18	The association between age at diagnosis of type 2 diabetes and albuminuria in Chinese adults: A nationwide population study. <i>Journal of Diabetes</i> , 2021, 13, 987-997.	1.8	2

#	ARTICLE	IF	CITATIONS
19	The progression and regression of metabolic dysfunction-associated fatty liver disease are associated with the development of subclinical atherosclerosis: A prospective analysis. <i>Metabolism: Clinical and Experimental</i> , 2021, 120, 154779.	3.4	23
20	Task-wise Split Gradient Boosting Trees for Multi-center Diabetes Prediction. , 2021, , .		6
21	High concentrations of triglycerides are associated with diabetic kidney disease in new-onset type 2 diabetes in China: Findings from the China Health and Nutrition Survey (CHNS) Study. <i>Diabetes, Obesity and Metabolism</i> . 2021, 23, 2551-2560.	4.4	10
22	Non-alcoholic fatty liver disease, metabolic goal achievement with incident cardiovascular disease and eGFR-based chronic kidney disease in patients with prediabetes and diabetes. <i>Metabolism: Clinical and Experimental</i> , 2021, 124, 154874.	3.4	20
23	Association of Serum Bile Acids Profile and Pathway Dysregulation With the Risk of Developing Diabetes Among Normoglycemic Chinese Adults: Findings From the 4C Study. <i>Diabetes Care</i> , 2021, 44, 499-510.	8.6	40
24	Novel Subgroups and Chronic Complications of Diabetes in Middle-Aged and Elderly Chinese: A Prospective Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 802114.	3.5	7
25	Individual and Combined Associations of Glucose Metabolic Components With Cognitive Function Modified by Obesity. <i>Frontiers in Endocrinology</i> , 2021, 12, 769120.	3.5	6
26	Discordance between the triglyceride glucose index and HOMA-IR in incident albuminuria: a cohort study from China. <i>Lipids in Health and Disease</i> , 2021, 20, 176.	3.0	10
27	Association between birth weight and diabetes: Role of body mass index and lifestyle in later life. <i>Journal of Diabetes</i> , 2020, 12, 10-20.	1.8	12
28	Association of insulin resistance and β -cell dysfunction with incident diabetes among adults in China: a nationwide, population-based, prospective cohort study. <i>Lancet Diabetes and Endocrinology</i> , the, 2020, 8, 115-124.	11.4	127
29	Individual and Combined Associations of Modifiable Lifestyle and Metabolic Health Status With New-Onset Diabetes and Major Cardiovascular Events: The China Cardiometabolic Disease and Cancer Cohort (4C) Study. <i>Diabetes Care</i> , 2020, 43, 1929-1936.	8.6	36
30	Early Life Famine Exposure, Ideal Cardiovascular Health Metrics, and Risk of Incident Diabetes: Findings From the 4C Study. <i>Diabetes Care</i> , 2020, 43, 1902-1909.	8.6	36
31	Bisphenol A exposure in relation to altered lipid profile and dyslipidemia among Chinese adults: A repeated measures study. <i>Environmental Research</i> , 2020, 184, 109382.	7.5	24
32	Glycemic Measures and Development and Resolution of Nonalcoholic Fatty Liver Disease in Nondiabetic Individuals. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020, 105, 1416-1426.	3.6	17
33	Serum total bile acids associate with risk of incident type 2 diabetes and longitudinal changes in glucose-related metabolic traits. <i>Journal of Diabetes</i> , 2020, 12, 616-625.	1.8	11
34	Detection of diabetes and prediabetes using glycosylated hemoglobin in Chinese adults living in Shanghai: A prospective analysis. <i>Journal of Diabetes</i> , 2020, 12, 573-582.	1.8	2
35	Transition of metabolic phenotypes and risk of subclinical atherosclerosis according to BMI: a prospective study. <i>Diabetologia</i> , 2020, 63, 1312-1323.	6.3	48
36	Early Life Famine Exposure and Risk of Cardiovascular Diseases in Later Life: Findings From the REACTION Study. <i>Journal of the American Heart Association</i> , 2020, 9, e014175.	3.7	40

#	ARTICLE	IF	CITATIONS
37	DNA methylation variant, B-vitamins intake and longitudinal change in body mass index. <i>International Journal of Obesity</i> , 2019, 43, 468-474.	3.4	4
38	Ideal Cardiovascular Health Metrics and Major Cardiovascular Events in Patients With Prediabetes and Diabetes. <i>JAMA Cardiology</i> , 2019, 4, 874.	6.1	70
39	Improving fruit and vegetable intake attenuates the genetic association with long-term weight gain. <i>American Journal of Clinical Nutrition</i> , 2019, 110, 759-768.	4.7	30
40	Predictive Value of Fasting Glucose, Postload Glucose, and Hemoglobin A1c on Risk of Diabetes and Complications in Chinese Adults. <i>Diabetes Care</i> , 2019, 42, 1539-1548.	8.6	102
41	Urinary bisphenol A concentration and glucose homeostasis in non-diabetic adults: a repeated-measures, longitudinal study. <i>Diabetologia</i> , 2019, 62, 1591-1600.	6.3	35
42	Association between mid-upper arm circumference and cardiometabolic risk in Chinese population: a cross-sectional study. <i>BMJ Open</i> , 2019, 9, e028904.	1.9	21
43	A circadian rhythm-related MTNR1B genetic variant modulates the effect of weight-loss diets on changes in adiposity and body composition: the POUNDS Lost trial. <i>European Journal of Nutrition</i> , 2019, 58, 1381-1389.	3.9	27
44	<i>HNFI1A</i> variant, energy-reduced diets and insulin resistance improvement during weight loss: The POUNDS Lost trial and DIRECT. <i>Diabetes, Obesity and Metabolism</i> , 2018, 20, 1445-1452.	4.4	17
45	Macronutrient-specific effect of the MTNR1B genotype on lipid levels in response to 2 year weight-loss diets. <i>Journal of Lipid Research</i> , 2018, 59, 155-161.	4.2	20
46	Dietary glutamine, glutamate and mortality: two large prospective studies in US men and women. <i>International Journal of Epidemiology</i> , 2018, 47, 311-320.	1.9	28
47	Improving adherence to healthy dietary patterns, genetic risk, and long term weight gain: gene-diet interaction analysis in two prospective cohort studies. <i>BMJ: British Medical Journal</i> , 2018, 360, j5644.	2.3	107
48	Urinary bisphenol A concentration and the risk of central obesity in Chinese adults: A prospective study. <i>Journal of Diabetes</i> , 2018, 10, 442-448.	1.8	36
49	Ideal Cardiovascular Health Is Inversely Associated with Nonalcoholic Fatty Liver Disease: A Prospective Analysis. <i>American Journal of Medicine</i> , 2018, 131, 1515.e1-1515.e10.	1.5	26
50	Insulin Resistance and Î²-Cell Dysfunction in Relation to Cardiometabolic Risk Patterns. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 2207-2215.	3.6	14
51	Genetic variations of circulating adiponectin levels modulate changes in appetite in response to weight-loss diets. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017, 102, jc.2016-2909.	3.6	11
52	Rare Loss-of-Function Variants in <i>NPC1</i> Predispose to Human Obesity. <i>Diabetes</i> , 2017, 66, 935-947.	0.6	54
53	PCSK9 variant, long-chain n-3 PUFAs, and risk of nonfatal myocardial infarction in Costa Rican Hispanics. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 1198-1203.	4.7	11
54	Genetic variation of habitual coffee consumption and glycemic changes in response to weight-loss diet intervention: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. <i>American Journal of Clinical Nutrition</i> , 2017, 106, 1321-1326.	4.7	8

#	ARTICLE	IF	CITATIONS
55	Independent and Synergistic Associations of Biomarkers of Vitamin D Status With Risk of Coronary Heart Disease. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2017, 37, 2204-2212.	2.4	23
56	Genetic Susceptibility, Change in Physical Activity, and Long-term Weight Gain. <i>Diabetes</i> , 2017, 66, 2704-2712.	0.6	14
57	Habitual coffee consumption and genetic predisposition to obesity: gene-diet interaction analyses in three US prospective studies. <i>BMC Medicine</i> , 2017, 15, 97.	5.5	41
58	Starch Digestion-Related Amylase Genetic Variant Affects 2-Year Changes in Adiposity in Response to Weight-Loss Diets: The POUNDS Lost Trial. <i>Diabetes</i> , 2017, 66, 2416-2423.	0.6	29
59	Zinc-Associated Variant in SLC30A8 Gene Interacts With Gestational Weight Gain on Postpartum Glycemic Changes: A Longitudinal Study in Women With Prior Gestational Diabetes Mellitus. <i>Diabetes</i> , 2016, 65, 3786-3793.	0.6	7
60	Plasma Taurine, Diabetes Genetic Predisposition, and Changes of Insulin Sensitivity in Response to Weight-Loss Diets. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3820-3826.	3.6	26
61	Macronutrient Intake-Associated FGF21 Genotype Modifies Effects of Weight-Loss Diets on 2-Year Changes of Central Adiposity and Body Composition: The POUNDS Lost Trial. <i>Diabetes Care</i> , 2016, 39, 1909-1914.	8.6	50
62	Genetic susceptibility to diabetes and long-term improvement of insulin resistance and β cell function during weight loss: the Preventing Overweight Using Novel Dietary Strategies (POUNDS LOST) trial. <i>American Journal of Clinical Nutrition</i> , 2016, 104, 198-204.	4.7	30
63	Diabetes Genetic Risk Score Modifies Effect of Bisphenol A Exposure on Deterioration in Glucose Metabolism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 143-150.	3.6	44
64	Bisphenol A and the risk of cardiometabolic disorders: a systematic review with meta-analysis of the epidemiological evidence. <i>Environmental Health</i> , 2015, 14, 46.	4.0	206
65	Status of Cardiovascular Health in Chinese Adults. <i>Journal of the American College of Cardiology</i> , 2015, 65, 1013-1025.	2.8	131
66	Advanced fibrosis associates with atherosclerosis in subjects with nonalcoholic fatty liver disease. <i>Atherosclerosis</i> , 2015, 241, 145-150.	0.8	60
67	Prevalence and Control of Diabetes in Chinese Adults. <i>JAMA - Journal of the American Medical Association</i> , 2013, 310, 948.	7.4	2,335
68	Nonalcoholic Fatty Liver Disease Is Associated With Atherosclerosis in Middle-Aged and Elderly Chinese. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 2321-2326.	2.4	101
69	Urinary Bisphenol A (BPA) Concentration Associates with Obesity and Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E223-E227.	3.6	277
70	Relationship of Urinary Bisphenol A Concentration to Risk for Prevalent Type 2 Diabetes in Chinese Adults. <i>Annals of Internal Medicine</i> , 2011, 155, 368.	3.9	118