

# Jie Jian

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7536105/publications.pdf>

Version: 2024-02-01

63  
papers

2,154  
citations

218677

26  
h-index

243625

44  
g-index

63  
all docs

63  
docs citations

63  
times ranked

2884  
citing authors

#	ARTICLE	IF	CITATIONS
1	Overcoming the Anisotropic Growth Limitations of Free-Standing Single-Crystal Halide Perovskite Films. <i>Angewandte Chemie</i> , 2021, 133, 2661-2668.	2.0	5
2	Overcoming the Anisotropic Growth Limitations of Free-Standing Single-Crystal Halide Perovskite Films. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 2629-2636.	13.8	24
3	Nitride-Oxide-Metal Heterostructure with Self-Assembled Core-Shell Nanopillar Arrays: Effect of Ordering on Magneto-Optical Properties. <i>Small</i> , 2021, 17, e2007222.	10.0	25
4	Self-Assembled BaTiO <sub>3</sub> -Au-Ag Low-Loss Hybrid Plasmonic Metamaterials with an Ordered Nano-Domino-like Microstructure. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 5390-5398.	8.0	8
5	Carbon Nanotube Supported Amorphous MoS <sub>2</sub> via Microwave Heating Synthesis for Enhanced Performance of Hydrogen Evolution Reaction. <i>Energy Material Advances</i> , 2021, 2021, .	11.0	20
6	Ultra-high heating rate effects on the sintering of ceramic nanoparticles: an <i>in situ</i> TEM study. <i>Materials Research Letters</i> , 2021, 9, 373-381.	8.7	13
7	Tunable physical properties in BiAl <sub>1-x</sub> Mn <sub>x</sub> O <sub>3</sub> thin films with novel layered supercell structures. <i>Nanoscale Advances</i> , 2020, 2, 315-322.	4.6	10
8	Enhancing electrochemical performance of thin film lithium ion battery via introducing tilted metal nanopillars as effective current collectors. <i>Nano Energy</i> , 2020, 69, 104381.	16.0	18
9	Tunable Optical Properties in Self-Assembled Oxide-Metal Hybrid Thin Films via Au-Phase Geometry Control: From Nanopillars to Nanodisks. <i>Advanced Optical Materials</i> , 2020, 8, 1901359.	7.3	27
10	Effective doping control in Sm-doped BiFeO <sub>3</sub> thin films <i>via</i> deposition temperature. <i>RSC Advances</i> , 2020, 10, 40229-40233.	3.6	5
11	Metal-Free Oxide-Nitride Heterostructure as a Tunable Hyperbolic Metamaterial Platform. <i>Nano Letters</i> , 2020, 20, 6614-6622.	9.1	38
12	Bidirectional tuning of phase transition properties in Pt-VO <sub>2</sub> nanocomposite thin films. <i>Nanoscale</i> , 2020, 12, 17886-17894.	5.6	13
13	Vertically aligned nanocomposite (BaTiO <sub>3</sub> ) <sub>0.8</sub> -(La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> ) <sub>0.2</sub> thin films with anisotropic multifunctionalities. <i>Nanoscale Advances</i> , 2020, 2, 3276-3283.		15
14	Perovskite Transparent Conducting Oxide for the Design of a Transparent, Flexible, and Self-Powered Perovskite Photodetector. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 16462-16468.	8.0	52
15	Novel layered Bi <sub>3</sub> MoM <sub>T</sub> O <sub>9</sub> (M <sub>T</sub> = Mn, Fe, Co and Ni) thin films with tunable multifunctionalities. <i>Nanoscale</i> , 2020, 12, 5914-5921.	5.6	11
16	Thermally Stable Au-BaTiO <sub>3</sub> Nanoscale Hybrid Metamaterial for High-Temperature Plasmonic Applications. <i>ACS Applied Nano Materials</i> , 2020, 3, 1431-1437.	5.0	15
17	Achieving ferromagnetic insulating properties in La <sub>0.9</sub> Ba <sub>0.1</sub> MnO <sub>3</sub> thin films through nanoengineering. <i>Nanoscale</i> , 2020, 12, 9255-9265.	5.6	12
18	Tunable low-field magnetoresistance properties in (La <sub>0.7</sub> Ca <sub>0.3</sub> MnO <sub>3</sub> ) <sub>1-x</sub> (CeO <sub>2</sub> ) <sub>x</sub> vertically aligned nanocomposite thin films. <i>Applied Physics Letters</i> , 2019, 115, 053103.	3.3	15

#	ARTICLE	IF	CITATIONS
19	Broad Range Tuning of Phase Transition Property in VO <sub>2</sub> Through Metal-Ceramic Nanocomposite Design. <i>Advanced Functional Materials</i> , 2019, 29, 1903690.	14.9	26
20	Interfacial Engineering Enabled Novel Bi-Based Layered Oxide Supercells with Modulated Microstructures and Tunable Physical Properties. <i>Crystal Growth and Design</i> , 2019, 19, 7088-7095.	3.0	6
21	Nanoscale stacking fault-assisted room temperature plasticity in flash-sintered TiO <sub>2</sub> . <i>Science Advances</i> , 2019, 5, eaaw5519.	10.3	82
22	Hybrid plasmonic Au-TiN vertically aligned nanocomposites: a nanoscale platform towards tunable optical sensing. <i>Nanoscale Advances</i> , 2019, 1, 1045-1054.	4.6	37
23	Strain and property tuning of the 3D framed epitaxial nanocomposite thin films via interlayer thickness variation. <i>Journal of Applied Physics</i> , 2019, 125, .	2.5	16
24	AlN-based hybrid thin films with self-assembled plasmonic Au and Ag nano-inclusions. <i>Applied Physics Letters</i> , 2019, 114, .	3.3	6
25	Strain-driven nanodumbbell structure and enhanced physical properties in hybrid vertically aligned nanocomposite thin films. <i>Applied Materials Today</i> , 2019, 16, 204-212.	4.3	30
26	Extrinsic Green Photoluminescence from the Edges of 2D Cesium Lead Halides. <i>Advanced Materials</i> , 2019, 31, e1902492.	21.0	75
27	Self-assembled two-dimensional layered oxide supercells with modulated layer stacking and tunable physical properties. <i>Materials Today Nano</i> , 2019, 6, 100037.	4.6	14
28	Tuning magnetic anisotropy in Co-BaZrO <sub>3</sub> vertically aligned nanocomposites for memory device integration. <i>Nanoscale Advances</i> , 2019, 1, 4450-4458.	4.6	15
29	Self-Assembled Ordered Three-Phase Au-BaTiO <sub>3</sub> -ZnO Vertically Aligned Nanocomposites Achieved by a Templating Method. <i>Advanced Materials</i> , 2019, 31, e1806529.	21.0	56
30	Strain tuning of ferroelectric and optical properties of rhombohedral-like BiFeO <sub>3</sub> thin films on SrRuO <sub>3</sub> -buffered substrates. <i>Materials Research Bulletin</i> , 2019, 110, 120-125.	5.2	20
31	Self-Assembled Ag-TiN Hybrid Plasmonic Metamaterial: Tailorable Tilted Nanopillar and Optical Properties. <i>Advanced Optical Materials</i> , 2019, 7, 1801180.	7.3	31
32	Three-dimensional strain engineering in epitaxial vertically aligned nanocomposite thin films with tunable magnetotransport properties. <i>Materials Horizons</i> , 2018, 5, 536-544.	12.2	57
33	Kinetic instability of AlGa <sub>N</sub> alloys during MBE growth under metal-rich conditions on m-plane GaN miscut towards the -c axis. <i>Journal of Applied Physics</i> , 2018, 123, 161581.	2.5	11
34	Tunable magnetic anisotropy of self-assembled Fe nanostructures within a La <sub>0.5</sub> Sr <sub>0.5</sub> FeO <sub>3</sub> matrix. <i>Applied Physics Letters</i> , 2018, 112, .	3.3	16
35	Nanoscale Artificial Plasmonic Lattice in Self-Assembled Vertically Aligned Nitride-Metal Hybrid Metamaterials. <i>Advanced Science</i> , 2018, 5, 1800416.	11.2	56
36	Tailorable Au Nanoparticles Embedded in Epitaxial TiO <sub>2</sub> Thin Films for Tunable Optical Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 32895-32902.	8.0	34

#	ARTICLE	IF	CITATIONS
37	Strain-induced suppression of the miscibility gap in nanostructured Mg <sub>2</sub> Si:Mg <sub>2</sub> Sn solid solutions. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17559-17570.	10.3	30
38	Vertically Aligned Nanocomposite BaTiO <sub>3</sub> :YMnO <sub>3</sub> Thin Films with Room Temperature Multiferroic Properties toward Nanoscale Memory Devices. <i>ACS Applied Nano Materials</i> , 2018, 1, 2509-2514.	5.0	29
39	Continuous Tuning of Phase Transition Temperature in VO <sub>2</sub> Thin Films on <i>i</i> -Cut Sapphire Substrates via Strain Variation. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 5319-5327.	8.0	87
40	Self-Organized Epitaxial Vertically Aligned Nanocomposites with Long-Range Ordering Enabled by Substrate Nanotemplating. <i>Advanced Materials</i> , 2017, 29, 1606861.	21.0	36
41	Room temperature magnetodielectric effects in epitaxial hexaferrite BaFe <sub>10</sub> Sc <sub>1.8</sub> O <sub>19</sub> thin film. <i>Applied Physics Letters</i> , 2017, 110, .	3.3	11
42	Novel Layered Supercell Structure from Bi <sub>2</sub> AlMnO <sub>6</sub> for Multifunctionalities. <i>Nano Letters</i> , 2017, 17, 6575-6582.	9.1	25
43	Roles of strain and domain boundaries on the phase transition stability of VO <sub>2</sub> thin films. <i>Applied Physics Letters</i> , 2017, 111, .	3.3	24
44	Ultra-smooth glassy graphene thin films for flexible transparent circuits. <i>Science Advances</i> , 2016, 2, e1601574.	10.3	59
45	Strong perpendicular exchange bias in epitaxial La <sub>0.7</sub> Sr <sub>0.3</sub> MnO <sub>3</sub> :LaFeO <sub>3</sub> nanocomposite thin films. <i>APL Materials</i> , 2016, 4, .	5.1	22
46	Self-Assembled Epitaxial Au-Oxide Vertically Aligned Nanocomposites for Nanoscale Metamaterials. <i>Nano Letters</i> , 2016, 16, 3936-3943.	9.1	91
47	Self-Assembled Heteroepitaxial Oxide Nanocomposite for Photoelectrochemical Solar Water Oxidation. <i>Chemistry of Materials</i> , 2016, 28, 3017-3023.	6.7	28
48	Self-Assembled Magnetic Metallic Nanopillars in Ceramic Matrix with Anisotropic Magnetic and Electrical Transport Properties. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 20283-20291.	8.0	39
49	Very High Surface Area Mesoporous Thin Films of SrTiO <sub>3</sub> Grown by Pulsed Laser Deposition and Application to Efficient Photoelectrochemical Water Splitting. <i>Nano Letters</i> , 2016, 16, 7338-7345.	9.1	51
50	Self-assembled oxide films with tailored nanoscale ionic and electronic channels for controlled resistive switching. <i>Nature Communications</i> , 2016, 7, 12373.	12.8	81
51	Dielectric relaxation, resonance and scaling behaviors in Sr <sub>3</sub> Co <sub>2</sub> Fe <sub>24</sub> O <sub>41</sub> hexaferrite. <i>Scientific Reports</i> , 2015, 5, 13645.	3.3	180
52	Roles of grain boundaries on the semiconductor to metal phase transition of VO <sub>2</sub> thin films. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	48
53	Thermal stability of amorphous SiOC/crystalline Fe composite. <i>Philosophical Magazine</i> , 2015, 95, 3876-3887.	1.6	11
54	Strongly Bias-Dependent Tunnel Magnetoresistance in Manganite Spin Filter Tunnel Junctions. <i>Advanced Materials</i> , 2015, 27, 3079-3084.	21.0	15

#	ARTICLE	IF	CITATIONS
55	Enhanced Flux Pinning Properties in $\text{YBa}_{1-x}\text{Cu}_x\text{O}_{7-\delta}/\text{CoFeO}/\text{CeO}_2$ Multilayer Thin Films. IEEE Transactions on Applied Superconductivity, 2015, 25, 1-4.	1.7	2
56	Strongly enhanced oxygen ion transport through samarium-doped CeO <sub>2</sub> nanopillars in nanocomposite films. Nature Communications, 2015, 6, 8588.	12.8	145
57	Strain relaxation and enhanced perpendicular magnetic anisotropy in BiFeO <sub>3</sub> :CoFe <sub>2</sub> O <sub>4</sub> vertically aligned nanocomposite thin films. Applied Physics Letters, 2014, 104, .	3.3	45
58	Room temperature mechanical behaviour of a Ni-Fe multilayered material with modulated grain size distribution. Philosophical Magazine, 2014, 94, 3549-3559.	1.6	17
59	Magnetic properties of $(\text{CoFe}_2\text{O}_4)_x:(\text{CeO}_2)_{1-x}$ vertically aligned nanocomposites and their pinning properties in $\text{YBa}_2\text{Cu}_3\text{O}_{7-x}$ thin films. Journal of Applied Physics, 2014, 115, 123902.	2.5	25
60	Textured metastable VO <sub>2</sub> (B) thin films on SrTiO <sub>3</sub> substrates with significantly enhanced conductivity. Applied Physics Letters, 2014, 104, .	3.3	41
61	A new approach to investigate $\text{Li}_{2-x}\text{MnO}_3$ and $\text{Li}(\text{Ni}_{0.5-x}\text{Mn}_{0.3-x}\text{Co}_{0.2-x})\text{O}_2$ mixed phase cathode materials. Journal of Materials Chemistry A, 2014, 2, 2283-2289.	10.3	24
62	Role of boundaries on low-field magnetotransport properties of $\text{La}_{0.7-x}\text{Sr}_{0.3-x}\text{MnO}_3$ -based nanocomposite thin films. Journal of Materials Research, 2013, 28, 1707-1714.	2.6	22
63	Sharp semiconductor-to-metal transition of VO <sub>2</sub> thin films on glass substrates. Journal of Applied Physics, 2013, 114, .	2.5	52