Stephen Meir Tollman

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7537278/publications.pdf

Version: 2024-02-01

262 papers 12,287 citations

54 h-index ³⁹⁶⁷⁵ 94

g-index

269 all docs

269 docs citations

times ranked

269

13056 citing authors

#	Article	IF	CITATIONS
1	The burden of non-communicable diseases in South Africa. Lancet, The, 2009, 374, 934-947.	13.7	748
2	The UCL–Lancet Commission on Migration and Health: the health of a world on the move. Lancet, The, 2018, 392, 2606-2654.	13.7	511
3	The African Genome Variation Project shapes medical genetics in Africa. Nature, 2015, 517, 327-332.	27.8	473
4	Profile: Agincourt Health and Socio-demographic Surveillance System. International Journal of Epidemiology, 2012, 41, 988-1001.	1.9	412
5	Enabling the genomic revolution in Africa. Science, 2014, 344, 1346-1348.	12.6	361
6	Evidence that a tax on sugar sweetened beverages reduces the obesity rate: a meta-analysis. BMC Public Health, 2013, 13, 1072.	2.9	238
7	Achieving the health Millennium Development Goals for South Africa: challenges and priorities. Lancet, The, 2009, 374, 1023-1031.	13.7	214
8	The prevalence of stunting, overweight and obesity, and metabolic disease risk in rural South African children. BMC Public Health, 2010, 10, 158.	2.9	190
9	The effect of a conditional cash transfer on HIV incidence in young women in rural South Africa (HPTN 068): a phase 3, randomised controlled trial. The Lancet Global Health, 2016, 4, e978-e988.	6.3	186
10	Prevalence of HIV among those 15 and older in rural South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 1122-1128.	1.2	183
11	Validation and application of verbal autopsies in a rural area of South Africa. Tropical Medicine and International Health, 2000, 5, 824-831.	2.3	182
12	Strengthening standardised interpretation of verbal autopsy data: the new InterVA-4 tool. Global Health Action, 2012, 5, 19281.	1.9	181
13	Implications of mortality transition for primary health care in rural South Africa: a population-based surveillance study. Lancet, The, 2008, 372, 893-901.	13.7	176
14	Global patterns of mortality in international migrants: a systematic review and meta-analysis. Lancet, The, 2018, 392, 2553-2566.	13.7	174
15	Returning home to die: Circular labour migration and mortality in South Africa 1. Scandinavian Journal of Public Health, 2007, 35, 35-44.	2.3	173
16	Universal health coverage and intersectoral action for health: key messages from Disease Control Priorities, 3rd edition. Lancet, The, 2018, 391, 1108-1120.	13.7	153
17	Research into health, population and social transitions in rural South Africa: Data and methods of the Agincourt Health and Demographic Surveillance System1. Scandinavian Journal of Public Health, 2007, 35, 8-20.	2.3	147
18	Cohort Profile: Health and Ageing in Africa: A Longitudinal Study of an INDEPTH Community in South Africa (HAALSI). International Journal of Epidemiology, 2018, 47, 689-690j.	1.9	135

#	Article	IF	CITATIONS
19	Ageing and adult health status in eight lower-income countries: the INDEPTH WHO-SAGE collaboration. Global Health Action, 2010, 3, 5302.	1.9	127
20	Migration, settlement change and health in post-apartheid South Africa: Triangulating health and demographic surveillance with national census data1. Scandinavian Journal of Public Health, 2007, 35, 77-84.	2.3	122
21	Community-based antibiotic access and use in six low-income and middle-income countries: a mixed-method approach. The Lancet Global Health, 2021, 9, e610-e619.	6.3	119
22	Regional and Sex Differences in the Prevalence and Awareness of Hypertension: An H3Africa AWI-Gen Study Across 6 Sites in Sub-Saharan Africa. Global Heart, 2017, 12, 81.	2.3	105
23	Workforce Resources for Health in Developing Countries. Public Health Reviews, 2010, 32, 296-318.	3.2	97
24	Research capacity buildingâ€"obligations for global health partners. The Lancet Global Health, 2017, 5, e567-e568.	6.3	96
25	Who dies from what? Determining cause of death in South Africa's rural northâ€east. Tropical Medicine and International Health, 1999, 4, 433-441.	2.3	93
26	Reflections on the Global Burden of Disease 2010 Estimates. PLoS Medicine, 2013, 10, e1001477.	8.4	89
27	Mortality trends in a new South Africa: Hard to make a fresh start1. Scandinavian Journal of Public Health, 2007, 35, 26-34.	2.3	87
28	A cross-sectional study of vascular risk factors in a rural South African population: data from the Southern African Stroke Prevention Initiative (SASPI). BMC Public Health, 2007, 7, 326.	2.9	87
29	Barriers to and facilitators of the provision of a youth-friendly health services programme in rural South Africa. BMC Health Services Research, 2014, 14, 259.	2.2	87
30	HPTN 068: A Randomized Control Trial of a Conditional Cash Transfer to Reduce HIV Infection in Young Women in South Africa—Study Design and Baseline Results. AIDS and Behavior, 2016, 20, 1863-1882.	2.7	87
31	Physical activity and sedentary behavior among adolescents in rural South Africa: levels, patterns and correlates. BMC Public Health, 2014, 14, 40.	2.9	85
32	Quality of integrated chronic disease care in rural South Africa: user and provider perspectives. Health Policy and Planning, 2017, 32, czw118.	2.7	85
33	Genomic and environmental risk factors for cardiometabolic diseases in Africa: methods used for Phase 1 of the AWI-Gen population cross-sectional study. Global Health Action, 2018, 11, 1507133.	1.9	82
34	Cause-specific mortality in Africa and Asia: evidence from INDEPTH health and demographic surveillance system sites. Global Health Action, 2014, 7, 25362.	1.9	81
35	SARS-CoV-2 Seroprevalence in a Rural and Urban Household Cohort during First and Second Waves of Infections, South Africa, July 2020–March 2021. Emerging Infectious Diseases, 2021, 27, 3020-3029.	4.3	78
36	Assessing health and well-being among older people in rural South Africa. Global Health Action, 2010, 3, 2126.	1.9	77

3

#	Article	lF	CITATIONS
37	The impact of pensions on health and wellbeing in rural South Africa: Does gender matter?. Social Science and Medicine, 2012, 75, 1864-1873.	3.8	77
38	Comparison of physician-certified verbal autopsy with computer-coded verbal autopsy for cause of death assignment in hospitalized patients in low- and middle-income countries: systematic review. BMC Medicine, 2014, 12, 22.	5.5	75
39	Closing the mental health treatment gap in South Africa: a review of costs and cost-effectiveness. Global Health Action, 2014, 7, 23431.	1.9	75
40	Relationship between school dropout and teen pregnancy among rural South African young women. International Journal of Epidemiology, 2015, 44, 928-936.	1.9	75
41	Progression of the epidemiological transition in a rural South African setting: findings from population surveillance in Agincourt, 1993–2013. BMC Public Health, 2017, 17, 424.	2.9	75
42	The ART Advantage: Health Care Utilization for Diabetes and Hypertension in Rural South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 561-567.	2.1	74
43	SARS-CoV-2 incidence, transmission, and reinfection in a rural and an urban setting: results of the PHIRST-C cohort study, South Africa, 2020–21. Lancet Infectious Diseases, The, 2022, 22, 821-834.	9.1	74
44	Cardiometabolic risk in a population of older adults with multiple co-morbidities in rural south africa: the HAALSI (Health and Aging in Africa: longitudinal studies of INDEPTH communities) study. BMC Public Health, 2017, 17, 206.	2.9	71
45	Assessing Changes in Household Socioeconomic Status in Rural South Africa, 2001–2013: A Distributional Analysis Using Household Asset Indicators. Social Indicators Research, 2017, 133, 1047-1073.	2.7	70
46	Self-reported health and health care use in an ageing population in the Agincourt sub-district of rural South Africa. Global Health Action, 2013, 6, 19305.	1.9	68
47	Cardiometabolic disease risk and HIV status in rural South Africa: establishing a baseline. BMC Public Health, 2015, 15, 135.	2.9	66
48	Chronic multimorbidity among older adults in rural South Africa. BMJ Global Health, 2019, 4, e001386.	4.7	66
49	Clinical features, proximate causes, and consequences of active convulsive epilepsy in <scp>A</scp> frica. Epilepsia, 2014, 55, 76-85.	5.1	64
50	Community mobilization to modify harmful gender norms and reduce <scp>HIV</scp> risk: results from a community cluster randomized trial in South Africa. Journal of the International AIDS Society, 2018, 21, e25134.	3.0	63
51	Reducing the sodium content of high-salt foods: Effect on cardiovascular disease in South Africa. South African Medical Journal, 2012, 102, 743.	0.6	62
52	Community oriented primary care: Origins, evolution, applications. Social Science and Medicine, 1991, 32, 633-642.	3.8	60
53	Premarital Fertility in Rural South Africa: A Challenge to Existing Population Policy. Studies in Family Planning, 2000, 31, 47-54.	1.8	60
54	Moving from Data on Deaths to Public Health Policy in Agincourt, South Africa: Approaches to Analysing and Understanding Verbal Autopsy Findings. PLoS Medicine, 2010, 7, e1000325.	8.4	60

#	Article	IF	CITATIONS
55	Predictors of adolescent weight status and central obesity in rural South Africa. Public Health Nutrition, 2011, 14, 1114-1122.	2.2	60
56	Disease burden of stroke in rural South Africa: an estimate of incidence, mortality and disability adjusted life years. BMC Neurology, 2015, 15, 54.	1.8	59
57	Sexual Behaviors and HIV Status: A Population-Based Study Among Older Adults in Rural South Africa. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 74, e9-e17.	2.1	59
58	Migration and the epidemiological transition: insights from the Agincourt sub-district of northeast South Africa. Global Health Action, 2014, 7, 23514.	1.9	56
59	Collecting Maternal Health Information From HIV-Positive Pregnant Women Using Mobile Phone-Assisted Face-to-Face Interviews in Southern Africa. Journal of Medical Internet Research, 2013, 15, e116.	4.3	56
60	Childhood deprivation and later-life cognitive function in a population-based study of older rural South Africans. Social Science and Medicine, 2017, 190, 20-28.	3.8	53
61	An integrated approach to processing WHO-2016 verbal autopsy data: the InterVA-5 model. BMC Medicine, 2019, 17, 102.	5.5	53
62	HIV self-testing among young women in rural South Africa: A randomized controlled trial comparing clinic-based HIV testing to the choice of either clinic testing or HIV self-testing with secondary distribution to peers and partners. EClinicalMedicine, 2020, 21, 100327.	7.1	53
63	Relationships between structure, process and outcome to assess quality of integrated chronic disease management in a rural South African setting: applying a structural equation model. BMC Health Services Research, 2017, 17, 229.	2.2	52
64	Cognitive Function in Low-Income and Low-Literacy Settings: Validation of the Tablet-Based Oxford Cognitive Screen in the Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in South Africa (HAALSI). Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2017, 72, 38-50.	3.9	52
65	Multimorbidity and care for hypertension, diabetes and HIV among older adults in rural South Africa. Bulletin of the World Health Organization, 2019, 97, 10-23.	3.3	52
66	Nutritional status and HIV in rural South African children. BMC Pediatrics, 2011, 11, 23.	1.7	49
67	Regional Patterns and Association Between Obesity and Hypertension in Africa. Hypertension, 2020, 75, 1167-1178.	2.7	49
68	Childhood mortality among former Mozambican refugees and their hosts in rural South Africa. International Journal of Epidemiology, 2004, 33, 1271-1278.	1.9	47
69	Genetic substructure and complex demographic history of South African Bantu speakers. Nature Communications, 2021, 12, 2080.	12.8	47
70	Predictors of health care use by adults 50 years and over in a rural South African setting. Global Health Action, 2014, 7, 24771.	1.9	46
71	Hypertension education and adherence in South Africa: a cost-effectiveness analysis of community health workers. BMC Public Health, 2014, 14, 240.	2.9	45
72	Adult non-communicable disease mortality in Africa and Asia: evidence from INDEPTH Health and Demographic Surveillance System sites. Global Health Action, 2014, 7, 25365.	1.9	45

#	Article	IF	Citations
73	Children's residence patterns and educational attainment in rural South Africa, 1997. Population Studies, 2002, 56, 215-225.	2.1	44
74	Health inequalities among older men and women in Africa and Asia: evidence from eight Health and Demographic Surveillance System sites in the INDEPTH WHO-SAGE Study. Global Health Action, 2010, 3, 5420.	1.9	44
75	Comparing verbal autopsy cause of death findings as determined by physician coding and probabilistic modelling: a public health analysis of 54 000 deaths in Africa and Asia. Journal of Global Health, 2015, 5, 010402.	2.7	44
76	The Unfolding Counter-Transition in Rural South Africa: Mortality and Cause of Death, 1994–2009. PLoS ONE, 2014, 9, e100420.	2.5	43
77	Performance of four computer-coded verbal autopsy methods for cause of death assignment compared with physician coding on 24,000 deaths in low- and middle-income countries. BMC Medicine, 2014, 12, 20.	5 . 5	42
78	Nutrient Patterns and Their Association with Socio-Demographic, Lifestyle Factors and Obesity Risk in Rural South African Adolescents. Nutrients, 2015, 7, 3464-3482.	4.1	42
79	Socioeconomic differences in mortality in the antiretroviral therapy era in Agincourt, rural South Africa, 2001–13: a population surveillance analysis. The Lancet Global Health, 2017, 5, e924-e935.	6.3	42
80	Trends in Internal Labour Migration from Rural Limpopo Province, Male Risk Behaviour, and Implications for the Spread of HIV/AIDS in Rural South Africa. Journal of Ethnic and Migration Studies, 2006, 32, 633-648.	2.8	41
81	Young Children's Probability of Dying Before and After Their Mother's Death: A Rural South African Population-Based Surveillance Study. PLoS Medicine, 2013, 10, e1001409.	8.4	41
82	The promise of record linkage for assessing the uptake of health services in resource constrained settings: a pilot study from South Africa. BMC Medical Research Methodology, 2014, 14, 71.	3.1	41
83	Data Resource Profile: Network for Analysing Longitudinal Population-based HIV/AIDS data on Africa (ALPHA Network). International Journal of Epidemiology, 2016, 45, 83-93.	1.9	41
84	Reversal in mortality trends: evidence from the Agincourt field site, South Africa, 1992-1995. Aids, 1999, 13, 1091-1097.	2.2	40
85	HIV/AIDS-related mortality in Africa and Asia: evidence from INDEPTH health and demographic surveillance system sites. Global Health Action, 2014, 7, 25370.	1.9	40
86	Prevalence and correlates of frailty in an older rural African population: findings from the HAALSI cohort study. BMC Geriatrics, 2017, 17, 293.	2.7	40
87	Fertility trends and net reproduction in Agincourt, rural South Africa, 1992—2004 1. Scandinavian Journal of Public Health, 2007, 35, 68-76.	2.3	39
88	Household context and child mortality in rural South Africa: the effects of birth spacing, shared mortality, household composition and socio-economic status. International Journal of Epidemiology, 2013, 42, 1444-1454.	1.9	39
89	Effectiveness of an Integrated Approach to HIV and Hypertension Care in Rural South Africa: Controlled Interrupted Time-Series Analysis. Journal of Acquired Immune Deficiency Syndromes (1999), 2017, 75, 472-479.	2.1	39
90	Examining the relationships between body image, eating attitudes, BMI, and physical activity in rural and urban South African young adult females using structural equation modeling. PLoS ONE, 2017, 12, e0187508.	2.5	39

#	Article	IF	Citations
91	Naive Bayes classifiers for verbal autopsies: comparison to physician-based classification for 21,000 child and adult deaths. BMC Medicine, 2015, 13, 286.	5.5	38
92	Understanding Marital and Premarital Fertility in Rural South Africa. Journal of Southern African Studies, 2001, 27, 277-290.	0.4	37
93	Understanding and managing hypertension in an African sub-district: A multidisciplinary approach 1. Scandinavian Journal of Public Health, 2007, 35, 52-59.	2.3	37
94	Body Image Satisfaction, Eating Attitudes and Perceptions of Female Body Silhouettes in Rural South African Adolescents. PLoS ONE, 2016, 11, e0154784.	2.5	37
95	Regional and sex-specific variation in BMI distribution in four sub-Saharan African countries: The H3Africa AWI-Gen study. Global Health Action, 2018, 11, 1556561.	1.9	37
96	Hypertension and diabetes control along the <scp>HIV</scp> care cascade in rural South Africa. Journal of the International AIDS Society, 2019, 22, e25213.	3.0	37
97	Childhood Psychological Problems in School Settings in Rural Southern Africa. PLoS ONE, 2013, 8, e65041.	2.5	37
98	Prevalence and risk factors for active convulsive epilepsy in rural northeast South Africa. Epilepsy Research, 2014, 108, 782-791.	1.6	36
99	Two decades of mortality change in rural northeast South Africa. Global Health Action, 2014, 7, 25596.	1.9	36
100	SARS-CoV-2 transmission, persistence of immunity, and estimates of Omicron's impact in South African population cohorts. Science Translational Medicine, 2022, 14, .	12.4	36
101	Use of applied theatre in health research dissemination and data validation: a pilot study from South Africa. Health (United Kingdom), 2006, 10, 31-45.	1.5	35
102	Young and vulnerable: Spatial-temporal trends and risk factors for infant mortality in rural South Africa (Agincourt), 1992-2007. BMC Public Health, 2010, 10, 645.	2.9	35
103	Impact of supplemental immunisation activity (SIA) campaigns on health systems: findings from South Africa. Journal of Epidemiology and Community Health, 2013, 67, 947-952.	3.7	34
104	The impacts of maternal mortality and cause of death on children's risk of dying in rural South Africa: evidence from a population based surveillance study (1992-2013). Reproductive Health, 2015, 12, S7.	3.1	34
105	Awareness, treatment, and control of dyslipidemia in rural South Africa: The HAALSI (Health and Aging) Tj ETQq1 1 e0187347.	l 0.784314 2.5	4 rgBT /Ove 34
106	Sexual behavior and HIV risk across the life course in rural South Africa: trends and comparisons. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1435-1443.	1.2	34
107	Measurement of kidney function in Malawi, South Africa, and Uganda: a multicentre cohort study. The Lancet Global Health, 2022, 10, e1159-e1169.	6.3	34
108	Using verbal autopsy to track epidemic dynamics: the case of HIV-related mortality in South Africa. Population Health Metrics, 2011, 9, 46.	2.7	33

#	Article	IF	CITATIONS
109	Hypertension management in a population of older adults in rural South Africa. Journal of Hypertension, 2017, 35, 1283-1289.	0.5	33
110	Understanding the Relationship between Socio-Economic Status, Physical Activity and Sedentary Behaviour, and Adiposity in Young Adult South African Women Using Structural Equation Modelling. International Journal of Environmental Research and Public Health, 2017, 14, 1271.	2.6	33
111	Performance of selfâ€reported HIV status in determining true HIV status among older adults in rural South Africa: a validation study. Journal of the International AIDS Society, 2017, 20, 21691.	3.0	33
112	Completeness of birth and death registration in a rural area of South Africa: the Agincourt health and demographic surveillance, 1992–2014. Global Health Action, 2016, 9, 32795.	1.9	32
113	The epidemiology of  bewitchment' as a lay-reported cause of death in rural South Africa. Journal of Epidemiology and Community Health, 2012, 66, 704-709.	3.7	31
114	Variations in disability and quality of life with age and sex between eight lower income and middle-income countries: data from the INDEPTH WHO-SAGE collaboration. BMJ Global Health, 2017, 2, e000508.	4.7	31
115	Cognitive Function and Impairment in Older, Rural South African Adults: Evidence from "Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in Rural South Africa― Neuroepidemiology, 2019, 52, 32-40.	2.3	31
116	Roots, Shoots, but Too Little Fruit: Assessing the Contribution of COPC in South Africa. American Journal of Public Health, 2002, 92, 1725-1728.	2.7	30
117	Distribution of a subclinical marker of cardiovascular risk, the ankle brachial index, in a rural African population: SASPI study. European Journal of Cardiovascular Prevention and Rehabilitation, 2006, 13, 964-969.	2.8	30
118	Survived infancy but still vulnerable: spatial-temporal trends and risk factors for child mortality in the Agincourt rural sub-district, South Africa, 1992-2007. Geospatial Health, 2011, 5, 285.	0.8	30
119	Measles control in Sub-Saharan Africa: South Africa as a case study. Vaccine, 2012, 30, 1594-1600.	3.8	30
120	Burden of stroke attributable to selected lifestyle risk factors in rural South Africa. BMC Public Health, 2016, 16, 143.	2.9	30
121	Trends in mortality from pulmonary tuberculosis and HIV/AIDS co-infection in rural South Africa (Agincourt). Transactions of the Royal Society of Tropical Medicine and Hygiene, 2007, 101, 893-898.	1.8	29
122	Relationship between Receipt of a Social Protection Grant for a Child and Second Pregnancy Rates among South African Women: A Cohort Study. PLoS ONE, 2015, 10, e0137352.	2.5	29
123	Moving from medical to health systems classifications of deaths: extending verbal autopsy to collect information on the circumstances of mortality. Global Health Research and Policy, 2016, 1 , 2 .	3.6	29
124	Internal migration and health in South Africa: determinants of healthcare utilisation in a young adult cohort. BMC Public Health, 2021, 21, 554.	2.9	29
125	Social conditions and disability related to the mortality of older people in rural South Africa. International Journal of Epidemiology, 2014, 43, 1531-1541.	1.9	28
126	Who Benefitsâ€"Or Does notâ€"From South Africa's Old Age Pension? Evidence from Characteristics of Rural Pensioners and Non-Pensioners. International Journal of Environmental Research and Public Health, 2016, 13, 85.	2.6	28

#	Article	IF	CITATIONS
127	Rural Poverty Dynamics and Refugee Communities in South Africa: A Spatial–Temporal Model. Population, Space and Place, 2013, 19, 103-123.	2.3	27
128	The contribution of spatial analysis to understanding HIV/TB mortality in children: a structural equation modelling approach. Global Health Action, 2013, 6, 19266.	1.9	27
129	Convergence in fertility of South Africans and Mozambicans in rural South Africa, 1993–2009. Global Health Action, 2013, 6, 19236.	1.9	26
130	The Evolving Demographic and Health Transition in Four Low- and Middle-Income Countries: Evidence from Four Sites in the INDEPTH Network of Longitudinal Health and Demographic Surveillance Systems. PLoS ONE, 2016, 11, e0157281.	2.5	26
131	Impairment in Activities of Daily Living, Care Receipt, and Unmet Needs in a Middle-Aged and Older Rural South African Population: Findings From the HAALSI Study. Journal of Aging and Health, 2020, 32, 296-307.	1.7	26
132	Social contact, social support, and cognitive health in a population-based study of middle-aged and older men and women in rural South Africa. Social Science and Medicine, 2020, 260, 113167.	3.8	26
133	Short- and long-read metagenomics of urban and rural South African gut microbiomes reveal a transitional composition and undescribed taxa. Nature Communications, 2022, 13, 926.	12.8	26
134	Collecting Health Research Data. Field Methods, 2014, 26, 307-321.	0.8	25
135	Health care utilization and outpatient, out-of-pocket costs for active convulsive epilepsy in rural northeastern South Africa: a cross-sectional Survey. BMC Health Services Research, 2016, 16, 208.	2.2	25
136	Dying in their prime: determinants and space-time risk of adult mortality in rural South Africa. Geospatial Health, 2013, 7, 237.	0.8	24
137	Application of Intervention Mapping to develop a community-based health promotion pre-pregnancy intervention for adolescent girls in rural South Africa: Project Ntshembo (Hope). BMC Public Health, 2014, 14, S5.	2.9	24
138	Differing Methods and Definitions Influence DALY estimates: Using Population-Based Data to Calculate the Burden of Convulsive Epilepsy in Rural South Africa. PLoS ONE, 2015, 10, e0145300.	2.5	24
139	Let's Talk about Sex, Maybe. Field Methods, 2016, 28, 112-132.	0.8	24
140	Depressive Symptoms and Their Relation to Age and Chronic Diseases Among Middle-Aged and Older Adults in Rural South Africa. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 957-963.	3.6	24
141	Depression and Incident HIV in Adolescent Girls and Young Women in HIV Prevention Trials Network 068: Targets for Prevention and Mediating Factors. American Journal of Epidemiology, 2020, 189, 422-432.	3.4	24
142	Population health in South Africa: a view from the salt mines. The Lancet Global Health, 2013, 1, e66-e67.	6.3	23
143	Determinants of the risk of dying of HIV/AIDS in a rural South African community over the period of the decentralised roll-out of antiretroviral therapy: a longitudinal study. Global Health Action, 2014, 7, 24826.	1.9	23
144	Cross-sectional relationship between haemoglobin concentration and measures of physical and cognitive function in an older rural South African population. Journal of Epidemiology and Community Health, 2018, 72, 796-802.	3.7	23

#	Article	IF	CITATIONS
145	Village community mobilization is associated with reduced <scp>HIV</scp> incidence in young South African women participating in the <scp>HPTN</scp> 068 study cohort. Journal of the International AIDS Society, 2018, 21, e25182.	3.0	23
146	Evidence for localised HIV related micro–epidemics associated with the decentralised provision of antiretroviral treatment in rural South Africa: a spatio–temporal analysis of changing mortality patterns (2007–2010). Journal of Global Health, 2014, 4, 010403.	2.7	22
147	Pregnancy-related mortality in Africa and Asia: evidence from INDEPTH Health and Demographic Surveillance System sites. Global Health Action, 2014, 7, 25368.	1.9	22
148	Evaluation of the Tsima community mobilization intervention to improve engagement in HIV testing and care in South Africa: study protocol for a cluster randomized trial. Implementation Science, 2017, 12, 9.	6.9	22
149	Incidence, Remission and Mortality of Convulsive Epilepsy in Rural Northeast South Africa. PLoS ONE, 2015, 10, e0129097.	2.5	22
150	Record-linkage comparison of verbal autopsy and routine civil registration death certification in rural north-east South Africa: 2006-09. International Journal of Epidemiology, 2014, 43, 1945-1958.	1.9	21
151	Health, population and social transitions in rural South Africa. Scandinavian Journal of Public Health, 2007, 35, 4-7.	2.3	20
152	Coping with the cost burdens of illness: Combining qualitative and quantitative methods in longitudinal, household research. Scandinavian Journal of Public Health, 2007, 35, 181-185.	2.3	20
153	Maternal mortality in rural South Africa: the impact of case definition on levels and trends. International Journal of Women's Health, 2013, 5, 457.	2.6	20
154	Ubiquitous burden: the contribution of migration to AIDS and Tuberculosis mortality in rural South Africa. Etude De La Population Africaine, 2014, 28, 691.	0.2	20
155	Commentary: The value of life course epidemiology in low- and middle-income countries: an ageing perspective. International Journal of Epidemiology, 2016, 45, 997-999.	1.9	20
156	Classical Cardiovascular Risk Factors and HIV are Associated With Carotid Intimaâ€Media Thickness in Adults From Subâ€Saharan Africa: Findings From H3Africa AWIâ€Gen Study. Journal of the American Heart Association, 2019, 8, e011506.	3.7	20
157	External injuries, trauma and avoidable deaths in Agincourt, South Africa: a retrospective observational and qualitative study. BMJ Open, 2019, 9, e027576.	1.9	20
158	ART Denial: Results of a Home-Based Study to Validate Self-reported Antiretroviral Use in Rural South Africa. AIDS and Behavior, 2019, 23, 2072-2078.	2.7	20
159	Probabilistic Methods for Verbal Autopsy Interpretation: InterVA Robustness in Relation to Variations in A Priori Probabilities. PLoS ONE, 2011, 6, e27200.	2.5	20
160	The age pattern of increases in mortality affected by HIV. Demographic Research, 2013, 29, 1039-1096.	3.0	19
161	Initiating a participatory action research process in the Agincourt health and socio–demographic surveillance site. Journal of Global Health, 2017, 7, 010413.	2.7	18
162	Community-level antibiotic access and use (ABACUS) in low- and middle-income countries: Finding targets for social interventions to improve appropriate antimicrobial use – an observational multi-centre study. Wellcome Open Research, 2017, 2, 58.	1.8	18

#	Article	IF	CITATIONS
163	Meta-analysis of sub-Saharan African studies provides insights into genetic architecture of lipid traits. Nature Communications, 2022, 13, 2578.	12.8	18
164	Space and time clustering of mortality in rural South Africa (Agincourt HDSS), 1992–2007. Global Health Action, 2010, 3, 5225.	1.9	17
165	Supplementary immunization activities (SIAs) in South Africa: comprehensive economic evaluation of an integrated child health delivery platform. Global Health Action, 2013, 6, 20056.	1.9	17
166	The Nkateko health service trial to improve hypertension management in rural South Africa: study protocol for a randomised controlled trial. Trials, 2014, 15, 435.	1.6	17
167	Unpacking Self-Rated Health and Quality of Life in Older Adults and Elderly in India: A Structural Equation Modelling Approach. Social Indicators Research, 2014, 117, 105-119.	2.7	17
168	Evidence for sample selection effect and Hawthorne effect in behavioural HIV prevention trial among young women in a rural South African community. BMJ Open, 2018, 8, e019167.	1.9	17
169	Methods and reporting of kidney function: a systematic review of studies from sub-Saharan Africa. CKJ: Clinical Kidney Journal, 2019, 12, 778-787.	2.9	17
170	Epilepsy care cascade, treatment gap and its determinants in rural South Africa. Seizure: the Journal of the British Epilepsy Association, 2020, 80, 175-180.	2.0	17
171	Confronting HIV/AIDS in a South African village: The impact of health-seeking behaviour 1. Scandinavian Journal of Public Health, 2007, 35, 175-180.	2.3	16
172	Use of anchoring vignettes to evaluate health reporting behavior amongst adults aged 50 years and above in Africa and Asia $\hat{a} \in \text{``testing assumptions. Global Health Action, 2013, 6, 21064.}$	1.9	16
173	Sociodemographic, socioeconomic, clinical and behavioural predictors of body mass index vary by sex in rural South African adults-findings from the AWI-Gen study. Global Health Action, 2018, 11, 1549436.	1.9	16
174	Protective Behaviors and Secondary Harms Resulting From Nonpharmaceutical Interventions During the COVID-19 Epidemic in South Africa: Multisite, Prospective Longitudinal Study. JMIR Public Health and Surveillance, 2021, 7, e26073.	2.6	16
175	Cohort profile: A Prospective Household cohort study of Influenza, Respiratory syncytial virus and other respiratory pathogens community burden and Transmission dynamics in South Africa, 2016–2018. Influenza and Other Respiratory Viruses, 2021, 15, 789-803.	3.4	16
176	Lessons from History for Designing and Validating Epidemiological Surveillance in Uncounted Populations. PLoS ONE, 2011, 6, e22897.	2.5	16
177	INDEPTH launches a data repository and INDEPTHStats. The Lancet Global Health, 2013, 1, e69.	6.3	15
178	Sleep problems and mortality in rural South Africa: novel evidence from a low-resource setting. Sleep Medicine, 2014, 15, 56-63.	1.6	15
179	Rural–urban variations in age at menarche, adult height, leg-length and abdominal adiposity in black South African women in transitioning South Africa. Annals of Human Biology, 2018, 45, 123-132.	1.0	15
180	Adverse childhood experiences and domain-specific cognitive function in a population-based study of older adults in rural South Africa Psychology and Aging, 2020, 35, 818-830.	1.6	15

#	Article	IF	CITATIONS
181	Protective Effect of Pregnancy in Rural South Africa: Questioning the Concept of "Indirect Cause―of Maternal Death. PLoS ONE, 2013, 8, e64414.	2.5	15
182	Improving public health training and research capacity in Africa: a replicable model for linking training to health and socio-demographic surveillance data. Global Health Action, 2010, 3, 5287.	1.9	14
183	Community perspectives on HIV, violence and health surveillance in rural South Africa: a participatory pilot study. Journal of Global Health, 2016, 6, 010406.	2.7	14
184	Rethinking collaboration: developing a learning platform to address under-five mortality in Mpumalanga province, South Africa. Health Policy and Planning, 2019, 34, 418-429.	2.7	14
185	Youth migration, livelihood prospects and demographic dividend: A comparison of the Census 2011 and Agincourt Health and Demographic Surveillance System in the rural northeast of South Africa. Etude De La Population Africaine, 2016, 30, 2629-2639.	0.2	14
186	Social patterns and differentials in the fertility transition in the context of HIV/AIDS: evidence from population surveillance, rural South Africa, 1993 – 2013. Population Health Metrics, 2016, 14, 10.	2.7	13
187	Education modifies the relationship between height and cognitive function in a cross-sectional population-based study of older adults in Rural South Africa. European Journal of Epidemiology, 2019, 34, 131-139.	5.7	13
188	Poor cardiovascular health is associated with subclinical atherosclerosis in apparently healthy sub-Saharan African populations: an H3Africa AWI-Gen study. BMC Medicine, 2021, 19, 30.	5.5	13
189	Multimorbidity and mortality in an older, rural black South African population cohort with high prevalence of HIV findings from the HAALSI Study. BMJ Open, 2021, 11, e047777.	1.9	13
190	Using health and demographic surveillance to understand the burden of disease in populations: The case of tuberculosis in rural South Africa1. Scandinavian Journal of Public Health, 2007, 35, 45-51.	2.3	12
191	Executive function associated with sexual risk in young South African women: Findings from the HPTN 068 cohort. PLoS ONE, 2018, 13, e0195217.	2.5	12
192	Enhancing the value of mortality data for health systems: adding Circumstances Of Mortality CATegories (COMCATs) to deaths investigated by verbal autopsy. Global Health Action, 2019, 12, 1680068.	1.9	12
193	HIV treatment cascade for older adults in rural South Africa. Sexually Transmitted Infections, 2020, 96, 271-276.	1.9	12
194	Paradox of HIV stigma in an integrated chronic disease care in rural South Africa: Viewpoints of service users and providers. PLoS ONE, 2020, 15, e0236270.	2.5	12
195	Time-critical conditions: assessment of burden and access to care using verbal autopsy in Agincourt, South Africa. BMJ Global Health, 2020, 5, e002289.	4.7	12
196	Osteoporosis, Rather Than Sarcopenia, Is the Predominant Musculoskeletal Disease in a Rural South African Community Where Human Immunodeficiency Virus Prevalence Is High: A Cross-Sectional Study. Journal of Bone and Mineral Research, 2020, 37, 244-255.	2.8	12
197	Cohort Profile Update: Cognition and dementia in the Health and Aging in Africa Longitudinal Study of an INDEPTH community in South Africa (HAALSI dementia). International Journal of Epidemiology, 2022, 51, e217-e226.	1.9	12
198	The Links between Legal Status and Environmental Health: A Case Study of Mozambican Refugees and Their Hosts in the Mpumalanga (Eastern Transvaal) Lowveld, South Africa. Health and Human Rights, 1997, 2, 62.	1.3	11

#	Article	IF	CITATIONS
199	Changing use of traditional healthcare amongst those dying of HIV related disease and TB in rural South Africa from 2003 $\hat{a} \in 2011$: a retrospective cohort study. BMC Complementary and Alternative Medicine, 2014, 14, 504.	3.7	11
200	Cognitive function and cardiometabolic disease risk factors in rural South Africa: baseline evidence from the HAALSI study. BMC Public Health, 2019, 19, 1579.	2.9	11
201	The implications of long term community involvement for the production and circulation of population knowledge. Demographic Research, 2007, 17, 369-388.	3.0	11
202	Health maintenance organizations in developing countries: what can we expect?. Health Policy and Planning, 1990, 5, 149-160.	2.7	9
203	Evaluation of record linkage of mortality data between a health and demographic surveillance system and national civil registration system in South Africa. Population Health Metrics, 2014, 12, .	2.7	9
204	Disparities in Management of Cardiovascular Disease in Rural South Africa. Circulation: Cardiovascular Quality and Outcomes, 2017, 10, .	2.2	9
205	Body composition and physical activity as mediators in the relationship between socioeconomic status and blood pressure in young South African women: a structural equation model analysis. BMJ Open, 2018, 8, e023404.	1.9	9
206	Policy Shift: South Africa's Old Age Pensions' Influence on Perceived Quality of Life. Journal of Aging and Social Policy, 2019, 31, 138-154.	1.6	9
207	Estimating the burden of cardiovascular risk in community dwellers over 40 years old in South Africa, Kenya, Burkina Faso and Ghana. BMJ Global Health, 2021, 6, e003499.	4.7	9
208	COVID-19 vaccine hesitancy in rural South Africa: Deepening understanding to increase uptake and access. Journal of Global Health, 2022, 12, 05013.	2.7	9
209	Cost-effectiveness analysis of infant feeding strategies to prevent mother-to-child transmission of HIV in South Africa. African Journal of AIDS Research, 2013, 12, 151-160.	0.9	8
210	Effects of recall time on cause-of-death findings using verbal autopsy: empirical evidence from rural South Africa. Emerging Themes in Epidemiology, 2016, 13, 10.	2.7	8
211	Introducing visual participatory methods to develop local knowledge on HIV in rural South Africa. BMJ Global Health, 2017, 2, e000231.	4.7	8
212	Self-Reported Physical Activity in Middle-Aged and Older Adults in Rural South Africa: Levels and Correlates. International Journal of Environmental Research and Public Health, 2020, 17, 6325.	2.6	8
213	Developing and evaluating a frailty index for older South Africans—findings from the HAALSI study. Age and Ageing, 2021, 50, 2167-2173.	1.6	8
214	Concordance between fasting plasma glucose and HbA _{1c} in the diagnosis of diabetes in black South African adults: a cross-sectional study. BMJ Open, 2021, 11, e046060.	1.9	8
215	Carotid Atherosclerosis, Microalbuminuria, and Estimated 10-Year Atherosclerotic Cardiovascular Disease Risk in Sub-Saharan Africa. JAMA Network Open, 2022, 5, e227559.	5.9	8
216	Clinics and Churches: lifeworlds and health-seeking practices of older women with noncommunicable disease in rural South Africa. BMC International Health and Human Rights, 2015, 15, 12.	2.5	7

#	Article	IF	CITATIONS
217	Cognitive differences associated with HIV serostatus and antiretroviral therapy use in a population-based sample of older adults in South Africa. Scientific Reports, 2020, 10, 16625.	3.3	7
218	Collective reflections on the first cycle of a collaborative learning platform to strengthen rural primary healthcare in Mpumalanga, South Africa. Health Research Policy and Systems, 2021, 19, 66.	2.8	7
219	The stall in fertility decline in rural, northeast, South Africa: the contribution of a self-settled, Mozambican, refugee sub-population. Etude De La Population Africaine, 2014, 28, 590.	0.2	7
220	Health and demographic surveillance sites contribute population-based data on maternal deaths in rural areas. South African Medical Journal, 2007, 97, 944-5.	0.6	7
221	Mortality transition over a quarter century in rural South Africa: findings from population surveillance in Agincourt 1993-2018. Global Health Action, 2021, 14, 1990507.	1.9	7
222	A Successful Failure: Missing the MDG4 Target for Under-Five Mortality in South Africa. PLoS Medicine, 2015, 12, e1001926.	8.4	6
223	Improving completeness of birth and death registration in rural Africa. The Lancet Global Health, 2016, 4, e604-e605.	6.3	6
224	Cardiovascular Disease Profile of the Oldest Adults in Rural South Africa: Data from the HAALSI Study (Health and Aging in Africa: Longitudinal Studies of INDEPTH Communities). Journal of the American Geriatrics Society, 2018, 66, 2151-2157.	2.6	6
225	The relationships between cognitive function, literacy and HIV status knowledge among older adults in rural South Africa. Journal of the International AIDS Society, 2020, 23, e25457.	3.0	6
226	Validation of Oxford Cognitive Screen: Executive Function (OCSâ€EF), a tabletâ€based executive function assessment tool amongst adolescent females in rural South Africa. International Journal of Psychology, 2021, 56, 895-907.	2.8	6
227	Report on the meeting 'Strengthening ties: the Agincourt field site in its African context'. Tropical Medicine and International Health, 1997, 2, 920-923.	2.3	5
228	Dimensions of internal migration and their relationship to blood pressure in South Africa. Journal of Biosocial Science, 2019, 51, 827-842.	1.2	5
229	Echocardiographic and Electrocardiographic Abnormalities Among Elderly Adults With Cardiovascular Disease in Rural South Africa. Circulation: Cardiovascular Quality and Outcomes, 2021, 14, e007847.	2.2	5
230	Hypertension incidence among middle-aged and older adults: findings from a 5-year prospective study in rural South Africa, 2010–2015. BMJ Open, 2021, 11, e049621.	1.9	5
231	The dynamics of household dissolution and change in socio-economic position: A survival model in a rural South Africa. Development Southern Africa, 2014, 31, 775-795.	2.0	4
232	Multilevel Measures of Education and Pathways to Incident Herpes Simplex Virus Type 2 in Adolescent Girls and Young Women in South Africa. Journal of Adolescent Health, 2019, 65, 723-729.	2.5	4
233	Community health workers to improve adherence to antiâ€seizure medication in rural South Africa: Is it costâ€effective?. Epilepsia, 2021, 62, 98-106.	5.1	4
234	Cohort Profile: South African Population Research Infrastructure Network (SAPRIN). International Journal of Epidemiology, 2022, 51, e206-e216.	1.9	4

#	Article	IF	CITATIONS
235	Setting priorities for health in 21st century South Africa. South African Medical Journal, 2010, 100, 798.	0.6	3
236	Universal health coverage and reliable global health estimates. Lancet, The, 2013, 382, 26.	13.7	3
237	Older Adults Vastly Overestimate Both HIV Acquisition Risk and HIV Prevalence in Rural South Africa. Archives of Sexual Behavior, 2021, 50, 3257-3276.	1.9	3
238	Alcohol Consumption and Sexual Risk Behavior in an Aging Population in Rural South Africa. AIDS and Behavior, 2021, 25, 2023-2032.	2.7	3
239	Relationship between children's cognitions and later educational progress in rural South Africa: a longitudinal study. Journal of Epidemiology and Community Health, 2019, 73, 422-426.	3.7	2
240	The impact of HIV status on the distance traveled to health facilities and adherence to care. A record-linkage study from rural South Africa. Journal of Global Health, 2020, 10, 020435.	2.7	2
241	Modeling Combination Interventions to Prevent Human Immunodeficiency Virus in Adolescent Girls and Young Women in South Africa (HIV Prevention Trials Network 068). Clinical Infectious Diseases, 2020, 73, e1911-e1918.	5.8	2
242	Evaluating chronic kidney disease in rural South Africa: comparing estimated glomerular filtration rate using point-of-care creatinine to iohexol measured GFR. Clinical Chemistry and Laboratory Medicine, 2021, 59, 1409-1420.	2.3	2
243	Adiposity Phenotypes and Subclinical Atherosclerosis in Adults from Sub–Saharan Africa: An H3Africa AWl–Gen Study. Global Heart, 2021, 16, 19.	2.3	2
244	Mortality trends and access to care for cardiovascular diseases in Agincourt, rural South Africa: a mixed-methods analysis of verbal autopsy data. BMJ Open, 2021, 11, e048592.	1.9	2
245	Pensions and Low Sodium Salt: A Qualitative Evaluation of a New Strategy for Managing Hypertension in Rural South Africa. Current Aging Science, 2019, 11, 140-146.	1.2	2
246	Establishing long-term research partnerships: aligning rhetoric and reality. Scandinavian Journal of Public Health, 2004, 32, 161-163.	2.3	1
247	Transmissible cancer in Africa – Authors' reply. Lancet, The, 2009, 374, 2052-2053.	13.7	1
248	Human Immunodeficiency Virus (HIV) Infection, Antiretroviral Therapy (ART) Use and Access to Care for Diabetes and Hypertension in Agincourt, South Africa. Open Forum Infectious Diseases, 2016, 3, .	0.9	1
249	HIV Status and Antiretroviral Therapy as Predictors of Disability among Older South Africans: Overall Association and Moderation by Body Mass Index. Journal of Aging and Health, 2020, 32, 1335-1344.	1.7	1
250	The relationship between executive function, risky behaviour and HIV in young women from the HPTN 068 study in rural South Africa. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2021, 33, 682-692.	1.2	1
251	Adolescents' understanding of obesity: a qualitative study from rural South Africa. Global Health Action, 2021, 14, 1968598.	1.9	1
252	Multilevel predictors of controlled CD4 count and blood pressure in an integrated chronic disease management model in rural South Africa: a panel study. BMJ Open, 2020, 10, e037580.	1.9	1

#	Article	IF	CITATIONS
253	Burden of mortality linked to community-nominated priorities in rural South Africa. Global Health Action, 2022, 15, 2013599.	1.9	1
254	The double-edged role of accessed status on health and well-being among middle- and older-age adults in rural South Africa: The HAALSI study. SSM - Population Health, 2022, 19, 101154.	2.7	1
255	Social Conditions and Disability Related to the Mortality of Older People in Rural South Africa. World Health & Depulation, 2014, 15, 34-43.	0.2	O
256	Relationship Between Community-Level Alcohol Outlet Accessibility and Individual-Level Herpes Simplex Virus Type 2 Infection Among Young Women in South Africa. Sexually Transmitted Diseases, 2015, 42, 259-265.	1.7	0
257	Bringing all together for research capacity building in LMICs – Authors' reply. The Lancet Global Health, 2017, 5, e870.	6.3	0
258	Apolipoprotein E Genetic Variation and Its Association With Cognitive Function in Rural-Dwelling Older South Africans. Frontiers in Genetics, 2021, 12, 689756.	2.3	0
259	Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in South Africa. , 2019, , 1-5.		0
260	Fostering medical and health research in resource-constrained countries. , 2020, , 181-184.		0
261	Health and Aging in Africa: A Longitudinal Study of an INDEPTH Community in South Africa. , 2021, , 2263-2267.		0
262	Structuring and Restructuring Alliances: A Theory-Based Process Model. , 0, , 133-148.		0