

# Sol Moi Park

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7538096/publications.pdf>

Version: 2024-02-01

149  
papers

7,263  
citations

57758

44  
h-index

64796

79  
g-index

152  
all docs

152  
docs citations

152  
times ranked

4158  
citing authors

#	ARTICLE	IF	CITATIONS
1	Setting and mechanical properties of alkali-activated fly ash/slag concrete manufactured at room temperature. <i>Construction and Building Materials</i> , 2013, 47, 1201-1209.	7.2	493
2	Shrinkage characteristics of alkali-activated fly ash/slag paste and mortar at early ages. <i>Cement and Concrete Composites</i> , 2014, 53, 239-248.	10.7	309
3	Enhanced effect of carbon nanotube on mechanical and electrical properties of cement composites by incorporation of silica fume. <i>Composite Structures</i> , 2014, 107, 60-69.	5.8	280
4	Fresh and hardened properties of alkali-activated fly ash/slag pastes with superplasticizers. <i>Construction and Building Materials</i> , 2014, 50, 169-176.	7.2	243
5	Microstructural densification and CO <sub>2</sub> uptake promoted by the carbonation curing of belite-rich Portland cement. <i>Cement and Concrete Research</i> , 2016, 82, 50-57.	11.0	220
6	Review on recent advances in CO <sub>2</sub> utilization and sequestration technologies in cement-based materials. <i>Construction and Building Materials</i> , 2016, 127, 762-773.	7.2	209
7	Autogenous shrinkage of concrete containing granulated blast-furnace slag. <i>Cement and Concrete Research</i> , 2006, 36, 1279-1285.	11.0	206
8	Reactivity and reaction products of alkali-activated, fly ash/slag paste. <i>Construction and Building Materials</i> , 2015, 81, 303-312.	7.2	192
9	Improved piezoresistive sensitivity and stability of CNT/cement mortar composites with low water/binder ratio. <i>Composite Structures</i> , 2014, 116, 713-719.	5.8	178
10	Influence of the slag content on the chloride and sulfuric acid resistances of alkali-activated fly ash/slag paste. <i>Cement and Concrete Composites</i> , 2016, 72, 168-179.	10.7	176
11	Physicochemical properties of binder gel in alkali-activated fly ash/slag exposed to high temperatures. <i>Cement and Concrete Research</i> , 2016, 89, 72-79.	11.0	155
12	Electromagnetic interference shielding/absorbing characteristics of CNT-embedded epoxy composites. <i>Composites Part A: Applied Science and Manufacturing</i> , 2011, 42, 1110-1118.	7.6	128
13	Microbially mediated calcium carbonate precipitation on normal and lightweight concrete. <i>Construction and Building Materials</i> , 2013, 38, 1073-1082.	7.2	120
14	Heating and heat-dependent mechanical characteristics of CNT-embedded cementitious composites. <i>Composite Structures</i> , 2016, 136, 162-170.	5.8	110
15	Influence of silica fume additions on electromagnetic interference shielding effectiveness of multi-walled carbon nanotube/cement composites. <i>Construction and Building Materials</i> , 2012, 30, 480-487.	7.2	109
16	Synthesis of mesoporous geopolymers containing zeolite phases by a hydrothermal treatment. <i>Microporous and Mesoporous Materials</i> , 2016, 229, 22-30.	4.4	105
17	Influences of CNT dispersion and pore characteristics on the electrical performance of cementitious composites. <i>Composite Structures</i> , 2017, 164, 32-42.	5.8	96
18	Carbon nanotube (CNT) incorporated cementitious composites for functional construction materials: The state of the art. <i>Composite Structures</i> , 2019, 227, 111244.	5.8	95

#	ARTICLE	IF	CITATIONS
19	Synthesis of geopolymer-supported zeolites via robust one-step method and their adsorption potential. <i>Journal of Hazardous Materials</i> , 2018, 353, 522-533.	12.4	90
20	Intrinsic electromagnetic radiation shielding/absorbing characteristics of polyaniline-coated transparent thin films. <i>Synthetic Metals</i> , 2010, 160, 1838-1842.	3.9	84
21	Coal bottom ash in field of civil engineering: A review of advanced applications and environmental considerations. <i>KSCE Journal of Civil Engineering</i> , 2015, 19, 1802-1818.	1.9	83
22	Effect of fly ash characteristics on delayed high-strength development of geopolymers. <i>Construction and Building Materials</i> , 2016, 102, 260-269.	7.2	82
23	Adsorption characteristics of cesium onto mesoporous geopolymers containing nano-crystalline zeolites. <i>Microporous and Mesoporous Materials</i> , 2017, 242, 238-244.	4.4	81
24	Defect identification in composite materials via thermography and deep learning techniques. <i>Composite Structures</i> , 2020, 246, 112405.	5.8	79
25	Electrical characteristics of hierarchical conductive pathways in cementitious composites incorporating CNT and carbon fiber. <i>Cement and Concrete Composites</i> , 2017, 82, 165-175.	10.7	77
26	Flow, water absorption, and mechanical characteristics of normal- and high-strength mortar incorporating fine bottom ash aggregates. <i>Construction and Building Materials</i> , 2012, 26, 249-256.	7.2	75
27	Mechanical properties and setting characteristics of geopolymer mortar using styrene-butadiene (SB) latex. <i>Construction and Building Materials</i> , 2016, 113, 264-272.	7.2	74
28	Alkali-activated, cementless, controlled low-strength materials (CLSM) utilizing industrial by-products. <i>Construction and Building Materials</i> , 2013, 49, 738-746.	7.2	73
29	Mechanical properties of lightweight concrete made with coal ashes after exposure to elevated temperatures. <i>Cement and Concrete Composites</i> , 2016, 72, 27-38.	10.7	67
30	Flexural stress and crack sensing capabilities of MWNT/cement composites. <i>Composite Structures</i> , 2017, 175, 86-100.	5.8	67
31	Behavior and performance of RC T-section deep beams externally strengthened in shear with CFRP sheets. <i>Composite Structures</i> , 2011, 93, 911-922.	5.8	66
32	Unlocking the role of MgO in the carbonation of alkali-activated slag cement. <i>Inorganic Chemistry Frontiers</i> , 2018, 5, 1661-1670.	6.0	66
33	Physical barrier effect of geopolymeric waste form on diffusivity of cesium and strontium. <i>Journal of Hazardous Materials</i> , 2016, 318, 339-346.	12.4	61
34	Effect of nano-silica on hydration and conversion of calcium aluminate cement. <i>Construction and Building Materials</i> , 2018, 169, 819-825.	7.2	59
35	A damage constitutive model of progressive debonding in aligned discontinuous fiber composites. <i>International Journal of Solids and Structures</i> , 2001, 38, 875-895.	2.7	57
36	Silica aerogel derived from rice husk: an aggregate replacer for lightweight and thermally insulating cement-based composites. <i>Construction and Building Materials</i> , 2019, 195, 312-322.	7.2	57

#	ARTICLE	IF	CITATIONS
37	The electrically conductive carbon nanotube (CNT)/cement composites for accelerated curing and thermal cracking reduction. <i>Composite Structures</i> , 2016, 158, 20-29.	5.8	53
38	Calcined Oyster Shell Powder as an Expansive Additive in Cement Mortar. <i>Materials</i> , 2019, 12, 1322.	2.9	51
39	Synergistic effect of MWNT/fly ash incorporation on the EMI shielding/absorbing characteristics of cementitious materials. <i>Construction and Building Materials</i> , 2016, 115, 651-661.	7.2	50
40	Evolution of the binder gel in carbonation-cured Portland cement in an acidic medium. <i>Cement and Concrete Research</i> , 2018, 109, 81-89.	11.0	49
41	Effect of superplasticizer type and siliceous materials on the dispersion of carbon nanotube in cementitious composites. <i>Composite Structures</i> , 2018, 185, 264-272.	5.8	49
42	Stable conversion of metastable hydrates in calcium aluminate cement by early carbonation curing. <i>Journal of CO2 Utilization</i> , 2017, 21, 224-226.	6.8	47
43	Internal-curing efficiency of cold-bonded coal bottom ash aggregate for high-strength mortar. <i>Construction and Building Materials</i> , 2016, 126, 1-8.	7.2	46
44	Synergistic effects of carbon nanotubes and carbon fibers on heat generation and electrical characteristics of cementitious composites. <i>Carbon</i> , 2018, 134, 283-292.	10.3	46
45	Autogenous shrinkage and electrical characteristics of cement pastes and mortars with carbon nanotube and carbon fiber. <i>Construction and Building Materials</i> , 2018, 177, 428-435.	7.2	46
46	Hydration kinetics and products of MgO-activated blast furnace slag. <i>Construction and Building Materials</i> , 2020, 249, 118700.	7.2	46
47	Modeling of progressive damage in aligned and randomly oriented discontinuous fiber polymer matrix composites. <i>Composites Part B: Engineering</i> , 2000, 31, 77-86.	12.0	45
48	Carbonation of calcium sulfoaluminate cement blended with blast furnace slag. <i>Cement and Concrete Composites</i> , 2021, 118, 103918.	10.7	45
49	Heavy Metal Leaching, CO2 Uptake and Mechanical Characteristics of Carbonated Porous Concrete with Alkali-Activated Slag and Bottom Ash. <i>International Journal of Concrete Structures and Materials</i> , 2015, 9, 283-294.	3.2	44
50	Utilization of circulating fluidized bed combustion ash in producing controlled low-strength materials with cement or sodium carbonate as activator. <i>Construction and Building Materials</i> , 2018, 159, 642-651.	7.2	44
51	Hydration of calcium sulfoaluminate cement blended with blast-furnace slag. <i>Construction and Building Materials</i> , 2021, 268, 121214.	7.2	44
52	Percolation threshold and piezoresistive response of multi-wall carbon nanotube/cement composites. <i>Smart Structures and Systems</i> , 2016, 18, 217-231.	1.9	44
53	Fabrication and design of electromagnetic wave absorber composed of carbon nanotube-incorporated cement composites. <i>Composite Structures</i> , 2018, 206, 439-447.	5.8	42
54	Influence of carbon fiber additions on the electromagnetic wave shielding characteristics of CNT-cement composites. <i>Construction and Building Materials</i> , 2021, 269, 121238.	7.2	42

#	ARTICLE	IF	CITATIONS
55	Structural repair and strengthening of damaged RC beams with sprayed FRP. <i>Composite Structures</i> , 2004, 63, 201-209.	5.8	40
56	Ureolytic/Non-Ureolytic Bacteria Co-Cultured Self-Healing Agent for Cementitious Materials Crack Repair. <i>Materials</i> , 2018, 11, 782.	2.9	40
57	Circulating fluidized bed combustion ash as controlled low-strength material (CLSM) by alkaline activation. <i>Construction and Building Materials</i> , 2017, 156, 728-738.	7.2	39
58	Formation of shlykovite and ASR-P1 in concrete under accelerated alkali-silica reaction at 60 and 80°C. <i>Cement and Concrete Research</i> , 2020, 137, 106213.	11.0	39
59	Recent advances in microbial viability and self-healing performance in bacterial-based cementitious materials: A review. <i>Construction and Building Materials</i> , 2021, 274, 122094.	7.2	39
60	Predictions of viscoelastic strain rate dependent behavior of fiber-reinforced polymeric composites. <i>Composite Structures</i> , 2012, 94, 1420-1429.	5.8	38
61	Mechanical properties and piezoresistive sensing capabilities of FRP composites incorporating CNT fibers. <i>Composite Structures</i> , 2017, 178, 1-8.	5.8	37
62	Effect of carbonyl iron powder incorporation on the piezoresistive sensing characteristics of CNT-based polymeric sensor. <i>Composite Structures</i> , 2020, 244, 112260.	5.8	37
63	The influence of sodium hydrogen carbonate on the hydration of cement. <i>Construction and Building Materials</i> , 2015, 94, 746-749.	7.2	33
64	Multi-level homogenization for the prediction of the mechanical properties of ultra-high-performance concrete. <i>Construction and Building Materials</i> , 2019, 229, 116797.	7.2	33
65	Thermal behavior of alkali-activated fly ash/slag with the addition of an aerogel as an aggregate replacement. <i>Cement and Concrete Composites</i> , 2020, 106, 103462.	10.7	33
66	An NMR Spectroscopic Investigation of Aluminosilicate Gel in Alkali-Activated Fly Ash in a CO <sub>2</sub> -Rich Environment. <i>Materials</i> , 2016, 9, 308.	2.9	32
67	Effect of MgO on chloride penetration resistance of alkali-activated binder. <i>Construction and Building Materials</i> , 2018, 178, 584-592.	7.2	32
68	Micromechanics-based constitutive modeling for unidirectional laminated composites. <i>International Journal of Solids and Structures</i> , 2006, 43, 5674-5689.	2.7	31
69	Effect of CaSO <sub>4</sub> on hydration and phase conversion of calcium aluminate cement. <i>Construction and Building Materials</i> , 2019, 224, 40-47.	7.2	31
70	Mechanical characteristics and strengthening effectiveness of random-chopped FRP composites containing air voids. <i>Composites Part B: Engineering</i> , 2014, 62, 159-166.	12.0	29
71	Carbonation-induced weathering effect on cesium retention of cement paste. <i>Journal of Nuclear Materials</i> , 2018, 505, 159-164.	2.7	29
72	Thermal evolution of hydrates in carbonation-cured Portland cement. <i>Materials and Structures/Materiaux Et Constructions</i> , 2018, 51, 1.	3.1	28

#	ARTICLE	IF	CITATIONS
73	A combined molecular dynamics/micromechanics/finite element approach for multiscale constitutive modeling of nanocomposites with interface effects. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	27
74	Evolution of zeolite crystals in geopolymer-supported zeolites: effects of composition of starting materials. <i>Materials Letters</i> , 2019, 239, 33-36.	2.6	27
75	Effect of CaO incorporation on the microstructure and autogenous shrinkage of ternary blend Portland cement-slag-silica fume. <i>Construction and Building Materials</i> , 2020, 249, 118691.	7.2	27
76	Alkali activated slag pastes with surface-modified blast furnace slag. <i>Cement and Concrete Composites</i> , 2017, 76, 39-47.	10.7	26
77	Effects of silica aerogel inclusion on the stability of heat generation and heat-dependent electrical characteristics of cementitious composites with CNT. <i>Cement and Concrete Composites</i> , 2021, 115, 103861.	10.7	26
78	Characterization of blast furnace slag-blended Portland cement for immobilization of Co. <i>Cement and Concrete Research</i> , 2020, 134, 106089.	11.0	26
79	Numerical characterization of compressive response and damage evolution in laminated plates containing a cutout. <i>Composites Science and Technology</i> , 2007, 67, 2221-2230.	7.8	25
80	Bond characteristics of sprayed FRP composites bonded to concrete substrate considering various concrete surface conditions. <i>Composite Structures</i> , 2013, 100, 270-279.	5.8	25
81	Interfacial bond behavior of FRP fabrics bonded to fiber-reinforced geopolymer mortar. <i>Composite Structures</i> , 2015, 134, 353-368.	5.8	25
82	Improved electric heating characteristics of CNT-embedded polymeric composites with an addition of silica aerogel. <i>Composites Science and Technology</i> , 2021, 212, 108866.	7.8	25
83	Numerical evaluation of shear strengthening performance of CFRP sheets/strips and sprayed epoxy coating repair systems. <i>Composites Part B: Engineering</i> , 2008, 39, 851-862.	12.0	24
84	A novel physicochemical approach to dispersion of carbon nanotubes in polypropylene composites. <i>Composite Structures</i> , 2021, 258, 113377.	5.8	24
85	Image Analysis and DC Conductivity Measurement for the Evaluation of Carbon Nanotube Distribution in Cement Matrix. <i>International Journal of Concrete Structures and Materials</i> , 2015, 9, 427-438.	3.2	23
86	CO2 Uptake of Carbonation-Cured Cement Blended with Ground Volcanic Ash. <i>Materials</i> , 2018, 11, 2187.	2.9	23
87	Improved electromagnetic wave shielding capability of carbonyl iron powder-embedded lightweight CFRP composites. <i>Composite Structures</i> , 2022, 286, 115326.	5.8	23
88	Binder chemistry of sodium carbonate-activated CFBC fly ash. <i>Materials and Structures/Materiaux Et Constructions</i> , 2018, 51, 1.	3.1	22
89	Cesium and Strontium Retentions Governed by Aluminosilicate Gel in Alkali-Activated Cements. <i>Materials</i> , 2017, 10, 447.	2.9	21
90	Microstructural evolution and carbonation behavior of lime-slag binary binders. <i>Cement and Concrete Composites</i> , 2021, 119, 104000.	10.7	21

#	ARTICLE	IF	CITATIONS
91	Automated generation of carbon nanotube morphology in cement composite via data-driven approaches. <i>Composites Part B: Engineering</i> , 2019, 167, 51-62.	12.0	20
92	Effects of biological admixtures on hydration and mechanical properties of Portland cement paste. <i>Construction and Building Materials</i> , 2020, 235, 117461.	7.2	19
93	CO <sub>2</sub> Uptake and Physicochemical Properties of Carbonation-Cured Ternary Blend Portland Cement–Metakaolin–Limestone Pastes. <i>Materials</i> , 2020, 13, 4656.	2.9	19
94	Hydration characteristics of calcium sulfoaluminate (CSA) cement/portland cement blended pastes. <i>Journal of Building Engineering</i> , 2021, 34, 101880.	3.4	19
95	Effectiveness of Retrofitting Damaged Concrete Beams with Sprayed Fiber-reinforced Polymer Coating. <i>Journal of Reinforced Plastics and Composites</i> , 2008, 27, 1269-1286.	3.1	18
96	3D-Damage Model for Fiber-Reinforced Brittle Composites with Microcracks and Imperfect Interfaces. <i>Journal of Engineering Mechanics - ASCE</i> , 2009, 135, 1108-1118.	2.9	18
97	Stability of MgO-modified geopolymetric gel structure exposed to a CO <sub>2</sub> -rich environment. <i>Construction and Building Materials</i> , 2017, 151, 178-185.	7.2	18
98	Characterization of reactive MgO-modified calcium sulfoaluminate cements upon carbonation. <i>Cement and Concrete Research</i> , 2021, 146, 106484.	11.0	18
99	Structural strengthening and damage behaviors of hybrid sprayed fiber-reinforced polymer composites containing carbon fiber cores. <i>International Journal of Damage Mechanics</i> , 2017, 26, 358-376.	4.2	17
100	Utilization of Calcium Carbide Residue Using Granulated Blast Furnace Slag. <i>Materials</i> , 2019, 12, 3511.	2.9	17
101	Hydration kinetics modeling of sodium silicate-activated slag: A comparative study. <i>Construction and Building Materials</i> , 2020, 242, 118144.	7.2	17
102	Experimental and theoretical studies of hydration of ultra-high performance concrete cured under various curing conditions. <i>Construction and Building Materials</i> , 2021, 278, 122352.	7.2	17
103	Reaction of hydrated cement paste with supercritical carbon dioxide. <i>Construction and Building Materials</i> , 2021, 281, 122615.	7.2	17
104	Review on recent advances in securing the long-term durability of calcium aluminate cement (CAC)-based systems. <i>Functional Composites and Structures</i> , 2021, 3, 035002.	3.4	17
105	Effectiveness of Anchorage in Concrete Beams Retrofitted with Sprayed Fiber-reinforced Polymers. <i>Journal of Reinforced Plastics and Composites</i> , 2004, 23, 1285-1300.	3.1	15
106	Interfacial crack-induced debonding behavior of sprayed FRP laminate bonded to RC beams. <i>Composite Structures</i> , 2015, 128, 176-187.	5.8	15
107	Role of Al in the crystal growth of alkali-activated fly ash and slag under a hydrothermal condition. <i>Construction and Building Materials</i> , 2020, 239, 117842.	7.2	15
108	Simulating the carbonation of calcium sulfoaluminate cement blended with supplementary cementitious materials. <i>Journal of CO<sub>2</sub> Utilization</i> , 2020, 41, 101286.	6.8	15

#	ARTICLE	IF	CITATIONS
109	Influence of water ingress on the electrical properties and electromechanical sensing capabilities of CNT/cement composites. <i>Journal of Building Engineering</i> , 2021, 42, 103065.	3.4	15
110	An experimental study on sag-resistance ability and applicability of sprayed FRP system on vertical and overhead concrete surfaces. <i>Materials and Structures/Materiaux Et Constructions</i> , 2015, 48, 21-33.	3.1	14
111	Pressure-Induced Geopolymerization in Alkali-Activated Fly Ash. <i>Sustainability</i> , 2018, 10, 3538.	3.2	14
112	Effect of CaSO <sub>4</sub> Incorporation on Pore Structure and Drying Shrinkage of Alkali-Activated Binders. <i>Materials</i> , 2019, 12, 1673.	2.9	14
113	Structural evolution of binder gel in alkali-activated cements exposed to electrically accelerated leaching conditions. <i>Journal of Hazardous Materials</i> , 2020, 387, 121825.	12.4	14
114	Hydration properties of alkali-activated fly ash/slag binders modified by MgO with different reactivity. <i>Journal of Building Engineering</i> , 2021, 44, 103252.	3.4	14
115	Strain rate and adhesive energy dependent viscoplastic damage modeling for nanoparticulate composites: Molecular dynamics and micromechanical simulations. <i>Applied Physics Letters</i> , 2014, 104, 101901.	3.3	13
116	Facile Synthesis of Sprayed CNTs Layer-Embedded Stretchable Sensors with Controllable Sensitivity. <i>Polymers</i> , 2021, 13, 311.	4.5	13
117	Piezoresistive characteristics of CNT fiber-incorporated GFRP composites prepared with diversified fabrication schemes. <i>Composite Structures</i> , 2018, 203, 835-843.	5.8	12
118	Enhancement of the modulus of compression of calcium silicate hydrates via covalent synthesis of CNT and silica fume. <i>Construction and Building Materials</i> , 2019, 198, 218-225.	7.2	12
119	Modifications in hydration kinetics and characteristics of calcium aluminate cement upon blending with calcium sulfoaluminate cement. <i>Construction and Building Materials</i> , 2022, 342, 127958.	7.2	12
120	Numerical study on retrofit and strengthening performance of sprayed fiber reinforced polymer. <i>Engineering Structures</i> , 2005, 27, 1476-1487.	5.3	11
121	The Effects of Temperature on the Hydrothermal Synthesis of Hydroxyapatite-Zeolite Using Blast Furnace Slag. <i>Materials</i> , 2019, 12, 2131.	2.9	11
122	A computational framework for quantifying reactivity of fly ash in cement pastes from backscattered electron images. <i>Construction and Building Materials</i> , 2019, 200, 630-636.	7.2	10
123	Parametric modeling of autogenous shrinkage of sodium silicate-activated slag. <i>Construction and Building Materials</i> , 2020, 262, 120747.	7.2	10
124	Influence of Portland cement and alkali-activated slag binder on the thermoelectric properties of the p-type composites with MWCNT. <i>Construction and Building Materials</i> , 2021, 292, 123393.	7.2	10
125	Impact of Bio-Carrier Immobilized with Marine Bacteria on Self-Healing Performance of Cement-Based Materials. <i>Materials</i> , 2020, 13, 4164.	2.9	9
126	Strength Development of Alkali-Activated Fly Ash Exposed to a Carbon Dioxide-Rich Environment at an Early Age. <i>Journal of the Korean Ceramic Society</i> , 2016, 53, 18-23.	2.3	9



#	ARTICLE	IF	CITATIONS
127	Enhanced electrical heating capability of CNT-embedded cementitious composites exposed to water ingress with addition of silica aerogel. <i>Ceramics International</i> , 2022, 48, 13356-13365.	4.8	9
128	Advanced Spray Multiple Layup Process for Quality Control of Sprayed FRP Composites Used to Retrofit Concrete Structures. <i>Journal of Construction Engineering and Management - ASCE</i> , 2015, 141, 04014060.	3.8	8
129	Influence of the Precursor, Molarity and Temperature on the Rheology and Structural Buildup of Alkali-Activated Materials. <i>Materials</i> , 2021, 14, 3590.	2.9	8
130	Bond characteristics of SFRP composites containing FRP core/anchors coated on geopolymers mortar. <i>Composite Structures</i> , 2018, 189, 435-442.	5.8	7
131	Pull-off bond behavior of anchored random-chopped FRP composites bonded to concrete. <i>Composite Structures</i> , 2018, 185, 193-202.	5.8	7
132	The Effects of NaOH Concentration on the Hydrothermal Synthesis of a Hydroxyapatite-Zeolite Composite Using Blast Furnace Slag. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 21.	2.0	7
133	Self-healing of Portland and slag cement binder systems incorporating circulating fluidized bed combustion bottom ash. <i>Construction and Building Materials</i> , 2022, 314, 125571.	7.2	7
134	A combined experimental and micromechanical approach to investigating PTC and NTC effects in CNT-polypropylene composites under a self-heating condition. <i>Composite Structures</i> , 2022, 289, 115440.	5.8	7
135	Local AI network and material characterization of belite-calcium sulfoaluminate (CSA) cements. <i>Materials and Structures/Materiaux Et Constructions</i> , 2022, 55, 1.	3.1	7
136	On the quantification of degrees of reaction and hydration of sodium silicate-activated slag cements. <i>Materials and Structures/Materiaux Et Constructions</i> , 2020, 53, 1.	3.1	6
137	Influence of Polyethylene Terephthalate Powder on Hydration of Portland Cement. <i>Polymers</i> , 2021, 13, 2551.	4.5	6
138	Modeling the Effect of Alternative Cementitious Binders in Ultra-High-Performance Concrete. <i>Materials</i> , 2021, 14, 7333.	2.9	6
139	Evaluation of physicochemical properties and environmental impact of environmentally amicable Portland cement/metakaolin bricks exposed to humid or CO <sub>2</sub> curing condition. <i>Journal of Building Engineering</i> , 2022, 47, 103831.	3.4	5
140	MgO-induced phase variation in alkali-activated binders synthesized under hydrothermal conditions. <i>Materials and Structures/Materiaux Et Constructions</i> , 2021, 54, 1.	3.1	4
141	Thermo-mechanical analysis of road structures used in the on-line electric vehicle system. <i>Structural Engineering and Mechanics</i> , 2015, 53, 519-536.	1.0	4
142	Flow Property of Alkali-Activated Slag with Modified Precursor. <i>ACI Materials Journal</i> , 2017, 114, .	0.2	4
143	Shear Behavior and Performance of Deep Beams Reinforced with a Honeycomb Steel Mesh. <i>Advances in Structural Engineering</i> , 2010, 13, 989-999.	2.4	3
144	Exploration of effects of CO <sub>2</sub> exposure on the NO <sub>x</sub> -removal performance of TiO <sub>2</sub> -incorporated Portland cement evaluated via microstructural and morphological investigation. <i>Journal of Building Engineering</i> , 2022, 45, 103609.	3.4	3

#	ARTICLE	IF	CITATIONS
145	Thermodynamic modeling and mechanical properties of hybrid alkaline cement composites. <i>Construction and Building Materials</i> , 2022, 322, 126381.	7.2	3
146	Internal carbonation of belite-rich Portland cement: An in-depth observation at the interaction of the belite phase with sodium bicarbonate. <i>Journal of Building Engineering</i> , 2021, 44, 102907.	3.4	2
147	Effect of the molar ratio of calcium sulfate over ye'elimite on the reaction of CSA cement/slag blends under an accelerated carbonation condition. <i>Journal of Building Engineering</i> , 2022, 46, 103785.	3.4	2
148	Exploring Structural Evolution of Portland Cement Blended with Supplementary Cementitious Materials in Seawater. <i>Materials</i> , 2021, 14, 1210.	2.9	1
149	Characterization of bio-adsorptive removal performance of strontium through ureolysis-mediated bio-mineralization. <i>Chemosphere</i> , 2022, 288, 132586.	8.2	1