List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7540588/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Disruption of large-scale electrophysiological networks in stroke patients with visuospatial neglect. Network Neuroscience, 2022, 6, 69-89.	2.6	6
2	COVID-19 lockdowns' effects on the quality of life, perceived health and well-being of healthy elderly individuals: A longitudinal comparison of pre-lockdown and lockdown states of well-being. Archives of Gerontology and Geriatrics, 2022, 99, 104606.	3.0	41
3	Crossed functional specialization between the basal ganglia and cerebellum during vocal emotion decoding: Insights from stroke and Parkinson's disease. Cognitive, Affective and Behavioral Neuroscience, 2022, 22, 1030-1043.	2.0	4
4	Sensory contribution to vocal emotion deficit in patients with cerebellar stroke. NeuroImage: Clinical, 2021, 31, 102690.	2.7	3
5	Signs of spatial neglect in unilateral peripheral vestibulopathy. European Journal of Neurology, 2021, 28, 1779-1783.	3.3	7
6	A special issue on cognitive rehabilitation. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101562.	2.3	2
7	Real-time fMRI and EEG neurofeedback: A perspective on applications for the rehabilitation of spatial neglect. Annals of Physical and Rehabilitation Medicine, 2021, 64, 101561.	2.3	3
8	A novel computerized assessment of manual spatial exploration in unilateral spatial neglect. Neuropsychological Rehabilitation, 2021, , 1-22.	1.6	2
9	The Emotional Effect of Background Music on Selective Attention of Adults. Frontiers in Psychology, 2021, 12, 729037.	2.1	3
10	Representation of Body Orientation in Vestibular-Defective Patients Before and After Unilateral Vestibular Loss. Frontiers in Systems Neuroscience, 2021, 15, 733684.	2.5	3
11	Brain Substrates for Distinct Spatial Processing Components Contributing to Hemineglect in Humans. Brain Sciences, 2021, 11, 1584.	2.3	5
12	Visuospatial bias in line bisection in Williams syndrome. Journal of Intellectual Disability Research, 2020, 64, 57-61.	2.0	3
13	Rightward exogenous attentional shifts impair perceptual memory of spatial locations in patients with left unilateral spatial neglect. Cortex, 2020, 122, 187-197.	2.4	5
14	Impaired emotional biases in visual attention after bilateral amygdala lesion. Neuropsychologia, 2020, 137, 107292.	1.6	13
15	Neuroanatomic Correlates of Distance and Direction Processing During Cognitive Map Retrieval. Frontiers in Behavioral Neuroscience, 2020, 14, 130.	2.0	4
16	Deficits in cognitive and affective theory of mind relate to dissociated lesion patterns in prefrontal and insular cortex. Cortex, 2020, 128, 218-233.	2.4	28
17	Cerebellar contribution to vocal emotion decoding: Insights from stroke and neuroimaging. Neuropsychologia, 2019, 132, 107141.	1.6	20
18	Neural substrates of reduced walking activity after supratentorial stroke: A voxel-based lesion symptom mapping study. Human Movement Science, 2019, 67, 102517.	1.4	1

#	Article	IF	CITATIONS
19	Prism adaptation effect on neural activity and spatial neglect depend on brain lesion site. Cortex, 2019, 119, 301-311.	2.4	21
20	Structural Brain Volume Covariance Associated with Gait Speed in Patients with Amnestic and Non-Amnestic Mild Cognitive Impairment: A Double Dissociation. Journal of Alzheimer's Disease, 2019, 71, S29-S39.	2.6	17
21	Differential parietal activations for spatial remapping and saccadic control in a visual memory task. Neuropsychologia, 2019, 131, 129-138.	1.6	4
22	Functional Neuroanatomy of Vertical Visual Perception in Humans. Frontiers in Neurology, 2019, 10, 142.	2.4	13
23	Sensorimotor plasticity in response to predictable visual stimuli could correct the signs of spatial neglect. Annals of Physical and Rehabilitation Medicine, 2019, 62, 198-199.	2.3	0
24	A critical review of the role of impaired spatial remapping processes in spatial neglect. Clinical Neuropsychologist, 2019, 33, 948-970.	2.3	10
25	Using real-time fMRI neurofeedback to restore right occipital cortex activity in patients with left visuo-spatial neglect: proof-of-principle and preliminary results. Neuropsychological Rehabilitation, 2019, 29, 339-360.	1.6	18
26	Apathy in idiopathic normal pressure hydrocephalus: A marker of reversible gait disorders. International Journal of Geriatric Psychiatry, 2018, 33, 735-742.	2.7	8
27	Dissociable components of spatial neglect associated with frontal and parietal lesions. Neuropsychologia, 2018, 115, 60-69.	1.6	18
28	Effect of a single early EEG neurofeedback training on remediation of spatial neglect in the acute phase. Annals of Physical and Rehabilitation Medicine, 2018, 61, 111-112.	2.3	10
29	Value-driven attentional capture in neglect. Cortex, 2018, 109, 260-271.	2.4	7
30	A combined cognitive and gait quantification to identify normal pressure hydrocephalus from its mimics: The Geneva's protocol. Clinical Neurology and Neurosurgery, 2017, 160, 5-11.	1.4	38
31	Where is the â€~subjective straight ahead' in Williams syndrome?. Journal of Intellectual Disability Research, 2017, 61, 512-518.	2.0	2
32	An exploratory cohort study of sensory extinction in acute stroke: prevalence, risk factors, and time course. Journal of Neural Transmission, 2017, 124, 483-494.	2.8	9
33	Apathy and higher level of gait control in normal pressure hydrocephalus. International Journal of Psychophysiology, 2017, 119, 127-131.	1.0	15
34	Increased Alpha-Rhythm Dynamic Range Promotes Recovery from Visuospatial Neglect: A Neurofeedback Study. Neural Plasticity, 2017, 2017, 1-9.	2.2	55
35	Hemispatial Neglect Shows That "Before―Is "Left― Neural Plasticity, 2016, 2016, 1-11. 	2.2	24
36	Hurt but still alive: Residual activity in the parahippocampal cortex conditions the recognition of familiar places in a patient with topographic agnosia. NeuroImage: Clinical, 2016, 11, 73-80.	2.7	2

#	Article	IF	CITATIONS
37	Structural white-matter connections mediating distinct behavioral components of spatial neglect in right brain-damaged patients. Cortex, 2016, 77, 54-68.	2.4	83
38	Incidence, Risk Factors and Anatomy of Peripersonal Visuospatial Neglect in Acute Stroke. European Neurology, 2016, 75, 157-163.	1.4	15
39	Influence of spatial perception abilities on reading in school-age children. Cogent Psychology, 2015, 2, 1049736.	1.3	3
40	Asymmetrical effects of unilateral right or left amygdala damage on auditory cortical processing of vocal emotions. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 1583-1588.	7.1	55
41	Anatomical and psychometric relationships of behavioral neglect in daily living. Neuropsychologia, 2015, 70, 64-70.	1.6	29
42	An anatomical and psychophysical comparison of subjective verticals in patients with right brain damage. Cortex, 2015, 69, 60-67.	2.4	28
43	Two Intrinsic Coupling Types for Resting-State Integration in the Human Brain. Brain Topography, 2015, 28, 318-329.	1.8	53
44	Action-monitoring impairment in anosognosia for hemiplegia. Cortex, 2014, 61, 93-106.	2.4	18
45	Disturbed Mental Imagery of Affected Body-Parts in Patients with Hysterical Conversion Paraplegia Correlates with Pathological Limbic Activity. Brain Sciences, 2014, 4, 396-404.	2.3	12
46	Functional neuro-anatomy of egocentric versus allocentric space representation. Neurophysiologie Clinique, 2014, 44, 33-40.	2.2	39
47	Patients With Left Spatial Neglect Also Neglect the "Left Side―of Time. Psychological Science, 2014, 25, 207-214.	3.3	102
48	Integration of visual and haptic informations in the perception of the vertical in young and old healthy adults and right brain-damaged patients. Neurophysiologie Clinique, 2014, 44, 41-48.	2.2	20
49	Body representations and brain damage. Neurophysiologie Clinique, 2014, 44, 59-67.	2.2	28
50	Denial of Illness. Neuropsychiatric Symptoms of Neurological Disease, 2013, , 189-215.	0.3	5
51	The riddle of anosognosia: Does unawareness of hemiplegia involve a failure to update beliefs?. Cortex, 2013, 49, 1771-1781.	2.4	46
52	Where is straight ahead to a patient with unilateral vestibular loss?. Cortex, 2013, 49, 1219-1228.	2.4	27
53	Prism adaptation enhances activity of intact fronto-parietal areas in both hemispheres in neglect patients. Cortex, 2013, 49, 107-119.	2.4	84
54	Mislocalization of tactile stimuli applied to the trunk in spatial neglect. Cortex, 2013, 49, 2607-2615.	2.4	15

#	Article	IF	CITATIONS
55	Neuroanatomy of space, body, and posture perception in patients with right hemisphere stroke. Neurology, 2013, 81, 1291-1297.	1.1	52
56	On the contribution of unconscious processes to implicit anosognosia. Cognitive Neuroscience, 2013, 4, 198-199.	1.4	4
57	Effects of Pro-Cholinergic Treatment in Patients Suffering from Spatial Neglect. Frontiers in Human Neuroscience, 2013, 7, 574.	2.0	7
58	Spatial Hyperschematia without Spatial Neglect after Insulo-Thalamic Disconnection. PLoS ONE, 2013, 8, e79938.	2.5	4
59	Influence of Spatial Neglect, Hemianopia and Hemispace on the Subjective Vertical. European Neurology, 2012, 68, 240-246.	1.4	6
60	†The anatomy underlying acute versus chronic spatial neglect' also depends on clinical tests. Brain, 2012, 135, e207-e207.	7.6	52
61	Time since stroke influences the impact of hemianopia and spatial neglect on visual-spatial tasks Neuropsychology, 2012, 26, 37-44.	1.3	16
62	Emotional processing and its impact on unilateral neglect and extinction. Neuropsychologia, 2012, 50, 1054-1071.	1.6	25
63	Ipsilateral hyperschematia without spatial neglect after right frontal lesion. Journal of the Neurological Sciences, 2011, 308, 142-143.	0.6	7
64	Bi-Directional Effect of Increasing Doses of Baclofen on Reinforcement Learning. Frontiers in Behavioral Neuroscience, 2011, 5, 40.	2.0	15
65	Do supine position and deprivation of visual environment influence spatial neglect?. Journal of Neurology, 2011, 258, 1288-1294.	3.6	6
66	Hemianopia and Neglect Influence on Straight-Ahead Perception. European Neurology, 2010, 64, 297-303.	1.4	11
67	Functional Brain Imaging in a Woman With Spatial Neglect Due to Conversion Disorder. JAMA - Journal of the American Medical Association, 2009, 302, 2552.	7.4	20
68	The pusher syndrome reverses the orienting bias caused by spatial neglect. Neuropsychologia, 2009, 47, 634-638.	1.6	17
69	Reducing rightward bias of subjective straight ahead in neglect patients by changes in body orientation. Journal of Neurology, Neurosurgery and Psychiatry, 2008, 79, 991-996.	1.9	13
70	Neglect: Remembering the Space Left Behind. Current Biology, 2007, 17, R1060-R1062.	3.9	18
71	Perception of the vertical in patients with right hemispheric lesion: Effect of galvanic vestibular stimulation. Neuropsychologia, 2006, 44, 1509-1512.	1.6	54
72	Ineffectiveness of Prism Adaptation on Spatial Neglect Signs. Stroke, 2006, 37, 542-543.	2.0	96

#	Article	IF	CITATIONS
73	Where is the "straight ahead―in spatial neglect?. Neurology, 2006, 67, 1500-1503.	1.1	28
74	The visual vertical in the pusher syndrome. Journal of Neurology, 2005, 252, 885-891.	3.6	53
75	Subjective Visual Vertical in Pitch and Roll in Right Hemispheric Stroke. Stroke, 2005, 36, 588-591.	2.0	57
76	Effect of Posture on the Perception of Verticality in Neglect Patients. Stroke, 2005, 36, 2203-2205.	2.0	38
77	Straight ahead in spatial neglect. Neurology, 2004, 63, 2136-2138.	1.1	44
78	Effet des stimulations vestibulaires galvaniques sur la verticale visuelle subjective chez les patients négligents. Revue Neurologique, 2004, 160, 89.	1.5	7