
## Koviljka MatuÅjan IlijaÅj

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7543360/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Diagnostic challenge of soft tissue extranodal Hodgkin lymphoma in core-needle biopsy: case report.<br>Scottish Medical Journal, 2021, 66, 40-45.   | 1.3 | 2         |
| 2  | Osteopontin is associated with decreased apoptosis and $\hat{I}\pm\nu$ integrin expression in lung adenocarcinoma. Acta Histochemica, 2014, 116, 222-229.   | 1.8 | 14        |
| 3  | EGFR expression is linked to osteopontin and Nf-κB signaling in clear cell renal cell carcinoma. Clinical and Translational Oncology, 2013, 15, 65-71.  | 2.4 | 17        |
| 4  | Osteopontin expression is an independent factor for poor survival in oral squamous cell carcinoma:<br>a computerâ€assisted analysis on TMA sections. Journal of Oral Pathology and Medicine, 2013, 42,<br>620-626.              | 2.7 | 11        |
| 5  | EGFR protein overexpression correlates with chromosome 7 polysomy and poor prognostic parameters in clear cell renal cell carcinoma. Journal of Biomedical Science, 2012, 19, 40.   | 7.0 | 31        |
| 6  | JAK2-v617F mutation is associated with clinical and laboratory features of myeloproliferative neoplasms. Collegium Antropologicum, 2012, 36, 859-65.  | 0.2 | 8         |
| 7  | Osteopontin expression correlates with nuclear factor-κB activation and apoptosis downregulation in clear cell renal cell carcinoma. Pathology Research and Practice, 2011, 207, 104-110.                                       | 2.3 | 32        |
| 8  | Predicting the Likelihood of Additional Nodal Metastases in Breast Carcinoma Patients With Positive<br>Sentinel Node Biopsy. International Journal of Surgical Pathology, 2010, 18, 36-41.                                      | 0.8 | 16        |
| 9  | Hypoxia inducible factor-1α correlates with vascular endothelial growth factor A and C indicating<br>worse prognosis in clear cell renal cell carcinoma. Journal of Experimental and Clinical Cancer<br>Research, 2009, 28, 40. | 8.6 | 54        |
| 10 | Relationship Between Vascular Endothelial Growth Factor and Nuclear Factor-κB in Renal Cell Tumors.<br>Croatian Medical Journal, 2008, 49, 608-617.   | 0.7 | 27        |
| 11 | Prognostic significance of vascular endothelial growth factor expression in clear cell renal cell carcinoma. Pathology Research and Practice, 2007, 203, 99-106.  | 2.3 | 30        |
| 12 | Osteopontin expression correlates with prognostic variables and survival in clear cell renal cell carcinoma. Journal of Surgical Oncology, 2006, 94, 325-331.   | 1.7 | 38        |
| 13 | Macrophage level is not affected by monocyte chemotactic protein-1 in invasive ductal breast carcinoma. Journal of Cancer Research and Clinical Oncology, 2005, 131, 453-458.   | 2.5 | 26        |
| 14 | Expression of osteopontin and CD44 molecule in papillary renal cell tumors. Pathology and Oncology<br>Research, 2005, 11, 108-113.  | 1.9 | 12        |