Kathleen I Pritchard,, Cm

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7544095/publications.pdf

Version: 2024-02-01

221 papers 40,505 citations

81 h-index ²⁴⁴⁸ 197 g-index

225 all docs

225 docs citations

times ranked

225

31234 citing authors

#	Article	IF	Citations
1	Triple-Negative Breast Cancer: Clinical Features and Patterns of Recurrence. Clinical Cancer Research, 2007, 13, 4429-4434.	7.0	3,807
2	Personalizing the treatment of women with early breast cancer: highlights of the St Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2013. Annals of Oncology, 2013, 24, 2206-2223.	1.2	2,805
3	Everolimus in Postmenopausal Hormone-Receptor–Positive Advanced Breast Cancer. New England Journal of Medicine, 2012, 366, 520-529.	27.0	2,474
4	Comparisons between different polychemotherapy regimens for early breast cancer: meta-analyses of long-term outcome among 100†000 women in 123 randomised trials. Lancet, The, 2012, 379, 432-444.	13.7	1,753
5	A Randomized Trial of Letrozole in Postmenopausal Women after Five Years of Tamoxifen Therapy for Early-Stage Breast Cancer. New England Journal of Medicine, 2003, 349, 1793-1802.	27.0	1,723
6	Adjuvant Chemotherapy Guided by a 21-Gene Expression Assay in Breast Cancer. New England Journal of Medicine, 2018, 379, 111-121.	27.0	1,558
7	Tailoring therapiesâ€"improving the management of early breast cancer: St Gallen International Expert Consensus on the Primary Therapy of Early Breast Cancer 2015. Annals of Oncology, 2015, 26, 1533-1546.	1.2	1,449
8	Prognostic and predictive value of the 21-gene recurrence score assay in postmenopausal women with node-positive, oestrogen-receptor-positive breast cancer on chemotherapy: a retrospective analysis of a randomised trial. Lancet Oncology, The, 2010, 11, 55-65.	10.7	1,252
9	Prospective Validation of a 21-Gene Expression Assay in Breast Cancer. New England Journal of Medicine, 2015, 373, 2005-2014.	27.0	1,146
10	20-Year Risks of Breast-Cancer Recurrence after Stopping Endocrine Therapy at 5 Years. New England Journal of Medicine, 2017, 377, 1836-1846.	27.0	1,052
11	Randomized Trial of Letrozole Following Tamoxifen as Extended Adjuvant Therapy in Receptor-Positive Breast Cancer: Updated Findings from NCIC CTG MA.17. Journal of the National Cancer Institute, 2005, 97, 1262-1271.	6.3	1,048
12	The Effect of Group Psychosocial Support on Survival in Metastatic Breast Cancer. New England Journal of Medicine, 2001, 345, 1719-1726.	27.0	819
13	American Society of Clinical Oncology Technology Assessment on the Use of Aromatase Inhibitors As Adjuvant Therapy for Postmenopausal Women With Hormone Receptor–Positive Breast Cancer: Status Report 2004. Journal of Clinical Oncology, 2005, 23, 619-629.	1.6	810
14	Fasting Insulin and Outcome in Early-Stage Breast Cancer: Results of a Prospective Cohort Study. Journal of Clinical Oncology, 2002, 20, 42-51.	1.6	798
15	Decreased levels of the cell-cycle inhibitor p27Kip1 protein: Prognostic implications in primary breast cancer. Nature Medicine, 1997, 3, 227-230.	30.7	770
16	Proposal for Standardized Definitions for Efficacy End Points in Adjuvant Breast Cancer Trials: The STEEP System. Journal of Clinical Oncology, 2007, 25, 2127-2132.	1.6	709
17	Treatment with trastuzumab for 1 year after adjuvant chemotherapy in patients with HER2-positive early breast cancer: a 4-year follow-up of a randomised controlled trial. Lancet Oncology, The, 2011 , 12 , 236 - 244 .	10.7	575
18	Estimating the Risks of Breast Cancer Radiotherapy: Evidence From Modern Radiation Doses to the Lungs and Heart and From Previous Randomized Trials. Journal of Clinical Oncology, 2017, 35, 1641-1649.	1.6	555

#	Article	IF	Citations
19	Extending Aromatase-Inhibitor Adjuvant Therapy to 10 Years. New England Journal of Medicine, 2016, 375, 209-219.	27.0	507
20	Risk of Menopause During the First Year After Breast Cancer Diagnosis. Journal of Clinical Oncology, 1999, 17, 2365-2365.	1.6	503
21	<i>HER2</i> and Responsiveness of Breast Cancer to Adjuvant Chemotherapy. New England Journal of Medicine, 2006, 354, 2103-2111.	27.0	498
22	Randomized Trial of Long-Term Follow-Up for Early-Stage Breast Cancer: A Comparison of Family Physician Versus Specialist Care. Journal of Clinical Oncology, 2006, 24, 848-855.	1.6	483
23	Everolimus Plus Exemestane in Postmenopausal Patients with HR+ Breast Cancer: BOLERO-2 Final Progression-Free Survival Analysis. Advances in Therapy, 2013, 30, 870-884.	2.9	430
24	Randomized, Double-Blind, Placebo-Controlled Trial of Erythropoietin in Non–Small-Cell Lung Cancer With Disease-Related Anemia. Journal of Clinical Oncology, 2007, 25, 1027-1032.	1.6	392
25	Selective serotonin reuptake inhibitors and breast cancer mortality in women receiving tamoxifen: a population based cohort study. BMJ: British Medical Journal, 2010, 340, c693-c693.	2.3	358
26	Clinical and Genomic Risk to Guide the Use of Adjuvant Therapy for Breast Cancer. New England Journal of Medicine, 2019, 380, 2395-2405.	27.0	349
27	Prognostic Effects of 25-Hydroxyvitamin D Levels in Early Breast Cancer. Journal of Clinical Oncology, 2009, 27, 3757-3763.	1.6	305
28	Effect of Letrozole Versus Placebo on Bone Mineral Density in Women With Primary Breast Cancer Completing 5 or More Years of Adjuvant Tamoxifen: A Companion Study to NCIC CTG MA.17. Journal of Clinical Oncology, 2006, 24, 3629-3635.	1.6	285
29	Adjuvant Treatment and Onset of Menopause Predict Weight Gain After Breast Cancer Diagnosis. Journal of Clinical Oncology, 1999, 17, 120-120.	1.6	278
30	Increasing the dose intensity of chemotherapy by more frequent administration or sequential scheduling: a patient-level meta-analysis of 37â€^298 women with early breast cancer in 26 randomised trials. Lancet, The, 2019, 393, 1440-1452.	13.7	260
31	American Society of Clinical Oncology Clinical Practice Guideline Update on the Use of Pharmacologic Interventions Including Tamoxifen, Raloxifene, and Aromatase Inhibition for Breast Cancer Risk Reduction. Journal of Clinical Oncology, 2009, 27, 3235-3258.	1.6	254
32	Randomized Phase II Study Comparing Two Schedules of Everolimus in Patients With Recurrent/Metastatic Breast Cancer: NCIC Clinical Trials Group IND.163. Journal of Clinical Oncology, 2009, 27, 4536-4541.	1.6	246
33	Adjuvant chemotherapy and timing of tamoxifen in postmenopausal patients with endocrine-responsive, node-positive breast cancer: a phase 3, open-label, randomised controlled trial. Lancet, The, 2009, 374, 2055-2063.	13.7	237
34	Assessment of Quality of Life in MA.17: A Randomized, Placebo-Controlled Trial of Letrozole After 5 Years of Tamoxifen in Postmenopausal Women. Journal of Clinical Oncology, 2005, 23, 6931-6940.	1.6	227
35	Exemestane Versus Anastrozole in Postmenopausal Women With Early Breast Cancer: NCIC CTG MA.27—A Randomized Controlled Phase III Trial. Journal of Clinical Oncology, 2013, 31, 1398-1404.	1.6	218
36	Insulin-Lowering Effects of Metformin in Women with Early Breast Cancer. Clinical Breast Cancer, 2008, 8, 501-505.	2.4	214

#	Article	IF	Citations
37	American Society of Clinical Oncology Technology Assessment on the Use of Aromatase Inhibitors as Adjuvant Therapy for Women With Hormone Receptor–Positive Breast Cancer: Status Report 2002. Journal of Clinical Oncology, 2002, 20, 3317-3327.	1.6	213
38	Helping Patients Make Informed Choices: A Randomized Trial of a Decision Aid for Adjuvant Chemotherapy in Lymph Node-Negative Breast Cancer. Journal of the National Cancer Institute, 2003, 95, 581-587.	6.3	205
39	Correlative Analysis of Genetic Alterations and Everolimus Benefit in Hormone Receptor–Positive, Human Epidermal Growth Factor Receptor 2–Negative Advanced Breast Cancer: Results From BOLERO-2. Journal of Clinical Oncology, 2016, 34, 419-426.	1.6	203
40	Genome-Wide Associations and Functional Genomic Studies of Musculoskeletal Adverse Events in Women Receiving Aromatase Inhibitors. Journal of Clinical Oncology, 2010, 28, 4674-4682.	1.6	196
41	Randomized Trial Comparing Cyclophosphamide, Epirubicin, and Fluorouracil With Cyclophosphamide, Methotrexate, and Fluorouracil in Premenopausal Women With Node-Positive Breast Cancer: Update of National Cancer Institute of Canada Clinical Trials Group Trial MA5. Journal of Clinical Oncology, 2005. 23. 5166-5170.	1.6	189
42	Insulin- and Obesity-Related Variables in Early-Stage Breast Cancer: Correlations and Time Course of Prognostic Associations. Journal of Clinical Oncology, 2012, 30, 164-171.	1.6	180
43	Late Extended Adjuvant Treatment With Letrozole Improves Outcome in Women With Early-Stage Breast Cancer Who Complete 5 Years of Tamoxifen. Journal of Clinical Oncology, 2008, 26, 1948-1955.	1.6	176
44	Evaluation of metformin in early breast cancer: a modification of the traditional paradigm for clinical testing of anti-cancer agents. Breast Cancer Research and Treatment, 2011, 126, 215-220.	2.5	170
45	Cancer Treatment–Induced Bone Loss in Breast and Prostate Cancer. Journal of Clinical Oncology, 2008, 26, 5465-5476.	1.6	164
46	HER-2 and Topoisomerase II As Predictors of Response to Chemotherapy. Journal of Clinical Oncology, 2008, 26, 736-744.	1.6	162
47	Trastuzumab for early-stage, HER2-positive breast cancer: a meta-analysis of 13â€^864 women in seven randomised trials. Lancet Oncology, The, 2021, 22, 1139-1150.	10.7	147
48	A Comparison of Risk Perception and Psychological Morbidity in Women with Ductal Carcinoma in situ and Early Invasive Breast Cancer. Breast Cancer Research and Treatment, 2003, 77, 285-293.	2.5	145
49	Defining Breast Cancer Intrinsic Subtypes by Quantitative Receptor Expression. Oncologist, 2015, 20, 474-482.	3.7	145
50	Randomized Trial of a Telephone-Based Weight Loss Intervention in Postmenopausal Women With Breast Cancer Receiving Letrozole: The LISA Trial. Journal of Clinical Oncology, 2014, 32, 2231-2239.	1.6	141
51	Responsiveness of Intrinsic Subtypes to Adjuvant Anthracycline Substitution in the NCIC.CTG MA.5 Randomized Trial. Clinical Cancer Research, 2012, 18, 2402-2412.	7.0	132
52	Cyclophosphamide, Epirubicin, and Fluorouracil Versus Dose-Dense Epirubicin and Cyclophosphamide Followed by Paclitaxel Versus Doxorubicin and Cyclophosphamide Followed by Paclitaxel in Node-Positive or High-Risk Node-Negative Breast Cancer. Journal of Clinical Oncology, 2010, 28, 77-82.	1.6	131
53	Phase II Trial Evaluating the Palliative Benefit of Second-Line Zoledronic Acid in Breast Cancer Patients With Either a Skeletal-Related Event or Progressive Bone Metastases Despite First-Line Bisphosphonate Therapy. Journal of Clinical Oncology, 2006, 24, 4895-4900.	1.6	130
54	Efficacy, Toxicity, and Quality of Life in Older Women With Early-Stage Breast Cancer Treated With Letrozole or Placebo After 5 Years of Tamoxifen: NCIC CTG Intergroup Trial MA.17. Journal of Clinical Oncology, 2008, 26, 1956-1964.	1.6	130

#	Article	IF	CITATIONS
55	Incidence and Prognostic Impact of Amenorrhea During Adjuvant Therapy in High-Risk Premenopausal Breast Cancer: Analysis of a National Cancer Institute of Canada Clinical Trials Group Study—NCIC CTG MA.5. Journal of Clinical Oncology, 2005, 23, 6002-6008.	1.6	129
56	Why Cancer Patients Enter Randomized Clinical Trials: Exploring the Factors That Influence Their Decision. Journal of Clinical Oncology, 2004, 22, 4312-4318.	1.6	128
57	Adjuvant lapatinib for women with early-stage HER2-positive breast cancer: a randomised, controlled, phase 3 trial. Lancet Oncology, The, 2013, 14, 88-96.	10.7	128
58	Efficacy of Letrozole Extended Adjuvant Therapy According to Estrogen Receptor and Progesterone Receptor Status of the Primary Tumor: National Cancer Institute of Canada Clinical Trials Group MA.17. Journal of Clinical Oncology, 2007, 25, 2006-2011.	1.6	126
59	Quality of Life in a Randomized Trial of Group Psychosocial Support in Metastatic Breast Cancer: Overall Effects of the Intervention and an Exploration of Missing Data. Journal of Clinical Oncology, 2003, 21, 1944-1951.	1.6	124
60	Do adjuvant aromatase inhibitors increase the cardiovascular risk in postmenopausal women with early breast cancer. Cancer, 2008, 112, 260-267.	4.1	119
61	Incidence and time course of everolimus-related adverse events in postmenopausal women with hormone receptor-positive advanced breast cancer: insights from BOLERO-2. Annals of Oncology, 2014, 25, 808-815.	1.2	112
62	Effect of Metformin vs Placebo on and Metabolic Factors in NCIC CTG MA.32. Journal of the National Cancer Institute, 2015, 107, djv006-djv006.	6.3	112
63	Assessment of the prognostic and predictive utility of the Breast Cancer Index (BCI): an NCIC CTG MA.14 study. Breast Cancer Research, 2016, 18, 1.	5.0	110
64	Multidisciplinary weight management in locoregional breast cancer: results of a phase II study. Breast Cancer Research and Treatment, 1998, 48, 53-64.	2.5	107
65	Multicenter, Randomized, Cross-Over Clinical Trial of Venlafaxine Versus Gabapentin for the Management of Hot Flashes in Breast Cancer Survivors. Journal of Clinical Oncology, 2010, 28, 5147-5152.	1.6	106
66	Cost-Effectiveness Analysis of Recurrence Score-Guided Treatment Using a 21-Gene Assay in Early Breast Cancer. Oncologist, 2010, 15, 457-465.	3.7	104
67	Safety and Efficacy of Everolimus With Exemestane vs. Exemestane Alone in Elderly Patients With HER2-Negative, Hormone Receptor–Positive Breast Cancer in BOLERO-2. Clinical Breast Cancer, 2013, 13, 421-432.e8.	2.4	104
68	Insulin-like growth factor binding proteins 1 and 3 and breast cancer outcomes. Breast Cancer Research and Treatment, 2002, 74, 65-76.	2.5	98
69	Health-Related Quality of Life and Psychosocial Status in Breast Cancer Prognosis: Analysis of Multiple Variables. Journal of Clinical Oncology, 2004, 22, 4184-4192.	1.6	98
70	Is tamoxifen effective in prevention of breast cancer? Lancet, The, 1998, 352, 80-81.	13.7	95
71	Therapeutic options for the management of hot flashes in breast cancer survivors: An evidence-based review. Clinical Therapeutics, 2007, 29, 230-241.	2.5	94
72	Risk of Acute Leukemia Following Epirubicin-Based Adjuvant Chemotherapy: A Report From the National Cancer Institute of Canada Clinical Trials Group. Journal of Clinical Oncology, 2003, 21, 3066-3071.	1.6	90

#	Article	IF	Citations
73	The Combination of p53 Mutation and neu/erbB-2 Amplification Is Associated With Poor Survival in Node-Negative Breast Cancer. Journal of Clinical Oncology, 2004, 22, 86-96.	1.6	90
74	Tumor factors predictive of response to hypofractionated radiotherapy in a randomized trial following breast conserving therapy. Annals of Oncology, 2014, 25, 992-998.	1.2	90
75	Duration of letrozole treatment and outcomes in the placebo-controlled NCIC CTG MA.17 extended adjuvant therapy trial. Breast Cancer Research and Treatment, 2006, 99, 295-300.	2.5	89
76	Effect of Everolimus on Bone Marker Levels and Progressive Disease in Bone in BOLERO-2. Journal of the National Cancer Institute, 2013, 105, 654-663.	6.3	88
77	Comparative Efficacy and Safety of Adjuvant Letrozole Versus Anastrozole in Postmenopausal Patients With Hormone Receptor–Positive, Node-Positive Early Breast Cancer: Final Results of the Randomized Phase III Femara Versus Anastrozole Clinical Evaluation (FACE) Trial. Journal of Clinical Oncology, 2017. 35. 1041-1048.	1.6	87
78	Diet and Breast Cancer: Evidence That Extremes in Diet Are Associated With Poor Survival. Journal of Clinical Oncology, 2003, 21, 2500-2507.	1.6	84
79	Aromatase inhibitor therapy: toxicities and management strategies in the treatment of postmenopausal women with hormone-sensitive early breast cancer. Breast Cancer Research and Treatment, 2011, 126, 295-310.	2.5	83
80	Randomized Trial of Tamoxifen Versus Combined Tamoxifen and Octreotide LAR Therapy in the Adjuvant Treatment of Early-Stage Breast Cancer in Postmenopausal Women: NCIC CTG MA.14. Journal of Clinical Oncology, 2011, 29, 3869-3876.	1.6	83
81	Prospective Study of 2-[¹⁸ F]Fluorodeoxyglucose Positron Emission Tomography in the Assessment of Regional Nodal Spread of Disease in Patients With Breast Cancer: An Ontario Clinical Oncology Group Study. Journal of Clinical Oncology, 2012, 30, 1274-1279.	1.6	83
82	Phase I/II Trial of Metronomic Chemotherapy With Daily Dalteparin and Cyclophosphamide, Twice-Weekly Methotrexate, and Daily Prednisone As Therapy for Metastatic Breast Cancer Using Vascular Endothelial Growth Factor and Soluble Vascular Endothelial Growth Factor Receptor Levels As Markers of Response. Journal of Clinical Oncology, 2010, 28, 723-730.	1.6	82
83	American Society of Clinical Oncology Technology Assessment Working Group Update: Use of Aromatase Inhibitors in the Adjuvant Setting. Journal of Clinical Oncology, 2003, 21, 2597-2599.	1.6	81
84	HER2/neu in systemic therapy for women with breast cancer: a systematic review. Breast Cancer Research and Treatment, 2008, 109, 209-229.	2.5	81
85	Healthâ€related quality of life of patients with advanced breast cancer treated with everolimus plus exemestane versus placebo plus exemestane in the phase 3, randomized, controlled, BOLEROâ€2 trial. Cancer, 2013, 119, 1908-1915.	4.1	81
86	The effect of melatonin on sleep and quality of life in patients with advanced breast cancer. Supportive Care in Cancer, 2016, 24, 1097-1105.	2.2	81
87	Aromatase inhibitors in adjuvant therapy for hormone receptor positive breast cancer: A systematic review. Cancer Treatment Reviews, 2008, 34, 157-174.	7.7	80
88	An individual patient-based meta-analysis of tamoxifen versus ovarian ablation as first line endocrine therapy for premenopausal women with metastatic breast cancer. Breast Cancer Research and Treatment, 1997, 44, 201-210.	2.5	79
89	Droloxifene, a new antiestrogen: Its role in metastatic breast cancer. Breast Cancer Research and Treatment, 1994, 31, 83-94.	2.5	77
90	High insulin levels in newly diagnosed breast cancer patients reflect underlying insulin resistance and are associated with components of the insulin resistance syndrome. Breast Cancer Research and Treatment, 2009, 114, 517-525.	2.5	77

#	Article	IF	Citations
91	Ondansetron Compared with Dexamethasone and Metoclopramide as Antiemetics in the Chemotherapy of Breast Cancer with Cyclophosphamide, Methotrexate, and Fluorouracil. New England Journal of Medicine, 1993, 328, 1081-1084.	27.0	76
92	Is Leptin a Mediator of Adverse Prognostic Effects of Obesity in Breast Cancer?. Journal of Clinical Oncology, 2005, 23, 6037-6042.	1.6	76
93	Adjuvant/neoadjuvant trastuzumab therapy in women with HER-2/neu-overexpressing breast cancer: A systematic review. Cancer Treatment Reviews, 2008, 34, 539-557.	7.7	73
94	Bone-Targeted Agents and Skeletal-Related Events in Breast Cancer Patients with Bone Metastases: The State of the Art. Current Oncology, 2012, 19, 259-268.	2.2	73
95	Body radiation exposure in breast cancer radiotherapy: Impact of breast IMRT and virtual wedge compensation techniques. International Journal of Radiation Oncology Biology Physics, 2006, 65, 52-58.	0.8	68
96	Prospective Evaluation of the 21-Gene Recurrence Score Assay for Breast Cancer Decision-Making in Ontario. Journal of Clinical Oncology, 2016, 34, 1065-1071.	1.6	65
97	Biological Significance of Occult Micrometastases in Histologically Negative Axillary Lymph Nodes in Breast Cancer Patients Using the Recent American Joint Committee on Cancer Breast Cancer Staging System. Breast Journal, 2006, 12, 294-301.	1.0	63
98	Serum Lipids and Outcome of Early-stage Breast Cancer: Results of a Prospective Cohort Study. Breast Cancer Research and Treatment, 2005, 94, 135-144.	2.5	62
99	Phase III Study of N,N-Diethyl-2-[4-(Phenylmethyl) Phenoxy]Ethanamine (BMS-217380-01) Combined With Doxorubicin Versus Doxorubicin Alone in Metastatic/Recurrent Breast Cancer: National Cancer Institute of Canada Clinical Trials Group Study MA.19. Journal of Clinical Oncology, 2004, 22, 269-276.	1.6	59
100	Patient-Reported Cognitive Impairment Among Women With Early Breast Cancer Randomly Assigned to Endocrine Therapy Alone Versus Chemoendocrine Therapy: Results From TAILORx. Journal of Clinical Oncology, 2020, 38, 1875-1886.	1.6	59
101	Elevated Bone Turnover Predicts for Bone Metastasis in Postmenopausal Breast Cancer: Results of NCIC CTG MA.14. Journal of Clinical Oncology, 2011, 29, 3605-3610.	1.6	57
102	A randomized crossover trial of tamoxifen versus ovarian ablation for metastatic breast cancer in premenopausal women: A report of the National Cancer Institute of Canada Clinical Trials Group (NCIC CTG) trial MA.1. Breast Cancer Research and Treatment, 1997, 44, 211-215.	2. 5	55
103	Predicting Anthracycline Benefit: <i>TOP2A</i> and CEP17â€"Not Only but Also. Journal of Clinical Oncology, 2015, 33, 1680-1687.	1.6	55
104	The efficacy of bone scanning in the follow-up of patients with operable breast cancer. Breast Cancer Research and Treatment, 1984, 4, 303-307.	2.5	54
105	Randomized Trial of High-Dose Chemotherapy With Autologous Peripheral-Blood Stem-Cell Support Compared With Standard-Dose Chemotherapy in Women With Metastatic Breast Cancer: NCIC MA.16. Journal of Clinical Oncology, 2008, 26, 37-43.	1.6	53
106	Effect of visceral metastases on the efficacy and safety of everolimus in postmenopausal women with advanced breast cancer: Subgroup analysis from the BOLERO-2 study. European Journal of Cancer, 2013, 49, 2621-2632.	2.8	53
107	Prognostic and predictive investigation of PAM50 intrinsic subtypes in the NCIC CTG MA.21 phase III chemotherapy trial. Breast Cancer Research and Treatment, 2015, 149, 439-448.	2.5	50
108	A priori Prediction of Neoadjuvant Chemotherapy Response and Survival in Breast Cancer Patients using Quantitative Ultrasound. Scientific Reports, 2017, 7, 45733.	3.3	49

#	Article	IF	CITATIONS
109	First-Line Bevacizumab-Containing Therapy for Triple-Negative Breast Cancer: Analysis of 585 Patients Treated in the ATHENA Study. Oncology, 2012, 82, 218-227.	1.9	47
110	Genetic Polymorphisms in the Long Noncoding RNA MIR2052HG Offer a Pharmacogenomic Basis for the Response of Breast Cancer Patients to Aromatase Inhibitor Therapy. Cancer Research, 2016, 76, 7012-7023.	0.9	47
111	Endocrine treatment-associated cognitive impairment in breast cancer survivors: evidence from published studies. Breast Cancer Research and Treatment, 2016, 158, 407-420.	2.5	47
112	Effects of adjuvant exemestane versus anastrozole on bone mineral density for women with early breast cancer (MA.27B): a companion analysis of a randomised controlled trial. Lancet Oncology, The, 2014, 15, 474-482.	10.7	45
113	Chemotherapy-Response Monitoring of Breast Cancer Patients Using Quantitative Ultrasound-Based Intra-Tumour Heterogeneities. Scientific Reports, 2017, 7, 10352.	3.3	44
114	Randomised, phase II, placebo-controlled, trial of fulvestrant plus vandetanib in postmenopausal women with bone only or bone predominant, hormone-receptor-positive metastatic breast cancer (MBC): the OCOG ZAMBONEY study. Breast Cancer Research and Treatment, 2014, 146, 153-162.	2.5	43
115	Prognostic factors affecting the natural history of node-negative breast cancer. Breast Cancer Research and Treatment, 2005, 89, 35-45.	2.5	42
116	Incidence of Brain Metastases in Nonmetastatic and Metastatic Breast Cancer: Is There a Role for Screening?. Clinical Breast Cancer, 2020, 20, e54-e64.	2.4	41
117	Randomized trial of group psychosocial support in metastatic breast cancer: the BEST study. Cancer Treatment Reviews, 1996, 22, 91-96.	7.7	40
118	Quantitative ultrasound assessment of breast tumor response to chemotherapy using a multi-parameter approach. Oncotarget, 2016, 7, 45094-45111.	1.8	38
119	Identification of Cancer Care and Protocol Characteristics Associated With Recruitment in Breast Cancer Clinical Trials. Journal of Clinical Oncology, 2008, 26, 4458-4465.	1.6	37
120	Utility of metformin in breast cancer treatment, is neoangiogenesis a risk factor?. Breast Cancer Research and Treatment, 2009, 114, 387-389.	2.5	37
121	Treatment-Associated Musculoskeletal and Vasomotor Symptoms and Relapse-Free Survival in the NCIC CTG MA.27 Adjuvant Breast Cancer Aromatase Inhibitor Trial. Journal of Clinical Oncology, 2015, 33, 265-271.	1.6	36
122	A randomized placebo-controlled study of tamoxifen after adjuvant chemotherapy in premenopausal women with early breast cancer (National Cancer Institute of Canadaâ€"Clinical Trials Group Trial,) Tj ETQq0 0 0	rg B. ⊉/Ove	rlo@onk 10 Tf 50
123	Managing Patients on Endocrine Therapy: Focus on Quality-of-Life Issues. Clinical Cancer Research, 2006, 12, 1056s-1060s.	7.0	33
124	Early Modulation of Circulating MicroRNAs Levels in HER2-Positive Breast Cancer Patients Treated with Trastuzumab-Based Neoadjuvant Therapy. International Journal of Molecular Sciences, 2020, 21, 1386.	4.1	33
125	Adjuvant targeted therapy in early breast cancer. Cancer, 2009, 115, 1154-1168.	4.1	32
126	Obesity and Hormone Therapy in Breast Cancer: An Unfinished Puzzle. Journal of Clinical Oncology, 2010, 28, 3405-3407.	1.6	32

#	Article	IF	CITATIONS
127	Combining endocrine agents with chemotherapy: Which patients and what sequence?. Cancer, 2008, 112, 718-722.	4.1	31
128	Assessment of osteopontin in early breast cancer: correlative study in a randomised clinical trial. Breast Cancer Research, 2014, 16, R8.	5.0	31
129	Adjuvant Therapy for Premenopausal Women With Breast Cancer: Is It Time for Another Paradigm Shift?. Journal of Clinical Oncology, 2002, 20, 4611-4614.	1.6	29
130	Management of HER2-positive breast cancer in Asia: consensus statement from the Asian Oncology Summit 2009. Lancet Oncology, The, 2009, 10, 1077-1085.	10.7	29
131	A comparison of all-subset Cox and accelerated failure time models with Cox step-wise regression for node-positive breast cancer. Breast Cancer Research and Treatment, 1992, 22, 263-272.	2.5	28
132	Is expert breast pathology assessment necessary for the management of ductal carcinoma in situ?. Breast Cancer Research and Treatment, 2004, 87, 265-272.	2.5	28
133	The Use of Endocrine Therapy. Hematology/Oncology Clinics of North America, 1989, 3, 765-805.	2.2	27
134	Menopausal estrogen replacement therapy in women with breast cancer. Cancer, 1995, 75, 1-3.	4.1	27
135	Preliminary Investigation of Focused Ultrasound-Facilitated Drug Delivery for the Treatment of Leptomeningeal Metastases. Scientific Reports, 2018, 8, 9013.	3.3	27
136	The LISA randomized trial of a weight loss intervention in postmenopausal breast cancer. Npj Breast Cancer, 2020, 6, 6.	5.2	26
137	Attitudes of Canadian Oncology Practitioners Toward Psychosocial Interventions in Clinical and Research Settings in Women With Breast Cancer. , 1997, 6, 178-189.		24
138	Current and future directions in medical therapy for breast carcinoma. Cancer, 2000, 88, 3065-3072.	4.1	24
139	Health-related quality of life and disease symptoms in postmenopausal women with HR ⁺ , HER2 ^{â^'} advanced breast cancer treated with everolimus plus exemestane versus exemestane monotherapy. Current Medical Research and Opinion, 2013, 29, 1463-1473.	1.9	24
140	Lapatinib-Related Rash and Breast Cancer Outcome in the ALTTO Phase III Randomized Trial. Journal of the National Cancer Institute, 2016, 108, djw037.	6.3	24
141	Cardiovascular Health and Aromatase Inhibitors. Drugs, 2006, 66, 1727-1740.	10.9	23
142	Adjuvant therapy of the very young woman. Breast, 2007, 16, 136-146.	2.2	22
143	Aromatase Inhibitors in Adjuvant Therapy of Breast Cancer: Before, Instead of, or Beyond Tamoxifen. Journal of Clinical Oncology, 2005, 23, 4850-4852.	1.6	21
144	Use of ErbB-1 and ErbB-2 to Select Endocrine Therapy for Breast Cancer: Will It Play in Peoria?. Journal of Clinical Oncology, 2001, 19, 3795-3797.	1.6	20

#	Article	IF	CITATIONS
145	Hormone Replacement in Women with a History of Breast Cancer. Oncologist, 2001, 6, 353-362.	3.7	20
146	Are HER2 and TOP2A Useful As Prognostic or Predictive Biomarkers for Anthracycline-Based Adjuvant Chemotherapy for Breast Cancer?. Journal of Clinical Oncology, 2009, 27, 3875-3876.	1.6	20
147	Activity of fulvestrant in HER2-overexpressing advanced breast cancer. Annals of Oncology, 2010, 21, 1246-1253.	1.2	20
148	A pilot study of intensive cyclophosphamide, epirubicin and fluorouracil in patients with axillary node positive or locally advanced breast cancer. European Journal of Cancer, 1993, 29, 37-43.	2.8	19
149	Prognostic associations of 25 hydroxy vitamin D in NCIC CTG MA.21, a phase III adjuvant randomized clinical trial of three chemotherapy regimens in high-risk breast cancer. Breast Cancer Research and Treatment, 2015, 150, 605-611.	2.5	19
150	Prospective Evaluation of the Impact of the 21-Gene Recurrence Score Assay on Adjuvant Treatment Decisions for Women with Node-Positive Breast Cancer in Ontario, Canada. Oncologist, 2018, 23, 768-775.	3.7	19
151	Quality of Life From Canadian Cancer Trials Group MA.17R: A Randomized Trial of Extending Adjuvant Letrozole to 10 Years. Journal of Clinical Oncology, 2018, 36, 563-571.	1.6	19
152	Endocrinology and hormone therapy in breast cancer: Endocrine therapy in premenopausal women. Breast Cancer Research, 2005, 7, 70-6.	5.0	18
153	Association of low tumor RNA integrity with response to chemotherapy in breast cancer patients. Breast Cancer Research and Treatment, 2010, 119, 347-356.	2.5	18
154	Phosphoinositide 3-kinase inhibitors in advanced breast cancer: A systematic review and meta-analysis. European Journal of Cancer, 2018, 91, 38-46.	2.8	17
155	Ascertaining Prognosis for Breast Cancer in Node-Negative Patients with Innovative Survival Analysis. Breast Journal, 2006, 12, 37-47.	1.0	16
156	Selective Application of Axillary Node Dissection in Elderly Women with Early Breast Cancer. Annals of Surgical Oncology, 2007, 14, 652-659.	1.5	16
157	Switching from tamoxifen to aromatase inhibitors for adjuvant endocrine therapy in postmenopausal patients with early breast cancer. Cancer Treatment Reviews, 2010, 36, 54-62.	7.7	16
158	Factors associated with endocrine therapy adherence among post-menopausal women treated for early-stage breast cancer in Ontario, Canada. Breast Cancer Research and Treatment, 2020, 179, 217-227.	2.5	16
159	<i>A priori</i> prediction of breast tumour response to chemotherapy using quantitative ultrasound imaging and artificial neural networks. Oncotarget, 2019, 10, 3910-3923.	1.8	16
160	Systemic Adjuvant Therapy for Node-Negative Breast Cancer: Proven or Premature?. Annals of Internal Medicine, 1989, 111, 1.	3.9	15
161	The best use of adjuvant endocrine treatments. Breast, 2003, 12, 497-508.	2.2	15
162	The impact of a breast cancer diagnosis in young women on their relationship with their mothers. Breast, 2014, 23, 50-55.	2.2	15

#	Article	IF	Citations
163	Everolimus for postmenopausal women with advanced breast cancer: Updated results of the BOLERO-2 phase III trial Journal of Clinical Oncology, 2012, 30, 559-559.	1.6	15
164	Review of the Clinical Studies Using the 21-Gene Assay. Oncologist, 2010, 15, 447-456.	3.7	14
165	Enhancing Endocrine Therapy Combination Strategies for the Treatment of Postmenopausal HR+/HER2– Advanced Breast Cancer. Oncologist, 2017, 22, 12-24.	3.7	14
166	The standardization of estrogen receptors. Journal of Steroid Biochemistry and Molecular Biology, 1993, 45, 367-373.	2.5	13
167	The Henrietta Banting Breast Centre database: A model for clinical research utilizing a hospital-based inception cohort. Journal of Clinical Epidemiology, 1995, 48, 779-786.	5.0	13
168	Competing risks of death in younger and older postmenopausal breast cancer patients. World Journal of Clinical Oncology, 2014, 5, 1088.	2.3	13
169	Vitamin D Levels, Vitamin D Receptor Polymorphisms, and Inflammatory Cytokines in Aromatase Inhibitor-Induced Arthralgias: An Analysis of CCTG MA.27. Clinical Breast Cancer, 2018, 18, 78-87.	2.4	13
170	neu/erbB-2 Overexpression and Response to Hormonal Therapy in Premenopausal Women in the Adjuvant Breast Cancer Setting: Will It Play in Peoria? Part II. Journal of Clinical Oncology, 2003, 21, 399-400.	1.6	12
171	Adjuvant and extended adjuvant use of aromatase inhibitors: Reducing the risk of recurrence and distant metastasis. Breast, 2007, 16 , 1 -9.	2.2	11
172	Osteoporosis therapy and outcomes for postmenopausal patients with hormone receptor–positive breast cancer: NCIC CTG MA.27. Cancer, 2017, 123, 2444-2451.	4.1	11
173	Updated results from the international phase III ALTTO trial (BIG 2-06/Alliance N063D). European Journal of Cancer, 2021, 148, 287-296.	2.8	11
174	Long-Term Follow-Up of Women in Trials of Adjuvant Therapy for Breast Cancer: Is It Still Important?. Journal of Clinical Oncology, 2011, 29, 1651-1652.	1.6	10
175	A comparison of four treatment strategies for ductal carcinoma in situ using decision analysis. Cancer, 2001, 92, 23-29.	4.1	9
176	The fox guarding the clinical trial: internal vs. external validity in randomized studies. , 1999, 8, 275-275.		8
177	Optimal Chemotherapy for Women With Breast Cancer: The Plot Thickens. Journal of Clinical Oncology, 2003, 21, 963-964.	1.6	8
178	Endocrine symptoms to predict risk of recurrence?. Lancet Oncology, The, 2008, 9, 1117-1119.	10.7	8
179	A phase I/II trial of epirubicin and docetaxel in locally advanced breast cancer (LABC) on 2-weekly or 3-weekly schedules: NCIC CTG MA.22. SpringerPlus, 2015, 4, 631.	1.2	8
180	Clinical practice guidelines for the care and treatment of breast cancer: 14. The role of hormone replacement therapy in women with a previous diagnosis of breast cancer. Cmaj, 2002, 166, 1017-22.	2.0	8

#	Article	IF	Citations
181	Plasma vascular endothelial growth factor as a predictive biomarker: Door closed?. European Journal of Cancer, 2017, 70, 143-145.	2.8	7
182	Breast Cancer Screening: Beyond Mortality. Journal of Breast Imaging, 2019, 1, 161-165.	1.3	7
183	Association between BMI, vitamin D, and estrogen levels in postmenopausal women using adjuvant letrozole: a prospective study. Npj Breast Cancer, 2020, 6, 22.	5.2	7
184	The association between endocrine therapy use and dementia among post-menopausal women treated for early-stage breast cancer in Ontario, Canada. Journal of Geriatric Oncology, 2020, 11, 1132-1137.	1.0	7
185	Tamoxifen and Hypercalcemia. Annals of Internal Medicine, 1978, 89, 423.	3.9	6
186	Tamoxifen and Metastatic Breast Cancer. Annals of Internal Medicine, 1978, 89, 721.	3.9	5
187	Should Tamoxifen Be Used to Treat Premenopausal Women with Breast Cancer?. Cancer Investigation, 2000, 18, 685-686.	1.3	5
188	Adjuvant endocrine therapies for pre-/perimenopausal women. Breast, 2005, 14, 547-554.	2.2	5
189	Incidence, management, and resolution of noninfectious pneumonitis in BOLERO-2 Journal of Clinical Oncology, 2013, 31, 561-561.	1.6	5
190	Commentary: Anthracyclines in Early-Stage Breast Cancer: Is It the End of an Era?. Oncologist, 2009, 14, 959-962.	3.7	4
191	Octreotide LAR and tamoxifen versus tamoxifen in phase III randomize early breast cancer trials: NCIC CTG MA.14 and NSABP B-29. Breast Cancer Research and Treatment, 2015, 153, 353-360.	2.5	4
192	Identification of early breast cancer patient cohorts who may benefit from lapatinib therapy. European Journal of Cancer, 2016, 56, 85-92.	2.8	4
193	A prognostic factor (PF) index for overall survival in a HER2-negative endocrine-resistant metastatic breast cancer (MBC) population: Analysis from the ATHENA trial Journal of Clinical Oncology, 2013, 31, 555-555.	1.6	4
194	Clinical management and resolution of stomatitis in BOLERO-2 Journal of Clinical Oncology, 2013, 31, 558-558.	1.6	4
195	Phase I studies of fluorouracil, doxorubicin and vinorelbine without (FAN) and with (SUPERFAN) folinic acid in patients with advanced breast cancer. Cancer Chemotherapy and Pharmacology, 1997, 41, 53-60.	2.3	3
196	High levels of uPA and PAI-1 predict a good response to anthracyclines. Breast Cancer Research and Treatment, 2010, 121, 625-626.	2.5	3
197	An update on adjuvant systemic therapy for elderly patients with early breast cancer. Expert Opinion on Pharmacotherapy, 2016, 17, 1881-1888.	1.8	3
198	Attitudes of Canadian Oncology Practitioners Toward Psychosocial Interventions in Clinical and Research Settings in Women With Breast Cancer. Psycho-Oncology, 1997, 6, 178-189.	2.3	3

#	Article	IF	CITATIONS
199	Effect of metformin versus placebo on weight and metabolic factors in initial patients enrolled onto NCIC CTG MA.32, a multicenter adjuvant randomized controlled trial in early-stage breast cancer (BC) Journal of Clinical Oncology, 2013, 31, 1033-1033.	1.6	3
200	Population-based evaluation of 21-gene assay in treatment decision making for early breast cancer in Ontario Journal of Clinical Oncology, 2014, 32, 583-583.	1.6	3
201	ls exercise effective in reducing the risk of breast cancer in postmenopausal women?. Cmaj, 2004, 170, 787-787.	2.0	2
202	A review of exemestane in the management of breast cancer. Expert Opinion on Pharmacotherapy, 2005, 6, 2353-2363.	1.8	2
203	Risk of chemotherapy induced menopause: More detailed data will lead to improved quality of life. European Journal of Cancer, 2007, 43, 1644-1645.	2.8	2
204	Do aromatase inhibitors increase cardiovascular risk? Piecing together the evidence. European Journal of Cancer, 2016, 68, 176-178.	2.8	2
205	Patient-reported physical, emotional, and social functioning in advanced breast cancer: Insights from BOLERO-2 Journal of Clinical Oncology, 2013, 31, 553-553.	1.6	2
206	Randomized phase II placebo-controlled trial of fulvestrant plus vandetanib in postmenopausal women with bone only or bone predominant, hormone receptor-positive metastatic breast cancer (MBC): OCOG Zamboney study—NCT00811369 Journal of Clinical Oncology, 2013, 31, 574-574.	1.6	2
207	The association between endocrine therapy use and osteoporotic fracture among post-menopausal women treated for early-stage breast cancer in Ontario, Canada. Breast, 2021, 60, 295-301.	2.2	2
208	Tailored targeted therapy for all: a realistic and worthwhile objective against. Breast Cancer Research, 2009, 11, S8.	5.0	1
209	Estrogen receptor: is it predictive for response to cytotoxic as well as hormonal therapy?. Breast Cancer Research and Treatment, 2011, 127, 587-588.	2.5	1
210	The 21-gene recurrence score assay in node-negative early breast cancer: Prognostic, predictive or presumptuous?. European Journal of Cancer, 2016, 68, 173-175.	2.8	1
211	An update on treatment for post-menopausal metastatic breast cancer in elderly patients. Expert Opinion on Pharmacotherapy, 2018, 19, 597-609.	1.8	1
212	Endocrine Therapy with Selective Estrogen Receptor Modulators (SERMs) and Aromatase Inhibitors in the Prevention and Adjuvant Therapy Settings. Cancer Treatment and Research, 2009, 147, 1-29.	0.5	1
213	Who should participate in clinical trials and who not? Can clinical trials be made more efficient and effective?. Breast Cancer Research, 2008, 10, S23.	5.0	0
214	Reply to P. Ameri et al. Journal of Clinical Oncology, 2012, 30, 1396-1396.	1.6	0
215	P2â€334: Cognitive Sequelae of Adjuvant Endocrine therapy for the Treatment of Breast Cancer in Older Women: A Feasibility Study. Alzheimer's and Dementia, 2016, 12, P770.	0.8	0
216	Relapse-free survival of statistically standardized continuous RT-PCR estrogen receptor (ER), progesterone receptor (PR), and human epidermal growth factor receptor 2 (HER2): NCIC CTG MA.14. Breast Cancer Research and Treatment, 2016, 157, 101-108.	2.5	0

#	Article	IF	CITATIONS
217	Extended adjuvant therapy: the role of subset analyses. Lancet Oncology, The, 2017, 18, 1431-1433.	10.7	0
218	Identifying research priorities in the treatment of patients with early breast cancer: from the patient perspective. Breast, 2019, 48, S21-S22.	2.2	0
219	Guidelines, Consensus Conferences and Overviews (Meta-analysis). Cancer Treatment and Research, 2009, 151, 63-76.	0.5	0
220	Characterization of patients who received prior chemotherapy for advanced breast cancer (ABC) in BOLERO-2 Journal of Clinical Oncology, 2013, 31, 557-557.	1.6	0
221	The first 10 years experience with genetic testing (GT) for BRCA1/2 mutations in a publicly funded program at a tertiary care teaching hospital in Ontario, Canada Journal of Clinical Oncology, 2013, 31, 1550-1550.	1.6	0