Robert A Schoevers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7545032/publications.pdf

Version: 2024-02-01

190 papers 11,265 citations

42 h-index 94 g-index

199 all docs 199 docs citations

times ranked

199

16370 citing authors

#	Article	IF	CITATIONS
1	Genome-wide association analyses identify 44 risk variants and refine the genetic architecture of major depression. Nature Genetics, 2018, 50, 668-681.	21.4	2,224
2	Analysis of shared heritability in common disorders of the brain. Science, 2018, 360, .	12.6	1,085
3	Mental disorders as networks of problems: a review of recent insights. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 1-10.	3.1	573
4	Association of Symptom Network Structure With the Course of Depression. JAMA Psychiatry, 2015, 72, 1219.	11.0	482
5	A new method for constructing networks from binary data. Scientific Reports, 2014, 4, 5918.	3.3	398
6	Comparing network structures on three aspects: A permutation test Psychological Methods, 2023, 28, 1273-1285.	3.5	284
7	Data-driven subtypes of major depressive disorder: a systematic review. BMC Medicine, 2012, 10, 156.	5 . 5	229
8	Mood disorders in everyday life: A systematic review of experience sampling and ecological momentary assessment studies. Clinical Psychology Review, 2012, 32, 510-523.	11.4	225
9	Measuring depression over time Or not? Lack of unidimensionality and longitudinal measurement invariance in four common rating scales of depression Psychological Assessment, 2016, 28, 1354-1367.	1.5	194
10	The Network Structure of Symptoms of the Diagnostic and Statistical Manual of Mental Disorders. PLoS ONE, 2015, 10, e0137621.	2.5	182
11	CHRONOTYPE ASSOCIATIONS WITH DEPRESSION AND ANXIETY DISORDERS IN A LARGE COHORT STUDY. Depression and Anxiety, 2016, 33, 75-83.	4.1	177
12	Neuroinflammation in bipolar disorder $\hat{a} \in A$ [11C]-(R)-PK11195 positron emission tomography study. Brain, Behavior, and Immunity, 2014, 40, 219-225.	4.1	176
13	Influence of Personality on the Outcome of Treatment in Depression: Systematic Review and Meta-Analysis. Journal of Personality Disorders, 2014, 28, 577-593.	1.4	153
14	The obsessive compulsive spectrum in schizophrenia, a meta-analysis and meta-regression exploring prevalence rates. Schizophrenia Research, 2014, 152, 458-468.	2.0	153
15	Variability in the prevalence of adult ADHD in treatment seeking substance use disorder patients: Results from an international multi-center study exploring DSM-IV and DSM-5 criteria. Drug and Alcohol Dependence, 2014, 134, 158-166.	3. 2	150
16	Data-driven biological subtypes of depression: systematic review of biological approaches to depression subtyping. Molecular Psychiatry, 2019, 24, 888-900.	7.9	139
17	Longitudinal Association Between Depression and Inflammatory Markers: Results From the Netherlands Study of Depression and Anxiety. Biological Psychiatry, 2019, 85, 829-837.	1.3	134
18	The Facts About Sexual (Dys)function in Schizophrenia: An Overview of Clinically Relevant Findings. Schizophrenia Bulletin, 2015, 41, 674-686.	4.3	130

#	Article	IF	Citations
19	Sleep, circadian rhythm, and physical activity patterns in depressive and anxiety disorders: A 2â€week ambulatory assessment study. Depression and Anxiety, 2019, 36, 975-986.	4.1	121
20	Inflammatory and Metabolic Dysregulation and the 2-Year Course of Depressive Disorders in Antidepressant Users. Neuropsychopharmacology, 2014, 39, 1624-1634.	5.4	108
21	Differential associations of specific depressive and anxiety disorders with somatic symptoms. Journal of Psychosomatic Research, 2015, 78, 116-122.	2.6	100
22	Reporting Bias in Clinical Trials Investigating the Efficacy of Second-Generation Antidepressants in the Treatment of Anxiety Disorders. JAMA Psychiatry, 2015, 72, 500.	11.0	92
23	Risk Factors for Depression: Differential Across Age?. American Journal of Geriatric Psychiatry, 2017, 25, 966-977.	1.2	92
24	Inflammatory markers and treatment outcome in treatment resistant depression: A systematic review. Journal of Affective Disorders, 2019, 257, 640-649.	4.1	90
25	Predicting the naturalistic course of depression from a wide range of clinical, psychological, and biological data: a machine learning approach. Translational Psychiatry, 2018, 8, 241.	4.8	87
26	Psychedelic Treatments for Psychiatric Disorders: A Systematic Review and Thematic Synthesis of Patient Experiences in Qualitative Studies. CNS Drugs, 2020, 34, 925-946.	5.9	87
27	Depression profilers and immuno-metabolic dysregulation: Longitudinal results from the NESDA study. Brain, Behavior, and Immunity, 2020, 88, 174-183.	4.1	85
28	Associations between chronotypes and psychological vulnerability factors of depression. Chronobiology International, 2017, 34, 1125-1135.	2.0	80
29	Risk assessment and shared care planning in out-patient forensic psychiatry: cluster randomised controlled trial. British Journal of Psychiatry, 2013, 202, 365-371.	2.8	7 3
30	Reconsidering the prognosis of major depressive disorder across diagnostic boundaries: full recovery is the exception rather than the rule. BMC Medicine, 2017, 15, 215.	5.5	73
31	Diagnostic instability of recurrence and the impact on recurrence rates in depressive and anxiety disorders. Journal of Affective Disorders, 2016, 195, 185-190.	4.1	68
32	The symptomâ€specific efficacy of antidepressant medication vs. cognitive behavioral therapy in the treatment of depression: results from an individual patient data metaâ€analysis. World Psychiatry, 2019, 18, 183-191.	10.4	68
33	Association of Use of Oral Contraceptives With Depressive Symptoms Among Adolescents and Young Women. JAMA Psychiatry, 2020, 77, 52.	11.0	65
34	The network structure of psychopathology in a community sample of preadolescents Journal of Abnormal Psychology, 2016, 125, 599-606.	1.9	62
35	Experience sampling and ecological momentary assessment studies in psychopharmacology: A systematic review. European Neuropsychopharmacology, 2015, 25, 1853-1864.	0.7	59
36	The impact of somatic symptoms on the course of major depressive disorder. Journal of Affective Disorders, 2016, 205, 112-118.	4.1	57

#	Article	IF	Citations
37	Oral ketamine for the treatment of pain and treatment-resistant depression. British Journal of Psychiatry, 2016, 208, 108-113.	2.8	57
38	Depression. Current Opinion in Psychiatry, 2019, 32, 348-354.	6. 3	57
39	Bridging the gap between complexity science and clinical practice by formalizing idiographic theories: a computational model of functional analysis. BMC Medicine, 2020, 18, 99.	5.5	56
40	Longitudinal Predictive Validity of the DSM-5 Anxious Distress Specifier for Clinical Outcomes in a Large Cohort of Patients With Major Depressive Disorder. Journal of Clinical Psychiatry, 2017, 78, 207-213.	2.2	56
41	Personalized feedback on symptom dynamics of psychopathology: A proof-of-principle study. , 2017, 3, 1-11.		54
42	Anxious distress predicts subsequent treatment outcome and side effects in depressed patients starting antidepressant treatment. Journal of Psychiatric Research, 2017, 84, 41-48.	3.1	51
43	Differential associations of locus of control with anxiety, depression and life-events: A five-wave, nine-year study to test stability and change. Journal of Affective Disorders, 2019, 253, 26-34.	4.1	51
44	Mental health stigma and mental health knowledge in Chinese population: a cross-sectional study. BMC Psychiatry, 2020, 20, 323.	2.6	51
45	Basal and LPS-stimulated inflammatory markers and the course of individual symptoms of depression. Translational Psychiatry, 2020, 10, 235.	4.8	48
46	Prediction of 6-yr symptom course trajectories of anxiety disorders by diagnostic, clinical and psychological variables. Journal of Anxiety Disorders, 2016, 44, 92-101.	3.2	47
47	The role of anxious distress in immune dysregulation in patients with major depressive disorder. Translational Psychiatry, 2017, 7, 1268.	4.8	47
48	Doomed for Disorder? High Incidence of Mood and Anxiety Disorders in Offspring of Depressed and Anxious Patients. Journal of Clinical Psychiatry, 2017, 78, e8-e17.	2.2	45
49	Depressive and anxiety disorders in concert–A synthesis of findings on comorbidity in the NESDA study. Journal of Affective Disorders, 2021, 284, 85-97.	4.1	43
50	The circulating levels of CD4+ t helper cells are higher in bipolar disorder as compared to major depressive disorder. Journal of Neuroimmunology, 2018, 319, 28-36.	2.3	42
51	The characteristics of psychotic features in bipolar disorder. Psychological Medicine, 2019, 49, 2036-2048.	4.5	40
52	Social jetlag and depression status: Results obtained from the Netherlands Study of Depression and Anxiety. Chronobiology International, 2018, 35, 1-7.	2.0	39
53	Anxiety sensitivity, its stability and longitudinal association with severity of anxiety symptoms. Scientific Reports, 2019, 9, 4314.	3.3	39
54	Experienced Burden of and Adherence to Smartphone-Based Ecological Momentary Assessment in Persons with Affective Disorders. Journal of Clinical Medicine, 2020, 9, 322.	2.4	38

#	Article	IF	CITATIONS
55	The association between plasma tryptophan catabolites and depression: The role of symptom profiles and inflammation. Brain, Behavior, and Immunity, 2021, 97, 167-175.	4.1	38
56	Interleukin, tumor necrosis factor-α and C-reactive protein profiles in melancholic and non-melancholic depression: A systematic review. Journal of Psychosomatic Research, 2018, 111, 58-68.	2.6	36
57	Cohort profile of the longitudinal Netherlands Study of Depression and Anxiety (NESDA) on etiology, course and consequences of depressive and anxiety disorders. Journal of Affective Disorders, 2021, 287, 69-77.	4.1	36
58	Clinical Staging of Major Depressive Disorder. Journal of Clinical Psychiatry, 2015, 76, 1200-1208.	2.2	36
59	Association between Exposure to HSV1 and Cognitive Functioning in a General Population of Adolescents. The TRAILS Study. PLoS ONE, 2014, 9, e101549.	2.5	33
60	Individual variation in temporal relationships between stress and functional somatic symptoms. Journal of Psychosomatic Research, 2014, 77, 34-39.	2.6	32
61	Low stability of diagnostic classifications of anxiety disorders over time: A six-year follow-up of the NESDA study. Journal of Affective Disorders, 2016, 190, 310-315.	4.1	32
62	Integrated cognitive behavioral therapy for ADHD in adult substance use disorder patients: Results of a randomized clinical trial. Drug and Alcohol Dependence, 2019, 197, 28-36.	3.2	32
63	Commentary: "Consistent Superiority of Selective Serotonin Reuptake Inhibitors Over Placebo in Reducing Depressed Mood in Patients with Major Depression― Frontiers in Psychiatry, 2015, 6, 117.	2.6	31
64	Associations Between Daily Affective Instability and Connectomics in Functional Subnetworks in Remitted Patients with Recurrent Major Depressive Disorder. Neuropsychopharmacology, 2017, 42, 2583-2592.	5.4	31
65	Level and timing of physical activity during normal daily life in depressed and non-depressed individuals. Translational Psychiatry, 2020, 10, 259.	4.8	31
66	Mental health and perceived impact during the first Covid-19 pandemic year: A longitudinal study in Dutch case-control cohorts of persons with and without depressive, anxiety, and obsessive-compulsive disorders. Journal of Affective Disorders, 2022, 305, 85-93.	4.1	30
67	Stability of chronotype over a 7â€year followâ€up period and its association with severity of depressive and anxiety symptoms. Depression and Anxiety, 2020, 37, 466-474.	4.1	28
68	The impact of lifestyle factors on the 2-year course of depressive and/or anxiety disorders. Journal of Affective Disorders, 2014, 159, 73-79.	4.1	27
69	Symptom-Specific Effects of Psychotherapy versus Combined Therapy in the Treatment of Mild to Moderate Depression: A Network Approach. Psychotherapy and Psychosomatics, 2018, 87, 121-123.	8.8	27
70	Biomarker-based subtyping of depression and anxiety disorders using Latent Class Analysis. A NESDA study. Psychological Medicine, 2019, 49, 617-627.	4.5	27
71	Help-seeking behaviors among Chinese people with mental disorders: a cross-sectional study. BMC Psychiatry, 2019, 19, 373.	2.6	27
72	Using person-specific networks in psychotherapy: challenges, limitations, and how we could use them anyway. BMC Medicine, 2020, 18, 345.	5 . 5	27

#	Article	IF	Citations
73	Apathy in early and late-life depression. Journal of Affective Disorders, 2017, 223, 76-81.	4.1	26
74	Childhood trauma exposure in substance use disorder patients with and without ADHD. Addictive Behaviors, 2017, 65, 118-124.	3.0	26
75	Self-monitoring and personalized feedback based on the experiencing sampling method as a tool to boost depression treatment: a protocol of a pragmatic randomized controlled trial (ZELF-i). BMC Psychiatry, 2018, 18, 276.	2.6	26
76	Effects of a lifestyle intervention on psychosocial well-being of severe mentally ill residential patients: ELIPS, a cluster randomized controlled pragmatic trial. Schizophrenia Research, 2018, 199, 407-413.	2.0	25
77	Predictors of persistence of anxiety disorders across the lifespan: a systematic review. Lancet Psychiatry,the, 2021, 8, 428-443.	7.4	25
78	The importance of personality and life-events in anxious depression: from trait to state anxiety. Aging and Mental Health, 2017, 21, 1177-1183.	2.8	24
79	Negative body experience in women with early childhood trauma: associations with trauma severity and dissociation. Högre Utbildning, 2017, 8, 1322892.	3.0	24
80	Disturbances in Hypothalamic-Pituitary-Adrenal Axis and Immunological Activity Differentiating between Unipolar and Bipolar Depressive Episodes. PLoS ONE, 2015, 10, e0133898.	2.5	24
81	Changing the obesogenic environment to improve cardiometabolic health in residential patients with a severe mental illness: cluster randomised controlled trial. British Journal of Psychiatry, 2017, 211, 296-303.	2.8	23
82	N-acetylcysteine as add-on to antidepressant medication in therapy refractory major depressive disorder patients with increased inflammatory activity: study protocol of a double-blind randomized placebo-controlled trial. BMC Psychiatry, 2018, 18, 279.	2.6	22
83	Sex dependent risk factors for mortality after myocardial infarction: individual patient data meta-analysis. BMC Medicine, 2014, 12, 242.	5.5	21
84	Oral esketamine for treatment-resistant depression: rationale and design of a randomized controlled trial. BMC Psychiatry, 2019, 19, 375.	2.6	21
85	Prevention programmes for children of parents with a mood/anxiety disorder: Systematic review of existing programmes and metaâ€analysis of their efficacy. British Journal of Clinical Psychology, 2021, 60, 212-251.	3.5	21
86	Metabolomic profiles discriminating anxiety from depression. Acta Psychiatrica Scandinavica, 2021, 144, 178-193.	4.5	21
87	Multimodal lifestyle intervention using a web-based tool to improve cardiometabolic health in patients with serious mental illness: results of a cluster randomized controlled trial (LION). BMC Psychiatry, 2019, 19, 339.	2.6	20
88	The 9-year clinical course of depressive and anxiety disorders: New NESDA findings. Journal of Affective Disorders, 2021, 295, 1269-1279.	4.1	20
89	Subtypes of Late-Life Depression: A Data-Driven Approach on Cognitive Domains and Physical Frailty. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 141-150.	3.6	20
90	The Impact of Depressive Disorder Symptoms and Subtypes on 6-Year Incidence of Somatic Diseases. Psychotherapy and Psychosomatics, 2018, 87, 308-310.	8.8	19

#	Article	IF	Citations
91	Efficacy of combined oral contraceptives for depressive symptoms and overall symptomatology in premenstrual syndrome: pairwise and network meta-analysis of randomized trials. American Journal of Obstetrics and Gynecology, 2021, 225, 624-633.	1.3	19
92	Risk of Criminal Victimisation in Outpatients with Common Mental Health Disorders. PLoS ONE, 2015, 10, e0128508.	2.5	18
93	Integrated cognitive behavioral therapy for patients with Substance Use Disorder and Comorbid ADHD: Two case presentations. Addictive Behaviors, 2015, 45, 214-217.	3.0	18
94	Diagnosing ADHD during active substance use: Feasible or flawed?. Drug and Alcohol Dependence, 2017, 180, 371-375.	3.2	18
95	Mobile Mental Health Apps in China: Systematic App Store Search. Journal of Medical Internet Research, 2020, 22, e14915.	4.3	18
96	Group-Level Symptom Networks in Depression—Reply. JAMA Psychiatry, 2016, 73, 411.	11.0	16
97	Daily symptom ratings for studying premenstrual dysphoric disorder: A review. Journal of Affective Disorders, 2016, 189, 43-53.	4.1	16
98	Design of the Lifestyle Interventions for severe mentally ill Outpatients in the Netherlands (LION) trial; a cluster randomised controlled study of a multidimensional web tool intervention to improve cardiometabolic health in patients with severe mental illness. BMC Psychiatry, 2017, 17, 107.	2.6	16
99	The Tianjin Mental Health Survey (TJMHS): study rationale, design and methods. International Journal of Methods in Psychiatric Research, 2017, 26, .	2.1	16
100	Patients' and clinicians' perspectives on relevant treatment outcomes in depression: qualitative study. BJPsych Open, 2020, 6, e44.	0.7	16
101	Is ketamine an appropriate alternative to ECT for patients with treatment resistant depression? A systematic review. Journal of Affective Disorders, 2021, 281, 82-89.	4.1	16
102	Brain Changes Associated With Long-Term Ketamine Abuse, A Systematic Review. Frontiers in Neuroanatomy, 2022, 16, 795231.	1.7	16
103	Predictors of the Onset of Manic Symptoms and a (Hypo)Manic Episode in Patients with Major Depressive Disorder. PLoS ONE, 2014, 9, e106871.	2.5	15
104	Effectiveness and cost-effectiveness of cognitive adaptation training as a nursing intervention in long-term residential patients with severe mental illness: study protocol for a randomized controlled trial. Trials, 2015, 16, 49.	1.6	15
105	Symptom Dimensions of Depression and 3-Year Incidence of Dementia. Journal of Geriatric Psychiatry and Neurology, 2016, 29, 99-107.	2.3	15
106	Body image in patients with mental disorders: Characteristics, associations with diagnosis and treatment outcome. Comprehensive Psychiatry, 2017, 74, 53-60.	3.1	15
107	Pharmacodynamic Interactions Between Ketamine and Psychiatric Medications Used in the Treatment of Depression: A Systematic Review. International Journal of Neuropsychopharmacology, 2021, 24, 808-831.	2.1	15
108	Practical Barriers and Facilitators Experienced by Patients, Pharmacists and Physicians to the Implementation of Pharmacogenomic Screening in Dutch Outpatient Hospital Careâ€"An Explorative Pilot Study. Journal of Personalized Medicine, 2020, 10, 293.	2.5	15

#	Article	IF	Citations
109	Validity of the Maudsley Staging Method in Predicting Treatment-Resistant Depression Outcome Using the Netherlands Study of Depression and Anxiety. Journal of Clinical Psychiatry, 2018, 79, 17m11475.	2.2	15
110	Waist circumference and Neutrophil Gelatinase-Associated Lipocalin in late-life depression. Brain, Behavior, and Immunity, 2014, 37, 231-239.	4.1	14
111	Risk assessment by client and case manager for shared decision making in outpatient forensic psychiatry. BMC Psychiatry, 2015, 15, 120.	2.6	14
112	Social exclusion and psychopathology in an online cohort of Moroccan-Dutch migrants: Results of the MEDINA-study. PLoS ONE, 2017, 12, e0179827.	2.5	14
113	Predicting the naturalistic course in anxiety disorders using clinical and biological markers: a machine learning approach. Psychological Medicine, 2022, 52, 57-67.	4.5	14
114	Investigating the relationships between unfavourable habitual sleep and metabolomic traits: evidence from multi-cohort multivariable regression and Mendelian randomization analyses. BMC Medicine, 2021, 19, 69.	5 . 5	14
115	Depression in context of low neuroticism is a risk factor for stroke. Neurology, 2014, 83, 1692-1698.	1.1	13
116	Major depressive disorder is associated with changes in a cluster of serum and urine biomarkers. Journal of Psychosomatic Research, 2019, 125, 109796.	2.6	13
117	Gender Differences in Developing Biomarker-Based Major Depressive Disorder Diagnostics. International Journal of Molecular Sciences, 2020, 21, 3039.	4.1	13
118	Basal and LPS-stimulated inflammatory markers and the course of anxiety symptoms. Brain, Behavior, and Immunity, 2021, 98, 378-387.	4.1	13
119	Defining Anxious Depression in Later Life: A Scaring Heterogeneity in Results. American Journal of Geriatric Psychiatry, 2014, 22, 1375-1378.	1.2	12
120	An actigraphy study investigating sleep in bipolar I patients, unaffected siblings and controls. Journal of Affective Disorders, 2017, 208, 248-254.	4.1	12
121	Comparative responsiveness of generic versus disorder-specific instruments for depression: An assessment in three longitudinal datasets. Depression and Anxiety, 2019, 36, 93-102.	4.1	12
122	Prediction of drop-out and outcome in integrated cognitive behavioral therapy for ADHD and SUD: Results from a randomized clinical trial. Addictive Behaviors, 2020, 103, 106228.	3.0	12
123	PSYCHIATRIC COMORBIDITY DOES NOT ONLY DEPEND ON DIAGNOSTIC THRESHOLDS: AN ILLUSTRATION WITH MAJOR DEPRESSIVE DISORDER AND GENERALIZED ANXIETY DISORDER. Depression and Anxiety, 2016, 33, 143-152.	4.1	11
124	The relationship between depression and executive function and the impact of vascular disease burden in younger and older adults. Age and Ageing, 2017, 46, 697-701.	1.6	11
125	Sociodemographic, Health and Lifestyle, Sampling, and Mental Health Determinants of 24-Hour Motor Activity Patterns: Observational Study. Journal of Medical Internet Research, 2021, 23, e20700.	4.3	11
126	Efficacy of early warning signals and spectral periodicity for predicting transitions in bipolar patients: An actigraphy study. Translational Psychiatry, 2021, 11, 350.	4.8	11

#	Article	IF	Citations
127	Psychometric properties of the Dresden Body Image Questionnaire: A multiple-group confirmatory factor analysis across sex and age in a Dutch non-clinical sample. PLoS ONE, 2017, 12, e0181908.	2.5	11
128	Does CRP predict outcome in bipolar disorder in regular outpatient care?. International Journal of Bipolar Disorders, 2016, 4, 14.	2.2	10
129	Design of a health-economic Markov model to assess cost-effectiveness and budget impact of the prevention and treatment of depressive disorder. Expert Review of Pharmacoeconomics and Outcomes Research, 2021, 21, 1031-1042.	1.4	10
130	Ketamine Treatment for Depression in Patients With a History of Psychosis or Current Psychotic Symptoms. Journal of Clinical Psychiatry, 2021, 82, .	2.2	10
131	Atherosclerosis Decreases the Impact of Neuroticism in Late-Life Depression: Hypothesis of Vascular Apathy. American Journal of Geriatric Psychiatry, 2014, 22, 801-810.	1.2	9
132	Personality and coping in first episode psychosis linked to mental health care use. Psychiatry Research, 2016, 238, 218-224.	3.3	9
133	Does obesity along with major depression or anxiety lead to higher use of health care and costs? A 6-year follow-up study. European Journal of Public Health, 2017, 27, 965-971.	0.3	9
134	Development of Grip self-help: An online patient-tailored self-help intervention for functional somatic symptoms in primary care. Internet Interventions, 2020, 19, 100297.	2.7	9
135	Anxiety in Late-Life Depression: Determinants of the Course of Anxiety and Complete Remission. American Journal of Geriatric Psychiatry, 2021, 29, 336-347.	1.2	9
136	Prevalence of internalizing disorders, symptoms, and traits across age using advanced nonlinear models. Psychological Medicine, 2021, , 1-10.	4.5	9
137	Hormonal contraceptive use and depressive symptoms: systematic review and network meta-analysis of randomised trials. BJPsych Open, 2021, 7, e110.	0.7	9
138	Study design of the Routine Outcome Monitoring for Geriatric Psychiatry & Science (ROM-GPS) project; a cohort study of older patients with affective disorders referred for specialised geriatric mental health care. BMC Psychiatry, 2019, 19, 182.	2.6	8
139	Design and methods of the â€~monitoring outcomes of psychiatric pharmacotherapy' (MOPHAR) monitoring program – a study protocol. BMC Health Services Research, 2019, 19, 125.	2.2	8
140	Fractal biomarker of activity in patients with bipolar disorder. Psychological Medicine, 2021, 51, 1562-1569.	4.5	8
141	Psychosocial factors and cancer incidence (PSY A): Protocol for individual participant data metaâ€analyses. Brain and Behavior, 2021, 11, e2340.	2.2	8
142	Evidence for a Shared Etiological Mechanism of Psychotic Symptoms and Obsessive-Compulsive Symptoms in Patients with Psychotic Disorders and Their Siblings. PLoS ONE, 2015, 10, e0125103.	2.5	8
143	Repeated, low-dose oral esketamine in patients with treatment-resistant depression: pilot study. BJPsych Open, 2022, 8, e4.	0.7	8
144	Statistical power in clinical trials of interventions for mood, anxiety, and psychotic disorders. Psychological Medicine, 2023, 53, 4499-4506.	4.5	8

#	Article	IF	Citations
145	Depression and anxiety in patients with and without sameâ€sex attraction: differences in clinical expression, lifestyle factors, and vulnerability indicators. Brain and Behavior, 2015, 5, e00363.	2.2	7
146	The Effects of Tryptophan on Everyday Interpersonal Encounters and Social Cognitions in Individuals with a Family History of Depression. International Journal of Neuropsychopharmacology, 2015, 18, .	2.1	7
147	Availability of <i>CYP2D6</i> genotyping results in general practitioner and community pharmacy medical records. Pharmacogenomics, 2017, 18, 843-851.	1.3	7
148	Offspring of depressed and anxious patients: Help-seeking after first onset of a mood and/or anxiety disorder. Journal of Affective Disorders, 2018, 227, 618-626.	4.1	7
149	Characteristics of patients expressing an interest in ketamine treatment: results of an online survey. BJPsych Open, 2018, 4, 389-392.	0.7	7
150	Oral S-ketamine effective after deep brain stimulation in severe treatment-resistant depression and extensive comorbidities. BMJ Case Reports, 2021, 14, e238135.	0.5	7
151	Plasma androgens and the presence and course of depression in a large cohort of women. Translational Psychiatry, 2021, 11, 124.	4.8	7
152	Real-World Treatment Costs and Care Utilization in Patients with Major Depressive Disorder With and Without Psychiatric Comorbidities in Specialist Mental Healthcare. Pharmacoeconomics, 2021, 39, 721-730.	3.3	7
153	The Anaesthetic Biobank of Cerebrospinal fluid: a unique repository for neuroscientific biomarker research. Annals of Translational Medicine, 2021, 9, 455-455.	1.7	7
154	Individual and common patterns in the order of symptom improvement during outpatient treatment for major depression. Journal of Affective Disorders, 2021, 290, 81-88.	4.1	7
155	Common and specific determinants of 9-year depression and anxiety course-trajectories: A machine-learning investigation in the Netherlands Study of Depression and Anxiety (NESDA) Journal of Affective Disorders, 2021, 293, 295-304.	4.1	7
156	The association between herpes virus infections and functional somatic symptoms in a general population of adolescents. The TRAILS study. PLoS ONE, 2017, 12, e0185608.	2.5	7
157	Medication Discrepancies at Outpatient Departments for Mood and Anxiety Disorders in the Netherlands. Journal of Clinical Psychiatry, 2016, 77, 1511-1518.	2.2	7
158	Trapped: rigidity in psychiatric disorders. Lancet Psychiatry,the, 2021, 8, 1022-1024.	7.4	7
159	The antidepressant effect and safety of non-intranasal esketamine: A systematic review. Journal of Psychopharmacology, 2022, 36, 531-544.	4.0	7
160	Monitoring of somatic parameters at outpatient departments for mood and anxiety disorders. PLoS ONE, 2018, 13, e0200520.	2.5	6
161	Metabolic Syndrome at an Outpatient Clinic for Bipolar Disorders: A Case for Systematic Somatic Monitoring. Psychiatric Services, 2019, 70, 143-146.	2.0	6
162	Validity of the ADHD module of the Mini International Neuropsychiatric Interview PLUS for screening of adult ADHD in treatment seeking substance use disorder patients: ADHD screening with MINI-Plus. Revista De PsiquiatrÃa Y Salud Mental, 2020, , .	1.8	6

#	Article	IF	CITATIONS
163	Changes in winter depression phenotype correlate with white blood cell gene expression profiles: A combined metagene and gene ontology approach. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2015, 58, 8-14.	4.8	5
164	Involving relatives in emergency psychiatry: an observational patientâ€control study in a crisis resolution and home treatment team. Journal of Family Therapy, 2018, 40, 584-601.	1.0	5
165	Associations between testosterone and metabolic syndrome in depressed and nonâ€depressed older men and women. International Journal of Geriatric Psychiatry, 2019, 34, 463-471.	2.7	5
166	The clinical effectiveness of an algorithm-guided treatment program for depression in specialized mental healthcare: A comparison with efficacy trials. Journal of Affective Disorders, 2020, 275, 216-223.	4.1	5
167	Identifying mismatch and match between clinical needs and mental healthcare use trajectories in people with anxiety and depression: Results of a longitudinal study. Journal of Affective Disorders, 2022, 297, 657-670.	4.1	5
168	Early developmental, temperamental and educational problems in †substance use disorder†patients with and without ADHD. Does ADHD make a difference?. Addictive Behaviors Reports, 2015, 2, 13-18.	1.9	4
169	Commentary Letter to the Editor on the Study of Mangino et al.: Euthanasia and Assisted Suicide of Persons with Dementia. American Journal of Geriatric Psychiatry, 2020, 28, 1229-1230.	1.2	4
170	Effectiveness of Emotional Memory Reactivation vs Control Memory Reactivation Before Electroconvulsive Therapy in Adult Patients With Depressive Disorder. JAMA Network Open, 2020, 3, e2012389.	5.9	4
171	"…and How Are the Kids?―Psychoeducation for Adult Patients With Depressive and/or Anxiety Disorders: A Pilot Study. Frontiers in Psychiatry, 2019, 10, 4.	2.6	3
172	Group Cognitive Behavioural Analysis System of Psychotherapy (CBASP) for persistently depressed outpatients: a retrospective chart review. British Journal of Clinical Psychology, 2020, 59, 552-564.	3.5	3
173	Investigating data-driven biological subtypes of psychiatric disorders using specification-curve analysis. Psychological Medicine, 2020, , 1-12.	4.5	3
174	Toxoplasma gondii seropositivity in patients with depressive and anxiety disorders. Brain, Behavior, & Immunity - Health, 2021, 11, 100197.	2.5	3
175	More than costâ€effectiveness? Applying a secondâ€stage filter to improve policy decision making. Health Expectations, 2021, 24, 1413-1423.	2.6	3
176	Predicting Initial Specialist Mental Health Care Use in Adolescence Using Self-, Parent-, and Teacher-Reported Problem Behavior. Journal of Clinical Psychiatry, 2018, 79, .	2.2	3
177	Paternal and maternal depression and offspring risk: additive effects or worse?. Lancet Psychiatry,the, 2018, 5, 107-108.	7.4	2
178	No evidence for decreased D2/3 receptor availability and frontal hypoperfusion in subjects with compulsive pornography use. Psychiatry Research - Neuroimaging, 2021, 311, 111284.	1.8	2
179	No antidepressant effects of low intensity transcranial pulsed electromagnetic fields for treatment resistant depression. Journal of Affective Disorders, 2021, 294, 679-685.	4.1	2
180	Coping with a life event in bipolar disorder: ambulatory measurement, signalling and early treatment. BMJ Case Reports, 2016, 2016, bcr2016216123.	0.5	2

#	Article	IF	CITATIONS
181	The effects of acute tryptophan depletion on speech and behavioural mimicry in individuals at familial risk for depression. Journal of Psychopharmacology, 2016, 30, 303-311.	4.0	1
182	Aspirin for recurrence prevention in bipolar disorderâ€"Promising, yet clinically understudied?. Bipolar Disorders, 2019, 21, 13-15.	1.9	1
183	Investigating Data-driven Biological Subtypes of Psychiatric Disorders Using Specification-Curve Analysis – ERRATUM. Psychological Medicine, 2021, , 1-1.	4.5	1
184	Reduction in Suicidal Ideation Following Repeated Doses of Intravenous Ketamine?. Journal of Clinical Psychiatry, 2017, 78, e71-e71.	2.2	1
185	Lack of analgesic effects of transcranial pulsed electromagnetic field stimulation in neuropathic pain patients: A randomized double-blind crossover trial. Neuroscience Letters, 2019, 699, 212-216.	2.1	1
186	Authors' reply. British Journal of Psychiatry, 2016, 209, 435-436.	2.8	0
187	Methodological differences as an explanation for the divergent results of studies on sexual dysfunction related to the use of vortioxetine. Journal of Psychopharmacology, 2017, 31, 389-390.	4.0	O
188	Episode detection based on personalized intensity of care thresholds: a schizophrenia case study. Social Science and Medicine, 2021, 270, 113507.	3.8	0
189	The Ketamine Side Effect Tool (KSET): A comprehensive measurement-based safety tool for ketamine treatment in psychiatry. Journal of Affective Disorders, 2022, , .	4.1	O
190	Negative cognitive schema modification as mediator of symptom improvement after electroconvulsive therapy in major depressive disorder. Journal of Affective Disorders, 2022, 310, 156-161.	4.1	0