

David Kennedy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7546232/publications.pdf>

Version: 2024-02-01

60
papers

9,978
citations

66234

42
h-index

128067

60
g-index

67
all docs

67
docs citations

67
times ranked

8428
citing authors

#	ARTICLE	IF	CITATIONS
1	Electrically conductive bacterial nanowires produced by <i>Shewanella oneidensis</i> strain MR-1 and other microorganisms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 11358-11363.	3.3	1,629
2	Quantifying community assembly processes and identifying features that impose them. <i>ISME Journal</i> , 2013, 7, 2069-2079.	4.4	1,354
3	Biogenic iron mineralization accompanying the dissimilatory reduction of hydrous ferric oxide by a groundwater bacterium. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 3239-3257.	1.6	712
4	Bacterial reduction of crystalline Fe (super 3+) oxides in single phase suspensions and subsurface materials. <i>American Mineralogist</i> , 1998, 83, 1426-1443.	0.9	324
5	c-Type Cytochrome-Dependent Formation of U(IV) Nanoparticles by <i>Shewanella oneidensis</i> . <i>PLoS Biology</i> , 2006, 4, e268.	2.6	310
6	Reduction of U(VI) in goethite (α -FeOOH) suspensions by a dissimilatory metal-reducing bacterium. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3085-3098.	1.6	309
7	Dechlorination of Carbon Tetrachloride by Fe(II) Associated with Goethite. <i>Environmental Science & Technology</i> , 2000, 34, 4606-4613.	4.6	296
8	Groundwater-surface water mixing shifts ecological assembly processes and stimulates organic carbon turnover. <i>Nature Communications</i> , 2016, 7, 11237.	5.8	290
9	Dissimilatory Reduction of Fe(III) and Other Electron Acceptors by a <i>Thermus</i> Isolate. <i>Applied and Environmental Microbiology</i> , 1999, 65, 1214-1221.	1.4	260
10	Inhibition of Bacterial U(VI) Reduction by Calcium. <i>Environmental Science & Technology</i> , 2003, 37, 1850-1858.	4.6	254
11	Geomicrobiology of High-Level Nuclear Waste-Contaminated Vadose Sediments at the Hanford Site, Washington State. <i>Applied and Environmental Microbiology</i> , 2004, 70, 4230-4241.	1.4	247
12	Isolation of a High-Affinity Functional Protein Complex between OmcA and MtrC: Two Outer Membrane Decaheme c-Type Cytochromes of <i>Shewanella oneidensis</i> MR-1. <i>Journal of Bacteriology</i> , 2006, 188, 4705-4714.	1.0	227
13	Bioreduction of hematite nanoparticles by the dissimilatory iron reducing bacterium <i>Shewanella oneidensis</i> MR-1. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 962-976.	1.6	216
14	Identification and Characterization of MtoA: A Decaheme c-Type Cytochrome of the Neutrophilic Fe(II)-Oxidizing Bacterium <i>Sideroxydans lithotrophicus</i> ES-1. <i>Frontiers in Microbiology</i> , 2012, 3, 37.	1.5	186
15	Reduction of TcO_4^- by sediment-associated biogenic Fe(II). <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 3171-3187.	1.6	184
16	Mineral transformations associated with the microbial reduction of magnetite. <i>Chemical Geology</i> , 2000, 169, 299-318.	1.4	180
17	A trans-outer membrane porin-cytochrome protein complex for extracellular electron transfer by <i>Geobacter sulfurreducens</i> ...PCA. <i>Environmental Microbiology Reports</i> , 2014, 6, 776-785.	1.0	178
18	Influence of Mn oxides on the reduction of uranium(VI) by the metal-reducing bacterium <i>Shewanella putrefaciens</i> . <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 3247-3262.	1.6	170

#	ARTICLE	IF	CITATIONS
19	Biotransformation of two-line silica-ferrihydrate by a dissimilatory Fe(III)-reducing bacterium: formation of carbonate green rust in the presence of phosphate. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 2799-2814.	1.6	164
20	Contribution of Extracellular Polymeric Substances from <i>Shewanella</i> sp. HRCR-1 Biofilms to U(VI) Immobilization. <i>Environmental Science & Technology</i> , 2011, 45, 5483-5490.	4.6	149
21	Deterministic influences exceed dispersal effects on hydrologically connected microbiomes. <i>Environmental Microbiology</i> , 2017, 19, 1552-1567.	1.8	143
22	Extracellular Reduction of Hexavalent Chromium by Cytochromes MtrC and OmcA of <i>Shewanella oneidensis</i> MR-1. <i>Applied and Environmental Microbiology</i> , 2011, 77, 4035-4041.	1.4	140
23	Metal Reduction and Iron Biomineralization by a Psychrotolerant Fe(III)-Reducing Bacterium, <i>Shewanella</i> sp. Strain PV-4. <i>Applied and Environmental Microbiology</i> , 2006, 72, 3236-3244.	1.4	132
24	Microbial Reduction of Structural Fe(III) in Illite and Goethite. <i>Environmental Science & Technology</i> , 2003, 37, 1268-1276.	4.6	128
25	Direct Involvement of Type II Secretion System in Extracellular Translocation of <i>Shewanella oneidensis</i> Outer Membrane Cytochromes MtrC and OmcA. <i>Journal of Bacteriology</i> , 2008, 190, 5512-5516.	1.0	113
26	Influences of organic carbon speciation on hyporheic corridor biogeochemistry and microbial ecology. <i>Nature Communications</i> , 2018, 9, 585.	5.8	110
27	Vertical stratification of subsurface microbial community composition across geological formations at the Hanford Site. <i>Environmental Microbiology</i> , 2012, 14, 414-425.	1.8	100
28	Redox Reactions of Reduced Flavin Mononucleotide (FMN), Riboflavin (RBF), and Anthraquinone-2,6-disulfonate (AQDS) with Ferrihydrate and Lepidocrocite. <i>Environmental Science & Technology</i> , 2012, 46, 11644-11652.	4.6	98
29	Impacts of <i>Shewanella oneidensis</i> cytochromes on aerobic and anaerobic respiration. <i>Microbial Biotechnology</i> , 2010, 3, 455-466.	2.0	91
30	Role of outer membrane cytochromes MtrC and OmcA in the biomineralization of ferrihydrite by <i>Shewanella oneidensis</i> MR-1. <i>Geobiology</i> , 2010, 8, 56-68.	1.1	91
31	Coupling Spatiotemporal Community Assembly Processes to Changes in Microbial Metabolism. <i>Frontiers in Microbiology</i> , 2016, 7, 1949.	1.5	87
32	Ferrous hydroxy carbonate is a stable transformation product of biogenic magnetite. <i>American Mineralogist</i> , 2005, 90, 510-515.	0.9	75
33	Hydrogenase and outer membrane cytochrome facilitated reduction of technetium(VII) by <i>Shewanella oneidensis</i> MR-1. <i>Environmental Microbiology</i> , 2008, 10, 125-136.	1.8	74
34	Modeling the Inhibition of the Bacterial Reduction of U(VI) by \hat{I}^2 -MnO ₂ (s). <i>Environmental Science & Technology</i> , 2002, 36, 1452-1459.	4.6	67
35	Reductive biotransformation of Fe in shale limestone saprolite containing Fe(III) oxides and Fe(II)/Fe(III) phyllosilicates. <i>Geochimica Et Cosmochimica Acta</i> , 2006, 70, 3662-3676.	1.6	67
36	Dispersal limitation and thermodynamic constraints govern spatial structure of permafrost microbial communities. <i>FEMS Microbiology Ecology</i> , 2018, 94, .	1.3	62

#	ARTICLE	IF	CITATIONS
37	Multi 'omics comparison reveals metabolome biochemistry, not microbiome composition or gene expression, corresponds to elevated biogeochemical function in the hyporheic zone. <i>Science of the Total Environment</i> , 2018, 642, 742-753.	3.9	60
38	Carbon Inputs From Riparian Vegetation Limit Oxidation of Physically Bound Organic Carbon Via Biochemical and Thermodynamic Processes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 3188-3205.	1.3	58
39	Oxidative dissolution potential of biogenic and abiogenic TcO ₂ in subsurface sediments. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 2299-2313.	1.6	54
40	Structural Similarities between Biogenic Uraninites Produced by Phylogenetically and Metabolically Diverse Bacteria. <i>Environmental Science & Technology</i> , 2009, 43, 8295-8301.	4.6	50
41	Electron donor-independent radionuclide reduction and nanoparticle formation by <i>Anaeromyxobacter dehalogenans</i> strain 2CP. <i>Environmental Microbiology</i> , 2009, 11, 534-543.	1.8	49
42	Competitive Reduction of Perchnetate (⁹⁹ TcO ₄ ⁻) by Dissimilatory Metal Reducing Bacteria and Biogenic Fe(II). <i>Environmental Science & Technology</i> , 2011, 45, 951-957.	4.6	48
43	Distribution of Microbial Biomass and Potential for Anaerobic Respiration in Hanford Site 300 Area Subsurface Sediment. <i>Applied and Environmental Microbiology</i> , 2012, 78, 759-767.	1.4	46
44	Geochemical and Microbial Community Attributes in Relation to Hyporheic Zone Geological Facies. <i>Scientific Reports</i> , 2017, 7, 12006.	1.6	40
45	Manganese sulfide formation via concomitant microbial manganese oxide and thiosulfate reduction. <i>Environmental Microbiology</i> , 2011, 13, 3275-3288.	1.8	39
46	Fe-phylosilicate redox cycling organisms from a redox transition zone in Hanford 300 Area sediments. <i>Frontiers in Microbiology</i> , 2013, 4, 388.	1.5	38
47	Microbial Reductive Transformation of Phyllosilicate Fe(III) and U(VI) in Fluvial Subsurface Sediments. <i>Environmental Science & Technology</i> , 2012, 46, 3721-3730.	4.6	34
48	Identification and Characterization of UndA _{HRCR-6} , an Outer Membrane Endecaheme c-Type Cytochrome of <i>Shewanella</i> sp. Strain HRCR-6. <i>Applied and Environmental Microbiology</i> , 2011, 77, 5521-5523.	1.4	32
49	Nitrate bioreduction in redox-variable low permeability sediments. <i>Science of the Total Environment</i> , 2016, 539, 185-195.	3.9	32
50	Coupling among Microbial Communities, Biogeochemistry and Mineralogy across Biogeochemical Facies. <i>Scientific Reports</i> , 2016, 6, 30553.	1.6	26
51	Biogeochemical cycling at the aquatic-terrestrial interface is linked to parafluvial hyporheic zone inundation history. <i>Biogeosciences</i> , 2017, 14, 4229-4241.	1.3	25
52	The influence of cultivation methods on <i>Shewanella oneidensis</i> physiology and proteome expression. <i>Archives of Microbiology</i> , 2008, 189, 313-324.	1.0	21
53	Colonization Habitat Controls Biomass, Composition, and Metabolic Activity of Attached Microbial Communities in the Columbia River Hyporheic Corridor. <i>Applied and Environmental Microbiology</i> , 2017, 83, .	1.4	20
54	Redox transformation and reductive immobilization of Cr(VI) in the Columbia River hyporheic zone sediments. <i>Journal of Hydrology</i> , 2017, 555, 278-287.	2.3	18

#	ARTICLE	IF	CITATIONS
55	CaUO ₂ CO ₃ Complexation Implications for Bioremediation of UVI. <i>Physica Scripta</i> , 2005, , 915.	1.2	15
56	The Role of Bacterial Exopolymers in Metal Sorption and Reduction. <i>Microscopy and Microanalysis</i> , 2005, 11, .	0.2	12
57	Distinct temporal diversity profiles for nitrogen cycling genes in a hyporheic microbiome. <i>PLoS ONE</i> , 2020, 15, e0228165.	1.1	12
58	Single-cell genomics reveals metabolic strategies for microbial growth and survival in an oligotrophic aquifer. <i>Microbiology (United Kingdom)</i> , 2014, 160, 362-372.	0.7	10
59	Biogenic Mineral Formation by Iron Reducing Bacteria. <i>Microscopy and Microanalysis</i> , 2001, 7, 756-757.	0.2	3
60	TEM Approach in Investigations of Microbially Assisted Uranium Reduction. <i>Microscopy and Microanalysis</i> , 2002, 8, 750-751.	0.2	0