## Torsten Pietsch

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7546298/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Treatment of embryonal tumors with multilayered rosettes with carboplatin/etoposide induction and high-dose chemotherapy within the prospective P-HIT trial. Neuro-Oncology, 2022, 24, 127-137.	1.2	9
2	Clinical and molecular characterization of isolated M1 disease in pediatric medulloblastoma: experience from the German HIT-MED studies. Journal of Neuro-Oncology, 2022, 157, 37-48.	2.9	2
3	Magnetic Resonance Imaging Characteristics of Molecular Subgroups in Pediatric H3ÂK27M Mutant Diffuse Midline Glioma. Clinical Neuroradiology, 2022, 32, 249-258.	1.9	8
4	Evaluation of dose, volume, and outcome in children with localized, intracranial ependymoma treated with proton therapy within the prospective KiProReg Study. Neuro-Oncology, 2022, 24, 1193-1202.	1.2	11
5	Molecular pathological insights reveal a high number of unfavorable risk patients among children treated for medulloblastoma and CNSâ€PNET in Oslo 2005–2017. Pediatric Blood and Cancer, 2022, , e29736.	1.5	0
6	MEDB-51. Impact of residual tumor on outcomes in children and adolescents with medulloblastoma in the German HIT-cohort. Neuro-Oncology, 2022, 24, i118-i118.	1.2	0
7	MEDB-37. Chemotherapy response prediction by molecular risk factors in metastatic childhood medulloblastoma. Neuro-Oncology, 2022, 24, i113-i113.	1.2	0
8	Pediatric high-grade gliomas and the WHO CNS Tumor Classification—Perspectives of pediatric neuro-oncologists and neuropathologists in light of recent updates. Neuro-Oncology Advances, 2022, 4, .	0.7	3
9	Radiotherapy and olaptesed pegol (NOX-A12) in partially resected or biopsy-only MGMT-unmethylated glioblastoma: Interim data from the German multicenter phase 1/2 GLORIA trial Journal of Clinical Oncology, 2022, 40, 2050-2050.	1.6	1
10	CTLA4 promoter methylation predicts response and progression-free survival in stage IV melanoma treated with anti-CTLA-4 immunotherapy (ipilimumab). Cancer Immunology, Immunotherapy, 2021, 70, 1781-1788.	4.2	22
11	<scp><i>MGMT</i></scp> promoter methylation analysis for allocating combined <scp>CCNU</scp> / <scp>TMZ</scp> chemotherapy: Lessons learned from the <scp>CeTeG</scp> / <scp>NOA</scp> â€09 trial. International Journal of Cancer, 2021, 148, 1695-1707.	5.1	11
12	Supratentorial ependymoma in childhood: more than just RELA or YAP. Acta Neuropathologica, 2021, 141, 455-466.	7.7	37
13	Inhibition of Intercellular Cytosolic Traffic via Gap Junctions Reinforces Lomustine-Induced Toxicity in Glioblastoma Independent of MGMT Promoter Methylation Status. Pharmaceuticals, 2021, 14, 195.	3.8	7
14	Chemotherapy for adult patients with spinal cord gliomas. Neuro-Oncology Practice, 2021, 8, 475-484.	1.6	1
15	Meclofenamate causes loss of cellular tethering and decoupling of functional networks in glioblastoma. Neuro-Oncology, 2021, 23, 1885-1897.	1.2	23
16	Telomerase reverse transcriptase promoter mutation– and O6-methylguanine DNA methyltransferase promoter methylation–mediated sensitivity to temozolomide in isocitrate dehydrogenase–wild-type glioblastoma: is there a link?. European Journal of Cancer, 2021, 147, 84-94.	2.8	10
17	Medulloblastoma in Adults: Cytogenetic Phenotypes Identify Prognostic Subgroups. Journal of Neuropathology and Experimental Neurology, 2021, 80, 419-430.	1.7	7
18	Pediatric ependymoma: an overview of a complex disease. Child's Nervous System, 2021, 37, 2451-2463.	1.1	26

TORSTEN PIETSCH

#	Article	IF	CITATIONS
19	No evidence to support the impact of migration background on treatment response rates and cancer survival: a retrospective matched-pair analysis in Germany. BMC Cancer, 2021, 21, 526.	2.6	3
20	Molecular profiling of pediatric meningiomas shows tumor characteristics distinct from adult meningiomas. Acta Neuropathologica, 2021, 142, 873-886.	7.7	12
21	Transitioning to molecular diagnostics in pediatric high-grade glioma: experiences with the 2016 WHO classification of CNS tumors. Neuro-Oncology Advances, 2021, 3, vdab113.	0.7	2
22	Local and systemic therapy of recurrent ependymoma in children and adolescents: short- and long-term results of the E-HIT-REZ 2005 study. Neuro-Oncology, 2021, 23, 1012-1023.	1.2	19
23	High frequency of disease progression in pediatric spinal cord low-grade glioma (LGG): management strategies and results from the German LGG study group. Neuro-Oncology, 2021, 23, 1148-1162.	1.2	9
24	Systemic chemotherapy of pediatric recurrent ependymomas: results from the German HIT-REZ studies. Journal of Neuro-Oncology, 2021, 155, 193-202.	2.9	6
25	BIOM-08. DNA METHYLATION-BASED SUBGROUPING PREDICTS SURVIVAL BENEFIT FROM LOMUSTINE/TEMOZOLOMID COMBINATION THERAPY IN MGMT PROMOTOR-METHYLATED GLIOBLASTOMA. Neuro-Oncology, 2021, 23, vi11-vi11.	1.2	0
26	CTNI-43. CXCL12 INHIBITION IN MGMT UNMETHYLATED GLIOBLASTOMA – RESULTS OF AN EARLY PROOF-OF-CONCEPT ASSESSMENT IN THE MULTICENTRIC PHASE I/II GLORIA TRIAL (NCTO4121455). Neuro-Oncology, 2021, 23, vi69-vi69.	1.2	0
27	Bevacizumab versus alkylating chemotherapy in recurrent glioblastoma. Journal of Cancer Research and Clinical Oncology, 2020, 146, 659-670.	2.5	14
28	Molecular, clinicopathological, and immune correlates of LAG3 promoter DNA methylation in melanoma. EBioMedicine, 2020, 59, 102962.	6.1	31
29	Ependymomas in infancy: underlying genetic alterations, histological features, and clinical outcome. Child's Nervous System, 2020, 36, 2693-2700.	1.1	14
30	CDKN2A deletion in supratentorial ependymoma with RELA alteration indicates a dismal prognosis: a retrospective analysis of the HIT ependymoma trial cohort. Acta Neuropathologica, 2020, 140, 405-407.	7.7	30
31	Loss of efficacy of subsequent nonsurgical therapy after primary treatment failure in pediatric lowâ€grade glioma patients—Report from the German <scp>SIOP‣GG</scp> 2004 cohort. International Journal of Cancer, 2020, 147, 3471-3489.	5.1	19
32	Prognostic and predictive value of PD-L2 DNA methylation and mRNA expression in melanoma. Clinical Epigenetics, 2020, 12, 94.	4.1	26
33	Prognostic impact of distinct genetic entities in pediatric diffuse glioma <scp>WHO</scp> â€grade <scp>II</scp> —Report from the German/Swiss <scp>SIOPâ€LGG</scp> 2004 cohort. International Journal of Cancer, 2020, 147, 2159-2175.	5.1	8
34	Nonmetastatic Medulloblastoma of Early Childhood: Results From the Prospective Clinical Trial HIT-2000 and An Extended Validation Cohort. Journal of Clinical Oncology, 2020, 38, 2028-2040.	1.6	58
35	cIMPACTâ€NOW update 6: new entity and diagnostic principle recommendations of the cIMPACTâ€Utrecht meeting on future CNS tumor classification and grading. Brain Pathology, 2020, 30, 844-856.	4.1	363
36	EPEN-09. IMPACT OF MOLECULAR SUBGROUP ON OUTCOME FOR INFANTS & amp;lt;12 MONTHS WITH INTRACRANIAL EPENDYMOMA - GERMAN EXPERIENCE FROM HIT2000, INTERIM-2000-REGISTRY AND I-HIT-MED REGISTRY. Neuro-Oncology, 2020, 22, iii309-iii309.	1.2	0

#	Article	IF	CITATIONS
37	QOL-13. NEUROCOGNITIVE OUTCOMES ACCORDING TO RISK-ADAPTED TREATMENT REGIMENS FOR CHILDREN OLDER THAN 4 WITH MEDULLOBLASTOMA AND POSTERIOR FOSSA EPENDYMOMA – RESULTS OF THE HIT2000 TRIAL. Neuro-Oncology, 2020, 22, iii433-iii433.	1.2	0
38	ETMR-14. TREATMENT OF EMBRYONAL TUMOURS WITH MULTILAYERED ROSETTES (ETMR) WITH CARBOPLATIN-ETOPOSIDE INDUCTION AND TANDEM HIGH-DOSE CHEMOTHERAPY WITHIN THE PROSPECTIVE HIT-TRIALS AND REGISTRIES. Neuro-Oncology, 2020, 22, iii325-iii326.	1.2	1
39	MBCL-09. ISOLATED M1 METASTASES IN PEDIATRIC MEDULLOBLASTOMA: IS POSTOPERATIVE RADIOTHERAPY FOLLOWED BY MAINTENANCE CHEMOTHERAPY SUPERIOR TO POSTOPERATIVE SANDWICH-CHEMOTHERAPY AND RADIOTHERAPY?. Neuro-Oncology, 2020, 22, iii389-iii389.	1.2	0
40	EPEN-39. CLINICAL STRATIFIED TREATMENT OF LOCALIZED PEDIATRIC INTRACRANIAL EPENDYMOMA WITH COMBINED LOCAL IRRADIATION AND CHEMOTHERAPY WITHIN THE PROSPECTIVE, MULTICENTER E-HIT TRIAL – THE MOLECULAR SUBGROUP MATTERS. Neuro-Oncology, 2020, 22, iii315-iii316.	1.2	1
41	MRI Phenotype of RELA-fused Pediatric Supratentorial Ependymoma. Clinical Neuroradiology, 2019, 29, 595-604.	1.9	26
42	Spinal Cord Ependymomas With MYCN Amplification Show Aggressive Clinical Behavior. Journal of Neuropathology and Experimental Neurology, 2019, 78, 791-797.	1.7	50
43	Inhibition of Gap Junctions Sensitizes Primary Glioblastoma Cells for Temozolomide. Cancers, 2019, 11, 858.	3.7	20
44	Case of the month 1-2019: CNS high-grade neuroepithelial tumor with BCOR alteration. , 2019, 38, 4-7.		11
45	SIOP-E-BTG and GPOH Guidelines for Diagnosis and Treatment of Children and Adolescents with Low Grade Glioma. Klinische Padiatrie, 2019, 231, 107-135.	0.6	52
46	Lomustine-temozolomide combination therapy versus standard temozolomide therapy in patients with newly diagnosed glioblastoma with methylated MGMT promoter (CeTeG/NOA–09): a randomised, open-label, phase 3 trial. Lancet, The, 2019, 393, 678-688.	13.7	384
47	Newly Diagnosed Metastatic Intracranial Ependymoma in Children: Frequency, Molecular Characteristics, Treatment, and Outcome in the Prospective HIT Series. Oncologist, 2019, 24, e921-e929.	3.7	19
48	Improved risk-stratification for posterior fossa ependymoma of childhood considering clinical, histological and genetic features – a retrospective analysis of the HIT ependymoma trial cohort. Acta Neuropathologica Communications, 2019, 7, 181.	5.2	21
49	EANO–EURACAN clinical practice guideline for diagnosis, treatment, and follow-up of post-pubertal and adult patients with medulloblastoma. Lancet Oncology, The, 2019, 20, e715-e728.	10.7	56
50	Diagnostics of pediatric supratentorial RELA ependymomas: integration of information from histopathology, genetics, DNA methylation and imaging. Brain Pathology, 2019, 29, 325-335.	4.1	55
51	Childhood supratentorial ependymomas with <i>YAP1â€MAMLD1</i> fusion: an entity with characteristic clinical, radiological, cytogenetic and histopathological features. Brain Pathology, 2019, 29, 205-216.	4.1	75
52	DNA methylation-based classification of central nervous system tumours. Nature, 2018, 555, 469-474.	27.8	1,872
53	Multicenter pilot study of radiochemotherapy as first-line treatment for adults with medulloblastoma (NOA-07). Neuro-Oncology, 2018, 20, 400-410.	1.2	56
54	Diffuse high-grade gliomas with H3 K27M mutations carry a dismal prognosis independent of tumor location. Neuro-Oncology, 2018, 20, 123-131.	1.2	184

TORSTEN PIETSCH

#	Article	IF	CITATIONS
55	Prognostic effect of whole chromosomal aberration signatures in standard-risk, non-WNT/non-SHH medulloblastoma: a retrospective, molecular analysis of the HIT-SIOP PNET 4 trial. Lancet Oncology, The, 2018, 19, 1602-1616.	10.7	67
56	Early Wound Site Seeding in a Patient with Central Nervous System High-Grade Neuroepithelial Tumor with BCOR Alteration. World Neurosurgery, 2018, 116, 279-284.	1.3	14
57	Molecularly defined diffuse leptomeningeal glioneuronal tumor (DLGNT) comprises two subgroups with distinct clinical and genetic features. Acta Neuropathologica, 2018, 136, 239-253.	7.7	118
58	Molecular, Pathological, Radiological, and Immune Profiling of Non-brainstem Pediatric High-Grade Glioma from the HERBY Phase II Randomized Trial. Cancer Cell, 2018, 33, 829-842.e5.	16.8	140
59	DNA methylation-based classification of ependymomas in adulthood: implications for diagnosis and treatment. Neuro-Oncology, 2018, 20, 1616-1624.	1.2	65
60	Medulloblastoma with extensive nodularity: a tumour exclusively of infancy?. Neuropathology and Applied Neurobiology, 2017, 43, 267-270.	3.2	5
61	HGNET-BCOR Tumors of the Cerebellum. American Journal of Surgical Pathology, 2017, 41, 1254-1260.	3.7	49
62	A European randomised controlled trial of the addition of etoposide to standard vincristine and carboplatin induction as part of an 18-month treatment programme for childhood (â‰⊉6Âyears) low grade glioma– A final report. European Journal of Cancer, 2017, 81, 206-225.	2.8	104
63	Integrating Tenascin-C protein expression and 1q25 copy number status in pediatric intracranial ependymoma prognostication: A new model for risk stratification. PLoS ONE, 2017, 12, e0178351.	2.5	15
64	A Global View on the Availability of Methods and Information in the Neuropathological Diagnostics of CNS Tumors: Results of an International Survey Among Neuropathological Units. Brain Pathology, 2016, 26, 551-554.	4.1	16
65	Dysembryoplastic Neuroepithelial Tumor of the Septum Pellucidum and the Supratentorial Midline. American Journal of Surgical Pathology, 2016, 40, 806-811.	3.7	13
66	Supratentorial clear cell ependymomas with branching capillaries demonstrate characteristic clinicopathological features and pathological activation of nuclear factor-kappaB signaling. Neuro-Oncology, 2016, 18, 919-927.	1.2	68
67	New Brain Tumor Entities Emerge from Molecular Classification of CNS-PNETs. Cell, 2016, 164, 1060-1072.	28.9	702
68	Update on the integrated histopathological and genetic classification of medulloblastoma – a practical diagnostic guideline. , 2016, 35, 344-352.		54
69	Molecular Classification of Ependymal Tumors across All CNS Compartments, Histopathological Grades, and Age Groups. Cancer Cell, 2015, 27, 728-743.	16.8	933
70	A randomised, open label phase III trial with nimotuzumab, an anti-epidermal growth factor receptor monoclonal antibody in the treatment of newly diagnosed adult glioblastoma. European Journal of Cancer, 2015, 51, 522-532.	2.8	161
71	Strategies to improve the quality of survival for childhood brain tumour survivors. European Journal of Paediatric Neurology, 2015, 19, 619-639.	1.6	36
72	High-Resolution Genomic Analysis Does Not Qualify Atypical Plexus Papilloma as a Separate Entity Among Choroid Plexus Tumors. Journal of Neuropathology and Experimental Neurology, 2015, 74, 110-120.	1.7	31

TORSTEN PIETSCH

#	Article	IF	CITATIONS
73	High frequency of H3F3A K27M mutations characterizes pediatric and adult high-grade gliomas of the spinal cord. Acta Neuropathologica, 2015, 130, 435-437.	7.7	83
74	Biomarker-driven stratification of disease-risk in non-metastatic medulloblastoma: Results from the multi-center HIT-SIOP-PNET4 clinical trial. Oncotarget, 2015, 6, 38827-38839.	1.8	51
75	Children <1 year show an inferior outcome when treated according to the traditional LGG treatment strategy: A report from the german multicenter trial HIT-LGG 1996 for children with low grade glioma (LGG). Pediatric Blood and Cancer, 2014, 61, 457-463.	1.5	36
76	Supratentorial ependymomas of childhood carry C11orf95–RELA fusions leading to pathological activation of the NF-κB signaling pathway. Acta Neuropathologica, 2014, 127, 609-611.	7.7	103
77	<scp>I</scp> nternational <scp>S</scp> ociety of <scp>N</scp> europathologyâ€ <scp>H</scp> aarlem <scp>C</scp> onsensus <scp>G</scp> uidelines for <scp>N</scp> ervous <scp>S</scp> ystem <scp>T</scp> umor <scp>C</scp> lassification and <scp>G</scp> rading. Brain Pathology, 2014, 24, 429-435.	4.1	499
78	H3.3 G34R mutations in pediatric primitive neuroectodermal tumors of central nervous system (CNS-PNET) and pediatric glioblastomas: possible diagnostic and therapeutic implications?. Journal of Neuro-Oncology, 2013, 112, 67-72.	2.9	65
79	Robust molecular subgrouping and copy-number profiling of medulloblastoma from small amounts of archival tumour material using high-density DNA methylation arrays. Acta Neuropathologica, 2013, 125, 913-916.	7.7	244
80	Treatment of adult nonmetastatic medulloblastoma patients according to the paediatric HIT 2000 protocol: A prospective observational multicentre study. European Journal of Cancer, 2013, 49, 893-903.	2.8	84
81	Subgroup-Specific Prognostic Implications of <i>TP53</i> Mutation in Medulloblastoma. Journal of Clinical Oncology, 2013, 31, 2927-2935.	1.6	381
82	Long-term follow-up of the multicenter, multidisciplinary treatment study HIT-LGG-1996 for low-grade glioma in children and adolescents of the German Speaking Society of Pediatric Oncology and Hematology. Neuro-Oncology, 2012, 14, 1265-1284.	1.2	213
83	Molecular subgroups of medulloblastoma: an international meta-analysis of transcriptome, genetic aberrations, and clinical data of WNT, SHH, Group 3, and Group 4 medulloblastomas. Acta Neuropathologica, 2012, 123, 473-484.	7.7	863
84	Histopathological grading of pediatric ependymoma: reproducibility and clinical relevance in European trial cohorts. Journal of Negative Results in BioMedicine, 2011, 10, 7.	1.4	239
85	Impact of chemotherapy on disseminated lowâ€grade glioma in children and adolescents: Report from the HIT‣GG 1996 trial. Pediatric Blood and Cancer, 2011, 56, 1046-1054.	1.5	47
86	Optimization of Quantitative MGMT Promoter Methylation Analysis Using Pyrosequencing and Combined Bisulfite Restriction Analysis. Journal of Molecular Diagnostics, 2007, 9, 368-381.	2.8	194