

# L Jeffrey Medeiros

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/754983/publications.pdf>

Version: 2024-02-01

971  
papers

40,695  
citations

2963

93  
h-index

9073

144  
g-index

980  
all docs

980  
docs citations

980  
times ranked

27832  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Artificial intelligence strategy integrating morphologic and architectural biomarkers provides robust diagnostic accuracy for disease progression in chronic lymphocytic leukemia. <i>Journal of Pathology</i> , 2022, 256, 4-14.                      | 2.1 | 18        |
| 2  | Genetic profiling and biomarkers in peripheral T-cell lymphomas: current role in the diagnostic work-up. <i>Modern Pathology</i> , 2022, 35, 306-318.  | 2.9 | 16        |
| 3  | Blastoid high-grade B-cell lymphoma initially presenting in bone marrow: a diagnostic challenge. <i>Modern Pathology</i> , 2022, 35, 419-426.  | 2.9 | 16        |
| 4  | Small cell/lymphohistiocytic morphology is associated with peripheral blood involvement, CD8 positivity and retained T-cell antigens, but not outcome in adults with ALK+ anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2022, 35, 412-418. | 2.9 | 4         |
| 5  | Ibrutinib With Rituximab in First-Line Treatment of Older Patients With Mantle Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2022, 40, 202-212.   | 0.8 | 34        |
| 6  | Acquired WT1 mutations contribute to relapse of NPM1-mutated acute myeloid leukemia following allogeneic hematopoietic stem cell transplant. <i>Bone Marrow Transplantation</i> , 2022, 57, 370-376.   | 1.3 | 8         |
| 7  | Unexpected myeloid sarcoma of the tonsil in a patient without a history of hematological neoplasm. <i>Blood</i> , 2022, 139, 148-148.  | 0.6 | 1         |
| 8  | Artificial intelligence-assisted mapping of proliferation centers allows the distinction of accelerated phase from large cell transformation in chronic lymphocytic leukemia. <i>Modern Pathology</i> , 2022, 35, 1121-1125.                           | 2.9 | 6         |
| 9  | CBFB deletion in CBFB-rearranged acute myeloid leukemia retains morphological features associated with inv(16), but patients have higher risk of relapse and may require stem cell transplant. <i>Annals of Hematology</i> , 2022, 101, 847-854.       | 0.8 | 2         |
| 10 | Sting Is Commonly and Differentially Expressed in T- and Nk-Cell but Not B-Cell Non-Hodgkin Lymphomas. <i>Cancers</i> , 2022, 14, 1186.  | 1.7 | 4         |
| 11 | Landscape of NOTCH1 mutations and co-occurring biomarker alterations in chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2022, 116, 106827.  | 0.4 | 1         |
| 12 | Bone marrow clonal hematopoiesis is highly prevalent in blastic plasmacytoid dendritic cell neoplasm and frequently sharing a clonal origin in elderly patients. <i>Leukemia</i> , 2022, 36, 1343-1350.  | 3.3 | 23        |
| 13 | TP53 copy number and protein expression inform mutation status across risk categories in acute myeloid leukemia. <i>Blood</i> , 2022, 140, 58-72.  | 0.6 | 46        |
| 14 | From the archives of MD Anderson Cancer Center: Intravascular large B-cell lymphoma with numerous circulating lymphoma cells. <i>Annals of Diagnostic Pathology</i> , 2022, 58, 151934.  | 0.6 | 1         |
| 15 | Primary mediastinal germ cell tumor and clonally related and unique hematologic neoplasms with i(12p) and TP53 mutation: A report of two cases. <i>Annals of Diagnostic Pathology</i> , 2022, 59, 151951.  | 0.6 | 1         |
| 16 | Chronic Lymphocytic Leukemia Progression Diagnosis with Intrinsic Cellular Patterns via Unsupervised Clustering. <i>Cancers</i> , 2022, 14, 2398.  | 1.7 | 6         |
| 17 | Immunohistochemical loss of enhancer of Zeste Homolog 2 (EZH2) protein expression correlates with EZH2 alterations and portends a worse outcome in myelodysplastic syndromes. <i>Modern Pathology</i> , 2022, 35, 1212-1219.                           | 2.9 | 10        |
| 18 | MET Expression Level in Lung Adenocarcinoma Loosely Correlates with MET Copy Number Gain/Amplification and Is a Poor Predictor of Patient Outcome. <i>Cancers</i> , 2022, 14, 2433.  | 1.7 | 7         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Nodular Lymphocyte-predominant Hodgkin Lymphoma With Nodular Sclerosis. American Journal of Surgical Pathology, 2022, Publish Ahead of Print, .   | 2.1 | 1         |
| 20 | The 5th edition of the World Health Organization Classification of Haematolymphoid Tumours: Lymphoid Neoplasms. Leukemia, 2022, 36, 1720-1748.  | 3.3 | 1,023     |
| 21 | Expression pattern and diagnostic utility of BCL11B in mature T- and NK-cell neoplasms. Pathology, 2022, , .  | 0.3 | 0         |
| 22 | Immunophenotypic and Molecular Features of Acute Myeloid Leukemia with Plasmacytoid Dendritic Cell Differentiation Are Distinct from Blastic Plasmacytoid Dendritic Cell Neoplasm. Cancers, 2022, 14, 3375.   | 1.7 | 8         |
| 23 | PD-1/PD-L1 Pathway: A Therapeutic Target in CD30+ Large Cell Lymphomas. Biomedicines, 2022, 10, 1587.   | 1.4 | 6         |
| 24 | MET Amplification (MET/CEP7 Ratio $\geq 1.8$ ) Is an Independent Poor Prognostic Marker in Patients With Treatment-naïve Non-small-cell Lung Cancer. Clinical Lung Cancer, 2021, 22, e512-e518.   | 1.1 | 10        |
| 25 | CD45-negative follicular lymphoma: A rare diagnostic pitfall of a common entity. Cytometry Part B - Clinical Cytometry, 2021, 100, 406-408.   | 0.7 | 2         |
| 26 | <i>t</i> (11)(q24) MYC rearrangement but not extra MYC copies is an independent prognostic factor in patients with mantle cell lymphoma. Haematologica, 2021, 106, 1381-1389.   | 1.7 | 25        |
| 27 | Immunophenotypic characterization of reactive and neoplastic plasmacytoid dendritic cells permits establishment of a 10-color flow cytometric panel for initial workup and residual disease evaluation of blastic plasmacytoid dendritic cell neoplasm. Haematologica, 2021, 106, 1047-1055.    | 1.7 | 40        |
| 28 | Lymphocytic variant of hypereosinophilic syndrome: A report of seven cases from a single institution. Cytometry Part B - Clinical Cytometry, 2021, 100, 352-360.  | 0.7 | 10        |
| 29 | Molecular profiling reveals a hypoxia signature in breast implant-associated anaplastic large cell lymphoma. Haematologica, 2021, 106, 1714-1724.   | 1.7 | 30        |
| 30 | Langerhans cell sarcoma involving skin and showing epidermotropism: A comprehensive review. Journal of Cutaneous Pathology, 2021, 48, 547-557.  | 0.7 | 3         |
| 31 | Utilization of cytology smears improves success rates of RNA-based next-generation sequencing gene fusion assays for clinically relevant predictive biomarkers. Cancer Cytopathology, 2021, 129, 374-382.   | 1.4 | 22        |
| 32 | Determination of immunophenotypic aberrancies provides better assessment of peripheral blood involvement by mycosis fungoides/Sézary syndrome than quantification of CD26 <sup>+</sup> or CD7 <sup>+</sup> CD4 <sup>+</sup> T cells. Cytometry Part B - Clinical Cytometry, 2021, 100, 183-191. | 0.7 | 15        |
| 33 | Higher infiltration of intratumoral CD25+ FOXP3+ lymphocytes correlates with a favorable prognosis in patients with diffuse large B-cell lymphoma. Leukemia and Lymphoma, 2021, 62, 76-85.  | 0.6 | 10        |
| 34 | Acquired MET amplification in non-small cell lung cancer is highly associated with the exposure of EGFR inhibitors and may not affect patients' outcome. Experimental and Molecular Pathology, 2021, 118, 104572.   | 0.9 | 3         |
| 35 | Next-Generation Scholarship: Rebranding Hematopathology Using Twitter: The MD Anderson Experience. Modern Pathology, 2021, 34, 854-861.   | 2.9 | 9         |
| 36 | From the archives of MD Anderson Cancer Center: Untreated leukemic non-nodal mantle cell lymphoma with relapse as pleomorphic variant mantle cell lymphoma 21 years later. Annals of Diagnostic Pathology, 2021, 50, 151649.  | 0.6 | 1         |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | MYC expression is associated with older age, common morphology, increased MYC copy number, and poorer prognosis in patients with ALK+ anaplastic large cell lymphoma. <i>Human Pathology</i> , 2021, 108, 22-31.                           | 1.1 | 6         |
| 38 | Myeloid neoplasms associated with t(3;12)(q26.2;p13) are clinically aggressive, show myelodysplasia, and frequently harbor chromosome 7 abnormalities. <i>Modern Pathology</i> , 2021, 34, 300-313.  | 2.9 | 6         |
| 39 | CD123 Expression in Philadelphia Chromosome-like B Acute Lymphoblastic Leukemia/Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e317-e320.  | 0.2 | 5         |
| 40 | The survival impact of CKS1B gains or amplification is dependent on the background karyotype and TP53 deletion status in patients with myeloma. <i>Modern Pathology</i> , 2021, 34, 327-335.   | 2.9 | 7         |
| 41 | Factors Impacting Clinically Relevant RNA Fusion Assays Using Next-Generation Sequencing. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 1405-1412.   | 1.2 | 6         |
| 42 | Flow cytometric immunophenotypic alterations of persistent clonal haematopoiesis in remission bone marrows of patients with <i>NPM1</i> mutated acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2021, 192, 1054-1063.     | 1.2 | 28        |
| 43 | Epstein-Barr virus latent membrane protein-1 upregulates autophagy and promotes viability in Hodgkin lymphoma: Implications for targeted therapy. <i>Cancer Science</i> , 2021, 112, 1589-1602.  | 1.7 | 9         |
| 44 | Myelodysplastic syndrome with t(6;9)(p22;q34.1)/DEK-NUP214 better classified as acute myeloid leukemia? A multicenter study of 107 cases. <i>Modern Pathology</i> , 2021, 34, 1143-1152.   | 2.9 | 12        |
| 45 | Clinicopathologic Features of Myelodysplastic Syndromes Involving Lymph Nodes. <i>American Journal of Surgical Pathology</i> , 2021, Publish Ahead of Print, 930-938.  | 2.1 | 0         |
| 46 | Expression of the novel tumour suppressor sterile alpha motif and HD domain-containing protein 1 is an independent adverse prognostic factor in classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2021, 193, 488-496.    | 1.2 | 12        |
| 47 | Primary Effusion Lymphoma: A Clinicopathological Study of 70 Cases. <i>Cancers</i> , 2021, 13, 878.  | 1.7 | 26        |
| 48 | Evolutionary action score identifies a subset of TP53 mutated myelodysplastic syndrome with favorable prognosis. <i>Blood Cancer Journal</i> , 2021, 11, 52.   | 2.8 | 5         |
| 49 | Follicular dendritic cell sarcoma in the differential diagnosis of GATA3 positive tumors: A case report. <i>Human Pathology: Case Reports</i> , 2021, 23, 200473.  | 0.2 | 0         |
| 50 | Syncytial variant of nodular sclerosis Hodgkin lymphoma: an under-emphasized variant. <i>Human Pathology</i> , 2021, 117, 115-125.   | 1.1 | 4         |
| 51 | Laboratory Evaluation and Pathological Workup of Neoplastic Monocytosis – Chronic Myelomonocytic Leukemia and Beyond. <i>Current Hematologic Malignancy Reports</i> , 2021, 16, 286-303.   | 1.2 | 0         |
| 52 | Myeloid/lymphoid neoplasms with FLT3 rearrangement. <i>Modern Pathology</i> , 2021, 34, 1673-1685.   | 2.9 | 21        |
| 53 | From the archives of MD Anderson Cancer Center: A case of concurrent follicular lymphoma and Langerhans cell sarcoma with a review of the literature. <i>Annals of Diagnostic Pathology</i> , 2021, 52, 151720.                            | 0.6 | 2         |
| 54 | Breast implant-associated anaplastic large cell lymphoma: clinical follow-up and analysis of sequential pathologic specimens of untreated patients shows persistent or progressive disease. <i>Modern Pathology</i> , 2021, 34, 2148-2153. | 2.9 | 11        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 55 | Incidental identification of <i>inv(16)(p13.1q22)/CBFB</i> <i>MYH11</i> variant transcript in a patient with therapy-related acute myeloid leukemia by routine leukemia translocation panel screen: implications for diagnosis and therapy. <i>Journal of Physical Education and Sports Management</i> , 2021, 7, a006084. | 0.5 | 3         |
| 56 | Only <i>SF3B1</i> mutation involving K700E independently predicts overall survival in myelodysplastic syndromes. <i>Cancer</i> , 2021, 127, 3552-3565.   | 2.0 | 19        |
| 57 | Future of Education or Present Reality?. <i>Archives of Pathology and Laboratory Medicine</i> , 2021, 145, 1350-1354.  | 1.2 | 4         |
| 58 | Blastic plasmacytoid dendritic cell neoplasm with history of myeloma and concomitant acute undifferentiated leukemia: Illustration of morphologic and immunophenotypic challenges of an emerging phenomenon. <i>Leukemia and Lymphoma</i> , 2021, 62, 3296-3299.   | 0.6 | 3         |
| 59 | Epstein-Barr-virus-positive large B-cell lymphoma associated with breast implants: an analysis of eight patients suggesting a possible pathogenetic relationship. <i>Modern Pathology</i> , 2021, 34, 2154-2167.   | 2.9 | 25        |
| 60 | EZH2 expression is associated with inferior overall survival in mantle cell lymphoma. <i>Modern Pathology</i> , 2021, 34, 2183-2191.   | 2.9 | 7         |
| 61 | From the archives of MD Anderson Cancer Center: Concurrent BCR-ABL1 and CRLF2 rearrangements in B-lymphoblast phase of chronic myeloid leukemia. <i>Annals of Diagnostic Pathology</i> , 2021, 53, 151767.   | 0.6 | 2         |
| 62 | Nine-Year Follow-up of Patients with Relapsed Follicular Lymphoma after Nonmyeloablative Allogeneic Stem Cell Transplant and Autologous Transplant. <i>Clinical Cancer Research</i> , 2021, 27, 5847-5856.   | 3.2 | 3         |
| 63 | Hematogones with light chain restriction: A potential diagnostic pitfall when using flow cytometry analysis to assess bone marrow specimens. <i>Leukemia Research</i> , 2021, 111, 106704.   | 0.4 | 2         |
| 64 | Analytical and clinical performance of chromosomal microarrays compared with FISH panel and conventional karyotyping in patients with chronic lymphocytic leukemia. <i>Leukemia Research</i> , 2021, 108, 106616.  | 0.4 | 2         |
| 65 | B-prolymphocytic leukemia: Is it time to retire this entity?. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151790.  | 0.6 | 7         |
| 66 | Chronic myeloid leukemia, BCR-ABL1-positive, carrying NPM1 mutation – First case series from a single institution. <i>Leukemia Research</i> , 2021, 111, 106685.   | 0.4 | 2         |
| 67 | The impact of cell-of-origin, MYC/Bcl-2 dual expression and <i>MYC</i> rearrangement on disease relapse among early stage diffuse large B-cell lymphoma patients treated with combined modality therapy. <i>Leukemia and Lymphoma</i> , 2021, 62, 1361-1369.   | 0.6 | 4         |
| 68 | Disseminated ALK-positive histiocytosis with <i>KIF5B-ALK</i> fusion in an adult. <i>Leukemia and Lymphoma</i> , 2021, 62, 1234-1238.  | 0.6 | 14        |
| 69 | MDMX/MDM4 is highly expressed and contributes to cell growth and survival in anaplastic large cell lymphoma. <i>Leukemia and Lymphoma</i> , 2021, 62, 1563-1573.   | 0.6 | 3         |
| 70 | Postchemotherapy Histiocyte-rich Pseudotumor Mimicking Residual Lymphoma. <i>American Journal of Surgical Pathology</i> , 2021, 45, 160-168.   | 2.1 | 5         |
| 71 | Mantle cell lymphoma involving tonsils: a clinicopathologic study of 83 cases. <i>Human Pathology</i> , 2021, 118, 60-68.  | 1.1 | 4         |
| 72 | CBFB Break-Apart FISH Testing: An Analysis of 1629 AML Cases with a Focus on Atypical Findings and Their Implications in Clinical Diagnosis and Management. <i>Cancers</i> , 2021, 13, 5354.   | 1.7 | 3         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | High-Throughput Characterization of Cytogenomic Heterogeneity of MDS Using High-Resolution Optical Genome Mapping. <i>Blood</i> , 2021, 138, 105-105.   | 0.6 | 1         |
| 74 | Outcomes of Patients with Extranodal Natural Killer/T-Cell Lymphoma: Single Institution Series. <i>Blood</i> , 2021, 138, 4536-4536.  | 0.6 | 0         |
| 75 | Machine Learning Pipeline with Feature Engineering Provides Robust Diagnostic Predictions in Chronic Lymphocytic Leukemia, Accelerated and Transformed Phases. <i>Blood</i> , 2021, 138, 3738-3738.   | 0.6 | 0         |
| 76 | Longitudinal Next Generation Sequencing Reveals the Clonal Hierarchy of IDH Mutated Clones and Impact on Survival in NPM1 Mutated AML. <i>Blood</i> , 2021, 138, 607-607.   | 0.6 | 1         |
| 77 | Artificial Intelligence-Assisted Mapping of Proliferation Centers in Chronic Lymphocytic Leukemia/ Small Lymphocytic Lymphoma Identifies Patterns That Reliably Distinguish Accelerated Phase and Large Cell Transformation. <i>Blood</i> , 2021, 138, 1558-1558. | 0.6 | 1         |
| 78 | Myelodysplastic/myeloproliferative neoplasms-unclassifiable with isolated isochromosome 17q represents a distinct clinico-biologic subset: a multi-institutional collaborative study from the Bone Marrow Pathology Group. <i>Modern Pathology</i> , 2021, , .    | 2.9 | 9         |
| 79 | Outcome of Patients with T- Cell Histiocyte Rich B Cell Lymphoma: Single Institution Series. <i>Blood</i> , 2021, 138, 1448-1448.   | 0.6 | 0         |
| 80 | Clinicopathological Features of Syncytial Variant Nodular Sclerosis Hodgkin lymphoma. <i>Human Pathology</i> , 2021, 119, 105-105.  | 1.1 | 2         |
| 81 | The Leukemic Phase of ALK-Negative Anaplastic Large Cell Lymphoma Is Associated with CD7 Positivity, Complex Karyotype, TP53 Deletion, and a Poor Prognosis. <i>Cancers</i> , 2021, 13, 6316.   | 1.7 | 1         |
| 82 | Low-Grade Myelodysplastic Syndromes with Preserved CD34+ B-Cell Precursors (CD34+ Hematogones). <i>Cytometry Part B - Clinical Cytometry</i> , 2020, 98, 36-42.   | 0.7 | 12        |
| 83 | KSHV/HHV8-positive large B-cell lymphomas and associated diseases: a heterogeneous group of lymphoproliferative processes with significant clinicopathological overlap. <i>Modern Pathology</i> , 2020, 33, 18-28.  | 2.9 | 39        |
| 84 | PD-L1 expression is associated with ALK positivity and STAT3 activation, but not outcome in patients with systemic anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2020, 33, 324-333.   | 2.9 | 31        |
| 85 | Radiation therapy for salivary gland MALT lymphoma: ultra-low dose treatment achieves encouraging early outcomes and spares salivary function. <i>Leukemia and Lymphoma</i> , 2020, 61, 171-175.  | 0.6 | 14        |
| 86 | A proposal for pathologic processing of breast implant capsules in patients with suspected breast implant anaplastic large cell lymphoma. <i>Modern Pathology</i> , 2020, 33, 367-379.  | 2.9 | 29        |
| 87 | Hodgkin lymphoma: a review of pathological features and recent advances in pathogenesis. <i>Pathology</i> , 2020, 52, 154-165.  | 0.3 | 58        |
| 88 | Outcomes in patients with aggressive B-cell non-Hodgkin lymphoma after intensive frontline treatment failure. <i>Cancer</i> , 2020, 126, 293-303.   | 2.0 | 18        |
| 89 | Clinical, histopathologic, and immunoarchitectural features of dermatopathic lymphadenopathy: an update. <i>Modern Pathology</i> , 2020, 33, 1104-1121.   | 2.9 | 19        |
| 90 | Low ALK FISH positive metastatic non-small cell lung cancer (NSCLC) patients have shorter progression-free survival after treatment with ALK inhibitors. <i>Cancer Genetics</i> , 2020, 241, 57-60.   | 0.2 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Angioimmunoblastic T-cell lymphoma in Taiwan reveals worse progression-free survival for RHOA G17V mutated subtype. <i>Leukemia and Lymphoma</i> , 2020, 61, 1108-1118.   | 0.6 | 6         |
| 92  | Immunopathology of Kikuchi's Fujimoto disease: A reappraisal using novel immunohistochemistry markers. <i>Histopathology</i> , 2020, 77, 262-274.   | 1.6 | 14        |
| 93  | Myeloid neoplasm with eosinophilia and BCR-JAK2/t(9;22)(p24;q11.2) morphologically mimicking chronic myeloid leukemia. <i>Annals of Diagnostic Pathology</i> , 2020, 44, 151405.  | 0.6 | 6         |
| 94  | Diffuse large B-cell lymphoma variants: an update. <i>Pathology</i> , 2020, 52, 53-67.  | 0.3 | 101       |
| 95  | High-grade B-cell lymphoma: a term re-purposed in the revised WHO classification. <i>Pathology</i> , 2020, 52, 68-77.   | 0.3 | 33        |
| 96  | <i>RAS</i> and <i>TP53</i> can predict survival in adults with T-cell lymphoblastic leukemia treated with hyper-CVAD. <i>Cancer Medicine</i> , 2020, 9, 849-858.  | 1.3 | 9         |
| 97  | Poor outcomes for double-hit lymphoma patients treated with curative-intent second-line immunochemotherapy following failure of intensive front-line immunochemotherapy. <i>British Journal of Haematology</i> , 2020, 189, 313-317.      | 1.2 | 7         |
| 98  | Lymphoma 2020: an update on recent advances in pathobiology and application to clinical practice. <i>Pathology</i> , 2020, 52, 1-5.   | 0.3 | 3         |
| 99  | Concurrent JAK2 V617F and MPL W515L in myelodysplastic/myeloproliferative neoplasm with ring sideroblasts and thrombocytosis. <i>Leukemia and Lymphoma</i> , 2020, 61, 963-966.   | 0.6 | 2         |
| 100 | Hydroa Vacciniforme-Like Lymphoproliferative Disorder With Progression to EBV+ Cytotoxic Peripheral T-Cell Lymphoma. <i>American Journal of Dermatopathology</i> , 2020, 42, 714-716.   | 0.3 | 2         |
| 101 | American Registry of Pathology Expert Opinions: Recommendations for the diagnostic workup of mature T cell neoplasms. <i>Annals of Diagnostic Pathology</i> , 2020, 49, 151623.   | 0.6 | 8         |
| 102 | Lymphoid enhancer binding factor 1 (LEF1) expression is significantly higher in Hodgkin lymphoma associated with Richter syndrome relative to de novo classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2020, 49, 151636. | 0.6 | 4         |
| 103 | Clonal evolution with acquisition of BCR-ABL1 in refractory acute myeloid leukemia post therapy with FLT3-inhibitor. <i>Leukemia and Lymphoma</i> , 2020, 61, 3243-3246.  | 0.6 | 3         |
| 104 | Inconsistent Intersample ALK FISH Results in Patients with Lung Cancer: Analysis of Potential Causes. <i>Cancers</i> , 2020, 12, 1903.  | 1.7 | 0         |
| 105 | Chronic myeloid leukemia presenting in lymphoblastic crisis, a differential diagnosis with Philadelphia-positive B-lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2020, 61, 2831-2838.  | 0.6 | 11        |
| 106 | Tumour-stage mycosis fungoides initially misdiagnosed as Langerhans cell histiocytosis. <i>Pathology</i> , 2020, 52, 593-596.   | 0.3 | 1         |
| 107 | Social Media for Hematopathologists: Medical Practice Reinvented? #Hemepath. <i>Current Hematologic Malignancy Reports</i> , 2020, 15, 383-390.   | 1.2 | 9         |
| 108 | KAT6A amplifications are associated with shorter progression-free survival and overall survival in patients with endometrial serous carcinoma. <i>PLoS ONE</i> , 2020, 15, e0238477.  | 1.1 | 12        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | HIV-associated plasmablastic lymphoma in the era of HAART: a single-center experience of 21 patients. <i>Aids</i> , 2020, 34, 1735-1743.   | 1.0 | 9         |
| 110 | LPL deletion is associated with poorer response to ibrutinib-based treatments and overall survival in TP53-deleted chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 2020, 99, 2343-2349.  | 0.8 | 3         |
| 111 | Genomic and Immunophenotypic Landscape of Aggressive NK-Cell Leukemia. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1235-1243.  | 2.1 | 21        |
| 112 | MPN-402: Delayed Resolution of Bone Marrow Morphological Changes of Myelofibrosis Following Successful Stem Cell Transplant and Molecular Clearance of Disease: A Cautionary Tale. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, S340-S341. | 0.2 | 0         |
| 113 | Myeloid/lymphoid neoplasms with eosinophilia and FLT3 rearrangement. <i>Leukemia Research</i> , 2020, 99, 106460.  | 0.4 | 14        |
| 114 | Announcement: The International System for Reporting Lymph Node Cytopathology. <i>Acta Cytologica</i> , 2020, 64, 299-305.   | 0.7 | 8         |
| 115 | PD-1/PD-L1 Pathway and Its Blockade in Patients with Classic Hodgkin Lymphoma and Non-Hodgkin Large-Cell Lymphomas. <i>Current Hematologic Malignancy Reports</i> , 2020, 15, 372-381.   | 1.2 | 51        |
| 116 | Chronic myeloid leukemia with insertion-derived BCR-ABL fusion: redefining complex chromosomal abnormalities by correlation of FISH and karyotype predicts prognosis. <i>Modern Pathology</i> , 2020, 33, 2035-2045.                                     | 2.9 | 2         |
| 117 | From the archives of MD Anderson Cancer Center: BCR-ABL1-like B acute lymphoblastic leukemia with IGH/EPOR fusion. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151514.   | 0.6 | 0         |
| 118 | A suggested immunohistochemical algorithm for the classification of T-cell lymphomas involving lymph nodes. <i>Human Pathology</i> , 2020, 102, 104-116.   | 1.1 | 11        |
| 119 | A Proposal for the Performance, Classification, and Reporting of Lymph Node Fine-Needle Aspiration Cytopathology: The Sydney System. <i>Acta Cytologica</i> , 2020, 64, 306-322.   | 0.7 | 49        |
| 120 | High levels of immunoglobulin expression predict shorter overall survival in patients with acute myeloid leukemia. <i>European Journal of Haematology</i> , 2020, 105, 449-459.  | 1.1 | 9         |
| 121 | Epstein-Barr virus specific cytotoxic T lymphocytes for the treatment of severe Epstein-Barr virus mucocutaneous ulcer. <i>British Journal of Haematology</i> , 2020, 189, e33-e36.  | 1.2 | 3         |
| 122 | Leukemic phase of Richter transformation: A mimic of acute myeloid leukemia that responded to ibrutinib monotherapy. <i>American Journal of Hematology</i> , 2020, 95, 1221-1223.  | 2.0 | 2         |
| 123 | Classic Hodgkin lymphoma and Castleman disease: an entity appears to be emerging. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 437-444.  | 1.4 | 7         |
| 124 | Reply to "PD-L1 expression in anaplastic large cell lymphoma". <i>Modern Pathology</i> , 2020, 33, 1234-1235.  | 2.9 | 0         |
| 125 | iAMP21 in acute myeloid leukemia is associated with complex karyotype, TP53 mutation and dismal outcome. <i>Modern Pathology</i> , 2020, 33, 1389-1397.  | 2.9 | 8         |
| 126 | T(6;14)(q25;q32) involves BCL11B and is highly associated with mixed-phenotype acute leukemia, T/myeloid. <i>Leukemia</i> , 2020, 34, 2509-2512.   | 3.3 | 14        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Systematic use of fluorescence <i>in situ</i> hybridisation and clinicopathological features in the screening of PDGFRB rearrangements of patients with myeloid/lymphoid neoplasms. <i>Histopathology</i> , 2020, 76, 1042-1054.                          | 1.6 | 13        |
| 128 | MYC rearrangement and MYC/BCL2 double expression but not cell of origin predict prognosis in R-CHOP-treated diffuse large B-cell lymphoma. <i>European Journal of Haematology</i> , 2020, 104, 336-343.   | 1.1 | 15        |
| 129 | Simplified molecular classification of lung adenocarcinomas based on EGFR, KRAS, and TP53 mutations. <i>BMC Cancer</i> , 2020, 20, 83.  | 1.1 | 10        |
| 130 | Reconsideration of the first recognition of breast implant-associated anaplastic large cell lymphoma: A critical review of the literature. <i>Annals of Diagnostic Pathology</i> , 2020, 45, 151474.  | 0.6 | 17        |
| 131 | CD8 expression in anaplastic large cell lymphoma correlates with noncommon morphologic variants and T-cell antigen expression suggesting biological differences with CD8-negative anaplastic large cell lymphoma. <i>Human Pathology</i> , 2020, 98, 1-9. | 1.1 | 9         |
| 132 | Genotype-phenotype correlation of unusual BCR-ABL1 transcripts in Philadelphia chromosome-positive leukaemia. <i>British Journal of Haematology</i> , 2020, 189, e207-e211.   | 1.2 | 1         |
| 133 | B-cell lymphomas associated with breast implants: Report of three cases and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151512.   | 0.6 | 13        |
| 134 | Outcomes of patients with limited-stage aggressive large B-cell lymphoma with high-risk cytogenetics. <i>Blood Advances</i> , 2020, 4, 253-262.   | 2.5 | 29        |
| 135 | Genomic profiles and clinical outcomes of de novo blastoid/pleomorphic MCL are distinct from those of transformed MCL. <i>Blood Advances</i> , 2020, 4, 1038-1050.  | 2.5 | 43        |
| 136 | t(11;16)(q23;p13)/KMT2A-CREBBP in hematologic malignancies: presumptive evidence of myelodysplasia or therapy-related neoplasm?. <i>Annals of Hematology</i> , 2020, 99, 487-500.   | 0.8 | 6         |
| 137 | Posttransplant Lymphoproliferative Disorder Involving the Gastrointestinal Tract. <i>Journal of Digestive Endoscopy</i> , 2020, 11, 293-294.  | 0.1 | 1         |
| 138 | ALK+ large B-cell lymphoma with aberrant expression of CD3. <i>Blood</i> , 2020, 136, 3086-3086.  | 0.6 | 2         |
| 139 | Identification of biomarkers of immune checkpoint blockade efficacy in recurrent or refractory solid tumor malignancies. <i>Oncotarget</i> , 2020, 11, 600-618.   | 0.8 | 15        |
| 140 | A Cryptic BCR-PDGFRB Fusion Resulting in a Chronic Myeloid Neoplasm With Monocytosis and Eosinophilia: A Novel Finding With Treatment Implications. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2020, 18, 1300-1304.             | 2.3 | 4         |
| 141 | CT and 18F-FDG-PET-CT Findings in Secondary Adrenal Lymphoma with Pathologic Correlation. <i>Academic Radiology</i> , 2019, 26, e108-e114.  | 1.3 | 4         |
| 142 | TRIM44 promotes quiescent multiple myeloma cell occupancy and survival in the osteoblastic niche via HIF-1 $\alpha$ stabilization. <i>Leukemia</i> , 2019, 33, 469-486.   | 3.3 | 30        |
| 143 | MYC protein expression is an important prognostic factor in acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2019, 60, 37-48.   | 0.6 | 54        |
| 144 | Update on Lymphoma classification: The 2016 revised World Health Organization Classification of Hematopoietic and Lymphoid Neoplasms. <i>Advances in Cell and Gene Therapy</i> , 2019, 2, e57.  | 0.6 | 3         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 145 | Fluorescence in Situ Hybridization (FISH) for Detecting Anaplastic Lymphoma Kinase (ALK) Rearrangement in Lung Cancer: Clinically Relevant Technical Aspects. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3939.   | 1.8  | 27        |
| 146 | 7. Additional structural chromosomal abnormalities have a negative prognostic effect in patients with inv(16)/t(16;16) acute myeloid leukemia (AML). <i>Cancer Genetics</i> , 2019, 233-234, S3-S4.  | 0.2  | 1         |
| 147 | Homogeneously staining region (hsr) on chromosome 11 is highly specific for KMT2A amplification in acute myeloid leukemia (AML) and myelodysplastic syndrome (MDS). <i>Cancer Genetics</i> , 2019, 238, 18-22.   | 0.2  | 10        |
| 148 | Association of gene mutations with time to first treatment in 384 treatment-naive chronic lymphocytic leukaemia patients. <i>British Journal of Haematology</i> , 2019, 187, 307-318.  | 1.2  | 26        |
| 149 | Clinical implications of cytogenetic heterogeneity in Philadelphia chromosome positive (Ph+) adult B cell acute lymphoblastic leukemia following tyrosine kinase inhibitors and chemotherapy regimens. <i>Leukemia Research</i> , 2019, 84, 106176.  | 0.4  | 7         |
| 150 | Hybrid oncocytic/chromophobe renal tumors are molecularly distinct from oncocytoma and chromophobe renal cell carcinoma. <i>Modern Pathology</i> , 2019, 32, 1698-1707.  | 2.9  | 35        |
| 151 | Philadelphia chromosome-negative acute leukemia in patients with chronic myeloid leukemia. <i>American Journal of Hematology</i> , 2019, 94, E256-E259.  | 2.0  | 4         |
| 152 | Castleman Disease. <i>Surgical Pathology Clinics</i> , 2019, 12, 849-863.  | 0.7  | 28        |
| 153 | Gaucher disease type 1 first recognized in an elderly patient with thrombocytopenia and lung adenocarcinoma. <i>Clinical Case Reports (discontinued)</i> , 2019, 7, 1804-1805.   | 0.2  | 1         |
| 154 | Epstein - Barr virus infection in de novo diffuse large B-cell lymphoma in Jordan and Turkey. <i>Annals of Diagnostic Pathology</i> , 2019, 43, 151406.  | 0.6  | 2         |
| 155 | Reactive lymphadenopathy with concurrent idiopathic plasma cell variant Castleman disease, amyloid deposition and non-caseating granulomas. <i>Pathology</i> , 2019, 51, 762-764.  | 0.3  | 0         |
| 156 | Development and Application of Duplex Sequencing Strategy for Cell-Free DNA-Based Longitudinal Monitoring of Stage IV Colorectal Cancer. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 994-1009.   | 1.2  | 4         |
| 157 | Data on MECOM rearrangement-driven chromosomal aberrations in myeloid malignancies. <i>Data in Brief</i> , 2019, 24, 104025.   | 0.5  | 3         |
| 158 | Comparison of therapy-related myelodysplastic syndrome with ring sideroblasts and de novo myelodysplastic syndrome with ring sideroblasts. <i>Leukemia Research</i> , 2019, 86, 106227.  | 0.4  | 2         |
| 159 | Phenytoin-associated necrotising lymphadenitis mimicking Kikuchi disease. <i>Pathology</i> , 2019, 51, 650-653.  | 0.3  | 2         |
| 160 | Unicentric Castleman disease, hyaline vascular variant, stromal rich, with increased plasma cells and a high level of serum IL-6: Raising the diagnostic and therapeutic issues. <i>Annals of Diagnostic Pathology</i> , 2019, 43, 151398.   | 0.6  | 0         |
| 161 | PD-1/PD-L1 expression and interaction by automated quantitative immunofluorescent analysis show adverse prognostic impact in patients with diffuse large B-cell lymphoma having T-cell infiltration: a study from the International DLBCL Consortium Program. <i>Modern Pathology</i> , 2019, 32, 741-754. | 2.9  | 39        |
| 162 | Genetic alterations and their clinical implications in DLBCL. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 634-652.   | 12.5 | 136       |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | MALT lymphoma with IgM paraprotein and bone marrow involvement mimicking Waldenström macroglobulinaemia. <i>Pathology</i> , 2019, 51, 549-553.   | 0.3 | 1         |
| 164 | Is hyperdiploidy a favorable cytogenetics in adults with B-lymphoblastic leukemia?. <i>Cancer Medicine</i> , 2019, 8, 4093-4099.   | 1.3 | 10        |
| 165 | The emergence of a <i>JAK2</i> V617F mutated clone in myelodysplastic syndrome is associated with disease progression and features of myelofibrosis. <i>British Journal of Haematology</i> , 2019, 186, 396-396.   | 1.2 | 2         |
| 166 | Early T precursor acute lymphoblastic leukaemia/lymphoma shows differential immunophenotypic characteristics including frequent <i>CD</i> 33 expression and <i>in vitro</i> response to targeted <i>CD</i> 33 therapy. <i>British Journal of Haematology</i> , 2019, 186, 538-548. | 1.2 | 21        |
| 167 | TP53 mutations are common in mantle cell lymphoma, including the indolent leukemic non-nodal variant. <i>Annals of Diagnostic Pathology</i> , 2019, 41, 38-42.   | 0.6 | 18        |
| 168 | Acute myeloid leukemia with t(8;21)(q22;q22.1)/RUNX1-RUNX1T1 and KIT Exon 8 mutation is associated with characteristic mastocytosis and dismal outcomes. <i>Experimental and Molecular Pathology</i> , 2019, 108, 131-136.   | 0.9 | 1         |
| 169 | CD23 expression in mantle cell lymphoma is associated with CD200 expression, leukemic non-nodal form, and a better prognosis. <i>Human Pathology</i> , 2019, 89, 71-80.  | 1.1 | 23        |
| 170 | The utility of CD83, fascin and CD23 in the differential diagnosis of primary mediastinal large B-cell lymphoma versus classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2019, 40, 72-76.  | 0.6 | 13        |
| 171 | Dysregulation of Cell Survival in Diffuse Large B Cell Lymphoma: Mechanisms and Therapeutic Targets. <i>Frontiers in Oncology</i> , 2019, 9, 107.  | 1.3 | 34        |
| 172 | Relapsed B-acute lymphoblastic leukemia with aberrant myeloperoxidase expression following CAR T-cell therapy: A diagnostic challenge. <i>American Journal of Hematology</i> , 2019, 94, 1049-1051.  | 2.0 | 11        |
| 173 | Biclonal presentation of lymphoplasmacytic lymphoma/Waldenström macroglobulinaemia. <i>Pathology</i> , 2019, 51, 340-343.  | 0.3 | 2         |
| 174 | Unusual case of human herpesvirus 8-positive large B-cell lymphoma associated with Castleman disease. <i>Clinical Case Reports (discontinued)</i> , 2019, 7, 587-588.  | 0.2 | 0         |
| 175 | <i>DDX41</i> mutations in myeloid neoplasms are associated with male gender, <i>TP53</i> mutations and high-risk disease. <i>American Journal of Hematology</i> , 2019, 94, 757-766.   | 2.0 | 86        |
| 176 | Deciphering the complexities of MECOM rearrangement-driven chromosomal aberrations. <i>Cancer Genetics</i> , 2019, 233-234, 21-31.   | 0.2 | 13        |
| 177 | Ring sideroblasts in chronic phase of polycythemia vera identifies a subset of patients with an increased risk of progression to blast phase. <i>Annals of Diagnostic Pathology</i> , 2019, 40, 45-48.   | 0.6 | 1         |
| 178 | American Registry of Pathology Expert Opinions: Immunohistochemical evaluation of classic Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2019, 39, 105-110.   | 0.6 | 26        |
| 179 | Immune Profiling and Quantitative Analysis Decipher the Clinical Role of Immune-Checkpoint Expression in the Tumor Immune Microenvironment of DLBCL. <i>Cancer Immunology Research</i> , 2019, 7, 644-657.   | 1.6 | 106       |
| 180 | Acute myeloid leukemia with t(8;16)(p11.2;p13.3)/KAT6A-CREBBP in adults. <i>Annals of Hematology</i> , 2019, 98, 1149-1157.  | 0.8 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Favorable outcomes with de-escalated radiation therapy for limited-stage nodular lymphocyte-predominant Hodgkin lymphoma. <i>Blood Advances</i> , 2019, 3, 1356-1367.   | 2.5 | 12        |
| 182 | TdT-positive high grade B-cell lymphoma transformed from grade 3B follicular lymphoma in an HIV-positive patient. <i>Pathology</i> , 2019, 51, 764-768.   | 0.3 | 4         |
| 183 | Utility of Cyclin D1 in the Diagnostic Workup of Hematopoietic Neoplasms: What Can Cyclin D1 Do for Us?. <i>Advances in Anatomic Pathology</i> , 2019, 26, 281-291.   | 2.4 | 5         |
| 184 | SOX11-negative Mantle Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2019, 43, 710-716.   | 2.1 | 22        |
| 185 | Mantle Cell Lymphoma Involving Skin. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1421-1428.   | 2.1 | 14        |
| 186 | Dual Expression of TCF4 and CD123 Is Highly Sensitive and Specific For Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1429-1437.                                 | 2.1 | 59        |
| 187 | CD5-negative Mantle Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1052-1060.   | 2.1 | 25        |
| 188 | Pioneers of Breast Implant-associated Anaplastic Large Cell Lymphoma: History from Case Report to Global Recognition. <i>Plastic and Reconstructive Surgery</i> , 2019, 143, 7S-14S.                                      | 0.7 | 31        |
| 189 | Characteristics and Treatment of Advanced Breast Implant-associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2019, 143, 41S-50S.   | 0.7 | 55        |
| 190 | Persistent <i>IDH1/2</i> mutations in remission can predict relapse in patients with acute myeloid leukemia. <i>Haematologica</i> , 2019, 104, 305-311.   | 1.7 | 56        |
| 191 | High-grade B-cell lymphomas with TdT expression: a diagnostic and classification dilemma. <i>Modern Pathology</i> , 2019, 32, 48-58.  | 2.9 | 46        |
| 192 | Breast implant-associated anaplastic large cell lymphoma: a review. <i>Modern Pathology</i> , 2019, 32, 166-188.  | 2.9 | 103       |
| 193 | <i>t(3;8)(q26.2;q24)</i> Often Leads to MCOM/MYC Rearrangement and Is Commonly Associated with Therapy-Related Myeloid Neoplasms and/or Disease Progression. <i>Journal of Molecular Diagnostics</i> , 2019, 21, 343-351. | 1.2 | 16        |
| 194 | Ultra-Rapid Reporting of GENomic Targets (URGENTseq). <i>Journal of Molecular Diagnostics</i> , 2019, 21, 89-98.  | 1.2 | 23        |
| 195 | Utility of JAK2 V617F allelic burden in distinguishing chronic myelomonocytic Leukemia from Primary myelofibrosis with monocytosis. <i>Human Pathology</i> , 2019, 85, 290-298.   | 1.1 | 19        |
| 196 | Villous lymphocytes in splenic large B-cell lymphoma with diffuse red pulp infiltration. <i>International Journal of Hematology</i> , 2019, 109, 133-134.   | 0.7 | 3         |
| 197 | Centrifuged supernatants from FNA provide a liquid biopsy option for clinical next-generation sequencing of thyroid nodules. <i>Cancer Cytopathology</i> , 2019, 127, 146-160.  | 1.4 | 37        |
| 198 | CD123 expression patterns and selective targeting with a CD123-targeted antibody-drug conjugate (IMGN632) in acute lymphoblastic leukemia. <i>Haematologica</i> , 2019, 104, 749-755.                                     | 1.7 | 50        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 199 | Focal Rosai-Dorfman disease coexisting with lymphoma in the same anatomic site: a localized histiocytic proliferation associated with MAPK/ERK pathway activation. <i>Modern Pathology</i> , 2019, 32, 16-26.   | 2.9 | 32        |
| 200 | Targeted multigene deep sequencing of Bruton tyrosine kinase inhibitor-resistant chronic lymphocytic leukemia with disease progression and Richter transformation. <i>Cancer</i> , 2019, 125, 559-574.  | 2.0 | 70        |
| 201 | Levels of CD8+ tumor infiltrating lymphocytes correlate with disease burden in bone marrow of therapy Na <sup>+</sup> ve multiple myeloma patients. <i>Annals of Diagnostic Pathology</i> , 2019, 40, 174-175.  | 0.6 | 0         |
| 202 | Loss of EZH2 Protein Expression in Myelodysplastic Syndrome Correlates with EZH2 Mutation and Portends a Worse Outcome. <i>Blood</i> , 2019, 134, 3016-3016.  | 0.6 | 5         |
| 203 | Features of an Unusual AML with t(4;12)/Pdgra-ETV6 As the Sole Cytogenetic Abnormality Associated with Myelodysplastic Changes: A Case Report and Literature Review. <i>Blood</i> , 2019, 134, 5162-5162.   | 0.6 | 0         |
| 204 | High-Resolution Next-Generation Whole Genome Optical Mapping As a Novel Molecular Diagnostic Tool for Comprehensive Assessment of Structural Chromosomal Variations in Myelodysplastic Syndromes. <i>Blood</i> , 2019, 134, 5438-5438.  | 0.6 | 0         |
| 205 | Evolutionary Action (EA) Score of TP53 Mutations Defines Prognostic Subsets within TP53 Mutated Myelodysplastic Syndromes and Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 1719-1719.  | 0.6 | 0         |
| 206 | NPM-ALK Upregulates Jab1/Csn5 through STAT3 Activation in Anaplastic Large Cell Lymphoma: A Novel Function of NPM-ALK That Contributes to PD1/PD-L1 Immune Checkpoint Regulation. <i>Blood</i> , 2019, 134, 2796-2796.  | 0.6 | 0         |
| 207 | Nonmyeloablative Allogeneic Transplantation (NMAT) Confers an Overall Survival Benefit with Similar Non-Relapse Mortality When Compared to Autologous Stem Transplantation (ASCT) for Patients (pts) with Relapsed Follicular Lymphoma (FL). <i>Blood</i> , 2019, 134, 322-322. | 0.6 | 0         |
| 208 | MYC Expression in Systemic Anaplastic Large Cell Lymphoma: Clinicopathologic and Prognostic Features of 70 Patients. <i>Blood</i> , 2019, 134, 1560-1560.   | 0.6 | 1         |
| 209 | Gene Expression Profiling Using Nanostring <sup>®</sup> Reveals Differences According to Location, Histology and MIPI Score in Mantle Cell Lymphoma. <i>Blood</i> , 2019, 134, 5218-5218.   | 0.6 | 0         |
| 210 | Salvaging the supernatant: next generation cytopathology for solid tumor mutation profiling. <i>Modern Pathology</i> , 2018, 31, 1036-1045.   | 2.9 | 60        |
| 211 | Updated Results of Rituximab Pre- and Post-BEAM with or without 90Yttrium Ibritumomab Tiuxetan during Autologous Transplant for Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2018, 24, 2304-2311.   | 3.2 | 11        |
| 212 | Indolent T-lymphoblastic proliferation associated with low grade follicular dendritic cell sarcoma and Castleman disease. <i>Pathology</i> , 2018, 50, 351-352.   | 0.3 | 12        |
| 213 | Fifteen-Year Journey to High Reliability in Pathology and Laboratory Medicine. <i>American Journal of Medical Quality</i> , 2018, 33, 530-539.  | 0.2 | 2         |
| 214 | Improving the detection of patients with inherited predispositions to hematologic malignancies using next-generation sequencing-based leukemia prognostication panels. <i>Cancer</i> , 2018, 124, 2704-2713.  | 2.0 | 39        |
| 215 | Strategic Therapeutic Targeting to Overcome Venetoclax Resistance in Aggressive B-cell Lymphomas. <i>Clinical Cancer Research</i> , 2018, 24, 3967-3980.  | 3.2 | 69        |
| 216 | Chronic Myelomonocytic Leukemia With Fibrosis Is a Distinct Disease Subset With Myeloproliferative Features and Frequent JAK2 p.V617F Mutations. <i>American Journal of Surgical Pathology</i> , 2018, 42, 799-806.   | 2.1 | 29        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Breast Implant-Associated Anaplastic Large Cell Lymphoma With Bone Marrow Involvement. <i>Aesthetic Surgery Journal</i> , 2018, 38, .   | 0.9 | 5         |
| 218 | 8q24/MYC rearrangement is a recurrent cytogenetic abnormality in blastic plasmacytoid dendritic cell neoplasms. <i>Leukemia Research</i> , 2018, 66, 73-78.   | 0.4 | 29        |
| 219 | Chronic lymphoproliferative disorder of NK cells: A single institution review with emphasis on relative utility of multimodality diagnostic tools. <i>European Journal of Haematology</i> , 2018, 100, 444-454.   | 1.1 | 17        |
| 220 | Blastic plasmacytoid dendritic cell neoplasm with unusual morphology, MYC rearrangement and TET2 and DNMT3A mutations. <i>British Journal of Haematology</i> , 2018, 181, 305-305.  | 1.2 | 10        |
| 221 | Hepatosplenic T-cell Lymphoma: a review of clinicopathologic features, pathogenesis, and prognostic factors. <i>Human Pathology</i> , 2018, 74, 5-16.   | 1.1 | 77        |
| 222 | 3q26/ EVI1 rearrangement in myelodysplastic/myeloproliferative neoplasms: An early event associated with a poor prognosis. <i>Leukemia Research</i> , 2018, 65, 25-28.  | 0.4 | 6         |
| 223 | Bone marrow findings in blast phase of polycythemia vera. <i>Annals of Hematology</i> , 2018, 97, 425-434.  | 0.8 | 13        |
| 224 | Bone Marrow Involvement in Patients With Nodular Lymphocyte Predominant Hodgkin Lymphoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 492-499.  | 2.1 | 14        |
| 225 | Phase 2 trial of bortezomib in combination with rituximab plus hyperfractionated cyclophosphamide, vincristine, doxorubicin, and dexamethasone alternating with bortezomib, rituximab, methotrexate, and cytarabine for untreated mantle cell lymphoma. <i>Cancer</i> , 2018, 124, 2561-2569. | 2.0 | 14        |
| 226 | Primary breast diffuse large B-cell lymphoma: treatment strategies and patterns of failure. <i>Leukemia and Lymphoma</i> , 2018, 59, 2896-2903.   | 0.6 | 12        |
| 227 | Reply to Lambros et al. <i>Modern Pathology</i> , 2018, 31, 541-542.  | 2.9 | 0         |
| 228 | CD200 expression in mantle cell lymphoma identifies a unique subgroup of patients with frequent IGHV mutations, absence of SOX11 expression, and an indolent clinical course. <i>Modern Pathology</i> , 2018, 31, 327-336.  | 2.9 | 46        |
| 229 | Validation of Immunohistochemical Assays for Integral Biomarkers in the NCI-MATCH EAY131 Clinical Trial. <i>Clinical Cancer Research</i> , 2018, 24, 521-531.   | 3.2 | 64        |
| 230 | Coexistent genetic alterations involving ALK, RET, ROS1 or MET in 15 cases of lung adenocarcinoma. <i>Modern Pathology</i> , 2018, 31, 307-312.   | 2.9 | 24        |
| 231 | Diffuse large B-cell lymphoma. <i>Pathology</i> , 2018, 50, 74-87.  | 0.3 | 395       |
| 232 | Clinicopathologic Features and Prognostic Impact of Lymph Node Involvement in Patients With Breast Implant-associated Anaplastic Large Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 293-305.  | 2.1 | 80        |
| 233 | Lymphoproliferative disorders with concurrent <sc>HHV</sc>8 and <sc>EBV</sc> infection: beyond primary effusion lymphoma and germinotropic lymphoproliferative disorder. <i>Histopathology</i> , 2018, 72, 855-861.   | 1.6 | 20        |
| 234 | Characterization of IDH1 p.R132H Mutant Clones Using Mutation-specific Antibody in Myeloid Neoplasms. <i>American Journal of Surgical Pathology</i> , 2018, 42, 569-577.  | 2.1 | 9         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 235 | Apoptosis signaling and BCL-2 pathways provide opportunities for novel targeted therapeutic strategies in hematologic malignances. <i>Blood Reviews</i> , 2018, 32, 8-28.   | 2.8 | 68        |
| 236 | Coincident primary breast lymphoma and gastrointestinal stromal tumor: case series and molecular mechanisms. <i>OncoTargets and Therapy</i> , 2018, Volume 11, 8937-8942.   | 1.0 | 2         |
| 237 | Positron emission tomography-computed tomography predictors of progression after DA-R-EPOCH for PMBCL. <i>Blood Advances</i> , 2018, 2, 1334-1343.  | 2.5 | 23        |
| 238 | Cancer Therapy-associated Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2018, 42, 116-129.   | 2.1 | 27        |
| 239 | Cancer Immunotherapy in Diffuse Large B-Cell Lymphoma. <i>Frontiers in Oncology</i> , 2018, 8, 351.   | 1.3 | 71        |
| 240 | First Reported Case of Composite Breast Implant-associated Anaplastic Large Cell Lymphoma and Marginal Zone Lymphoma. <i>American Journal of Clinical Pathology</i> , 2018, 150, S100-S101.   | 0.4 | 0         |
| 241 | Genomic aberrations involving 12p/ETV6 are highly prevalent in blastic plasmacytoid dendritic cell neoplasms and might represent early clonal events. <i>Leukemia Research</i> , 2018, 73, 86-94.                                   | 0.4 | 29        |
| 242 | Bone marrow core biopsy in 508 consecutive patients with chronic myeloid leukemia: Assessment of potential value. <i>Cancer</i> , 2018, 124, 3849-3855.   | 2.0 | 18        |
| 243 | Chronic Myeloid Leukemia: Beyond BCR-ABL1. <i>Current Hematologic Malignancy Reports</i> , 2018, 13, 435-445.   | 1.2 | 38        |
| 244 | Response-adapted radiation therapy for newly diagnosed primary diffuse large B-cell lymphoma of the CNS treated with methotrexate-based systemic therapy. <i>Advances in Radiation Oncology</i> , 2018, 3, 639-646.                 | 0.6 | 9         |
| 245 | Clinical molecular testing for ASXL1 c.1934dupG p.Gly646fs mutation in hematologic neoplasms in the NGS era. <i>PLoS ONE</i> , 2018, 13, e0204218.  | 1.1 | 23        |
| 246 | Acute myeloid leukemia with t(4;12)(q12;p13): an aggressive disease with frequent involvement of <i>PDGFRA</i> and <i>ETV6</i> . <i>Oncotarget</i> , 2018, 9, 10987-10994.  | 0.8 | 5         |
| 247 | Detection of somatic mutations in cell-free DNA in plasma and correlation with overall survival in patients with solid tumors. <i>Oncotarget</i> , 2018, 9, 10259-10271.  | 0.8 | 29        |
| 248 | Granular B-acute lymphoblastic leukemia: Ultrastructural characterization of cytoplasmic granules. <i>Leukemia Research</i> , 2018, 73, 105-107.  | 0.4 | 0         |
| 249 | Myelodysplastic Syndromes with EZH2 Mutations Frequently Show Multilineage Dysplasia, Chromosome 7 Alterations and Concomitant Mutations in ASXL1, RUNX1 and TET2. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2018, 18, S260. | 0.2 | 0         |
| 250 | Kikuchi disease: an unusual case with features suggesting an infectious aetiology. <i>Pathology</i> , 2018, 50, 694-697.  | 0.3 | 1         |
| 251 | Validation of the 2017 revision of the WHO chronic myelomonocytic leukemia categories. <i>Blood Advances</i> , 2018, 2, 1807-1816.  | 2.5 | 34        |
| 252 | MYC/BCL2/BCL6 triple hit lymphoma: a study of 40 patients with a comparison to MYC/BCL2 and MYC/BCL6 double hit lymphomas. <i>Modern Pathology</i> , 2018, 31, 1470-1478.   | 2.9 | 50        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Characterization of chronic myelomonocytic leukemia with TP53 mutations. <i>Leukemia Research</i> , 2018, 70, 97-99.  | 0.4 | 8         |
| 254 | Clinicopathologic and molecular features in hairy cell leukemia-variant: single institutional experience. <i>Modern Pathology</i> , 2018, 31, 1717-1732.  | 2.9 | 30        |
| 255 | Chronic lymphocytic leukemia with proliferation centers in bone marrow is associated with younger age at initial presentation, complex karyotype, and TP53 disruption. <i>Human Pathology</i> , 2018, 82, 215-231.  | 1.1 | 11        |
| 256 | Advances in pathological understanding of high-grade B cell lymphomas. <i>Expert Review of Hematology</i> , 2018, 11, 637-648.  | 1.0 | 20        |
| 257 | Higher body mass index is associated with better survival in patients with myelodysplastic syndromes. <i>Leukemia Research</i> , 2018, 71, 63-66.   | 0.4 | 5         |
| 258 | Clinical Significance of PTEN Deletion, Mutation, and Loss of PTEN Expression in De Novo Diffuse Large B-Cell Lymphoma. <i>Neoplasia</i> , 2018, 20, 574-593.   | 2.3 | 64        |
| 259 | A Newly Recognized Histologic Pattern of IgG4-related Lymphadenopathy. <i>American Journal of Surgical Pathology</i> , 2018, 42, 977-982.   | 2.1 | 13        |
| 260 | A multimodality workup of patients with Hypereosinophilia. <i>American Journal of Hematology</i> , 2018, 93, 1337-1346.   | 2.0 | 14        |
| 261 | P53 protein overexpression in de novo acute myeloid leukemia patients with normal diploid karyotype correlates with <i>FLT3</i> internal tandem duplication and worse relapse-free survival. <i>American Journal of Hematology</i> , 2018, 93, 1376-1383. | 2.0 | 17        |
| 262 | Myeloid neoplasms with t(16;21)(q24;q22)/RUNX1-RUNX1T3 mimics acute myeloid leukemia with RUNX1-RUNX1T1. <i>Annals of Hematology</i> , 2018, 97, 1775-1783.   | 0.8 | 11        |
| 263 | Genetic subtyping of breast implant-associated anaplastic large cell lymphoma. <i>Blood</i> , 2018, 132, 544-547.   | 0.6 | 99        |
| 264 | Outcomes of Patients with Limited-Stage Aggressive Large B-Cell Lymphoma with MYC Rearrangement with and without BCL2 and/or BCL6 Rearrangements: A Retrospective Analysis from 15 US Academic Centers. <i>Blood</i> , 2018, 132, 451-451.                | 0.6 | 3         |
| 265 | Outcomes, Causes of Discontinuation and Mutation Profile of Patients with Mantle Cell Lymphoma Who Progressed on Acalabrutinib. <i>Blood</i> , 2018, 132, 4151-4151.  | 0.6 | 4         |
| 266 | Clinical and Genomic Characteristics in De Novo Blastoid/Pleomorphic (dnMCL) and Transformed Blastoid/Pleomorphic (t-MCL) Mantle Cell Lymphoma (MCL) in the Ibrutinib Era: Comprehensive Analysis of 168 Patients. <i>Blood</i> , 2018, 132, 1599-1599.   | 0.6 | 2         |
| 267 | The risk of central nervous system relapses in patients with peripheral T-cell lymphoma. <i>PLoS ONE</i> , 2018, 13, e0191461.  | 1.1 | 25        |
| 268 | CD10-positive mantle cell lymphoma: clinicopathologic and prognostic study of 30 cases. <i>Oncotarget</i> , 2018, 9, 11441-11450.   | 0.8 | 27        |
| 269 | Mixed phenotype acute leukemia contains heterogeneous genetic mutations by next-generation sequencing. <i>Oncotarget</i> , 2018, 9, 8441-8449.  | 0.8 | 27        |
| 270 | <i>MET</i> amplification assessed using optimized FISH reporting criteria predicts early distant metastasis in patients with non-small cell lung cancer. <i>Oncotarget</i> , 2018, 9, 12959-12970.  | 0.8 | 13        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Prognostic Factors, Outcomes and Clinical Characteristics in Patients with Transformed Follicular Lymphoma (t-FL): Cohort Study of 172 Patients. <i>Blood</i> , 2018, 132, 1600-1600.                                       | 0.6 | 0         |
| 272 | Durability Results of Non-Myeloablative (NMA) Allogeneic Stem Cell Transplantation (alloSCT) for Relapsed Follicular Lymphoma: 17- Year Experience. <i>Blood</i> , 2018, 132, 4651-4651.                                    | 0.6 | 0         |
| 273 | RAS and TP53, Not NOTCH1, Can Predict Survival in Adults with Acute T-Cell Lymphoblastic Leukemia Treated with Hypercvad. <i>Blood</i> , 2018, 132, 4085-4085.  | 0.6 | 0         |
| 274 | Concurrent fine needle aspirations and core needle biopsies: a comparative study of substrates for next-generation sequencing in solid organ malignancies. <i>Modern Pathology</i> , 2017, 30, 499-508.                     | 2.9 | 116       |
| 275 | Langerhans cell histiocytosis associated with lymphoma: an incidental finding that is not associated with BRAF or MAP2K1 mutations. <i>Modern Pathology</i> , 2017, 30, 734-744.  | 2.9 | 28        |
| 276 | Additional "structural" chromosomal aberrations are associated with inferior clinical outcome in patients with hyperdiploid multiple myeloma: a single-institution experience. <i>Modern Pathology</i> , 2017, 30, 843-853. | 2.9 | 7         |
| 277 | NF- $\kappa$ B p50 activation associated with immune dysregulation confers poorer survival for diffuse large B-cell lymphoma patients with wild-type p53. <i>Modern Pathology</i> , 2017, 30, 854-876.                      | 2.9 | 15        |
| 278 | Clinical and pathological characteristics of HIV- and HHV-8 "negative Castleman disease. <i>Blood</i> , 2017, 129, 1658-1668.   | 0.6 | 127       |
| 279 | Myeloid neoplasms with concurrent <i>BCR-ABL1</i> and <i>CBFB</i> rearrangements: A series of 10 cases of a clinically aggressive neoplasm. <i>American Journal of Hematology</i> , 2017, 92, 520-528.                      | 2.0 | 23        |
| 280 | Prognostic significance of cytogenetic abnormalities in T-cell prolymphocytic leukemia. <i>American Journal of Hematology</i> , 2017, 92, 441-447.  | 2.0 | 26        |
| 281 | Immunophenotypic Shifts in Primary Cutaneous $\gamma$ T-Cell Lymphoma Suggest Antigenic Modulation. <i>American Journal of Surgical Pathology</i> , 2017, 41, 431-445.  | 2.1 | 12        |
| 282 | U.S. Epidemiology of Breast Implant-Associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2017, 139, 1042-1050.  | 0.7 | 271       |
| 283 | Radiation therapy improves survival in patients with testicular diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2017, 58, 2833-2844.  | 0.6 | 13        |
| 284 | Characterization of <i>TP53</i> mutations in clonal cytopenia of undetermined significance. <i>American Journal of Hematology</i> , 2017, 92, E175-E177.  | 2.0 | 4         |
| 285 | Characteristics and clinical significance of cytogenetic abnormalities in polycythemia vera. <i>Haematologica</i> , 2017, 102, 1511-1518.   | 1.7 | 35        |
| 286 | Validation of the 2016 revisions to the WHO classification in lower-risk myelodysplastic syndrome. <i>American Journal of Hematology</i> , 2017, 92, E168-E171.   | 2.0 | 5         |
| 287 | Herpes simplex infection simulating Richter transformation: a series of four cases and review of the literature. <i>Histopathology</i> , 2017, 70, 821-831.   | 1.6 | 12        |
| 288 | Role of complexity of variant Philadelphia chromosome in chronic myeloid leukemia in the era of tyrosine kinase inhibitor therapy. <i>Annals of Hematology</i> , 2017, 96, 501-504.   | 0.8 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Mantle Cell Lymphoma With MYC Rearrangement. <i>American Journal of Surgical Pathology</i> , 2017, 41, 216-224.  | 2.1 | 48        |
| 290 | AKT Hyperactivation and the Potential of AKT-Targeted Therapy in Diffuse Large B-Cell Lymphoma. <i>American Journal of Pathology</i> , 2017, 187, 1700-1716.   | 1.9 | 39        |
| 291 | Study of Preanalytic and Analytic Variables for Clinical Next-Generation Sequencing of Circulating Cell-Free Nucleic Acid. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 514-524.  | 1.2 | 22        |
| 292 | Encouraging activity for R-CHOP in advanced stage nodular lymphocyte-predominant Hodgkin lymphoma. <i>Blood</i> , 2017, 130, 472-477.  | 0.6 | 65        |
| 293 | Primary Cutaneous T-Cell Lymphomas Showing Gamma-Delta (Î³Î´) Phenotype and Predominantly Epidermotropic Pattern are Clinicopathologically Distinct From Classic Primary Cutaneous Î³Î´ T-Cell Lymphomas. <i>American Journal of Surgical Pathology</i> , 2017, 41, 204-215. | 2.1 | 57        |
| 294 | PD-L1 and Notch1 expression in KSHV/HHV-8 and EBV associated germinotropic lymphoproliferative disorder: case report and review of the literature. <i>Pathology</i> , 2017, 49, 430-435.   | 0.3 | 12        |
| 295 | Morphologic and Molecular Characteristics of De Novo AML With JAK2 V617F Mutation. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2017, 15, 790-796.   | 2.3 | 11        |
| 296 | 3q26.2/EVI1 rearrangement is associated with poor prognosis in classical Philadelphia chromosome-negative myeloproliferative neoplasms. <i>Modern Pathology</i> , 2017, 30, 940-951.   | 2.9 | 5         |
| 297 | Characteristics, management, and outcomes of patients with follicular dendritic cell sarcoma. <i>British Journal of Haematology</i> , 2017, 178, 403-412.  | 1.2 | 57        |
| 298 | Global Adverse Event Reports of Breast Implant-Associated ALCL: An International Review of 40 Government Authority Databases. <i>Plastic and Reconstructive Surgery</i> , 2017, 139, 1029-1039.  | 0.7 | 112       |
| 299 | Dermal myeloid sarcoma as an initial presentation of acute myeloid leukemia. <i>Blood</i> , 2017, 129, 1056-1056.  | 0.6 | 4         |
| 300 | Clinical significance of isolated del(7p) in myeloid neoplasms. <i>Leukemia Research</i> , 2017, 55, 18-22.  | 0.4 | 6         |
| 301 | Pure erythroid leukemia. <i>American Journal of Hematology</i> , 2017, 92, 292-296.  | 2.0 | 49        |
| 302 | Hepatosplenic T-cell lymphoma arising in patients with immunodysregulatory disorders: a study of 7 patients who did not receive tumor necrosis factor-Î± inhibitor therapy and literature review. <i>Annals of Diagnostic Pathology</i> , 2017, 26, 16-22.                   | 0.6 | 33        |
| 303 | A Targeted High-Throughput Next-Generation Sequencing Panel for Clinical Screening of Mutations, Gene Amplifications, and Fusions in Solid Tumors. <i>Journal of Molecular Diagnostics</i> , 2017, 19, 255-264.  | 1.2 | 73        |
| 304 | Tetraploidy/near-tetraploidy acute myeloid leukemia. <i>Leukemia Research</i> , 2017, 53, 20-27.   | 0.4 | 12        |
| 305 | Prognostic impact of CD5 expression in diffuse large B-cell lymphoma in patients treated with rituximab-EPOCH. <i>European Journal of Haematology</i> , 2017, 98, 415-421.   | 1.1 | 41        |
| 306 | The survival outcome of patients with relapsed/refractory peripheral T-cell lymphoma not otherwise specified and angioimmunoblastic T-cell lymphoma. <i>British Journal of Haematology</i> , 2017, 176, 750-758.   | 1.2 | 78        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 307 | Hepatitis C virus positive diffuse large B-cell lymphomas have distinct molecular features and lack BCL2 translocations. <i>British Journal of Cancer</i> , 2017, 117, 1685-1688.   | 2.9 | 13        |
| 308 | Chronic myelomonocytic leukemia masquerading as cutaneous indeterminate dendritic cell tumor: Expanding the spectrum of skin lesions in chronic myelomonocytic leukemia. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 1075-1079.                       | 0.7 | 27        |
| 309 | Characterization of TP53 mutations in low-grade myelodysplastic syndromes and myelodysplastic syndromes with a non-complex karyotype. <i>European Journal of Haematology</i> , 2017, 99, 536-543.   | 1.1 | 20        |
| 310 | Follicular lymphoma with hyaline-vascular Castleman-like features: analysis of 6 cases and review of the literature. <i>Human Pathology</i> , 2017, 68, 136-146.  | 1.1 | 18        |
| 311 | Distinguishing Between Hepatosplenic T-cell Lymphoma and T-cell Large Granular Lymphocytic Leukemia. <i>American Journal of Surgical Pathology</i> , 2017, 41, 82-93.   | 2.1 | 42        |
| 312 | Primary Bone Lymphoma Exhibits a Favorable Prognosis and Distinct Gene Expression Signatures Resembling Diffuse Large B-Cell Lymphoma Derived From Centrocytes in the Germinal Center. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1309-1321. | 2.1 | 32        |
| 313 | Increased MYC copy number is an independent prognostic factor in patients with diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2017, 30, 1688-1697.  | 2.9 | 46        |
| 314 | Follicular lymphoma with hyaline-vascular Castleman disease-like follicles and CD20 positive follicular dendritic cells. <i>Pathology</i> , 2017, 49, 544-547.  | 0.3 | 6         |
| 315 | Bone marrow pathologic abnormalities in familial platelet disorder with propensity for myeloid malignancy and germline RUNX1 mutation. <i>Haematologica</i> , 2017, 102, 1661-1670.   | 1.7 | 64        |
| 316 | Mutually exclusive recurrent KRAS and MAP2K1 mutations in Rosai-Dorfman disease. <i>Modern Pathology</i> , 2017, 30, 1367-1377.   | 2.9 | 186       |
| 317 | Clinical utility of recently identified diagnostic, prognostic, and predictive molecular biomarkers in mature B-cell neoplasms. <i>Modern Pathology</i> , 2017, 30, 1338-1366.  | 2.9 | 36        |
| 318 | Clinical implications of cytogenetic heterogeneity in multiple myeloma patients with TP53 deletion. <i>Modern Pathology</i> , 2017, 30, 1378-1386.  | 2.9 | 6         |
| 319 | P53 expression correlates with poorer survival and augments the negative prognostic effect of MYC rearrangement, expression or concurrent MYC/BCL2 expression in diffuse large B-cell lymphoma. <i>Modern Pathology</i> , 2017, 30, 194-203.                | 2.9 | 72        |
| 320 | Synchronous presentation of intra-nodal follicular dendritic cell sarcoma and Castleman disease. <i>American Journal of Hematology</i> , 2017, 92, 478-479.   | 2.0 | 8         |
| 321 | Dose adjusted EPOCH and mediastinal disease may improve outcomes for patients with gray-zone lymphoma. <i>British Journal of Haematology</i> , 2017, 179, 503-506.  | 1.2 | 9         |
| 322 | PET-positive lymphadenopathy in CLL: Not always Richter transformation. <i>American Journal of Hematology</i> , 2017, 92, 405-406.  | 2.0 | 8         |
| 323 | Refractory hairy cell leukemia variant. <i>American Journal of Hematology</i> , 2017, 92, 1398-1399.  | 2.0 | 2         |
| 324 | Epstein-Barr virus latent membrane protein 1 up-regulates cytokines and correlates with older age and poorer prognosis in Hodgkin lymphoma. <i>Histopathology</i> , 2017, 70, 442-455.  | 1.6 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 325 | Cytogenetics-based risk prediction of blastic transformation of chronic myeloid leukemia in the era of TKI therapy. <i>Blood Advances</i> , 2017, 1, 2541-2552.  | 2.5 | 37        |
| 326 | Outcomes of Patients With Double-Hit Lymphoma Who Achieve First Complete Remission. <i>Journal of Clinical Oncology</i> , 2017, 35, 2260-2267.   | 0.8 | 132       |
| 327 | Versatile ion S5XL sequencer for targeted next generation sequencing of solid tumors in a clinical laboratory. <i>PLoS ONE</i> , 2017, 12, e0181968.   | 1.1 | 24        |
| 328 | Genome-wide copy number aberrations and HER2 and FGFR1 alterations in primary breast cancer by molecular inversion probe microarray. <i>Oncotarget</i> , 2017, 8, 10845-10857.   | 0.8 | 14        |
| 329 | Acquired 11q23/ rearrangement of unknown clinical significance. <i>International Journal of Clinical and Experimental Pathology</i> , 2017, 10, 9048-9051.   | 0.5 | 0         |
| 330 | Prognostic impact of concurrent <i>MYC</i> and <i>BCL6</i> rearrangements and expression in <i>de novo</i> diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2016, 7, 2401-2416.  | 0.8 | 93        |
| 331 | Graft-versus-host disease after radiation therapy in patients who have undergone allogeneic stem cell transplantation: two case reports. <i>Journal of Medical Case Reports</i> , 2016, 10, 209.                                       | 0.4 | 2         |
| 332 | High-grade Transformation of Low-grade B-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2016, 40, e1-e16.  | 2.1 | 19        |
| 333 | <i>MYC</i> / <i>BCL6</i> double-hit lymphoma ( <i>DHL</i> ): a tumour associated with an aggressive clinical course and poor prognosis. <i>Histopathology</i> , 2016, 68, 1090-1098.   | 1.6 | 81        |
| 334 | Prognostic Factors of Hepatosplenic T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2016, 40, 676-688.  | 2.1 | 65        |
| 335 | Template for Reporting Results of Biomarker Testing of Specimens From Patients With Diffuse Large B-Cell Lymphoma, Not Otherwise Specified. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 1225-1227.               | 1.2 | 6         |
| 336 | Impact of oncogene rearrangement patterns on outcomes in patients with double-hit non-Hodgkin lymphoma. <i>Cancer</i> , 2016, 122, 559-564.  | 2.0 | 67        |
| 337 | Diagnostic and predictive biomarkers for lymphoma diagnosis and treatment in the era of precision medicine. <i>Modern Pathology</i> , 2016, 29, 1118-1142.   | 2.9 | 36        |
| 338 | A rare histologic variant of a common lymphoma. <i>Blood</i> , 2016, 128, 3012-3012.   | 0.6 | 0         |
| 339 | <i>CCND1-IGH</i> Fusion-Amplification and <i>MYC</i> Copy Number Gain in a Case of Pleomorphic Variant Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2016, 146, 747-752.                                       | 0.4 | 10        |
| 340 | Assessment of CD37 B-cell antigen and cell of origin significantly improves risk prediction in diffuse large B-cell lymphoma. <i>Blood</i> , 2016, 128, 3083-3100.   | 0.6 | 59        |
| 341 | Starry Sky Pattern in Hematopoietic Neoplasms: A Review of Pathophysiology and Differential Diagnosis. <i>Advances in Anatomic Pathology</i> , 2016, 23, 343-355.  | 2.4 | 6         |
| 342 | Whole-arm translocation of der(5;17)(p10;q10) with concurrent TP53 mutations in acute myeloid leukemia (AML) and myelodysplastic syndrome (MDS): A unique molecular-cytogenetic subgroup. <i>Cancer Genetics</i> , 2016, 209, 205-214. | 0.2 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 343 | Clinical and Biologic Significance of <i>MYC</i> Genetic Mutations in <i>De Novo</i> Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2016, 22, 3593-3605.   | 3.2 | 48        |
| 344 | Preleukemic phase of chronic myelogenous leukemia: morphologic and immunohistochemical characterization of 7 cases. <i>Annals of Diagnostic Pathology</i> , 2016, 21, 53-58.   | 0.6 | 11        |
| 345 | Newly emerged isolated Del(7q) in patients with prior cytotoxic therapies may not always be associated with therapy-related myeloid neoplasms. <i>Modern Pathology</i> , 2016, 29, 727-734.  | 2.9 | 8         |
| 346 | Detection of an Abnormal Myeloid Clone by Flow Cytometry in Familial Platelet Disorder With Propensity to Myeloid Malignancy. <i>American Journal of Clinical Pathology</i> , 2016, 145, 271-276.  | 0.4 | 10        |
| 347 | Immunophenotypic and diagnostic characterization of angioimmunoblastic T-cell lymphoma by advanced flow cytometric technology. <i>Leukemia and Lymphoma</i> , 2016, 57, 2804-2812.   | 0.6 | 46        |
| 348 | Advances in B-lymphoblastic leukemia: cytogenetic and genomic lesions. <i>Annals of Diagnostic Pathology</i> , 2016, 23, 43-50.  | 0.6 | 11        |
| 349 | Risk stratification of chromosomal abnormalities in chronic myelogenous leukemia in the era of tyrosine kinase inhibitor therapy. <i>Blood</i> , 2016, 127, 2742-2750.   | 0.6 | 145       |
| 350 | Implementation of Genotyping Cell Free Nucleic Acid in Plasma Using Next Generation Sequencing Platforms in a Clinical Laboratory. <i>Cancer Genetics</i> , 2016, 209, 291-292.  | 0.2 | 0         |
| 351 | Validation of a Multiplex Capillary Electrophoresis-Based Assay for Simultaneous Detection of the Common and Uncommon BCR-ABL1 Transcripts. <i>Cancer Genetics</i> , 2016, 209, 289-290.   | 0.2 | 0         |
| 352 | TG2 and NF- $\kappa$ B Signaling Coordinates the Survival of Mantle Cell Lymphoma Cells via IL6-Mediated Autophagy. <i>Cancer Research</i> , 2016, 76, 6410-6423.  | 0.4 | 48        |
| 353 | Clinical and molecular characteristics of XPO1 mutations in patients with chronic lymphocytic leukemia. <i>American Journal of Hematology</i> , 2016, 91, E478-E479.   | 2.0 | 24        |
| 354 | Sole rearrangement but not amplification of <i>MYC</i> is associated with a poor prognosis in patients with diffuse large B cell lymphoma and B cell lymphoma unclassifiable. <i>British Journal of Haematology</i> , 2016, 175, 631-640.          | 1.2 | 55        |
| 355 | Double-hit follicular lymphoma with <i>MYC</i> and <i>BCL2</i> translocations: a study of 7 cases with a review of literature. <i>Human Pathology</i> , 2016, 58, 72-77.   | 1.1 | 33        |
| 356 | Comprehensive Screening of Gene Copy Number Aberrations in Formalin-Fixed, Paraffin-Embedded Solid Tumors Using Molecular Inversion Probe-Based Single-Nucleotide Polymorphism Array. <i>Journal of Molecular Diagnostics</i> , 2016, 18, 676-687. | 1.2 | 16        |
| 357 | Hydroa vacciniforme and hydroa vacciniforme-like T-cell lymphoma: an uncommon event for transformation. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1102-1111.   | 0.7 | 18        |
| 358 | Sex chromosome loss after allogeneic hematopoietic stem cell transplant in patients with hematologic neoplasms: a diagnostic dilemma for clinical cytogeneticists. <i>Molecular Cytogenetics</i> , 2016, 9, 62.                                    | 0.4 | 9         |
| 359 | Histologic transformation of chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>American Journal of Hematology</i> , 2016, 91, 1036-1043.   | 2.0 | 38        |
| 360 | Polyclonality in Sclerosing Angiomatoid Nodular Transformation of the Spleen. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1343-1351.   | 2.1 | 25        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 361 | Donor-Derived T-Cell Large Granular Lymphocytic Leukemia in a Patient With Peripheral T-Cell Lymphoma. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2016, 14, 939-944.   | 2.3 | 9         |
| 362 | High-grade B-cell Lymphoma With MYC Rearrangement and Without BCL2 and BCL6 Rearrangements Is Associated With High P53 Expression and a Poor Prognosis. <i>American Journal of Surgical Pathology</i> , 2016, 40, 253-261.                                     | 2.1 | 51        |
| 363 | Template for Reporting Results of Biomarker Testing of Specimens From Patients With Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2016, 140, 1228-1230.                                      | 1.2 | 3         |
| 364 | Crystal-storing histiocytosis: a clinicopathological study of 13 cases. <i>Histopathology</i> , 2016, 68, 482-491.   | 1.6 | 60        |
| 365 | Anaplastic lymphoma kinase (ALK)-positive large B-cell lymphoma in a patient treated with azathioprine for ulcerative colitis. <i>Pathology</i> , 2016, 48, 513-515.   | 0.3 | 6         |
| 366 | Comparison of Multiparameter Flow Cytometry Immunophenotypic Analysis and Quantitative RT-PCR for the Detection of Minimal Residual Disease of Core Binding Factor Acute Myeloid Leukemia. <i>American Journal of Clinical Pathology</i> , 2016, 145, 769-777. | 0.4 | 39        |
| 367 | Implementation of next generation sequencing in clinical molecular diagnostic laboratories: advantages, challenges and potential. <i>Expert Review of Precision Medicine and Drug Development</i> , 2016, 1, 109-120.  | 0.4 | 25        |
| 368 | Isolated Sex Chromosome Loss after Allogeneic Stem Cell Transplant in Patients With Hematological Malignancies. <i>Cancer Genetics</i> , 2016, 209, 241.   | 0.2 | 0         |
| 369 | Clinical significance of acquired loss of the X chromosome in bone marrow. <i>Leukemia Research</i> , 2016, 47, 109-113.   | 0.4 | 9         |
| 370 | Principles of analytical validation of next-generation sequencing based mutational analysis for hematologic neoplasms in a CLIA-certified laboratory. <i>Expert Review of Molecular Diagnostics</i> , 2016, 16, 461-472.                                       | 1.5 | 33        |
| 371 | Constitutional pericentric inversion of chromosome 9 has no impact on survival in chronic myelogenous leukemia. <i>Annals of Hematology</i> , 2016, 95, 657-659.   | 0.8 | 2         |
| 372 | Identification of Factors Affecting the Success of Next-Generation Sequencing Testing in Solid Tumors. <i>American Journal of Clinical Pathology</i> , 2016, 145, 222-237.   | 0.4 | 91        |
| 373 | The clinical significance of 8q24/MYC rearrangement in chronic lymphocytic leukemia. <i>Modern Pathology</i> , 2016, 29, 444-451.  | 2.9 | 18        |
| 374 | Myeloproliferative Neoplasms With Calreticulin Mutations Exhibit Distinctive Morphologic Features. <i>American Journal of Clinical Pathology</i> , 2016, 145, 418-427.   | 0.4 | 6         |
| 375 | Immune checkpoint blockade: Releasing the brake towards hematological malignancies. <i>Blood Reviews</i> , 2016, 30, 189-200.  | 2.8 | 34        |
| 376 | Ibrutinib in combination with rituximab in relapsed or refractory mantle cell lymphoma: a single-centre, open-label, phase 2 trial. <i>Lancet Oncology</i> , The, 2016, 17, 48-56.   | 5.1 | 189       |
| 377 | Complete Surgical Excision Is Essential for the Management of Patients With Breast Implant-Associated Anaplastic Large-Cell Lymphoma. <i>Journal of Clinical Oncology</i> , 2016, 34, 160-168.   | 0.8 | 349       |
| 378 | Myelodysplastic syndromes following therapy with hypomethylating agents (HMAs): development of acute erythroleukemia may not influence assessment of treatment response. <i>Leukemia and Lymphoma</i> , 2016, 57, 812-819.                                     | 0.6 | 7         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 379 | Clinicopathologic features and outcomes of lymphoplasmacytic lymphoma patients with monoclonal IgG or IgA paraprotein expression. <i>Leukemia and Lymphoma</i> , 2016, 57, 1104-1113.  | 0.6 | 40        |
| 380 | Chronic myelomonocytic leukemia with nucleophosmin ( <i>NPM1</i> ) mutation. <i>European Journal of Haematology</i> , 2016, 96, 65-71.   | 1.1 | 44        |
| 381 | Ifosfamide, carboplatin, etoposide with or without bortezomib in patients with relapsed/refractory Hodgkin lymphoma: results of a randomized phase II trial. <i>Leukemia and Lymphoma</i> , 2016, 57, 445-447.   | 0.6 | 5         |
| 382 | MYC Copy Number Aberrancies Predict a Worse Prognosis in Patients with Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2016, 128, 154-154.   | 0.6 | 1         |
| 383 | Routine Clinical Testing for Actionable Mutations in CLL Using Endcll Assay V1: The Initial MD Anderson Experience. <i>Blood</i> , 2016, 128, 3196-3196.   | 0.6 | 1         |
| 384 | Benefit of Consolidative Autologous Stem Cell Transplantation in First Complete Remission for Patients with Double Hit Lymphoma Appears Dependent on Induction Regimen Intensity. <i>Blood</i> , 2016, 128, 3455-3455.   | 0.6 | 2         |
| 385 | The Risk of Central Nervous System (CNS) Relapses in Patients with Peripheral T-Cell Lymphoma. <i>Blood</i> , 2016, 128, 4153-4153.  | 0.6 | 2         |
| 386 | Cytogenetic Abnormalities May Predict Transformation to Acute Myeloid Leukemia in Polycythemia Vera Patients. <i>Blood</i> , 2016, 128, 4258-4258.   | 0.6 | 1         |
| 387 | p3 expression confers significantly better survival outcomes in high-risk diffuse large B-cell lymphoma and demonstrates p3-like and p3-independent tumor suppressor function. <i>Aging</i> , 2016, 8, 345-365.  | 1.4 | 19        |
| 388 | RelA NF- $\kappa$ B subunit activation as a therapeutic target in diffuse large B-cell lymphoma. <i>Aging</i> , 2016, 8, 3321-3340.  | 1.4 | 29        |
| 389 | Targeting the hexosamine biosynthetic pathway and O-linked N-acetylglucosamine cycling for therapeutic and imaging capabilities in diffuse large B-cell lymphoma. <i>Oncotarget</i> , 2016, 7, 80599-80611.  | 0.8 | 24        |
| 390 | Myeloid neoplasms with isolated isochromosome 17q demonstrate a high frequency of mutations in <i>SETBP1</i> , <i>SRSF2</i> , <i>ASXL1</i> and <i>NRAS</i> . <i>Oncotarget</i> , 2016, 7, 14251-14258.   | 0.8 | 42        |
| 391 | Prognostic impact of history of follicular lymphoma, induction regimen and stem cell transplant in patients with <i>MYC/BCL2</i> double hit lymphoma. <i>Oncotarget</i> , 2016, 7, 38122-38132.  | 0.8 | 30        |
| 392 | Validation of the 2016 Revision to the World Health Organization (WHO) Classification of Myelodysplastic Syndromes with Diploid Karyotype. <i>Blood</i> , 2016, 128, 4319-4319.  | 0.6 | 0         |
| 393 | CD5 Negative Mantle Cell Lymphoma: Clinicopathologic Correlations and Outcome in 58 Cases. <i>Blood</i> , 2016, 128, 2964-2964.  | 0.6 | 0         |
| 394 | Clinical Implementation of a Testing Algorithm for the Diagnosis of Ph-like B-Cell Acute Lymphoblastic Leukemia. <i>Blood</i> , 2016, 128, 2915-2915.  | 0.6 | 0         |
| 395 | Clinical and Biological significance of <i>MYC/BCL6</i> dual gene rearrangements and protein co-expression in de novo diffuse large B-cell lymphoma: a report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S228. | 0.2 | 0         |
| 396 | Myeloproliferative Neoplasms with Calreticulin Mutations Exhibit Distinctive Morphologic Features. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S57.   | 0.2 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | MYC Signatures and Characterization of MYC-Driven Aggressive B-Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2015, 15, S223.  | 0.2 | 0         |
| 398 | Insights from response to tyrosine kinase inhibitor therapy in a rare myeloproliferative neoplasm with CALR mutation and BCR-ABL1. <i>Blood</i> , 2015, 125, 3360-3363.   | 0.6 | 22        |
| 399 | Identification of a Novel Fusion Gene, IRF2BP2-RARA, in Acute Promyelocytic Leukemia. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2015, 13, 19-22.   | 2.3 | 46        |
| 400 | MYC Cytogenetic Status Correlates With Expression and Has Prognostic Significance in Patients With MYC/BCL2 Protein Double-positive Diffuse Large B-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1250-1258.   | 2.1 | 51        |
| 401 | Triple-hit B-cell Lymphoma With MYC, BCL2, and BCL6 Translocations/Rearrangements. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1132-1139.   | 2.1 | 64        |
| 402 | Prognostic impact of acquisition of cytogenetic abnormalities during the course of chronic myelomonocytic leukemia. <i>American Journal of Hematology</i> , 2015, 90, 882-887.  | 2.0 | 14        |
| 403 | Phase II study of HCVIDD/MA in patients with newly diagnosed peripheral T-cell lymphoma. <i>British Journal of Haematology</i> , 2015, 171, 509-516.  | 1.2 | 15        |
| 404 | Factors affecting the success of next-generation sequencing in cytology specimens. <i>Cancer Cytopathology</i> , 2015, 123, 659-668.  | 1.4 | 127       |
| 405 | Characteristics and Treatment of Patients with Breast Implant-Associated Anaplastic Large Cell Lymphoma Presenting with Aggressive Features. <i>Plastic and Reconstructive Surgery</i> , 2015, 136, 119-120.                              | 0.7 | 31        |
| 406 | Malignant Effusions Correlate With Poorer Prognosis in Patients With Diffuse Large B-Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2015, 143, 707-715.   | 0.4 | 27        |
| 407 | Del(20q) in patients with chronic lymphocytic leukemia: a therapy-related abnormality involving lymphoid or myeloid cells. <i>Modern Pathology</i> , 2015, 28, 1130-1137.   | 2.9 | 7         |
| 408 | The Utility of BRAF V600E Mutation-Specific Antibody VE1 for the Diagnosis of Hairy Cell Leukemia. <i>American Journal of Clinical Pathology</i> , 2015, 143, 120-125.  | 0.4 | 23        |
| 409 | Flow cytometry immunophenotypic analysis of philadelphia-negative myeloproliferative neoplasms: Correlation with histopathologic features. , 2015, 88, 236-243.   |     | 3         |
| 410 | Isolated +15 in bone marrow: Disease-associated or a benign finding?. <i>Leukemia Research</i> , 2015, 39, 72-76.   | 0.4 | 12        |
| 411 | Mutational profiling of therapy-related myelodysplastic syndromes and acute myeloid leukemia by next generation sequencing, a comparison with de novo diseases. <i>Leukemia Research</i> , 2015, 39, 348-354.                             | 0.4 | 115       |
| 412 | Epstein-Barr virus-positive plasmacytoma in immunocompetent patients. <i>Histopathology</i> , 2015, 67, 225-234.  | 1.6 | 31        |
| 413 | B-cell lymphomas with concurrent MYC and BCL2 abnormalities other than translocations behave similarly to MYC/BCL2 double-hit lymphomas. <i>Modern Pathology</i> , 2015, 28, 208-217.   | 2.9 | 75        |
| 414 | Comparison of Survival in Patients with T Cell Lymphoma after Autologous and Allogeneic Stem Cell Transplantation as a Frontline Strategy or in Relapsed Disease. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 855-859. | 2.0 | 36        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 415 | Hotspot Mutation Panel Testing Reveals Clonal Evolution in a Study of 265 Paired Primary and Metastatic Tumors. <i>Clinical Cancer Research</i> , 2015, 21, 2644-2651.  | 3.2 | 70        |
| 416 | CD5-positive follicular lymphoma: clinicopathologic correlations and outcome in 88 cases. <i>Modern Pathology</i> , 2015, 28, 787-798.  | 2.9 | 27        |
| 417 | Isolated del(5q) in Patients Following Therapies for Various Malignancies May Not All Be Clinically Significant. <i>American Journal of Clinical Pathology</i> , 2015, 144, 78-86.  | 0.4 | 13        |
| 418 | B-Lymphoblastic Leukemia in Patients With Chronic Lymphocytic Leukemia. <i>American Journal of Clinical Pathology</i> , 2015, 144, 333-340.   | 0.4 | 15        |
| 419 | Extramedullary Manifestations of Myeloid Neoplasms. <i>American Journal of Clinical Pathology</i> , 2015, 144, 219-239.   | 0.4 | 89        |
| 420 | Intratumoral morphologic and molecular heterogeneity of rhabdoid renal cell carcinoma: challenges for personalized therapy. <i>Modern Pathology</i> , 2015, 28, 1225-1235.  | 2.9 | 23        |
| 421 | Introduction to the 2013 Workshop of the Society for Hematopathology/European Association for Haematopathology. <i>American Journal of Clinical Pathology</i> , 2015, 144, 4-5.   | 0.4 | 0         |
| 422 | Mixed T Lymphocyte Chimerism after Allogeneic Hematopoietic Transplantation Is Predictive for Relapse of Acute Myeloid Leukemia and Myelodysplastic Syndromes. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1948-1954.  | 2.0 | 63        |
| 423 | Comparison of Next-generation Sequencing Mutation Profiling With BRAF and IDH1 Mutation-specific Immunohistochemistry. <i>American Journal of Surgical Pathology</i> , 2015, 39, 454-461.   | 2.1 | 25        |
| 424 | Primary central nervous system diffuse large B-cell lymphoma has poorer immune cell infiltration and prognosis than its peripheral counterpart. <i>Histopathology</i> , 2015, 67, 625-635.  | 1.6 | 25        |
| 425 | The clinical significance of negative flow cytometry immunophenotypic results in a morphologically scored positive bone marrow in patients following treatment for acute myeloid leukemia. <i>American Journal of Hematology</i> , 2015, 90, 504-510.   | 2.0 | 33        |
| 426 | Clinical Validation of a Multipurpose Assay for Detection and Genotyping of CALR Mutations in Myeloproliferative Neoplasms. <i>American Journal of Clinical Pathology</i> , 2015, 144, 746-755.   | 0.4 | 8         |
| 427 | Clinical features, tumor biology, and prognosis associated with MYC rearrangement and Myc overexpression in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2015, 28, 1555-1573.  | 2.9 | 48        |
| 428 | Prognostic and biological significance of survivin expression in patients with diffuse large B-cell lymphoma treated with rituximab-CHOP therapy. <i>Modern Pathology</i> , 2015, 28, 1297-1314.  | 2.9 | 21        |
| 429 | TP53 overexpression is an independent adverse prognostic factor in de novo myelodysplastic syndromes with fibrosis. <i>British Journal of Haematology</i> , 2015, 171, 91-99.   | 1.2 | 43        |
| 430 | Clinical significance of newly emerged isolated del(20q) in patients following cytotoxic therapies. <i>Modern Pathology</i> , 2015, 28, 1014-1022.  | 2.9 | 20        |
| 431 | Evaluation of NF- $\kappa$ B subunit expression and signaling pathway activation demonstrates that p52 expression confers better outcome in germinal center B-cell-like diffuse large B-cell lymphoma in association with CD30 and BCL2 functions. <i>Modern Pathology</i> , 2015, 28, 1202-1213. | 2.9 | 17        |
| 432 | T-Lymphoblastic Leukemia/Lymphoma. <i>American Journal of Clinical Pathology</i> , 2015, 144, 411-422.  | 0.4 | 105       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 433 | Hematolymphoid Neoplasms Associated With Rearrangements of PDGFRA, PDGFRB, and FGFR1. American Journal of Clinical Pathology, 2015, 144, 377-392.   | 0.4 | 55        |
| 434 | Clinicopathologic, Immunophenotypic, Cytogenetic, and Molecular Features of $\hat{t}(14;19)$ T-Cell Large Granular Lymphocytic Leukemia: An Analysis of 14 Patients Suggests Biologic Differences With $\hat{t}(14;19)$ T-Cell Large Granular Lymphocytic Leukemia. American Journal of Clinical Pathology, 2015, 144, 607-619. | 0.4 | 34        |
| 435 | High Levels of Regulatory T Cells in Blood Are a Poor Prognostic Factor in Patients With Diffuse Large B-Cell Lymphoma. American Journal of Clinical Pathology, 2015, 144, 935-944.   | 0.4 | 30        |
| 436 | <i>De Novo</i> MYC and BCL2 Double-hit B-Cell Precursor Acute Lymphoblastic Leukemia (BCP-ALL) in Pediatric and Young Adult Patients Associated With Poor Prognosis. Pediatric Hematology and Oncology, 2015, 32, 535-547.  | 0.3 | 30        |
| 437 | Acute Myeloid Leukemia with $t(5q33-34)$ Does Not Always have Myelodysplastic Features but is Associated with Poor Outcome. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, S187-S188.   | 0.2 | 0         |
| 438 | Clinical and prognostic significance of 3q26 rearrangements and other chromosome 3 abnormalities in chronic myelogenous leukemia in era of tyrosine kinase inhibitors. Clinical Lymphoma, Myeloma and Leukemia, 2015, 15, S32-S33.  | 0.2 | 0         |
| 439 | Flow cytometry immunophenotypic findings in chronic myelomonocytic leukemia and its utility in monitoring treatment response. European Journal of Haematology, 2015, 95, 168-176.   | 1.1 | 30        |
| 440 | Plasma circulating-microRNA profiles are useful for assessing prognosis in patients with cytogenetically normal myelodysplastic syndromes. Modern Pathology, 2015, 28, 373-382.   | 2.9 | 28        |
| 441 | RAS/RAF Pathway Mutations Define a Distinct Subset of Chronic Lymphocytic Leukemia. Blood, 2015, 126, 1730-1730.  | 0.6 | 3         |
| 442 | In-Vivo Purging with Rituximab (R) Followed By Z/BEAM Vs BEAM/R Autologous Stem Cell Conditioning for Relapsed Diffuse Large B-Cell Lymphoma (DLBCL) Patients (pts): Mature Results from a Combined Analysis of 3 Trials. Blood, 2015, 126, 3192-3192.  | 0.6 | 3         |
| 443 | Clinical and biological significance of <i>de novo</i> CD5+ diffuse large B-cell lymphoma in Western countries. Oncotarget, 2015, 6, 5615-5633.   | 0.8 | 72        |
| 444 | Prognostic impact of c-Rel nuclear expression and <i>REL</i> amplification and crosstalk between c-Rel and the p53 pathway in diffuse large B-cell lymphoma. Oncotarget, 2015, 6, 23157-23180.  | 0.8 | 35        |
| 445 | Age cutoff for Epstein-Barr virus-positive diffuse large B-cell lymphoma-is it necessary?. Oncotarget, 2015, 6, 13933-13945.  | 0.8 | 33        |
| 446 | <i>MYC</i> -driven aggressive B-cell lymphomas: biology, entity, differential diagnosis and clinical management. Oncotarget, 2015, 6, 38591-38616.  | 0.8 | 44        |
| 447 | Bf (bendamustine, fludarabine, rituximab) Nonmyeloablative Allogeneic Conditioning Improves Survival in Relapsed/Refractory Chronic Lymphocytic Leukemia (CLL).. Blood, 2015, 126, 2011-2011.   | 0.6 | 1         |
| 448 | MYC/BCL2 Double Hit Lymphoma: What Really Matters. Blood, 2015, 126, 3909-3909.   | 0.6 | 0         |
| 449 | B acute lymphoblastic leukemia with $t(14;19)(q32;p13.1)$ involving IGH/EPOR: a clinically aggressive subset of disease. Modern Pathology, 2014, 27, 382-389.   | 2.9 | 12        |
| 450 | Clinical features of De Novo acute myeloid leukemia with concurrent DNMT3A, FLT3 and NPM1 mutations. Journal of Hematology and Oncology, 2014, 7, 74.   | 6.9 | 90        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 451 | Identification of clinically important chromosomal aberrations in acute myeloid leukemia by array-based comparative genomic hybridization. <i>Leukemia and Lymphoma</i> , 2014, 55, 2538-2548.  | 0.6 | 14        |
| 452 | Bone marrow fibrosis in patients with primary myelodysplastic syndromes has prognostic value using current therapies and new risk stratification systems. <i>Modern Pathology</i> , 2014, 27, 681-689.  | 2.9 | 50        |
| 453 | Monoclonality and cytogenetic abnormalities in hyaline vascular Castleman disease. <i>Modern Pathology</i> , 2014, 27, 823-831.   | 2.9 | 76        |
| 454 | Utility of Quantitative Flow Cytometry Immunophenotypic Analysis of CD5 Expression in Small B-Cell Neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 903-909.  | 1.2 | 13        |
| 455 | Flow Cytometric Immunophenotypic Analysis of Systemic Mastocytosis Involving Bone Marrow. <i>Archives of Pathology and Laboratory Medicine</i> , 2014, 138, 1210-1214.  | 1.2 | 9         |
| 456 | Quantitative Assessment of Mutant Allele Burden in Solid Tumors by Semiconductor-Based Next-Generation Sequencing. <i>American Journal of Clinical Pathology</i> , 2014, 141, 559-572.  | 0.4 | 20        |
| 457 | Next-generation sequencing-based multigene mutational screening for acute myeloid leukemia using MiSeq: applicability for diagnostics and disease monitoring. <i>Haematologica</i> , 2014, 99, 465-473.   | 1.7 | 165       |
| 458 | Cytogenetic risk stratification of 417 patients with chronic myelomonocytic leukemia from a single institution. <i>American Journal of Hematology</i> , 2014, 89, 813-818.  | 2.0 | 66        |
| 459 | <i>BRAF</i> kinase domain mutations are present in a subset of chronic myelomonocytic leukemia with wild-type <i>RAS</i> . <i>American Journal of Hematology</i> , 2014, 89, 499-504.   | 2.0 | 30        |
| 460 | Phenotypic and Genotypic Profiling of MDM2, Respective to the TP53 Genetic Status, in Diffuse Large B-cell Lymphoma Patients Treated With Rituximab-CHOP Immunochemotherapy: A Report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, S146-S147. | 0.2 | 0         |
| 461 | TET2 Mutations, Myelodysplastic Features, and a Distinct Immunoprofile Characterize Blastic Plasmacytoid Dendritic Cell Neoplasm in the Bone Marrow. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2014, 14, S128.   | 0.2 | 0         |
| 462 | CD30 expression in acute lymphoblastic leukemia as assessed by flow cytometry analysis. <i>Leukemia and Lymphoma</i> , 2014, 55, 624-627.   | 0.6 | 35        |
| 463 | Indolent peripheral T-cell lymphoma involving the gastrointestinal tract. <i>Human Pathology</i> , 2014, 45, 421-426.   | 1.1 | 37        |
| 464 | Differential Expression of CD200 in B-Cell Neoplasms by Flow Cytometry Can Assist in Diagnosis, Subclassification, and Bone Marrow Staging. <i>American Journal of Clinical Pathology</i> , 2014, 142, 837-844.   | 0.4 | 66        |
| 465 | Prevalence and Clinical Implications of Epstein-Barr Virus Infection in <i>De Novo</i> Diffuse Large B-Cell Lymphoma in Western Countries. <i>Clinical Cancer Research</i> , 2014, 20, 2338-2349.   | 3.2 | 117       |
| 466 | Breast Implant-Associated Anaplastic Large-Cell Lymphoma: Long-Term Follow-Up of 60 Patients. <i>Journal of Clinical Oncology</i> , 2014, 32, 114-120.  | 0.8 | 338       |
| 467 | Optimized immunohistochemical panel to differentiate myeloid sarcoma from blastic plasmacytoid dendritic cell neoplasm. <i>Modern Pathology</i> , 2014, 27, 1137-1143.  | 2.9 | 41        |
| 468 | The oncogenic <i>JUNB</i> / <i>CD</i> 30 axis contributes to cell cycle deregulation in <i>ALK</i> + anaplastic large cell lymphoma. <i>British Journal of Haematology</i> , 2014, 167, 514-523.  | 1.2 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 469 | Breast implant-associated anaplastic large cell lymphoma: sensitivity, specificity, and findings of imaging studies in 44 patients. <i>Breast Cancer Research and Treatment</i> , 2014, 147, 1-14.  | 1.1 | 131       |
| 470 | Acquired B cell immunophenotype of follicular dendritic cells in a B cell-depleted lymph node after treatment with rituximab. <i>Annals of Hematology</i> , 2014, 93, 1947-1948.  | 0.8 | 3         |
| 471 | Rearrangements of MYC gene facilitate risk stratification in diffuse large B-cell lymphoma patients treated with rituximab-CHOP. <i>Modern Pathology</i> , 2014, 27, 958-971.   | 2.9 | 112       |
| 472 | Clinical Implications of Phosphorylated STAT3 Expression in <i>De Novo</i> Diffuse Large B-cell Lymphoma. <i>Clinical Cancer Research</i> , 2014, 20, 5113-5123.  | 3.2 | 60        |
| 473 | Prevalence and clinical implications of cyclin D1 expression in diffuse large B-cell lymphoma (DLBCL) treated with immunochemotherapy: A report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Cancer</i> , 2014, 120, 1818-1829.                 | 2.0 | 32        |
| 474 | Epstein-Barr virus-positive nodular lymphocyte predominant Hodgkin lymphoma. <i>Annals of Diagnostic Pathology</i> , 2014, 18, 203-209.   | 0.6 | 21        |
| 475 | Clinically silent clonal cytogenetic abnormalities arising in patients treated for lymphoid neoplasms. <i>Leukemia Research</i> , 2014, 38, 896-900.  | 0.4 | 8         |
| 476 | Impact of induction regimen and stem cell transplantation on outcomes in double-hit lymphoma: a multicenter retrospective analysis. <i>Blood</i> , 2014, 124, 2354-2361.  | 0.6 | 382       |
| 477 | A novel recurrent NPM1-TYK2 gene fusion in cutaneous CD30-positive lymphoproliferative disorders. <i>Blood</i> , 2014, 124, 3768-3771.  | 0.6 | 90        |
| 478 | Breast Implant-Associated Anaplastic Large Cell Lymphoma. <i>Plastic and Reconstructive Surgery</i> , 2014, 134, 95-96.   | 0.7 | 0         |
| 479 | Integrated Genome Sequencing Reveals Frequent Loss of Function Alterations of ARID1A and Other Epigenetic Modifiers in Sezary Syndrome. <i>Blood</i> , 2014, 124, 706-706.  | 0.6 | 2         |
| 480 | NF- $\kappa$ B Subunit c-Rel Cooperates with Myc and Mutated p53 to Confer Significantly Worse Survival in Patients with Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2014, 124, 1620-1620. | 0.6 | 0         |
| 481 | Comparison of Risk Models for Patients with Lower Risk Myelodysplastic Syndromes. <i>Blood</i> , 2014, 124, 1919-1919.  | 0.6 | 0         |
| 482 | Multigene Mutational Clinical Profiling Using Next Generation Sequencing in a Cohort of 451 Patients with MDS: Impact on Clinical Outcomes. <i>Blood</i> , 2014, 124, 4658-4658.  | 0.6 | 0         |
| 483 | Outcomes Following Allogeneic Stem Cell Transplantation (AlloSCT) in Patients with Primary Mediastinal (PMBL), Germinal Center B (GCB) and Non-GCB Cell-like Diffuse Large B Cell Lymphomas (DLBCL). <i>Blood</i> , 2014, 124, 2563-2563.                             | 0.6 | 1         |
| 484 | Akt Activation Confers an Inferior Survival in Patients with Activated B-Cell Subtype of Diffuse Large B-Cell Lymphoma: A Report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2014, 124, 143-143.                                   | 0.6 | 1         |
| 485 | Novel Gene Translocations Involving TYK2 in Cutaneous CD30-Positive Lymphoproliferative Disorders. <i>Blood</i> , 2014, 124, 3032-3032.   | 0.6 | 1         |
| 486 | Clinical and Biological Features of Primary Testicular B-Cell Lymphoma - a Single-Institution Study of 89 Cases. <i>Blood</i> , 2014, 124, 3036-3036.   | 0.6 | 0         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | MYC Expression Is Prognostic in Therapy Related Acute Myeloid Leukemia (AML) and AML with Myelodysplastic Syndrome (MDS)-Related Changes. <i>Blood</i> , 2014, 124, 5334-5334.   | 0.6 | 0         |
| 488 | Homozygous inv(11)(q21q23) and MLL gene rearrangement in two patients with myeloid neoplasms. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 3196-201.   | 0.5 | 6         |
| 489 | Molecular characterization of <i>de novo</i> Philadelphia chromosome-positive acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2013, 54, 138-144.  | 0.6 | 105       |
| 490 | Clinical Validation of a Next-Generation Sequencing Screen for Mutational Hotspots in 46 Cancer-Related Genes. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 607-622.  | 1.2 | 314       |
| 491 | The Impact of MYC Rearrangements and "Double Hit" Abnormalities in Diffuse Large B-Cell Lymphoma. <i>Current Hematologic Malignancy Reports</i> , 2013, 8, 243-252.  | 1.2 | 30        |
| 492 | Genomic Variation by Whole-Genome SNP Mapping Arrays Predicts Time-to-Event Outcome in Patients with Chronic Lymphocytic Leukemia. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 196-209.  | 1.2 | 24        |
| 493 | t(15;17)(q24.1;q21.2)/PML-RARA in blast phase of chronic myelogenous leukemia: a rare form of clonal evolution. <i>Journal of Hematopathology</i> , 2013, 6, 187-193.  | 0.2 | 6         |
| 494 | Donor-derived isolated del(20q) after hematopoietic stem cell transplantation: report of two cases and review of the literature. <i>Journal of Hematopathology</i> , 2013, 6, 25-32.   | 0.2 | 3         |
| 495 | The clinical importance of moderate/severe bone marrow fibrosis in patients with therapy-related myelodysplastic syndromes. <i>Annals of Hematology</i> , 2013, 92, 1335-1343.   | 0.8 | 22        |
| 496 | CXC Chemokine Receptor 4 Expression, CXC Chemokine Receptor 4 Activation, and Wild-Type Nucleophosmin Are Independently Associated With Unfavorable Prognosis in Patients With Acute Myeloid Leukemia. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, 686-692.   | 0.2 | 16        |
| 497 | High-Dose Chemotherapy and Autologous Stem Cell Transplantation for Nodular Lymphocyte-Predominant Hodgkin Lymphoma. <i>Biology of Blood and Marrow Transplantation</i> , 2013, 19, 991-994.   | 2.0 | 36        |
| 498 | Systemic mastocytosis with associated clonal hematological non-mast cell lineage disease: Clinical significance and comparison of chromosomal abnormalities in <i>SM</i> and <i>AHNMD</i> components. <i>American Journal of Hematology</i> , 2013, 88, 219-224.             | 2.0 | 76        |
| 499 | Absence of terminal deoxynucleotidyl transferase expression identifies a subset of high-risk adult T-lymphoblastic leukemia/lymphoma. <i>Modern Pathology</i> , 2013, 26, 1338-1345.   | 2.9 | 36        |
| 500 | Micro <i>RNA</i> signatures and treatment response in patients with advanced classical Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2013, 162, 336-347.   | 1.2 | 39        |
| 501 | TP53 mutation is rare in primary myelofibrosis. <i>Leukemia and Lymphoma</i> , 2013, 54, 1552-1552.  | 0.6 | 5         |
| 502 | Frequency and Spectrum of BRAF Mutations in a Retrospective, Single-Institution Study of 1112 Cases of Melanoma. <i>Journal of Molecular Diagnostics</i> , 2013, 15, 220-226.  | 1.2 | 195       |
| 503 | Mutational Profile and Prognostic Significance of TP53 in Diffuse Large B-cell Lymphoma Patients Treated with Rituximab-CHOP: A Report From an International DLBCL Rituximab-CHOP Consortium Program Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, S382. | 0.2 | 1         |
| 504 | Clonally related composite follicular lymphoma and mantle cell lymphoma with clinicopathologic features and biological implications. <i>Human Pathology</i> , 2013, 44, 2658-2667.   | 1.1 | 20        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 505 | MYC/BCL2 protein coexpression contributes to the inferior survival of activated B-cell subtype of diffuse large B-cell lymphoma and demonstrates high-risk gene expression signatures: a report from The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4021-4031. | 0.6 | 596       |
| 506 | Therapy-related myeloid neoplasms with isolated del(20q): comparison with cases of de novo myelodysplastic syndrome with del(20q). <i>Cancer Genetics</i> , 2013, 206, 42-46.  | 0.2 | 16        |
| 507 | CD30 expression defines a novel subgroup of diffuse large B-cell lymphoma with favorable prognosis and distinct gene expression signature: a report from the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2013, 121, 2715-2724.                                       | 0.6 | 206       |
| 508 | Potential therapeutic biomarkers in plasma cell myeloma: A flow cytometry study. <i>Cytometry Part B - Clinical Cytometry</i> , 2013, 84B, 222-228.  | 0.7 | 23        |
| 509 | Transcription and Translation are Primary Targets of Pim Kinase Inhibitor SGI-1776 in Mantle Cell Lymphoma. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2013, 13, S383.   | 0.2 | 0         |
| 510 | Patients with diffuse large B-cell lymphoma of germinal center origin with BCL2 translocations have poor outcome, irrespective of MYC status: a report from an International DLBCL rituximab-CHOP Consortium Program Study. <i>Haematologica</i> , 2013, 98, 255-263.                                | 1.7 | 142       |
| 511 | Differential expression of aurora-A kinase in T-cell lymphomas. <i>Modern Pathology</i> , 2013, 26, 640-647.   | 2.9 | 25        |
| 512 | TdT expression in acute myeloid leukemia with minimal differentiation is associated with distinctive clinicopathological features and better overall survival following stem cell transplantation. <i>Modern Pathology</i> , 2013, 26, 195-203.  | 2.9 | 19        |
| 513 | Immunostaining for Rapid Diagnosis of Acute Promyelocytic Leukemia with the Tetramethylrhodamine-5-Isothiocyanate-â€œConjugated Anti-â€œPromyelocytic Leukemia Monoclonal Antibody PG-M3. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1669-1673.                               | 1.2 | 7         |
| 514 | Myeloid Sarcoma of the Head and Neck Region. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 1560-1568.  | 1.2 | 39        |
| 515 | Clinicopathologic Features of CD5-Positive Nodal Marginal Zone Lymphoma. <i>American Journal of Clinical Pathology</i> , 2013, 140, 693-700.   | 0.4 | 26        |
| 516 | MYC/BCL2 Double-Hit High-Grade B-Cell Lymphoma. <i>Advances in Anatomic Pathology</i> , 2013, 20, 315-326.   | 2.4 | 72        |
| 517 | Iatrogenic Immunodeficiency-associated Classical Hodgkin Lymphoma. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1895-1897.  | 2.1 | 10        |
| 518 | Phenotypic evolution in a case of peripheral Tâ€œcell lymphoma suggests the presence of tumor heterogeneity. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 573-579.  | 0.7 | 5         |
| 519 | The Emerging Role of D-2-Hydroxyglutarate as an Oncometabolite in Hematolymphoid and Central Nervous System Neoplasms. <i>Frontiers in Oncology</i> , 2013, 3, 169.  | 1.3 | 44        |
| 520 | <i>&lt;i&gt;TET2&lt;/i&gt;</i> mutations, myelodysplastic features, and a distinct immunoprofile characterize blastic plasmacytoid dendritic cell neoplasm in the bone marrow. <i>American Journal of Hematology</i> , 2013, 88, 1055-1061.  | 2.0 | 120       |
| 521 | Cytarabine, Kiâ€œ67, and SOX11 in patients with mantle cell lymphoma receiving rituximabâ€œcontaining autologous stem cell transplantation during first remission. <i>Cancer</i> , 2013, 119, 3318-3325.   | 2.0 | 5         |
| 522 | CD105 (Endoglin) Is Highly Overexpressed in a Subset of Cases of Acute Myeloid Leukemias. <i>American Journal of Clinical Pathology</i> , 2013, 140, 370-378.  | 0.4 | 17        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 523 | Landscape of DNA Virus Associations across Human Malignant Cancers: Analysis of 3,775 Cases Using RNA-Seq. <i>Journal of Virology</i> , 2013, 87, 8916-8926.   | 1.5 | 187       |
| 524 | Clinical implications of positron emission tomography-negative residual computed tomography masses after chemotherapy for diffuse large B-cell lymphoma. <i>Leukemia and Lymphoma</i> , 2013, 54, 2631-2638.   | 0.6 | 38        |
| 525 | Plasma Cell Enrichment Enhances Detection of High-Risk Cytogenomic Abnormalities by Fluorescence In Situ Hybridization and Improves Risk Stratification of Patients With Plasma Cell Neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2013, 137, 625-631.   | 1.2 | 22        |
| 526 | Single nucleotide variation in the TP53 3' untranslated region in diffuse large B-cell lymphoma treated with rituximab-CHOP: a report from the International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 121, 4529-4540.   | 0.6 | 41        |
| 527 | Classical Hodgkin Lymphoma Arising in the Setting of Iatrogenic Immunodeficiency. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1290-1297.   | 2.1 | 38        |
| 528 | Extranodal NK/T-cell Lymphoma, Nasal Type. <i>American Journal of Surgical Pathology</i> , 2013, 37, 14-23.  | 2.1 | 176       |
| 529 | Radiation Therapy Significantly Improves Survival Of Patients With Diffuse Large B-Cell Lymphoma Associated With MYC Translocation: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 641-641.  | 0.6 | 3         |
| 530 | STAT3 Expression and Clinical Implications In De Novo Diffuse Large B-Cell Lymphoma: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 365-365.   | 0.6 | 1         |
| 531 | Outcomes Following Autologous Stem Cell Transplantation (ASCT) In Patients With Germinal Center B (GCB) and Non-GCB Cell-Like Diffuse Large B Cell Lymphomas (DLBCL) According To Conditioning With BEAM-Rituximab (Standard vs. High-Dose) Vs. BEAM/Yttrium-90 Ibritumomab Tiuxetan (90YIT). <i>Blood</i> , 2013, 122, 3350-3350. | 0.6 | 0         |
| 532 | MYC Mutation Profiling In 708 De Novo Diffuse Large B-Cell Lymphoma Demonstrates That Genetic Abnormalities In The Coding Sequence and Untranslated Regions Have Different Prognostic and Clinical Significance: A Report From The International DLBCL Rituximab-CHOP Consortium Program. <i>Blood</i> , 2013, 122, 363-363.       | 0.6 | 0         |
| 533 | Rapid Detection and Quantitation of BRAF Mutations in Hairy Cell Leukemia Using a Sensitive Pyrosequencing Assay. <i>American Journal of Clinical Pathology</i> , 2012, 138, 153-156.  | 0.4 | 37        |
| 534 | Myelodysplastic Syndrome/Acute Myeloid Leukemia With t(3;21)(q26.2;q22) Is Commonly a Therapy-Related Disease Associated With Poor Outcome. <i>American Journal of Clinical Pathology</i> , 2012, 138, 146-152.  | 0.4 | 21        |
| 535 | Somatic Deletions of the PolyA Tract in the 3' Untranslated Region of Epidermal Growth Factor Receptor Are Common in Microsatellite Instability-High Endometrial and Colorectal Carcinomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2012, 136, 510-516.   | 1.2 | 11        |
| 536 | Usefulness of Flow Cytometric Immunophenotyping for Bone Marrow Staging in Patients With Mantle Cell Lymphoma After Therapy. <i>American Journal of Clinical Pathology</i> , 2012, 137, 634-640.   | 0.4 | 6         |
| 537 | CD117 Expression Is a Sensitive but Nonspecific Predictor of FLT3 Mutation in T Acute Lymphoblastic Leukemia and T/Myeloid Acute Leukemia. <i>American Journal of Clinical Pathology</i> , 2012, 137, 213-219.   | 0.4 | 51        |
| 538 | Waldenström Macroglobulinemia. <i>Advances in Anatomic Pathology</i> , 2012, 19, 11-27.  | 2.4 | 22        |
| 539 | Molecular and Clinicopathologic Characterization of AML With Isolated Trisomy 4. <i>American Journal of Clinical Pathology</i> , 2012, 137, 387-394.   | 0.4 | 16        |
| 540 | Clinical experience with the heat shock protein-90 inhibitor, tanespimycin, in patients with relapsed lymphoma. <i>Leukemia and Lymphoma</i> , 2012, 53, 990-992.  | 0.6 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 541 | B-cell lymphomas with MYC/8q24 rearrangements and IGH@BCL2/t(14;18)(q32;q21): an aggressive disease with heterogeneous histology, germinal center B-cell immunophenotype and poor outcome. <i>Modern Pathology</i> , 2012, 25, 145-156. | 2.9 | 224       |
| 542 | Therapy-related myeloid neoplasms following fludarabine, cyclophosphamide, and rituximab (FCR) treatment in patients with chronic lymphocytic leukemia/small lymphocytic lymphoma. <i>Modern Pathology</i> , 2012, 25, 237-245.         | 2.9 | 67        |
| 543 | Clinical impact of change of FLT3 mutation status in acute myeloid leukemia patients. <i>Modern Pathology</i> , 2012, 25, 1405-1412.  | 2.9 | 48        |
| 544 | Breast implant-associated anaplastic large cell lymphoma: a newly recognized entity that needs further refinement of its definition. <i>Leukemia and Lymphoma</i> , 2012, 53, 749-750.  | 0.6 | 28        |
| 545 | Whole-genome sequencing identifies recurrent somatic <i>NOTCH2</i> mutations in splenic marginal zone lymphoma. <i>Journal of Experimental Medicine</i> , 2012, 209, 1553-1565.   | 4.2 | 274       |
| 546 | N-terminal PAX8 polyclonal antibody shows cross-reactivity with N-terminal region of PAX5 and is responsible for reports of PAX8 positivity in malignant lymphomas. <i>Modern Pathology</i> , 2012, 25, 231-236.                        | 2.9 | 52        |
| 547 | Microscopic Diffuse Large B-Cell Lymphoma (DLBCL) Occurring in Pseudocysts. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1074-1080.  | 2.1 | 53        |
| 548 | Immunohistochemical markers for tumor associated macrophages and survival in advanced classical Hodgkin's lymphoma. <i>Haematologica</i> , 2012, 97, 1080-1084.   | 1.7 | 56        |
| 549 | Capsular Contracture and Axillary Lymphadenopathy in Breast Implant-associated ALK-negative Anaplastic Large Cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1736-1738.  | 2.1 | 6         |
| 550 | Anaplastic Large Cell Lymphoma Associated With Breast Implants. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1000-1008.  | 2.1 | 154       |
| 551 | Extranodal NK/T-cell Lymphoma, Nasal Type, Arising in Association With Saline Breast Implant. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1729-1734.  | 2.1 | 32        |
| 552 | Nonmyeloablative allogeneic transplantation with or without <sup>90</sup> yttrium ibritumomab tiuxetan is potentially curative for relapsed follicular lymphoma: 12-year results. <i>Blood</i> , 2012, 119, 6373-6378.                  | 0.6 | 97        |
| 553 | Precursor B-acute lymphoblastic leukemia occurring in patients with a history of prior malignancies: is it therapy-related?. <i>Haematologica</i> , 2012, 97, 919-925.  | 1.7 | 41        |
| 554 | Usefulness of CD11a and CD18 in Flow Cytometric Immunophenotypic Analysis for Diagnosis of Acute Promyelocytic Leukemia. <i>American Journal of Clinical Pathology</i> , 2012, 138, 744-750.  | 0.4 | 22        |
| 555 | Dysfunction of the TP53 tumor suppressor gene in lymphoid malignancies. <i>Blood</i> , 2012, 119, 3668-3683.  | 0.6 | 140       |
| 556 | Extracavitary/solid variant of primary effusion lymphoma. <i>Annals of Diagnostic Pathology</i> , 2012, 16, 441-446.  | 0.6 | 64        |
| 557 | Mutational profile and prognostic significance of TP53 in diffuse large B-cell lymphoma patients treated with R-CHOP: report from an International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2012, 120, 3986-3996.  | 0.6 | 301       |
| 558 | Florid reactive lymphoid hyperplasia (lymphoma-like lesion) of the uterine cervix. <i>Annals of Diagnostic Pathology</i> , 2012, 16, 21-28.   | 0.6 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 559 | Detection of High-Frequency and Novel DNMT3A Mutations in Acute Myeloid Leukemia by High-Resolution Melting Curve Analysis. <i>Journal of Molecular Diagnostics</i> , 2012, 14, 336-345.   | 1.2 | 25        |
| 560 | Acute Myeloid Leukemia (AML) with Erythroid Predominance Exhibits Clinical and Molecular Characteristics that Differ from Other Types of AML. <i>PLoS ONE</i> , 2012, 7, e41485.   | 1.1 | 23        |
| 561 | The pan-deacetylase inhibitor panobinostat induces cell death and synergizes with everolimus in Hodgkin lymphoma cell lines. <i>Blood</i> , 2012, 119, 4017-4025.  | 0.6 | 79        |
| 562 | Myeloid neoplasms with isolated isochromosome 17q represent a clinicopathologic entity associated with myelodysplastic/myeloproliferative features, a high risk of leukemic transformation, and wild-type TP53. <i>Cancer</i> , 2012, 118, 2879-2888.                            | 2.0 | 68        |
| 563 | High-grade B cell lymphoma, unclassifiable, with blastoid features: an unusual morphological subgroup associated frequently with BCL2 and/or MYC gene rearrangements and a poor prognosis. <i>Histopathology</i> , 2012, 61, 945-954.  | 1.6 | 44        |
| 564 | Multi-color CD34+ progenitor-focused flow cytometric assay in evaluation of myelodysplastic syndromes in patients with post cancer therapy cytopenia. <i>Leukemia Research</i> , 2012, 36, 974-981.  | 0.4 | 30        |
| 565 | Cytogenetic profile of patients with acute myeloid leukemia and central nervous system disease. <i>Cancer</i> , 2012, 118, 112-117.  | 2.0 | 62        |
| 566 | Prognostic value of MYC rearrangement in cases of B-cell lymphoma, unclassifiable, with features intermediate between diffuse large B-cell lymphoma and Burkitt lymphoma. <i>Cancer</i> , 2012, 118, 1566-1573.  | 2.0 | 65        |
| 567 | Early Mixed T-Lymphocyte and Myeloid Chimerism Is Predictive of Disease Recurrence Following Allogeneic Stem Cell Transplantation for AML/MDS. <i>Blood</i> , 2012, 120, 3075-3075.  | 0.6 | 1         |
| 568 | Prognostic Significance and Phenotypic Manifestations of MYC/BCL2 Protein Expression in Diffuse Large B-Cell Lymphoma (DLBCL) with Extranodal Organ Involvement: A Report of the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2012, 120, 544-544. | 0.6 | 1         |
| 569 | Analysis of Outcomes of Patients with Blastic Plasmacytoid Dendritic Cell Neoplasm. <i>Blood</i> , 2012, 120, 3554-3554.   | 0.6 | 0         |
| 570 | Dasatinib Therapy Affects Bone Homeostasis in Patients with Chronic Myelogenous Leukemia in Chronic Phase Independently of Molecular Response. <i>Blood</i> , 2012, 120, 1682-1682.  | 0.6 | 0         |
| 571 | Diagnostic Testing for IDH1 and IDH2 Variants in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2011, 13, 678-686.  | 1.2 | 46        |
| 572 | 4.27 Genomic Variability Predicts Time-to-Treatment in Previously Untreated CLL Patients. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2011, 11, S237-S238.  | 0.2 | 0         |
| 573 | Mocetinostat for relapsed classical Hodgkin's lymphoma: an open-label, single-arm, phase 2 trial. <i>Lancet Oncology</i> , The, 2011, 12, 1222-1228.   | 5.1 | 168       |
| 574 | Plasmablastic lymphoma involving the penis: a previously unreported location of a case with aberrant CD3 expression. <i>Pathology</i> , 2011, 43, 54-57.   | 0.3 | 25        |
| 575 | A Two-Gene Signature, SKI and SLAMF1, Predicts Time-to-Treatment in Previously Untreated Patients with Chronic Lymphocytic Leukemia. <i>PLoS ONE</i> , 2011, 6, e28277.  | 1.1 | 20        |
| 576 | Constitutive BR3 receptor signaling in diffuse, large B-cell lymphomas stabilizes nuclear factor- $\kappa$ B-inducing kinase while activating both canonical and alternative nuclear factor- $\kappa$ B pathways. <i>Blood</i> , 2011, 117, 200-210.                             | 0.6 | 63        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 577 | LDOC1 mRNA is differentially expressed in chronic lymphocytic leukemia and predicts overall survival in untreated patients. <i>Blood</i> , 2011, 117, 4076-4084.   | 0.6 | 28        |
| 578 | Transient/reversible ring sideroblasts in bone marrow of patients post cytotoxic therapies for primary malignancies. <i>Leukemia Research</i> , 2011, 35, 1605-1610.   | 0.4 | 10        |
| 579 | Prognostic significance of immunophenotypic and karyotypic features of Philadelphia positive B-lymphoblastic leukemia in the era of tyrosine kinase inhibitors. <i>Cancer</i> , 2011, 117, 4009-4017.  | 2.0 | 39        |
| 580 | Phosphorylated CXCR4 is associated with poor survival in adults with acute lymphoblastic leukemia. <i>Cancer</i> , 2011, 117, 4689-4695.   | 2.0 | 38        |
| 581 | The B cell antigen receptor in atypical chronic lymphocytic leukemia with t(14;19)(q32;q13) demonstrates remarkable stereotypy. <i>International Journal of Cancer</i> , 2011, 128, 2759-2764.   | 2.3 | 17        |
| 582 | Myelodysplastic syndromes with deletions of chromosome 11q lack cryptic MLL rearrangement and exhibit characteristic clinicopathologic features. <i>Leukemia Research</i> , 2011, 35, 351-357.   | 0.4 | 15        |
| 583 | De novo acute myeloid leukemia with inv(3)(q21q26.2) or t(3;3)(q21;q26.2): a clinicopathologic and cytogenetic study of an entity recently added to the WHO classification. <i>Modern Pathology</i> , 2011, 24, 384-389.   | 2.9 | 44        |
| 584 | Detection of Nucleophosmin 1 Mutations by Quantitative Real-Time Polymerase Chain Reaction Versus Capillary Electrophoresis: A Comparative Study. <i>Archives of Pathology and Laboratory Medicine</i> , 2011, 135, 994-1000.  | 1.2 | 14        |
| 585 | Pure erythroid leukemia: a reassessment of the entity using the 2008 World Health Organization classification. <i>Modern Pathology</i> , 2011, 24, 375-383.  | 2.9 | 92        |
| 586 | Chronic Lymphocytic Leukemia With t(14;19)(q32;q13) Is Characterized by Atypical Morphologic and Immunophenotypic Features and Distinctive Genetic Features. <i>American Journal of Clinical Pathology</i> , 2011, 135, 686-696.   | 0.4 | 36        |
| 587 | FLT3 and NPM1 Mutations in Myelodysplastic Syndromes. <i>American Journal of Clinical Pathology</i> , 2011, 135, 62-69.  | 0.4 | 88        |
| 588 | Refractory Anemia With Ring Sideroblasts Associated With Marked Thrombocytosis. <i>American Journal of Clinical Pathology</i> , 2011, 135, 398-403.  | 0.4 | 17        |
| 589 | Acute Myeloid Leukemia With IDH1 or IDH2 Mutation. <i>American Journal of Clinical Pathology</i> , 2011, 135, 35-45.   | 0.4 | 145       |
| 590 | Residual Monotypic Plasma Cells in Patients With Waldenström Macroglobulinemia After Therapy. <i>American Journal of Clinical Pathology</i> , 2011, 135, 365-373.  | 0.4 | 46        |
| 591 | Chromosome 20q Deletion. <i>American Journal of Clinical Pathology</i> , 2011, 135, 391-397.   | 0.4 | 17        |
| 592 | Myelodysplastic Syndrome With inv(3)(q21q26.2) or t(3;3)(q21;q26.2) Has a High Risk for Progression to Acute Myeloid Leukemia. <i>American Journal of Clinical Pathology</i> , 2011, 136, 282-288.   | 0.4 | 39        |
| 593 | Pre-Transplant Minimal Residual Disease Detected by Multiparameter Flow Cytometric Analysis Predicts for Disease Relapse in Adult Patients with Acute Lymphoblastic Leukemia Post Allogeneic Hematopoietic Stem Cell transplantation. <i>Blood</i> , 2011, 118, 3072-3072. | 0.6 | 9         |
| 594 | Safety and Efficacy of the Novel Combination of Panobinostat (LBH589) and Everolimus (RAD001) in Relapsed/Refractory Hodgkin and Non-Hodgkin Lymphoma. <i>Blood</i> , 2011, 118, 3718-3718.  | 0.6 | 4         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 595 | The t(14;18)(q32;q21) Characterizes a Subset of Patients with Diffuse Large-B Cell Lymphoma of Germinal Center Origin with Poor Outcome: Report From the International DLBCL Rituximab-CHOP Consortium Program Study. <i>Blood</i> , 2011, 118, 949-949.       | 0.6 | 3         |
| 596 | 12-Year Experience with High-Dose Rituximab-Containing Autologous Stem Cell Transplantation for SOX11-Positive Mantle Cell Lymphoma Patients in First Remission: Emerging Lymphoma-Free Survival Plateau After 3 Years. <i>Blood</i> , 2011, 118, 4138-4138.   | 0.6 | 0         |
| 597 | Clinical Implications of PET-Negative Residual Disease At the Completion of Chemotherapy for Diffuse Large B-Cell Lymphoma. <i>Blood</i> , 2011, 118, 2695-2695.   | 0.6 | 11        |
| 598 | Aberrant Expression of Golgin-84 in Non-Hodgkin Lymphomas and Plasma Cell Myeloma. <i>Blood</i> , 2011, 118, 4633-4633.  | 0.6 | 0         |
| 599 | Trisomy 11 as an isolated abnormality in acute myeloid leukemia is associated with unfavorable prognosis but not with an NPM1 or KIT mutation. <i>International Journal of Clinical and Experimental Pathology</i> , 2011, 4, 371-7.                           | 0.5 | 19        |
| 600 | Side population of a murine mantle cell lymphoma model contains tumour-initiating cells responsible for lymphoma maintenance and dissemination. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 1532-1545.                                       | 1.6 | 19        |
| 601 | Acute erythroid leukemia: a reassessment using criteria refined in the 2008 WHO classification. <i>Blood</i> , 2010, 115, 1985-1992.   | 0.6 | 97        |
| 602 | V(D)J recombination and staggered DNA breaks: guilty again. <i>Blood</i> , 2010, 115, 2121-2122.   | 0.6 | 2         |
| 603 | 8-Aminoadenosine inhibits Akt/mTOR and Erk signaling in mantle cell lymphoma. <i>Blood</i> , 2010, 116, 5622-5630.   | 0.6 | 20        |
| 604 | Marginal zone lymphomas. <i>Cancer</i> , 2010, 116, 4291-4298.   | 2.0 | 42        |
| 605 | High Serum Thymidine Kinase 1 Level Predicts Poorer Survival in Patients With Chronic Lymphocytic Leukemia. <i>American Journal of Clinical Pathology</i> , 2010, 134, 472-477.  | 0.4 | 33        |
| 606 | Benefit of Consolidative Radiation Therapy in Patients With Diffuse Large B-Cell Lymphoma Treated With R-CHOP Chemotherapy. <i>Journal of Clinical Oncology</i> , 2010, 28, 4170-4176.   | 0.8 | 223       |
| 607 | Expression of p21 Protein Predicts Clinical Outcome in DLBCL Patients Older than 60 Years Treated with R-CHOP but not CHOP: A Prospective ECOG and Southwest Oncology Group Correlative Study on E4494. <i>Clinical Cancer Research</i> , 2010, 16, 2435-2442. | 3.2 | 25        |
| 608 | Clonal Relationship of Extranodal Marginal Zone Lymphomas of Mucosa-Associated Lymphoid Tissue Involving Different Sites. <i>American Journal of Clinical Pathology</i> , 2010, 134, 112-118.  | 0.4 | 34        |
| 609 | Acute Promyelocytic Leukemia at Time of Relapse Commonly Demonstrates Cytogenetic Evidence of Clonal Evolution and Variability in Blast Immunophenotypic Features. <i>American Journal of Clinical Pathology</i> , 2010, 133, 484-490.                         | 0.4 | 18        |
| 610 | Primary T-cell lymphoblastic lymphoma of the cavernous sinus. <i>Journal of Neurosurgery: Pediatrics</i> , 2010, 5, 94-97.   | 0.8 | 12        |
| 611 | A pathway-based gene signature correlates with therapeutic response in adult patients with Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Modern Pathology</i> , 2010, 23, 1524-1534.   | 2.9 | 12        |
| 612 | Immunohistochemical detection of ZAP70 in chronic lymphocytic leukemia predicts immunoglobulin heavy chain gene mutation status and time to progression. <i>Modern Pathology</i> , 2010, 23, 1518-1523.  | 2.9 | 19        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 613 | Acute erythroid leukemia as defined in the World Health Organization classification is a rare and pathogenetically heterogeneous disease. <i>Modern Pathology</i> , 2010, 23, 1113-1126.   | 2.9 | 30        |
| 614 | HDM4 is overexpressed in mantle cell lymphoma and its inhibition induces p21 expression and apoptosis. <i>Modern Pathology</i> , 2010, 23, 381-391.  | 2.9 | 23        |
| 615 | Flow cytometric detection of peripheral blood involvement by mycosis fungoides and SÅ©zary syndrome using T-cell receptor VÎ² chain antibodies and its application in blood staging. <i>Modern Pathology</i> , 2010, 23, 284-295.                            | 2.9 | 58        |
| 616 | Outcome of patients with diffuse large B-cell lymphoma of the testis by era of treatment: the M. D. Anderson Cancer Center experience. <i>Leukemia and Lymphoma</i> , 2010, 51, 1217-1224.   | 0.6 | 65        |
| 617 | The Pan-Deacetylase Inhibitor Panobinostat Downregulates HIF-1Î± and VEGF and, Synergizes with Everolimus In Hodgkin Lymphoma Cell Lines. <i>Blood</i> , 2010, 116, 2851-2851.   | 0.6 | 6         |
| 618 | Phase I/II Study of the Novel Combination of Panobinostat (LBH589) and Everolimus (RAD001) In Relapsed/Refractory Hodgkin and Non-Hodgkin Lymphoma. <i>Blood</i> , 2010, 116, 3964-3964.   | 0.6 | 5         |
| 619 | Immunohistochemical Profile and Fluorescence In Situ Hybridization Analysis of Diffuse Large B-Cell Lymphoma in Northern China. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 759-765.   | 1.2 | 8         |
| 620 | Protocol for the Examination of Specimens From Patients With Non-Hodgkin Lymphoma/Lymphoid Neoplasms. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, e40-e47.   | 1.2 | 11        |
| 621 | Acute Erythroid Leukemia. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 1261-1270.   | 1.2 | 43        |
| 622 | Protocol for the Examination of Specimens From Patients With Hematopoietic Neoplasms of the Ocular Adnexa. <i>Archives of Pathology and Laboratory Medicine</i> , 2010, 134, 336-340.  | 1.2 | 2         |
| 623 | Clusterin Expression Correlates With Stage and Presence of Large Cells in Mycosis Fungoides. <i>American Journal of Clinical Pathology</i> , 2009, 131, 511-515.   | 0.4 | 10        |
| 624 | Other Malignancies in Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma. <i>Journal of Clinical Oncology</i> , 2009, 27, 904-910.  | 0.8 | 203       |
| 625 | Chronic Lymphocytic Leukemia With t(2;14)(p16;q32) Involves the <i>BCL11A</i> and <i>IgH</i> Genes and Is Associated With Atypical Morphologic Features and Unmutated <i>IgVH</i> Genes. <i>American Journal of Clinical Pathology</i> , 2009, 131, 663-670. | 0.4 | 36        |
| 626 | Postchemotherapy Histiocyte-Rich Pseudotumor Involving the Spleen. <i>American Journal of Clinical Pathology</i> , 2009, 132, 342-348.   | 0.4 | 15        |
| 627 | Sonic Hedgehog Signaling Pathway Is Activated in ALK-Positive Anaplastic Large Cell Lymphoma. <i>Cancer Research</i> , 2009, 69, 2550-2558.  | 0.4 | 84        |
| 628 | Therapy-Related Acute Myeloid Leukemia With t(8;21) (q22;q22) Shares Many Features With De Novo Acute Myeloid Leukemia With t(8;21)(q22;q22) but Does Not Have a Favorable Outcome. <i>American Journal of Clinical Pathology</i> , 2009, 131, 647-655.      | 0.4 | 70        |
| 629 | T-Cell Large Granular Lymphocyte Leukemia Associated With Myelodysplastic Syndrome. <i>American Journal of Clinical Pathology</i> , 2009, 131, 347-356.  | 0.4 | 40        |
| 630 | Anaplastic large cell lymphoma in leukemic phase: Extraordinarily high white blood cell count. <i>Pathology International</i> , 2009, 59, 345-353.   | 0.6 | 35        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 631 | Deletion 15q as the sole abnormality in acute myeloid leukemia: report of three cases and review of the literature. <i>Cancer Genetics and Cytogenetics</i> , 2009, 188, 118-123.  | 1.0 | 5         |
| 632 | del(15q) is a recurrent minor-route cytogenetic abnormality in the clonal evolution of chronic myelogenous leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2009, 192, 18-23.   | 1.0 | 6         |
| 633 | Expression of eukaryotic initiation factor 4E predicts clinical outcome in patients with mantle cell lymphoma treated with hyperâ€CVAD and rituximab, alternating with rituximab, highâ€dose methotrexate, and cytarabine. <i>Cancer</i> , 2009, 115, 4727-4736. | 2.0 | 19        |
| 634 | Cytoplasmic localization of nucleophosmin in bone marrow blasts of acute myeloid leukemia patients is not completely concordant with NPM1 mutation and is not predictive of prognosis. <i>Cancer</i> , 2009, 115, 4737-4744.                                     | 2.0 | 45        |
| 635 | Cuplike nuclei (prominent nuclear invaginations) in acute myeloid leukemia are highly associated with <i>FLT3</i> internal tandem duplication and <i>NPM1</i> mutation. <i>Cancer</i> , 2009, 115, 5481-5489.  | 2.0 | 63        |
| 636 | The p53 tumor suppressor network in cancer and the therapeutic modulation of cell death. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 336-347.  | 2.2 | 49        |
| 637 | Analysis of Aurora kinase A expression in CD34+ blast cells isolated from patients with myelodysplastic syndromes and acute myeloid leukemia. <i>Journal of Hematopathology</i> , 2009, 2, 2-8.  | 0.2 | 43        |
| 638 | Utility of the World Health Organization classification criteria for the diagnosis of systemic mastocytosis in bone marrow. <i>Modern Pathology</i> , 2009, 22, 50-57.   | 2.9 | 40        |
| 639 | Immunomodulator agent-related lymphoproliferative disorders. <i>Modern Pathology</i> , 2009, 22, 1532-1540.  | 2.9 | 74        |
| 640 | Application of COLD-PCR for improved detection of KRAS mutations in clinical samples. <i>Modern Pathology</i> , 2009, 22, 1023-1031.   | 2.9 | 112       |
| 641 | Sonic hedgehog signaling proteins and ATP-binding cassette G2 are aberrantly expressed in diffuse large B-Cell lymphoma. <i>Modern Pathology</i> , 2009, 22, 1312-1320.  | 2.9 | 88        |
| 642 | Aberrant Underexpression of CD81 in Precursor B-Cell Acute Lymphoblastic Leukemia. <i>American Journal of Clinical Pathology</i> , 2009, 132, 692-698.   | 0.4 | 56        |
| 643 | Anaplastic large cell lymphoma: another entity in the differential diagnosis of small round blue cell tumors. <i>Annals of Diagnostic Pathology</i> , 2009, 13, 413-427.   | 0.6 | 23        |
| 644 | Nodular Lymphocyte Predominant Hodgkin Lymphoma With Clusters of LP Cells, Acute Inflammation, and Fibrosis. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1725-1731.  | 2.1 | 10        |
| 645 | Pediatric Therapy-related Myelodysplastic Syndrome/Acute Myeloid Leukemia. <i>Journal of Pediatric Hematology/Oncology</i> , 2009, 31, 803-811.  | 0.3 | 50        |
| 646 | Detection of paroxysmal nocturnal hemoglobinuria clones in patients with myelodysplastic syndromes and related bone marrow diseases, with emphasis on diagnostic pitfalls and caveats. <i>Haematologica</i> , 2009, 94, 29-37.                                   | 1.7 | 81        |
| 647 | Mature results of the M. D. Anderson Cancer Center risk-adapted transplantation strategy in mantle cell lymphoma. <i>Blood</i> , 2009, 113, 4144-4152.   | 0.6 | 196       |
| 648 | Clinical and Biologic Activity of the Heat Shock Protein-90 (HSP-90) Inhibitor 17-AAG in Patients with Relapsed Lymphoma.. <i>Blood</i> , 2009, 114, 3744-3744.  | 0.6 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 649 | Flow Cytometric Immunophenotyping of Anaplastic Large Cell Lymphoma. Archives of Pathology and Laboratory Medicine, 2009, 133, 49-56.   | 1.2 | 47        |
| 650 | Anaplastic Large Cell Lymphoma Involving the Breast: A Clinicopathologic Study of 6 Cases and Review of the Literature. Archives of Pathology and Laboratory Medicine, 2009, 133, 1383-1390.  | 1.2 | 89        |
| 651 | Autologous Transplantation for Nodular Lymphocyte-Predominant Hodgkin Lymphoma (NLPHL).. Blood, 2009, 114, 2310-2310.   | 0.6 | 1         |
| 652 | Simultaneous Targeting of SHH/ p53 Pathways in Large B Cell Lymphomas.. Blood, 2009, 114, 1730-1730.  | 0.6 | 0         |
| 653 | Aurora-A kinase nuclear expression in chronic lymphocytic leukemia. Modern Pathology, 2008, 21, 1428-1435.  | 2.9 | 13        |
| 654 | Acute myeloid leukemia harboring t(8;21)(q22;q22): a heterogeneous disease with poor outcome in a subset of patients unrelated to secondary cytogenetic aberrations. Modern Pathology, 2008, 21, 1029-1036.   | 2.9 | 31        |
| 655 | <i>MYC</i> translocation in chronic lymphocytic leukaemia is associated with increased polymphocytes and a poor prognosis. British Journal of Haematology, 2008, 142, 36-44.  | 1.2 | 78        |
| 656 | Splenic marginal zone lymphomas are characterized by loss of interstitial regions of chromosome 7q, 7q31.32 and 7q36.2 that include the protection of telomere 1 ( <i>POT1</i> ) and sonic hedgehog ( <i>SHH</i> ) genes. British Journal of Haematology, 2008, 142, 216-226. | 1.2 | 36        |
| 657 | Type B Core Binding Factor $\beta$ /Smooth Muscle Myosin Heavy Chain Fusion Transcript in Myeloid Blast Phase of Chronic Myeloid Leukemia: Correlation with Nuclear and Cytoplasmic Localization of the Fusion Protein. Clinical Leukemia, 2008, 2, 257-260.                  | 0.2 | 2         |
| 658 | Bone Marrow Involvement by Marginal Zone B-Cell Lymphomas of Different Types. American Journal of Clinical Pathology, 2008, 129, 714-722.   | 0.4 | 40        |
| 659 | Leukemia Cutis. American Journal of Clinical Pathology, 2008, 129, 130-142.   | 0.4 | 259       |
| 660 | Multiple Myeloma and Immunosecretory Disorders. Advances in Anatomic Pathology, 2008, 15, 196-210.  | 2.4 | 21        |
| 661 | Eight-year experience with allogeneic stem cell transplantation for relapsed follicular lymphoma after nonmyeloablative conditioning with fludarabine, cyclophosphamide, and rituximab. Blood, 2008, 111, 5530-5536.  | 0.6 | 294       |
| 662 | Lymphomas Involving the Breast. American Journal of Surgical Pathology, 2008, 32, 1299-1309.  | 2.1 | 158       |
| 663 | Expression of Helix-Loop-Helix Proteins in Classical Hodgkin Lymphoma: A Possible Explanation for a Characteristic Immunophenotype. Advances in Anatomic Pathology, 2008, 15, 97-104.   | 2.4 | 1         |
| 664 | An Attractive Therapeutic Target, mTOR Pathway, in ALK+ Anaplastic Large Cell Lymphoma. Advances in Anatomic Pathology, 2008, 15, 105-112.  | 2.4 | 4         |
| 665 | t(8;13)-positive Bilineal Lymphomas. American Journal of Surgical Pathology, 2008, 32, 14-20.   | 2.1 | 48        |
| 666 | Addition of Rituximab to Mobilization and Conditioning Overcomes the Predictive Value of Follicular Lymphoma International Prognostic Index (FLIPI) Score in Patients with Relapsed FL Undergoing Autologous Stem Cell Transplantation (AUTO).. Blood, 2008, 112, 1140-1140.  | 0.6 | 1         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 667 | Pediatric Therapy-Related Myelodysplastic Syndrome/Acute Myeloid Leukemia: The M. D. Anderson Cancer Center Experience. <i>Blood</i> , 2008, 112, 5068-5068.   | 0.6 | 0         |
| 668 | Networking Modules of Canonical and Alternative NF $\kappa$ B Signaling in Growth and Survival Regulations of Large B Cell Lymphomas. <i>Blood</i> , 2008, 112, 3776-3776.   | 0.6 | 2         |
| 669 | Mantle cell lymphoma with a rare involvement of the testicle. <i>Leukemia and Lymphoma</i> , 2007, 48, 1242-1243.  | 0.6 | 8         |
| 670 | MALT Lymphoma Involving the Kidney. <i>American Journal of Clinical Pathology</i> , 2007, 128, 464-473.  | 0.4 | 36        |
| 671 | Metastasis-Associated Protein 1 Transgenic Mice: A New Model of Spontaneous B-Cell Lymphomas. <i>Cancer Research</i> , 2007, 67, 7062-7067.  | 0.4 | 16        |
| 672 | Anaplastic Large Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2007, 127, 707-722.  | 0.4 | 194       |
| 673 | Inhibition of p53-Murine Double Minute 2 Interaction by Nutlin-3A Stabilizes p53 and Induces Cell Cycle Arrest and Apoptosis in Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2007, 13, 3380-3387.   | 3.2 | 84        |
| 674 | High-grade B-cell lymphoma/leukemia associated with t(14;18) and 8q24/MYC rearrangement: a neoplasm of germinal center immunophenotype with poor prognosis. <i>Haematologica</i> , 2007, 92, 1297-1301.  | 1.7 | 88        |
| 675 | Oral-Cutaneous CD4-Positive T-cell Lymphoma: A Study of Two Patients. <i>American Journal of Dermatopathology</i> , 2007, 29, 62-67.   | 0.3 | 14        |
| 676 | c-Jun Expression and Activation are Restricted to CD30+ Lymphoproliferative Disorders. <i>American Journal of Surgical Pathology</i> , 2007, 31, 447-453.  | 2.1 | 42        |
| 677 | Unusual expression of CD94 on CD8+ TCR $\alpha\beta$ T cells in infectious mononucleosis. <i>Annals of Diagnostic Pathology</i> , 2007, 11, 55-60.   | 0.6 | 0         |
| 678 | Skin involvement in T-cell prolymphocytic leukemia. <i>Journal of the American Academy of Dermatology</i> , 2007, 57, 533-534.   | 0.6 | 14        |
| 679 | Experience with heat shock protein-peptide complex 96 vaccine therapy in patients with indolent non-Hodgkin lymphoma. <i>Cancer</i> , 2007, 109, 77-83.  | 2.0 | 48        |
| 680 | Systemic mastocytosis in association with chronic lymphocytic leukemia: A rare diagnosis. <i>Leukemia Research</i> , 2007, 31, 1755-1758.  | 0.4 | 10        |
| 681 | Sequence analysis proves clonal identity in five patients with typical and blastoid mantle cell lymphoma. <i>Modern Pathology</i> , 2007, 20, 1-7.   | 2.9 | 44        |
| 682 | HDM4 (HDMX) is widely expressed in adult pre-B acute lymphoblastic leukemia and is a potential therapeutic target. <i>Modern Pathology</i> , 2007, 20, 54-62.  | 2.9 | 37        |
| 683 | Comparative analysis of genes regulated in acute myelomonocytic leukemia with and without inv(16)(p13q22) using microarray techniques, real-time PCR, immunohistochemistry, and flow cytometry immunophenotyping. <i>Modern Pathology</i> , 2007, 20, 811-820. | 2.9 | 16        |
| 684 | The t(14;19)(q32;q13)-positive small B-cell leukaemia: a clinicopathologic and cytogenetic study of seven cases. <i>British Journal of Haematology</i> , 2007, 136, 220-228.   | 1.2 | 55        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 685 | Aberrant EVI1 expression in acute myeloid leukemias associated with the t(3;8)(q26;q24). <i>Cancer Genetics and Cytogenetics</i> , 2007, 177, 37-42.  | 1.0 | 24        |
| 686 | Follicular Lymphoma in Staging Bone Marrow Specimens: Correlation of Histologic Findings With the Results of Flow Cytometry Immunophenotypic Analysis. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 282-287. | 1.2 | 26        |
| 687 | CD20+ nodal marginal zone B-cell lymphoma with CD20 recurrence as an intracranial dural-based mass. <i>Leukemia and Lymphoma</i> , 2006, 47, 2253-2256.   | 0.6 | 4         |
| 688 | Activation of Mammalian Target of Rapamycin Signaling Promotes Cell Cycle Progression and Protects Cells from Apoptosis in Mantle Cell Lymphoma. <i>American Journal of Pathology</i> , 2006, 169, 2171-2180.                     | 1.9 | 109       |
| 689 | Primary plasma cell leukemia: morphologic, immunophenotypic, and cytogenetic features of 4 cases treated with chemotherapy and stem cell transplantation. <i>Annals of Diagnostic Pathology</i> , 2006, 10, 263-268.              | 0.6 | 26        |
| 690 | Metastatic tumors in bone marrow: histopathology and advances in the biology of the tumor cells and bone marrow environment. <i>Annals of Diagnostic Pathology</i> , 2006, 10, 169-192.   | 0.6 | 24        |
| 691 | Impact of LMP-1 expression on clinical outcome in age-defined subgroups of patients with classical Hodgkin lymphoma. <i>Blood</i> , 2006, 107, 1240-1241.   | 0.6 | 10        |
| 692 | c-FLIP confers resistance to FAS-mediated apoptosis in anaplastic large-cell lymphoma. <i>Blood</i> , 2006, 107, 2544-2547.   | 0.6 | 37        |
| 693 | Prognostic significance of Bcl-6 protein expression in DLBCL treated with CHOP or R-CHOP: a prospective correlative study. <i>Blood</i> , 2006, 107, 4207-4213.   | 0.6 | 248       |
| 694 | Current Problems With Staging Lymphomas Involving the Ovary. <i>American Journal of Surgical Pathology</i> , 2006, 30, 1202-1203.   | 2.1 | 2         |
| 695 | Immunohistochemical Analysis of CBF $\beta$ -SMMHC Protein Reveals a Unique Nuclear Localization in Acute Myeloid Leukemia With inv(16)(p13q22). <i>American Journal of Surgical Pathology</i> , 2006, 30, 1436-1444.             | 2.1 | 10        |
| 696 | Lymphoid neoplasms associated with concurrent t(14;18) and 8q24/c-MYC translocation generally have a poor prognosis. <i>Modern Pathology</i> , 2006, 19, 25-33.   | 2.9 | 196       |
| 697 | Nuclear BCL-10 expression is common in lymphoplasmacytic lymphoma/Waldenström macroglobulinemia and does not correlate with p65 NF- $\kappa$ B activation. <i>Modern Pathology</i> , 2006, 19, 891-898.                           | 2.9 | 17        |
| 698 | MALT1 gene rearrangements and NF- $\kappa$ B activation involving p65 and p50 are absent or rare in primary MALT lymphomas of the breast. <i>Modern Pathology</i> , 2006, 19, 1402-1408.  | 2.9 | 30        |
| 699 | Z-138 cell line was derived from a patient with blastoid variant mantle cell lymphoma. <i>Leukemia Research</i> , 2006, 30, 497-501.  | 0.4 | 20        |
| 700 | Very high levels of soluble CD30 recognize the patients with classical Hodgkin's lymphoma retaining a very poor prognosis. <i>European Journal of Haematology</i> , 2006, 77, 387-394.  | 1.1 | 37        |
| 701 | The HSP90 inhibitor 17-AAG synergizes with doxorubicin and U0126 in anaplastic large cell lymphoma irrespective of ALK expression. <i>Experimental Hematology</i> , 2006, 34, 1670-1679.  | 0.2 | 34        |
| 702 | Translocation (3;8)(q26;q24): a recurrent chromosomal abnormality in myelodysplastic syndrome and acute myeloid leukemia. <i>Cancer Genetics and Cytogenetics</i> , 2006, 166, 82-85.   | 1.0 | 23        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 703 | Expression of Bcl-2 in gastrointestinal stromal tumors. <i>Cancer</i> , 2006, 106, 1617-1623.   | 2.0 | 37        |
| 704 | Expression of inhibitor of apoptosis proteins in B-cell non-Hodgkin and Hodgkin lymphomas. <i>Cancer</i> , 2006, 107, 1844-1851.  | 2.0 | 50        |
| 705 | Activating FLT3 Mutations Are Detectable in Chronic and Blast Phases of Chronic Myeloproliferative Disorders Other Than Chronic Myeloid Leukemia. <i>American Journal of Clinical Pathology</i> , 2006, 126, 530-533.   | 0.4 | 59        |
| 706 | Inhibition of Heat Shock Protein 90 Function by 17-Allylamino-17-Demethoxy-Geldanamycin in Hodgkin's Lymphoma Cells Down-Regulates Akt Kinase, Dephosphorylates Extracellular Signal-Regulated Kinase, and Induces Cell Cycle Arrest and Cell Death. <i>Clinical Cancer Research</i> , 2006, 12, 584-590. | 3.2 | 120       |
| 707 | Activation of Mammalian Target of Rapamycin Signaling Pathway Contributes to Tumor Cell Survival in Anaplastic Lymphoma Kinase-Positive Anaplastic Large Cell Lymphoma. <i>Cancer Research</i> , 2006, 66, 6589-6597.   | 0.4 | 187       |
| 708 | Results of Rituximab Plus ABVD in 65 Newly Diagnosed Patients with Classical Hodgkin Lymphoma: Improvement of Event Free Survival (EFS) in All International Prognostic Score (IPS) Groups.. <i>Blood</i> , 2006, 108, 2742-2742.   | 0.6 | 9         |
| 709 | Blastoid Mantle Cell Lymphoma (MCL): 5-yr Failure-Free Survival (FFS) Rate of 50%, without Failures after 2.5 Years Following Treatment with Rituximab (R)-HyperCVAD Alternating with R-Methotrexate/Cytarabine (M/A).. <i>Blood</i> , 2006, 108, 2749-2749.  | 0.6 | 2         |
| 710 | Massive Mobilization of AML Cells into Circulation by Disruption of Leukemia/Stroma Cell Interactions Using CXCR4 Antagonist AMD3100: First Evidence in Patients and Potential for Abolishing Bone Marrow Microenvironment-Mediated Resistance.. <i>Blood</i> , 2006, 108, 568-568.                       | 0.6 | 15        |
| 711 | Acute myeloid leukemia associated with variant t(8;21) detected by conventional cytogenetic and molecular studies: a report of four cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2006, 125, 267-72.  | 0.4 | 14        |
| 712 | Myeloid sarcoma involving the gynecologic tract: a report of 11 cases and review of the literature. <i>American Journal of Clinical Pathology</i> , 2006, 125, 783-90.  | 0.4 | 24        |
| 713 | Expression of B cell-specific activator protein/PAX5 in acute myeloid leukemia with t(8;21)(q22;q22). <i>American Journal of Clinical Pathology</i> , 2006, 126, 235-40.  | 0.4 | 14        |
| 714 | Lymphomas Involving the Pleura: A Clinicopathologic Study of 34 Cases Diagnosed By Pleural Biopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 1497-1502.   | 1.2 | 65        |
| 715 | Nucleophosmin Gene Mutations in Acute Myeloid Leukemia. <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 1687-1692.  | 1.2 | 40        |
| 716 | Myeloid Sarcoma of the Urinary Bladder and Epididymis as a Primary Manifestation of Acute Myeloid Leukemia With inv(16). <i>Archives of Pathology and Laboratory Medicine</i> , 2006, 130, 862-866.   | 1.2 | 25        |
| 717 | Nutlin-3A, an MDM2 Antagonist, Induces p53-Dependent Cell Cycle Arrest and Apoptosis in Hodgkin Lymphoma (HL).. <i>Blood</i> , 2006, 108, 2506-2506.  | 0.6 | 0         |
| 718 | Overexpression of CXCR4 in Acute Myeloid Leukemia Predicts Adverse Overall and Progression-Free Survival Independently of FLT3 Gene Mutation.. <i>Blood</i> , 2006, 108, 1890-1890.   | 0.6 | 0         |
| 719 | NPM-ALK Promotes Cell Cycle Progression through Activation of JNK and c-Jun in Anaplastic Large Cell Lymphoma.. <i>Blood</i> , 2006, 108, 2057-2057.  | 0.6 | 0         |
| 720 | Chronic myeloproliferative diseases with the t(5;12)(q33;p13): clonal evolution is associated with blast crisis. <i>American Journal of Clinical Pathology</i> , 2006, 125, 49-56.  | 0.4 | 4         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 721 | Lymphoplasmacytic Lymphoma/Waldenstrom Macroglobulinemia. <i>Advances in Anatomic Pathology</i> , 2005, 12, 246-255.  | 2.4 | 86        |
| 722 | Inhibition of Akt increases p27Kip1 levels and induces cell cycle arrest in anaplastic large cell lymphoma. <i>Blood</i> , 2005, 105, 827-829.  | 0.6 | 88        |
| 723 | Acute myeloid leukaemia with FLT3 gene mutations of both internal tandem duplication and point mutation type. <i>British Journal of Haematology</i> , 2005, 130, 726-728.   | 1.2 | 33        |
| 724 | Inhibition of the phosphatidylinositol-3 kinase/Akt promotes G1 cell cycle arrest and apoptosis in Hodgkin lymphoma. <i>British Journal of Haematology</i> , 2005, 132, 051220022257008.  | 1.2 | 87        |
| 725 | Combined laser capture microdissection and serial analysis of gene expression from human tissue samples. <i>Modern Pathology</i> , 2005, 18, 577-584.   | 2.9 | 18        |
| 726 | JunB expression is a common feature of CD30+ lymphomas and lymphomatoid papulosis. <i>Modern Pathology</i> , 2005, 18, 1365-1370.   | 2.9 | 69        |
| 727 | Expression of heat-shock protein-90 in non-Hodgkin's lymphomas. <i>Modern Pathology</i> , 2005, 18, 1343-1349.  | 2.9 | 40        |
| 728 | Frequent deletions at 12q14.3 chromosomal locus in adult acute lymphoblastic leukemia. <i>Genes Chromosomes and Cancer</i> , 2005, 42, 87-94.   | 1.5 | 10        |
| 729 | Hodgkin Lymphoma Involving Waldeyer Ring. <i>American Journal of Clinical Pathology</i> , 2005, 123, 651-656.   | 0.4 | 49        |
| 730 | Lymphoid Neoplasms Associated With IgM Paraprotein. <i>American Journal of Clinical Pathology</i> , 2005, 123, 200-205.   | 0.4 | 102       |
| 731 | Biological Validation of Differentially Expressed Genes in Chronic Lymphocytic Leukemia Identified by Applying Multiple Statistical Methods to Oligonucleotide Microarrays. <i>Journal of Molecular Diagnostics</i> , 2005, 7, 337-345. | 1.2 | 15        |
| 732 | Body cavity-based presentation of natural killer cell lymphoma. <i>Leukemia and Lymphoma</i> , 2005, 46, 293-296.   | 0.6 | 15        |
| 733 | Classical hodgkin lymphoma arising in the rectum. <i>Annals of Diagnostic Pathology</i> , 2005, 9, 38-42.   | 0.6 | 15        |
| 734 | Langerhans cell histiocytosis presenting as a thyroid gland mass. <i>Annals of Diagnostic Pathology</i> , 2005, 9, 267-274.   | 0.6 | 20        |
| 735 | Extranodal lymphomas of the head and neck. <i>Annals of Diagnostic Pathology</i> , 2005, 9, 340-350.  | 0.6 | 150       |
| 736 | Inhibition of AKT/mTOR Signaling Induces Cell Cycle Arrest and Apoptosis in Mantle Cell Lymphoma.. <i>Blood</i> , 2005, 106, 2415-2415.   | 0.6 | 4         |
| 737 | Immunophenotypic profile of lymphoplasmacytic lymphoma/Waldenström macroglobulinemia. <i>American Journal of Clinical Pathology</i> , 2005, 124, 414-20.  | 0.4 | 53        |
| 738 | inv(16)(p13q22) in chronic myelogenous leukemia in blast phase: a clinicopathologic, cytogenetic, and molecular study of five cases. <i>American Journal of Clinical Pathology</i> , 2005, 124, 807-14.                                 | 0.4 | 13        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 739 | Expression of bcl-3 in chronic lymphocytic leukemia correlates with trisomy 12 and abnormalities of chromosome 19. American Journal of Clinical Pathology, 2005, 123, 465-71.  | 0.4 | 8         |
| 740 | T-cell prolymphocytic leukemia involving extramedullary sites. American Journal of Clinical Pathology, 2005, 123, 456-64.  | 0.4 | 32        |
| 741 | Chronic lymphocytic leukemia/small lymphocytic lymphoma associated with IgM paraprotein. American Journal of Clinical Pathology, 2005, 123, 594-602.   | 0.4 | 15        |
| 742 | Myeloid sarcoma involving the testis. American Journal of Clinical Pathology, 2005, 124, 445-52.   | 0.4 | 14        |
| 743 | Validation of oligonucleotide microarray data using microfluidic low-density arrays: a new statistical method to normalize real-time RT-PCR data. BioTechniques, 2005, 38, 785-792.  | 0.8 | 89        |
| 744 | Myeloid Sarcoma of Appendix Mimicking Acute Appendicitis. Archives of Pathology and Laboratory Medicine, 2005, 129, 1027-1031.   | 1.2 | 20        |
| 745 | Myeloid Sarcoma Involving the Breast. Archives of Pathology and Laboratory Medicine, 2005, 129, 32-38.   | 1.2 | 56        |
| 746 | Activation Status of the JAK/STAT3 Pathway in Mantle Cell Lymphoma. Archives of Pathology and Laboratory Medicine, 2005, 129, 990-996.   | 1.2 | 27        |
| 747 | Heat Shock Protein 90 (HSP90) Inhibition by the Small Molecule 17-AAG Induces Cell Cycle Arrest and Apoptosis in Anaplastic Large Cell Lymphoma (ALCL) Irrespective of ALK Expression: Role of Akt, ERK and ALK Kinases in the Molecular Mechanisms of 17-AAG Anti-Tumor Activity.. Blood, 2005, 106, 2811-2811. | 0.6 | 0         |
| 748 | A Biologically Distinctive Subgroup of Acute Myelogenous Leukemia with Characteristic Nuclear Morphology and a High Frequency of FLT3 Mutation.. Blood, 2005, 106, 4522-4522.  | 0.6 | 0         |
| 749 | Heat Shock Protein 90 (HSP90) Is Overexpressed in Primary and Cultured Hodgkin Lymphoma (HL) Cells: Role of Therapeutic Targeting Using the Small Molecule Inhibitor 17-AAG.. Blood, 2005, 106, 2422-2422.   | 0.6 | 0         |
| 750 | Inhibition of AKT/mTOR Signaling Pathway Induces Cell Cycle Arrest and Apoptosis in Acute Myelogenous Leukemia.. Blood, 2005, 106, 2355-2355.  | 0.6 | 1         |
| 751 | Differential Expression of the Homeobox Gene MIXL1 in Non Hodgkin (NHL) and Hodgkin Lymphomas (HL).. Blood, 2005, 106, 3014-3014.  | 0.6 | 0         |
| 752 | Activation of mTOR Signaling Pathway Contributes to Tumoral Cell Survival in ALK-Positive Anaplastic Large Cell Lymphoma.. Blood, 2005, 106, 2419-2419.  | 0.6 | 0         |
| 753 | cJun Is Phosphorylated at Ser73 and Contributes to Cell Cycle Progression in Anaplastic Large Cell Lymphoma.. Blood, 2005, 106, 2620-2620.   | 0.6 | 0         |
| 754 | Lymphoid neoplasms associated with IgM paraprotein: a study of 382 patients. American Journal of Clinical Pathology, 2005, 123, 200-5.   | 0.4 | 22        |
| 755 | EBV-associated B- and T-cell posttransplant lymphoproliferative disorders following primary EBV infection in a kidney transplant recipient. American Journal of Clinical Pathology, 2005, 123, 222-8.  | 0.4 | 13        |
| 756 | Hodgkin lymphoma involving Waldeyer ring: a clinicopathologic study of 22 cases. American Journal of Clinical Pathology, 2005, 123, 651-6.   | 0.4 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 757 | Peripheral T-cell lymphoma with a "follicular" pattern and the perifollicular sinus phenotype. American Journal of Clinical Pathology, 2005, 123, 448-55.  | 0.4 | 6         |
| 758 | Morphologic, cytogenetic, and molecular abnormalities in therapy-related acute promyelocytic leukemia. American Journal of Clinical Pathology, 2005, 123, 840-8.   | 0.4 | 10        |
| 759 | Degree of CD25 Expression in T-Cell Lymphoma Is Dependent on Tissue Site. Clinical Cancer Research, 2004, 10, 5587-5594.   | 3.2 | 34        |
| 760 | Survivin Expression Predicts Poorer Prognosis in Anaplastic Large-Cell Lymphoma. Journal of Clinical Oncology, 2004, 22, 1682-1688.  | 0.8 | 153       |
| 761 | Acute Myeloid Leukemia With t(6;9)(p23;q34) Is Associated With Dysplasia and a High Frequency of <i>FLT3</i> Gene Mutations. American Journal of Clinical Pathology, 2004, 122, 348-358.   | 0.4 | 95        |
| 762 | Suppressor of cytokine signaling 3 expression in anaplastic large cell lymphoma. Leukemia, 2004, 18, 1872-1878.  | 3.3 | 29        |
| 763 | Selective inhibition of STAT3 induces apoptosis and G1 cell cycle arrest in ALK-positive anaplastic large cell lymphoma. Oncogene, 2004, 23, 5426-5434.  | 2.6 | 148       |
| 764 | Caspase-3 activation in systemic anaplastic large-cell lymphoma. Modern Pathology, 2004, 17, 109-116.  | 2.9 | 20        |
| 765 | Immunohistochemical detection of BCL-3 in lymphoid neoplasms: a survey of 353 cases. Modern Pathology, 2004, 17, 911-917.  | 2.9 | 39        |
| 766 | Lack of c-kit (CD117) expression in CD30+ lymphomas and lymphomatoid papulosis. Modern Pathology, 2004, 17, 946-953.   | 2.9 | 24        |
| 767 | Immunohistochemical detection of ZAP-70 in 341 cases of non-Hodgkin and Hodgkin lymphoma. Modern Pathology, 2004, 17, 954-961.   | 2.9 | 98        |
| 768 | Imatinib mesylate therapy reduces bone marrow fibrosis in patients with chronic myelogenous leukemia. Cancer, 2004, 101, 332-336.  | 2.0 | 66        |
| 769 | Elevated Serum Levels of IL-10 are Associated with Inferior Progression-Free Survival in Patients with Hodgkin's Disease Treated with Radiotherapy. Leukemia and Lymphoma, 2004, 45, 2085-2092.  | 0.6 | 43        |
| 770 | Isothermal Multiple Displacement Amplification. Journal of Molecular Diagnostics, 2004, 6, 236-242.  | 1.2 | 56        |
| 771 | Quantitative PCR Detection of t(14;18) bcl-2/JH Fusion Sequences in Follicular Lymphoma Patients. Journal of Molecular Diagnostics, 2004, 6, 396-400.  | 1.2 | 11        |
| 772 | Signal Transducer and Activator of Transcription-3 Activation Contributes to High Tissue Inhibitor of Metalloproteinase-1 Expression in Anaplastic Lymphoma Kinase-Positive Anaplastic Large Cell Lymphoma. American Journal of Pathology, 2004, 164, 2251-2258. | 1.9 | 21        |
| 773 | Retinoblastoma Protein Is Frequently Absent or Phosphorylated in Anaplastic Large-Cell Lymphoma. American Journal of Pathology, 2004, 164, 2259-2267.  | 1.9 | 29        |
| 774 | Absence of Epstein-Barr virus in anaplastic large cell lymphoma: a study of 64 cases classified according to World Health Organization criteria. Human Pathology, 2004, 35, 455-459.   | 1.1 | 60        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 775 | Isolated Vulvar Langerhans Cell Histiocytosis: Report of Two Cases. <i>International Journal of Gynecological Pathology</i> , 2004, 23, 278-283.  | 0.9 | 27        |
| 776 | The Role of the Perifollicular Sinus in Determining the Complex Immunoarchitecture of Angioimmunoblastic T-cell Lymphoma. <i>American Journal of Surgical Pathology</i> , 2004, 28, 1632-1640.  | 2.1 | 12        |
| 777 | Bone Marrow Involvement in Patients With Nodular Lymphocyte Predominant Hodgkin Lymphoma. <i>American Journal of Surgical Pathology</i> , 2004, 28, 489-495.  | 2.1 | 52        |
| 778 | TaqMan RT-PCR assay coupled with capillary electrophoresis for quantification and identification of bcr-abl transcript type. <i>Modern Pathology</i> , 2004, 17, 96-103.  | 2.9 | 13        |
| 779 | Rituximab Plus Hypercvad (R-HCVAD) Alternating with Rituximab Plus High-Dose Methotrexate-Cytarabine (R-M/A) in Untreated Mantle Cell Lymphoma (MCL): Prolonged Follow-Up Confirms High Rates of Failure-Free Survival (FFS) and Overall Survival (OS).. <i>Blood</i> , 2004, 104, 128-128. | 0.6 | 9         |
| 780 | Acute myeloid leukemia with t(6;9)(p23;q34) is associated with dysplasia and a high frequency of flt3 gene mutations. <i>American Journal of Clinical Pathology</i> , 2004, 122, 348-58.  | 0.4 | 30        |
| 781 | Expression of CD2 in acute promyelocytic leukemia correlates with short form of PML-RARalpha transcripts and poorer prognosis. <i>American Journal of Clinical Pathology</i> , 2004, 121, 402-7.  | 0.4 | 24        |
| 782 | cDNA Microarray Analysis of Genes Associated with NPM-ALK Overexpression in Anaplastic Large Cell Lymphomas.. <i>Blood</i> , 2004, 104, 2269-2269.  | 0.6 | 3         |
| 783 | TCL1 Expression in B-Cell Tumors Is Dynamically Regulated by Maturation Stage, Proliferation, and the Follicular Microenvironment.. <i>Blood</i> , 2004, 104, 4333-4333.  | 0.6 | 0         |
| 784 | t(8;21)(q22;q22) in blast phase of chronic myelogenous leukemia. <i>American Journal of Clinical Pathology</i> , 2004, 121, 836-42.   | 0.4 | 21        |
| 785 | Frequency of gastrointestinal involvement and its clinical significance in mantle cell lymphoma. <i>Cancer</i> , 2003, 97, 586-591.   | 2.0 | 232       |
| 786 | A pilot study of rituximab in patients with recurrent, classic Hodgkin disease. <i>Cancer</i> , 2003, 98, 310-314.  | 2.0 | 160       |
| 787 | Improved detection of clonality in cutaneous T-cell lymphomas using laser capture microdissection. <i>Journal of Cutaneous Pathology</i> , 2003, 30, 486-491.   | 0.7 | 24        |
| 788 | Inhibition of JAK3 induces apoptosis and decreases anaplastic lymphoma kinase activity in anaplastic large cell lymphoma. <i>Oncogene</i> , 2003, 22, 5399-5407.  | 2.6 | 122       |
| 789 | Phenotypic Modulation of the Stromal Reticular Network in Normal and Neoplastic Lymph Nodes. <i>American Journal of Pathology</i> , 2003, 163, 165-174.   | 1.9 | 49        |
| 790 | Dysplasia and High Proliferation Rate Are Common in Acute Myeloid Leukemia With inv(16)(p13q22). <i>American Journal of Clinical Pathology</i> , 2003, 120, 236-245.  | 0.4 | 7         |
| 791 | Diffuse Large B-Cell Lymphoma Occurring in Patients With Lymphoplasmacytic Lymphoma/Waldenström Macroglobulinemia: Clinicopathologic Features of 12 Cases. <i>American Journal of Clinical Pathology</i> , 2003, 120, 246-253.  | 0.4 | 29        |
| 792 | Waldenstrom Macroglobulinemia Involving Extramedullary Sites. <i>American Journal of Surgical Pathology</i> , 2003, 27, 1104-1113.  | 2.1 | 71        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 793 | Kikuchi-Fujimoto Lymphadenitis. <i>Advances in Anatomic Pathology</i> , 2003, 10, 204-211.  | 2.4 | 78        |
| 794 | Dissolution of the Lymphoid Follicle Is a Feature of the HHV8+ Variant of Plasma Cell Castleman's Disease. <i>American Journal of Surgical Pathology</i> , 2003, 27, 91-100.  | 2.1 | 54        |
| 795 | BCL-2 Is Consistently Expressed in Hyperplastic Marginal Zones of the Spleen, Abdominal Lymph Nodes, and Ileal Lymphoid Tissue. <i>American Journal of Surgical Pathology</i> , 2003, 27, 888-894.  | 2.1 | 22        |
| 796 | Effects of Six Different Tissue Fixatives on DNA Quality as Determined by Polymerase Chain Reaction Amplification of Genes Ranging from 100 to 574 Base Pairs. <i>Journal of Histotechnology</i> , 2003, 26, 111-115.   | 0.2 | 2         |
| 797 | TCL1 expression in plasmacytoid dendritic cells (DC2s) and the related CD4+ CD56+ blastic tumors of skin. <i>Blood</i> , 2003, 101, 5007-5009.  | 0.6 | 182       |
| 798 | BCL-3 overexpression in anaplastic lymphoma kinase <sup>+</sup> positive anaplastic large cell lymphoma. <i>Blood</i> , 2003, 102, 1146-1147.   | 0.6 | 24        |
| 799 | c-kit is not expressed in Hodgkin disease and anaplastic lymphoma kinase (ALK)-positive anaplastic large cell lymphoma. <i>Blood</i> , 2003, 102, 4619-4620.  | 0.6 | 9         |
| 800 | CD23 expression in mantle cell lymphoma: clinicopathologic features of 18 cases. <i>American Journal of Clinical Pathology</i> , 2003, 120, 760-6.  | 0.4 | 19        |
| 801 | Mature B-Cell Leukemias With More Than 55% Prolymphocytes. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 305-309.   | 1.2 | 29        |
| 802 | Characterization of 4 Mantle Cell Lymphoma Cell Lines. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 424-431.   | 1.2 | 108       |
| 803 | CD79b Expression in Chronic Lymphocytic Leukemia. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 561-566.  | 1.2 | 29        |
| 804 | Molecular Monitoring of Cerebrospinal Fluid Can Predict Clinical Relapse in Acute Lymphoblastic Leukemia With Eosinophilia. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 601-605.  | 1.2 | 19        |
| 805 | Chromosomal Translocations Involved in Non-Hodgkin Lymphomas. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 1148-1160.  | 1.2 | 71        |
| 806 | Indolent Neuroendocrine Tumor Involving the Bone Marrow. <i>Archives of Pathology and Laboratory Medicine</i> , 2003, 127, 488-491.   | 1.2 | 3         |
| 807 | Expression of p27(Kip1) and c-Jun activation binding protein 1 are inversely correlated in systemic anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003, 9, 1121-8.  | 3.2 | 51        |
| 808 | Expression of Epstein-Barr virus latent membrane protein-1 in Hodgkin and Reed-Sternberg cells of classical Hodgkin's lymphoma: associations with presenting features, serum interleukin 10 levels, and clinical outcome. <i>Clinical Cancer Research</i> , 2003, 9, 2114-20. | 3.2 | 56        |
| 809 | Prognostic significance of MUC-1 expression in systemic anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003, 9, 2213-20.   | 3.2 | 18        |
| 810 | Differential expression and clinical significance of tyrosine-phosphorylated STAT3 in ALK+ and ALK- anaplastic large cell lymphoma. <i>Clinical Cancer Research</i> , 2003, 9, 3692-9.  | 3.2 | 81        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 811 | Apoptosis and Proliferation in Subcutaneous Panniculitis-Like T-Cell Lymphoma. <i>Modern Pathology</i> , 2002, 15, 625-631.   | 2.9 | 30        |
| 812 | Precursor T-Cell Acute Lymphoblastic Leukemia in Adults. <i>American Journal of Clinical Pathology</i> , 2002, 117, 252-258.  | 0.4 | 16        |
| 813 | Peripheral T-Cell Lymphoma Arising in the Liver. <i>American Journal of Clinical Pathology</i> , 2002, 118, 574-581.  | 0.4 | 25        |
| 814 | Apoptotic Rate in Peripheral T-Cell Lymphomas. <i>American Journal of Clinical Pathology</i> , 2002, 118, 328-334.  | 0.4 | 58        |
| 815 | Acute Lymphoblastic Leukemia in Elderly Patients. <i>American Journal of Clinical Pathology</i> , 2002, 117, 716-720.   | 0.4 | 9         |
| 816 | Primary Cutaneous Diffuse Large B-Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2002, 117, 574-580.  | 0.4 | 44        |
| 817 | Discrepancies in the Immunophenotype of Lymphoma Cells in Samples Obtained Simultaneously From Different Anatomic Sites. <i>American Journal of Clinical Pathology</i> , 2002, 117, 644-650.  | 0.4 | 37        |
| 818 | Quantitative Real-Time Polymerase Chain Reaction for Detection of Circulating Cells with T(14;18) in Volunteer Blood Donors and Patients with Follicular Lymphoma. <i>Leukemia and Lymphoma</i> , 2002, 43, 1589-1598.  | 0.6 | 14        |
| 819 | Malignant Fibrous Histiocytoma of the Spermatic Cord: Report of Two Cases and Review of the Literature. <i>Modern Pathology</i> , 2002, 15, 59-65.  | 2.9 | 19        |
| 820 | Real-Time t(14;18)(q32;q21) PCR Assay Combined with High-Resolution Capillary Electrophoresis: A Novel and Rapid Approach that Allows Accurate Quantitation and Size Determination of bcl-2/JH Fusion Sequences. <i>Modern Pathology</i> , 2002, 15, 448-453. | 2.9 | 16        |
| 821 | Real-Time RT-PCR Assay for Quantifying Cyclin D1 mRNA in B-Cell Non-Hodgkin's Lymphomas. <i>Modern Pathology</i> , 2002, 15, 556-564.   | 2.9 | 33        |
| 822 | Clusterin Expression in Malignant Lymphomas: A Survey of 266 Cases. <i>Modern Pathology</i> , 2002, 15, 1221-1226.  | 2.9 | 67        |
| 823 | Hypopigmented Mycosis Fungoides. <i>American Journal of Surgical Pathology</i> , 2002, 26, 450-457.   | 2.1 | 153       |
| 824 | CD4 <sup>-</sup> CD8 <sup>-</sup> 'Double-Negative' Cutaneous T-Cell Lymphomas Share Common Histologic Features and an Aggressive Clinical Course. <i>American Journal of Surgical Pathology</i> , 2002, 26, 225-231.   | 2.1 | 63        |
| 825 | Mantle Cell Lymphoma Involving Skin. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1312-1318.   | 2.1 | 86        |
| 826 | Epstein-Barr Virus-Positive B-Cell Lymphoproliferative Disorders Arising in Immunodeficient Patients Previously Treated With Fludarabine for Low-Grade B-Cell Neoplasms. <i>American Journal of Surgical Pathology</i> , 2002, 26, 630-636.                   | 2.1 | 91        |
| 827 | BCL-2 expression in Hodgkin and Reed-Sternberg cells of classical Hodgkin disease predicts a poorer prognosis in patients treated with ABVD or equivalent regimens. <i>Blood</i> , 2002, 100, 3935-3941.  | 0.6 | 90        |
| 828 | Clonal heterogeneity in mycosis fungoides and its relationship to clinical course. <i>Blood</i> , 2002, 100, 3369-3373.   | 0.6 | 133       |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 829 | Overexpression of Mcl-1 in Anaplastic Large Cell Lymphoma Cell Lines and Tumors. <i>American Journal of Pathology</i> , 2002, 160, 2309-2310.  | 1.9 | 42        |
| 830 | Subcutaneous Panniculitis-like T-Cell Lymphoma. <i>Clinical Lymphoma and Myeloma</i> , 2002, 3, 181-183.   | 2.1 | 14        |
| 831 | Mantle Cell Lymphoma with 8q24 Chromosomal Abnormalities: a Report of 5 Cases with Blastoid Features. <i>Modern Pathology</i> , 2002, 15, 1266-1272.   | 2.9 | 107       |
| 832 | Quantification of bcl-2/JH Fusion Sequences and a Control Gene by Multiplex Real-Time PCR Coupled with Automated Amplicon Sizing by Capillary Electrophoresis. <i>Journal of Molecular Diagnostics</i> , 2002, 4, 223-229.                                 | 1.2 | 17        |
| 833 | Rapid Detection of IgH/BCL2 Rearrangement in Follicular Lymphoma by Interphase Fluorescence in Situ Hybridization with Bacterial Artificial Chromosome Probes. <i>Journal of Molecular Diagnostics</i> , 2002, 4, 144-149.                                 | 1.2 | 28        |
| 834 | Determination of Cyclin D1 and CD20 mRNA Levels by Real-Time Quantitative RT-PCR from Archival Tissue Sections of Mantle Cell Lymphoma and Other Non-Hodgkin's Lymphomas. <i>Journal of Molecular Diagnostics</i> , 2002, 4, 201-208.                      | 1.2 | 26        |
| 835 | CD20 Expression in Hodgkin and Reed-Sternberg Cells of Classical Hodgkin's Disease: Associations With Presenting Features and Clinical Outcome. <i>Journal of Clinical Oncology</i> , 2002, 20, 1278-1287.   | 0.8 | 79        |
| 836 | Chromosomal translocations and their role in the pathogenesis of non-Hodgkin's lymphomas. <i>Pathology</i> , 2002, 34, 397-409.  | 0.3 | 7         |
| 837 | International prognostic index-based outcomes for diffuse large B-cell lymphomas. <i>Cancer</i> , 2002, 94, 3083-3088.   | 2.0 | 47        |
| 838 | The stromal composition of malignant lymphoid aggregates in bone marrow: variations in architecture and phenotype in different B-cell tumours. <i>British Journal of Haematology</i> , 2002, 117, 569-576.   | 1.2 | 38        |
| 839 | CD56 TdT blastic natural killer cell tumor of the skin. <i>Cancer</i> , 2002, 94, 2401-2408.   | 2.0 | 5         |
| 840 | Multiple Myeloma in Association With Sarcoidosis. <i>Archives of Pathology and Laboratory Medicine</i> , 2002, 126, 365-368.   | 1.2 | 22        |
| 841 | BAX expression in Hodgkin and Reed-Sternberg cells of Hodgkin's disease: correlation with clinical outcome. <i>Clinical Cancer Research</i> , 2002, 8, 488-93.   | 3.2 | 20        |
| 842 | Quantitative real-time polymerase chain reaction for monitoring minimal residual disease in patients with advanced indolent lymphomas treated with rituximab, fludarabine, mitoxantrone, and dexamethasone. <i>Seminars in Oncology</i> , 2002, 29, 48-55. | 0.8 | 1         |
| 843 | Molecular genetic methods in the diagnosis of hematologic neoplasms. <i>Seminars in Diagnostic Pathology</i> , 2002, 19, 72-93.  | 1.0 | 17        |
| 844 | Leukemic mantle cell lymphoma with cells resembling prolymphocytes. <i>American Journal of Clinical Pathology</i> , 2002, 118, 305-6; author reply 306.  | 0.4 | 2         |
| 845 | Non-Hodgkin's Lymphoma Affecting the Testis: Is It Curable with Doxorubicin-Based Therapy?. <i>Clinical Lymphoma and Myeloma</i> , 2001, 2, 40-46.   | 2.1 | 42        |
| 846 | Differential Expression of BCL-2 Family Proteins in ALK-Positive and ALK-Negative Anaplastic Large Cell Lymphoma of T/Null-Cell Lineage. <i>American Journal of Pathology</i> , 2001, 159, 527-535.  | 1.9 | 90        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 847 | Hodgkin's Disease in Patients Infected with Human Immunodeficiency Virus: Frequency, Presentation and Clinical Outcome. <i>Leukemia and Lymphoma</i> , 2001, 41, 535-544.   | 0.6 | 14        |
| 848 | Primary Cutaneous Non-Hodgkin's Lymphoma of Ann Arbor Stage I: Preferential Cutaneous Relapses but High Cure Rate With Doxorubicin-Based Therapy. <i>Journal of Clinical Oncology</i> , 2001, 19, 398-405.                              | 0.8 | 33        |
| 849 | Marginal-Zone B-Cell Lymphoma of Extranodal Mucosa-Associated Lymphoid Tissue Type: Molecular Genetics Provides New Insights into Pathogenesis. <i>Advances in Anatomic Pathology</i> , 2001, 8, 313-326.                               | 2.4 | 22        |
| 850 | Non-Hodgkin's Lymphoma Involving the Gynecologic Tract: A Review of 88 Cases. <i>Advances in Anatomic Pathology</i> , 2001, 8, 200-217.   | 2.4 | 97        |
| 851 | Uterine Leiomyomas with Eosinophils: A Clinicopathologic Study of 3 Cases. <i>International Journal of Gynecological Pathology</i> , 2001, 20, 239-243.   | 0.9 | 16        |
| 852 | Cyclin D1 and E2F-1 immunoreactivity in bone marrow biopsy specimens of multiple myeloma: relationship to proliferative activity, cytogenetic abnormalities and DNA ploidy. <i>British Journal of Haematology</i> , 2001, 112, 776-782. | 1.2 | 28        |
| 853 | Localized non-Hodgkin lymphoma involving the thyroid gland. <i>Cancer</i> , 2001, 91, 629-635.  | 2.0 | 106       |
| 854 | Primary hepatic lymphoma. <i>Cancer</i> , 2001, 92, 2023-2029.  | 2.0 | 145       |
| 855 | The T-Cell Chemokine Receptor CXCR3 Is Expressed Highly in Low-Grade Mycosis Fungoides. <i>American Journal of Clinical Pathology</i> , 2001, 115, 413-421.   | 0.4 | 80        |
| 856 | A Novel Four-Color PCR Assay to Assess T-Cell Receptor Gamma Gene Rearrangements in Lymphoproliferative Lesions. <i>American Journal of Clinical Pathology</i> , 2001, 116, 17-24.  | 0.4 | 83        |
| 857 | Cytogenetic Findings in Lymphoplasmacytic Lymphoma/Waldenström Macroglobulinemia. <i>American Journal of Clinical Pathology</i> , 2001, 116, 543-549.   | 0.4 | 126       |
| 858 | Lymphoplasmacytic Lymphoma/Waldenström Macroglobulinemia Associated With Hodgkin Disease. <i>American Journal of Clinical Pathology</i> , 2001, 116, 34-40.   | 0.4 | 45        |
| 859 | Hepatosplenic gamma/delta T-Cell Lymphoma in Bone Marrow. <i>American Journal of Clinical Pathology</i> , 2001, 116, 410-419.   | 0.4 | 107       |
| 860 | Cytogenetic Findings in Mantle Cell Lymphoma. <i>American Journal of Clinical Pathology</i> , 2001, 116, 886-892.   | 0.4 | 57        |
| 861 | Mature B-Cell Leukemias With More Than 55% Prolymphocytes. <i>American Journal of Clinical Pathology</i> , 2001, 115, 571-581.  | 0.4 | 98        |
| 862 | Ovarian Non-Hodgkin's Lymphoma: A Clinicopathologic Study of Eight Primary Cases. <i>Modern Pathology</i> , 2001, 14, 1093-1099.  | 2.9 | 133       |
| 863 | DNA Topoisomerase III $\alpha$ in Multiple Myeloma: A Marker of Cell Proliferation and Not Drug Resistance. <i>Modern Pathology</i> , 2001, 14, 886-891.  | 2.9 | 22        |
| 864 | Anaplastic Lymphoma Kinase (ALK) is not Expressed in Hodgkin's Disease: Results with ALK-11 Antibody in 327 Untreated Patients. <i>Leukemia and Lymphoma</i> , 2001, 42, 969-979.   | 0.6 | 15        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 865 | Reticulum Cell Sarcoma of Lymph Node with Mixed Dendritic and Fibroblastic Features. <i>Modern Pathology</i> , 2001, 14, 1059-1067.   | 2.9 | 51        |
| 866 | Leukemic Mantle Cell Lymphoma: Clinical and Pathologic Spectrum of Twenty-Three Cases. <i>Modern Pathology</i> , 2001, 14, 1133-1140.   | 2.9 | 46        |
| 867 | Localized non-Hodgkin lymphoma involving the thyroid gland. <i>Cancer</i> , 2001, 91, 629-635.  | 2.0 | 1         |
| 868 | Cyclin D1 Expression in Dysplastic Nevi. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 208-210.   | 1.2 | 25        |
| 869 | Posttransplantation Lymphoproliferative Disorders in Pediatric Patients Undergoing Liver Transplantation. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 337-343.                                      | 1.2 | 10        |
| 870 | Pleural Posttransplantation Lymphoproliferative Disorder Following Liver Transplantation. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 419-423.  | 1.2 | 6         |
| 871 | Primary Paratesticular Lymphoma. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 428-432.   | 1.2 | 21        |
| 872 | Primary Follicular Large Cell Lymphoma of the Testis in a Child. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 551-554.   | 1.2 | 41        |
| 873 | Neutrophil-Rich Anaplastic Large Cell Lymphoma of T-Cell Lineage. <i>American Journal of Clinical Pathology</i> , 2000, 114, 478-482.   | 0.4 | 63        |
| 874 | Mucoepidermoid Carcinoma Involving Warthin Tumor. <i>American Journal of Clinical Pathology</i> , 2000, 114, 564-570.   | 0.4 | 63        |
| 875 | Non-Hodgkin's Lymphoma Involving the Vulva. <i>International Journal of Gynecological Pathology</i> , 2000, 19, 236-242.  | 0.9 | 47        |
| 876 | Endometrial Carcinoma and Non-Hodgkin's Lymphoma Involving the Female Genital Tract: A Report of Three Cases. <i>International Journal of Gynecological Pathology</i> , 2000, 19, 133-138.                                | 0.9 | 17        |
| 877 | Non-Hodgkin's Lymphoma Involving the Vagina. <i>American Journal of Surgical Pathology</i> , 2000, 24, 719-725.   | 2.1 | 50        |
| 878 | Follicular Lymphoma with Monocytoid B-Cell Proliferation: Molecular Assessment of the Clonal Relationship between the Follicular and Monocytoid B-Cell Components. <i>Laboratory Investigation</i> , 2000, 80, 1593-1599. | 1.7 | 21        |
| 879 | 5'â€² 3'â€² Exonuclease-Based Real-Time PCR Assays for Detecting the t(14;18)(q32;21): A Survey of 162 Malignant Lymphomas and Reactive Specimens. <i>Modern Pathology</i> , 2000, 13, 661-666.                           | 2.9 | 35        |
| 880 | Progressive Multifocal Leukoencephalopathy with Concurrent Richter's Syndrome. <i>Leukemia and Lymphoma</i> , 2000, 38, 183-190.  | 0.6 | 18        |
| 881 | Prognostic Implications Of Calbindin-D28k Expression in Lung Cancer: Analysis of 452 Cases. <i>Modern Pathology</i> , 2000, 13, 808-813.  | 2.9 | 9         |
| 882 | Detection of Chromosome 11q13 Breakpoints by Interphase Fluorescence In Situ Hybridization. <i>American Journal of Clinical Pathology</i> , 2000, 114, 248-257.   | 0.4 | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 883 | Lymphohistiocytoid Mesothelioma. American Journal of Clinical Pathology, 2000, 113, 649-654.   | 0.4 | 60        |
| 884 | B-Cell Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma Involving Bone Marrow With an Interfollicular Pattern. American Journal of Clinical Pathology, 2000, 114, 41-46.  | 0.4 | 16        |
| 885 | Follicle Center Lymphoma and Warthin Tumor Involving the Same Anatomic Site. American Journal of Clinical Pathology, 2000, 113, 113-119.   | 0.4 | 48        |
| 886 | Precursor B-cell Lymphoblastic Lymphoma. American Journal of Surgical Pathology, 2000, 24, 1480-1490.  | 2.1 | 203       |
| 887 | Non-Hodgkin's Lymphomas Involving the Uterus: A Clinicopathologic Analysis of 26 Cases. Modern Pathology, 2000, 13, 19-28.   | 2.9 | 165       |
| 888 | Sinusoidal CD30-Positive Large B-Cell Lymphoma: A Morphologic Mimic of Anaplastic Large Cell Lymphoma. Modern Pathology, 2000, 13, 223-228.  | 2.9 | 49        |
| 889 | Sinus Histiocytosis with Massive Lymphadenopathy and Malignant Lymphoma Involving the Same Lymph Node: A Report of Four Cases and Review of the Literature. Modern Pathology, 2000, 13, 414-419.   | 2.9 | 110       |
| 890 | Small Lymphocytic Lymphoma with Perifollicular, Marginal Zone, or Interfollicular Distribution. Modern Pathology, 2000, 13, 1161-1166.   | 2.9 | 31        |
| 891 | Anaplastic Large Cell Lymphomas Presented as Bone Lesions: A Clinicopathologic Study of Six Cases and Review of the Literature. Modern Pathology, 2000, 13, 1143-1149.   | 2.9 | 47        |
| 892 | Pathologic Diagnosis of Mantle Cell Lymphoma. Clinical Lymphoma and Myeloma, 2000, 1, 197-206.   | 2.1 | 31        |
| 893 | Pagetoid Bowen Disease. Archives of Pathology and Laboratory Medicine, 2000, 124, 427-430.   | 1.2 | 69        |
| 894 | Pathologic Quiz Case: A Unilateral Renal Mass in an Elderly Woman. Archives of Pathology and Laboratory Medicine, 2000, 124, 919-920.  | 1.2 | 6         |
| 895 | Anaplastic Large Cell Lymphoma Arising in Bone. Archives of Pathology and Laboratory Medicine, 2000, 124, 1339-1343.   | 1.2 | 17        |
| 896 | Natural Killer "Cell Lymphoma Involving the Gynecologic Tract. Archives of Pathology and Laboratory Medicine, 2000, 124, 1510-1513.  | 1.2 | 23        |
| 897 | Acute Lymphoblastic Leukemia: Survey of Immunophenotype, French-American-British Classification, Frequency of Myeloid Antigen Expression, and Karyotypic Abnormalities in 210 Pediatric and Adult Cases. American Journal of Clinical Pathology, 1999, 111, 467-476. | 0.4 | 100       |
| 898 | Intravascular Large B-Cell Lymphoma: A Report of Five Cases Initially Diagnosed by Bone Marrow Biopsy. American Journal of Clinical Pathology, 1999, 112, 248-255.   | 0.4 | 88        |
| 899 | Real-Time 5' 3' Exonuclease-Based PCR Assay for Detection of the t(11;14)(q13;q32). American Journal of Clinical Pathology, 1999, 112, 524-530.  | 0.4 | 34        |
| 900 | Primary Anaplastic Large Cell Lymphoma of the Small Intestine. American Journal of Clinical Pathology, 1999, 112, 696-701.   | 0.4 | 30        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 901 | Cyclin D1 Overexpression in Spitz Nevi: An Immunohistochemical Study. American Journal of Dermatopathology, 1999, 21, 115-120.   | 0.3 | 59        |
| 902 | Oncocytoid Renal Cell Carcinoma After Neuroblastoma: A Report of Four Cases of a Distinct Clinicopathologic Entity. American Journal of Surgical Pathology, 1999, 23, 772.   | 2.1 | 128       |
| 903 | Overview of the Role of Molecular Methods in the Diagnosis of Malignant Lymphomas. Archives of Pathology and Laboratory Medicine, 1999, 123, 1189-1207.  | 1.2 | 95        |
| 904 | Neurofibroma and Cellular Neurofibroma with Atypia: A report of 14 tumors. American Journal of Surgical Pathology, 1999, 23, 1156.   | 2.1 | 1         |
| 905 | Surface Immunoglobulin Light Chain-Positive Acute Lymphoblastic Leukemia of FAB L1 or L2 Type: A Report of 6 Cases in Adults. American Journal of Clinical Pathology, 1998, 110, 143-149.  | 0.4 | 36        |
| 906 | The Immunophenotype of Adult Acute Myeloid Leukemia: High Frequency of Lymphoid Antigen Expression and Comparison of Immunophenotype, French-American-British Classification, and Karyotypic Abnormalities. American Journal of Clinical Pathology, 1998, 109, 211-220.                | 0.4 | 129       |
| 907 | Hodgkin's Disease in Costa Rica: A Report of 40 Cases Analyzed for Epstein-Barr Virus. American Journal of Clinical Pathology, 1998, 109, 618-624.   | 0.4 | 19        |
| 908 | Oncocytic Adrenocortical Neoplasms. American Journal of Surgical Pathology, 1998, 22, 603-614.   | 2.1 | 124       |
| 909 | Presence of t(8;21)(q22;q22) in Myeloperoxidase-Positive, Myeloid Surface Antigen-Negative Acute Myeloid Leukemia. American Journal of Clinical Pathology, 1997, 107, 68-73.   | 0.4 | 29        |
| 910 | Cyclin D1 Immunohistochemical Staining Is Useful in Distinguishing Mantle Cell Lymphoma From Other Low-Grade B-Cell Neoplasms in Bone Marrow. American Journal of Clinical Pathology, 1997, 108, 302-307.  | 0.4 | 94        |
| 911 | Hodgkin's Disease of the Esophagus. American Journal of Clinical Pathology, 1997, 108, 593-598.  | 0.4 | 24        |
| 912 | Detection of Epstein-Barr Virus in the L & H Cells of Nodular Lymphocyte Predominance Hodgkin's Disease: Report of a Case Documented by Immunohistochemical, In Situ Hybridization, and Polymerase Chain Reaction Methods. American Journal of Clinical Pathology, 1997, 108, 687-692. | 0.4 | 21        |
| 913 | Immunophenotype of Reed-Sternberg and Hodgkin's Cells in Sequential Biopsy Specimens of Hodgkin's Disease: A Paraffin-Section Immunohistochemical Study Using the Heat-Induced Epitope Retrieval Method. American Journal of Clinical Pathology, 1997, 108, 54-59.                     | 0.4 | 29        |
| 914 | The Heidelberg classification of renal cell tumours. , 1997, 183, 131-133.   |     | 1,142     |
| 915 | Grading of renal cell carcinoma. , 1997, 80, 990-991.  |     | 87        |
| 916 | Appraisal of intratumoral microvessel density, MIB-1 score, DNA content, and p53 protein expression as prognostic indicators in patients with locally confined renal cell carcinoma. , 1997, 80, 1768-1775.  |     | 77        |
| 917 | The Heidelberg classification of renal cell tumours. , 1997, 183, 131.   |     | 6         |
| 918 | The Heidelberg classification of renal cell tumours. , 1997, 183, 131.   |     | 61        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 919 | Transformation of Follicular Lymphoma into CD30-Large Cell Lymphoma with Anaplastic Cytologic Features. American Journal of Surgical Pathology, 1997, 21, 528-536.   | 2.1 | 41        |
| 920 | Neurofibroma and Cellular Neurofibroma With Atypia. American Journal of Surgical Pathology, 1997, 21, 1443-1449.   | 2.1 | 81        |
| 921 | Splenic Marginal Zone Cell Lymphoma: <i>An Immunophenotypic and Molecular Study of Five Cases</i> . American Journal of Clinical Pathology, 1996, 105, 277-285.  | 0.4 | 38        |
| 922 | Gastric Lymphoepithelioma-like Carcinoma and Jejunal B-Cell MALT Lymphoma With Large Cell Transformation: <i>Demonstration of EBV With Identical LMP Gene Deletions in the Carcinoma and Large Cell Lymphoma</i> . American Journal of Clinical Pathology, 1996, 105, 560-566. | 0.4 | 14        |
| 923 | p53 Expression in Reed-Sternberg Cells Does Not Correlate With Gene Mutations in Hodgkin's Disease. American Journal of Clinical Pathology, 1996, 106, 728-738.  | 0.4 | 43        |
| 924 | Transthyretin (Prealbumin) Immunoreactivity in Renal Cell Carcinoma and Other Neoplasms. International Journal of Surgical Pathology, 1996, 4, 1-7.  | 0.4 | 5         |
| 925 | Chronic Myeloid Leukemia Manifested During Megakaryoblastic Crisis. Southern Medical Journal, 1996, 89, 422-427.   | 0.3 | 13        |
| 926 | Thrombotic Thrombocytopenic Purpura and HIV Infection. Southern Medical Journal, 1995, 88, 82-86.  | 0.3 | 18        |
| 927 | B-Cell Chronic Lymphocytic Leukemia Followed by High Grade T-Cell Lymphoma: <i>An Unusual Variant of Richter's Syndrome</i> . American Journal of Clinical Pathology, 1995, 103, 348-352.  | 0.4 | 50        |
| 928 | Plasma Cell Myeloma Associated With Eosinophilia. American Journal of Clinical Pathology, 1995, 103, 583-587.  | 0.4 | 14        |
| 929 | Adult Renal Epithelial Neoplasms. American Journal of Clinical Pathology, 1995, 103, 624-635.  | 0.4 | 132       |
| 930 | Adrenal Cortical Tumors Clinically Mimicking Pheochromocytoma. American Journal of Clinical Pathology, 1995, 104, 382-390.   | 0.4 | 51        |
| 931 | Lymphoma of the Mucosa-Associated Lymphoid Tissue of the Lung: <i>A Multifocal Case of Common Clonal Origin</i> . American Journal of Clinical Pathology, 1995, 103, 341-345.  | 0.4 | 14        |
| 932 | Hodgkin's disease. Cancer, 1995, 75, 357-369.  | 2.0 | 102       |
| 933 | Non-Hodgkin's lymphoma. Cancer, 1995, 75, 370-380.   | 2.0 | 168       |
| 934 | Epstein-Barr Virus Is Infrequently Identified in Non-Hodgkin's Lymphomas Associated with Hodgkin's Disease. American Journal of Surgical Pathology, 1994, 18, 48-61.   | 2.1 | 85        |
| 935 | Malignant Lymphomas of B-Cell Lineage with Marked Tissue Eosinophilia. American Journal of Surgical Pathology, 1994, 18, 347-356.  | 2.1 | 36        |
| 936 | bcl-2 Rearrangements in de novo diffuse large cell lymphoma. Association with distinctive clinical features. Cancer, 1993, 72, 231-236.  | 2.0 | 99        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 937 | Stage I Renal Cell Carcinoma. American Journal of Surgical Pathology, 1993, 17, 275-286.   | 2.1 | 87        |
| 938 | Malignant Lymphomas Involving the Ovary. American Journal of Surgical Pathology, 1993, 17, 154-170.  | 2.1 | 172       |
| 939 | <i>bcl-2</i> Expression in Hodgkin's Disease: Correlation with the t(14; 18) Translocation and Epstein-Barr Virus. American Journal of Clinical Pathology, 1993, 99, 604-608.                  | 0.4 | 40        |
| 940 | T-Cell Lymphoblastic Lymphoma With Eosinophilia Associated With Subsequent Myeloid Malignancy. American Journal of Surgical Pathology, 1992, 16, 236-245.                                      | 2.1 | 114       |
| 941 | New Developments in the Pathologic Diagnosis of Adrenal Cortical Neoplasms: A Review. American Journal of Clinical Pathology, 1992, 97, 73-83.   | 0.4 | 115       |
| 942 | Composite B-Cell and T-Cell Lymphoma: Coincidental Occurrence or Related Neoplasms? American Journal of Clinical Pathology, 1992, 98, 387-389.   | 0.4 | 27        |
| 943 | Diffuse Aggressive B-Cell Lymphomas of the Gastrointestinal Tract: An Immunophenotypic and Gene Rearrangement Analysis of 22 Cases. American Journal of Clinical Pathology, 1992, 97, 170-178. | 0.4 | 16        |
| 944 | Mediastinal Lymphoblastic Lymphoma With an Immature B-Cell Immunophenotype. American Journal of Surgical Pathology, 1992, 16, 300-305.   | 2.1 | 34        |
| 945 | Lymphoproliferative Lesions in Patients with Common Variable Immunodeficiency Syndrome. American Journal of Surgical Pathology, 1992, 16, 1170-1182.   | 2.1 | 124       |
| 946 | Localization of Epstein-Barr Viral Genomes in Angiocentric Immunoproliferative Lesions. American Journal of Surgical Pathology, 1992, 16, 439-447.   | 2.1 | 145       |
| 947 | Non-Hodgkin's Lymphomas Arising in Patients Successfully Treated for Hodgkin's Disease. American Journal of Surgical Pathology, 1992, 16, 885-895.   | 2.1 | 60        |
| 948 | Lymphoblastic lymphoma presenting in cutaneous sites. Journal of the American Academy of Dermatology, 1991, 25, 1023-1031.   | 0.6 | 112       |
| 949 | My 4 Antibody Staining of Non-Hodgkin's Lymphomas. American Journal of Clinical Pathology, 1991, 95, 363-368.  | 0.4 | 24        |
| 950 | Genotypic Analysis of Diffuse, Mixed Cell Lymphomas: Comparisons with Morphologic and Immunophenotypic Findings. American Journal of Clinical Pathology, 1991, 95, 547-555.                    | 0.4 | 18        |
| 951 | T-Cell-Rich B-Cell Lymphomas. American Journal of Surgical Pathology, 1991, 15, 491.   | 2.1 | 14        |
| 952 | T-Cell Lymphoma Involving Subcutaneous Tissue. American Journal of Surgical Pathology, 1991, 15, 17-27.  | 2.1 | 439       |
| 953 | Cellular DNA Profiles of Benign and Malignant Adrenocortical Tumors. American Journal of Surgical Pathology, 1990, 14, 948-955.  | 2.1 | 57        |
| 954 | Expression of the activation antigen, 4F2, by non-Hodgkin's lymphomas of B-cell phenotype. Cancer, 1990, 66, 1158-1164.  | 2.0 | 7         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 955 | Expression of LFA-1 in non-hodgkin's lymphoma. <i>Cancer</i> , 1989, 63, 255-259.   | 2.0  | 54        |
| 956 | Immunophenotypic Diagnosis of Non-Hodgkin's Lymphoma in Paraffin Sections: Co-Expression of L60 (Leu-22) and L26 Antigens Correlates with Malignant Histologic Findings. <i>American Journal of Clinical Pathology</i> , 1989, 91, 579-583. | 0.4  | 72        |
| 957 | Pathologic Features of Prognostic Significance in Adrenocortical Carcinoma. <i>American Journal of Surgical Pathology</i> , 1989, 13, 202-206.  | 2.1  | 738       |
| 958 | Lymphoid Infiltrates of the Orbit and Conjunctiva. <i>American Journal of Surgical Pathology</i> , 1989, 13, 459-471.   | 2.1  | 125       |
| 959 | Renal cell carcinoma. Prognostic significance of morphologic parameters in 121 cases. <i>Cancer</i> , 1988, 61, 1639-1651.  | 2.0  | 224       |
| 960 | Transferrin receptor expression by non-hodgkin's lymphomas. Correlation with morphologic grade and survival. <i>Cancer</i> , 1988, 61, 1844-1851.   | 2.0  | 31        |
| 961 | Utility of combining antigranulocyte with antileukocyte antibodies in differentiating Hodgkin's disease from non-Hodgkin's lymphoma. <i>Cancer</i> , 1988, 62, 2475-2481.   | 2.0  | 22        |
| 962 | The Cells of Giant Cell Tumor of Tendon Sheath Resemble Osteoclasts. <i>American Journal of Surgical Pathology</i> , 1988, 12, 444-452.   | 2.1  | 46        |
| 963 | The Diagnostic Utility of the Keratin Profiles of Hepatocellular Carcinoma and Cholangiocarcinoma. <i>American Journal of Surgical Pathology</i> , 1988, 12, 187-197.   | 2.1  | 120       |
| 964 | Case 38-1988. <i>New England Journal of Medicine</i> , 1988, 319, 768-781.  | 13.9 | 21        |
| 965 | Reliability and Significance of Increased Creatine Kinase MB Isoenzyme in the Serum of Uremic Patients. <i>American Journal of Clinical Pathology</i> , 1987, 87, 103-108.  | 0.4  | 20        |
| 966 | The White Blood Cell Differential: Evaluation of Rapid Impression Scanning Versus the Routine Manual Count. <i>American Journal of Clinical Pathology</i> , 1987, 87, 628-632.  | 0.4  | 5         |
| 967 | Expression of Tac Antigen by Non-Hodgkin's Lymphomas. <i>American Journal of Clinical Pathology</i> , 1987, 88, 483-485.  | 0.4  | 14        |
| 968 | Low-Grade Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 1987, 11, 633-642.  | 2.1  | 31        |
| 969 | Age and Erythrocyte Alloimmunization. <i>Vox Sanguinis</i> , 1986, 51, 73-73.   | 0.7  | 6         |
| 970 | PRIMARY NODULAR LYMPHOMA OF THE LUNG Immunoperoxidase and Ultrastructural Studies. <i>Pathology International</i> , 1982, 32, 835-842.  | 0.6  | 0         |
| 971 | Clinicopathologic spectrum of myeloid neoplasms with concurrent myeloproliferative neoplasm driver mutations and SRSF2 mutations. <i>Modern Pathology</i> , 0, , .  | 2.9  | 0         |