

Tadao Asami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7551563/publications.pdf>

Version: 2024-02-01

259
papers

21,860
citations

16411

64
h-index

10127

140
g-index

262
all docs

262
docs citations

262
times ranked

15133
citing authors

#	ARTICLE	IF	CITATIONS
1	Rational design of <i>Striga hermonthica</i> -specific seed germination inhibitors. <i>Plant Physiology</i> , 2022, 188, 1369-1384.	2.3	12
2	Insect growth regulators with hydrazide moiety inhibit strigolactone biosynthesis in rice. <i>Journal of Pesticide Sciences</i> , 2022, 47, 43-46.	0.8	3
3	Response of tomatoes primed by mycorrhizal colonization to virulent and avirulent bacterial pathogens. <i>Scientific Reports</i> , 2022, 12, 4686.	1.6	20
4	Function of hydroxycinnamoyl spermidines in seedling growth of <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2022, 86, 294-299.	0.6	2
5	<i>Striga hermonthica</i> Suicidal Germination Activity of Potent Strigolactone Analogs: Evaluation from Laboratory Bioassays to Field Trials. <i>Plants</i> , 2022, 11, 1045.	1.6	21
6	Strigolactones Modulate Salicylic Acid-Mediated Disease Resistance in <i>Arabidopsis thaliana</i> . <i>International Journal of Molecular Sciences</i> , 2022, 23, 5246.	1.8	13
7	BRZ-INSENSITIVE-PALE GREEN 1 is encoded by chlorophyll biosynthesis enzyme gene that functions in the downstream of brassinosteroid signaling. <i>Bioscience, Biotechnology and Biochemistry</i> , 2022, , .	0.6	2
8	The apple gene responsible for columnar tree shape reduces the abundance of biologically active gibberellin. <i>Plant Journal</i> , 2021, 105, 1026-1034.	2.8	14
9	On improving strigolactone mimics for induction of suicidal germination of the root parasitic plant <i>Striga hermonthica</i> . <i>ABIOTECH</i> , 2021, 2, 1-13.	1.8	6
10	Induction of tocopherol biosynthesis through heat shock treatment in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2021, 85, 502-509.	0.6	8
11	Strigolactone signaling inhibition increases adventitious shoot formation on internodal segments of ipecac. <i>Planta</i> , 2021, 253, 123.	1.6	8
12	Counteractive Effects of Sugar and Strigolactone on Leaf Senescence of Rice in Darkness. <i>Agronomy</i> , 2021, 11, 1044.	1.3	8
13	Transcriptome Analysis of <i>Chloris virgata</i> , Which Shows the Fastest Germination and Growth in the Major Mongolian Grassland Plant. <i>Frontiers in Plant Science</i> , 2021, 12, 684987.	1.7	1
14	Identification of an aromatic aldehyde synthase involved in indole-3-acetic acid biosynthesis in the galling sawfly (<i>Pontania</i> sp.) and screening of an inhibitor. <i>Insect Biochemistry and Molecular Biology</i> , 2021, 137, 103639.	1.2	5
15	Chemical Synthesis of Triazole-Derived Suppressors of Strigolactone Functions. <i>Methods in Molecular Biology</i> , 2021, 2309, 25-30.	0.4	0
16	ã,1ãf^ãf^ãã,ãf ©ã,ãf^ãf^3ç”ç ©ããë3/4²æ¥ãããã,ããã,±ãfÿã,«ãf«ãf,,ãf1/4ãf«. <i>Kagaku To Seibutsu</i> , 2021, 59, 91-97.0.0		0
17	Cytokinins affect the akinete-germination stage of a terrestrial filamentous cyanobacterium, <i>Nostoc</i> sp. HK-01. <i>Plant Growth Regulation</i> , 2020, 92, 273-282.	1.8	6
18	Triflumizole as a Novel Lead Compound for Strigolactone Biosynthesis Inhibitor. <i>Molecules</i> , 2020, 25, 5525.	1.7	8

#	ARTICLE	IF	CITATIONS
19	Efficient Mimics for Elucidating Zaxinone Biology and Promoting Agricultural Applications. <i>Molecular Plant</i> , 2020, 13, 1654-1661.	3.9	24
20	A New Series of Carlactonoic Acid Based Strigolactone Analogs for Fundamental and Applied Research. <i>Frontiers in Plant Science</i> , 2020, 11, 434.	1.7	19
21	Light Activates Brassinosteroid Biosynthesis to Promote Hook Opening and Petiole Development in <i>Arabidopsis thaliana</i> . <i>Plant and Cell Physiology</i> , 2020, 61, 1239-1251.	1.5	9
22	Synthetic agonist of HTL/KAI2 shows potent stimulating activity for <i>Arabidopsis</i> seed germination. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 2487-2492.	1.0	5
23	Gene Ontology and Expression Studies of Strigolactone Analogues on a Hepatocellular Carcinoma Cell Line. <i>Analytical Cellular Pathology</i> , 2019, 2019, 1-10.	0.7	4
24	Synthesis and Biological Evaluation of Novel Triazole Derivatives as Strigolactone Biosynthesis Inhibitors. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 6143-6149.	2.4	17
25	Synthesis and in vitro antitumor activity of novel acylspermidine derivative N-(4-aminobutyl)-N-(3-aminopropyl)-8-hydroxy-dodecanamide (AAHD) against HepG2 cells. <i>Bioorganic Chemistry</i> , 2019, 88, 102937.	2.0	2
26	Regulation of biosynthesis, perception, and functions of strigolactones for promoting arbuscular mycorrhizal symbiosis and managing root parasitic weeds. <i>Pest Management Science</i> , 2019, 75, 2353-2359.	1.7	22
27	Methylation at the C-3 in D-Ring of Strigolactone Analogs Reduces Biological Activity in Root Parasitic Plants and Rice. <i>Frontiers in Plant Science</i> , 2019, 10, 353.	1.7	20
28	Suicidal germination as a control strategy for <i>Striga hermonthica</i> (Benth.) in smallholder farms of sub-Saharan Africa. <i>Plants People Planet</i> , 2019, 1, 107-118.	1.6	70
29	Triazole Ureas Covalently Bind to Strigolactone Receptor and Antagonize Strigolactone Responses. <i>Molecular Plant</i> , 2019, 12, 44-58.	3.9	40
30	How will plant science contribute to improve productivity in agriculture? Future prospects of plant science. <i>Ikushugaku Kenkyu</i> , 2019, 21, 49-54.	0.1	0
31	Conversion of carlactone to carlactonoic acid is a conserved function of MAX1 homologs in strigolactone biosynthesis. <i>New Phytologist</i> , 2018, 218, 1522-1533.	3.5	147
32	Chemical regulators of plant hormones and their applications in basic research and agriculture*. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1265-1300.	0.6	83
33	Target-based selectivity of strigolactone agonists and antagonists in plants and their potential use in agriculture. <i>Journal of Experimental Botany</i> , 2018, 69, 2241-2254.	2.4	27
34	Plant Hormone Cross Talk with a Focus on Strigolactone and Its Chemical Dissection in Rice. , 2018, , 113-127.		1
35	Synthetic strigolactone analogues reveal anti-cancer activities on hepatocellular carcinoma cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 1077-1083.	1.0	23
36	Brassinosteroids regulate vacuolar morphology in root meristem cells of <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2018, 13, e1417722.	1.2	7

#	ARTICLE	IF	CITATIONS
37	Rationally Designed Strigolactone Analogs as Antagonists of the D14 Receptor. <i>Plant and Cell Physiology</i> , 2018, 59, 1545-1554.	1.5	27
38	An Ancestral Gibberellin in a Moss <i>Physcomitrella patens</i> . <i>Molecular Plant</i> , 2018, 11, 1097-1100.	3.9	39
39	Methyl phenlactonoates are efficient strigolactone analogs with simple structure. <i>Journal of Experimental Botany</i> , 2018, 69, 2319-2331.	2.4	50
40	Effect of the strigolactone analogs methyl phenlactonoates on spore germination and root colonization of arbuscular mycorrhizal fungi. <i>Heliyon</i> , 2018, 4, e00936.	1.4	20
41	Identification of Deregulated Signaling Pathways in Jurkat Cells in Response to a Novel Acylspermidine Analogue-N4-Erucoyl Spermidine. <i>Epigenetics Insights</i> , 2018, 11, 251686571881454.	0.6	12
42	<i>cis</i> -Coumaric acid attenuates non-catalytic protein glycosylation in the retinas of diabetic rats. <i>Journal of Pesticide Sciences</i> , 2018, 43, 180-185.	0.8	9
43	Structural analysis of HTL and D14 proteins reveals the basis for ligand selectivity in <i>Striga</i> . <i>Nature Communications</i> , 2018, 9, 3947.	5.8	73
44	Structural basis for brassinosteroid response by BIL1/BZR1. <i>Nature Plants</i> , 2018, 4, 771-776.	4.7	33
45	Preface to the Special Issue: Brief review of plant hormones and their utilization in agriculture. <i>Journal of Pesticide Sciences</i> , 2018, 43, 154-158.	0.8	28
46	Strigolactones—a novel class of phytohormones as anti-cancer agents. <i>Journal of Pesticide Sciences</i> , 2018, 43, 168-172.	0.8	7
47	Effects of gibberellin and strigolactone on rice tiller bud growth. <i>Journal of Pesticide Sciences</i> , 2018, 43, 220-223.	0.8	12
48	The chemical NJ15 affects hypocotyl elongation and shoot gravitropism via cutin polymerization. <i>Bioscience, Biotechnology and Biochemistry</i> , 2018, 82, 1770-1779.	0.6	1
49	FPX is a Novel Chemical Inducer that Promotes Callus Formation and Shoot Regeneration in Plants. <i>Plant and Cell Physiology</i> , 2018, 59, 1555-1567.	1.5	26
50	Plant Chemical Biology. <i>Plant and Cell Physiology</i> , 2018, 59, 1483-1486.	1.5	11
51	Assignment of ¹ H- and ¹³ C-NMR data for four helminthosporol analogs with the bicyclo[3.2.1]octane framework. <i>Magnetic Resonance in Chemistry</i> , 2018, 56, 1130-1134.	1.1	0
52	Characterization of a helminthosporic acid analog that is a selective agonist of gibberellin receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018, 28, 2465-2470.	1.0	8
53	Life history of <i>Stenopsylla nigricornis</i> (Hemiptera: Psylloidea: Trioizidae) and phytohormones involved in its gall induction. <i>Arthropod-Plant Interactions</i> , 2017, 11, 99-108.	0.5	13
54	Regulation of Strigolactone Biosynthesis by Gibberellin Signaling. <i>Plant Physiology</i> , 2017, 174, 1250-1259.	2.3	138

#	ARTICLE	IF	CITATIONS
55	Characterization of synthetic ecdysteroid analogues as functional mimics of brassinosteroids in plant growth. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2017, 172, 1-8.	1.2	11
56	Substituted Phthalimide AC94377 Is a Selective Agonist of the Gibberellin Receptor GID1. <i>Plant Physiology</i> , 2017, 173, 825-835.	2.3	13
57	Synthesis, screening and pro-apoptotic activity of novel acyl spermidine derivatives on human cancer cell lines. <i>Biomedicine and Pharmacotherapy</i> , 2017, 93, 190-201.	2.5	12
58	Helminthosporic acid functions as an agonist for gibberellin receptor. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 2152-2159.	0.6	10
59	Evolutionarily conserved BIL4 suppresses the degradation of brassinosteroid receptor BRI1 and regulates cell elongation. <i>Scientific Reports</i> , 2017, 7, 5739.	1.6	28
60	Chemical screening and development of novel gibberellin mimics. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017, 27, 3678-3682.	1.0	13
61	Involvement of STH7 in light-adapted development in <i>Arabidopsis thaliana</i> promoted by both strigolactone and karrikin. <i>Bioscience, Biotechnology and Biochemistry</i> , 2017, 81, 292-301.	0.6	10
62	A Taylor-Made Design of Phenoxyfuranone-Type Strigolactone Mimic. <i>Frontiers in Plant Science</i> , 2017, 8, 936.	1.7	33
63	Molecular actions of two synthetic brassinosteroids, iso-carbaBL and 6-deoxoBL, which cause altered physiological activities between <i>Arabidopsis</i> and rice. <i>PLoS ONE</i> , 2017, 12, e0174015.	1.1	9
64	Strigolactones are involved in sugar signaling to modulate early seedling development in <i>Arabidopsis</i> . <i>Plant Biotechnology</i> , 2016, 33, 87-97.	0.5	23
65	Aminoxy-naphthylpropionic acid and its derivatives are inhibitors of auxin biosynthesis targeting tryptophan aminotransferase: structure-activity relationships. <i>Plant Journal</i> , 2016, 87, 245-257.	2.8	28
66	Chemical modification of a phenoxyfuranone-type strigolactone mimic for selective effects on rice tillering or <i>Striga hermonthica</i> seed germination. <i>Pest Management Science</i> , 2016, 72, 2048-2053.	1.7	17
67	Grafting cucumber onto luffa improves drought tolerance by increasing ABA biosynthesis and sensitivity. <i>Scientific Reports</i> , 2016, 6, 20212.	1.6	57
68	1,10-Phenanthroline and its derivatives are novel hatching stimulants for soybean cyst nematodes. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2016, 26, 5240-5243.	1.0	8
69	Structural basis of unique ligand specificity of KAI2-like protein from parasitic weed <i>Striga hermonthica</i> . <i>Scientific Reports</i> , 2016, 6, 31386.	1.6	47
70	Discovery and identification of 2-methoxy-1-naphthaldehyde as a novel strigolactone-signaling inhibitor. <i>Journal of Pesticide Sciences</i> , 2016, 41, 71-78.	0.8	35
71	Spermidine, a polyamine, confers resistance to rice blast. <i>Journal of Pesticide Sciences</i> , 2016, 41, 79-82.	0.8	10
72	Structure- and stereospecific transport of strigolactones from roots to shoots. <i>Journal of Pesticide Sciences</i> , 2016, 41, 55-58.	0.8	19

#	ARTICLE	IF	CITATIONS
73	Strigolactone Regulates Anthocyanin Accumulation, Acid Phosphatases Production and Plant Growth under Low Phosphate Condition in Arabidopsis. PLoS ONE, 2015, 10, e0119724.	1.1	50
74	Strigolactones are transported from roots to shoots, although not through the xylem. Journal of Pesticide Sciences, 2015, 40, 214-216.	0.8	52
75	Analysis of ent-kaurenoic acid by ultra-performance liquid chromatography-tandem mass spectrometry. Biochemistry and Biophysics Reports, 2015, 2, 103-107.	0.7	6
76	Formation and Dissociation of the BSS1 Protein Complex Regulates Plant Development via Brassinosteroid Signaling. Plant Cell, 2015, 27, 375-390.	3.1	40
77	Development of Inhibitors of Salicylic Acid Signaling. Journal of Agricultural and Food Chemistry, 2015, 63, 7124-7133.	2.4	8
78	A novel thiol-reductase activity of Arabidopsis YUC6 confers drought tolerance independently of auxin biosynthesis. Nature Communications, 2015, 6, 8041.	5.8	82
79	13th IUPAC International Congress on Pesticide Chemistry. Japanese Journal of Pesticide Science, 2015, 40, 105-107.	0.0	0
80	Does the brassinosteroid signal pathway in photomorphogenesis overlap with the gravitropic response caused by auxin?. Bioscience, Biotechnology and Biochemistry, 2014, 78, 1839-1849.	0.6	1
81	Analysis of a putative auxin biosynthesis inhibitor, indole-3-oxoethylphosphonic acid, in Arabidopsis. Bioscience, Biotechnology and Biochemistry, 2014, 78, 67-70.	0.6	6
82	Target sites for chemical regulation of strigolactone signaling. Frontiers in Plant Science, 2014, 5, 623.	1.7	27
83	Molecular evidence of the involvement of heat shock protein 90 in brassinosteroid signaling in Arabidopsis T87 cultured cells. Plant Cell Reports, 2014, 33, 499-510.	2.8	26
84	BPG3 is a novel chloroplast protein that involves the greening of leaves and related to brassinosteroid signaling. Bioscience, Biotechnology and Biochemistry, 2014, 78, 420-429.	0.6	20
85	Biosynthetic pathway of the phytohormone auxin in insects and screening of its inhibitors. Insect Biochemistry and Molecular Biology, 2014, 53, 66-72.	1.2	36
86	Brassinosteroid-related transcription factor BIL1/BZR1 increases plant resistance to insect feeding. Bioscience, Biotechnology and Biochemistry, 2014, 78, 960-968.	0.6	34
87	D14â€“SCFD3-dependent degradation of D53 regulates strigolactone signalling. Nature, 2013, 504, 406-410.	13.7	669
88	Molecular mechanism of strigolactone perception by DWARF14. Nature Communications, 2013, 4, 2613.	5.8	310
89	Uniconazole, a cytochrome P450 inhibitor, inhibits trans-zeatin biosynthesis in Arabidopsis. Phytochemistry, 2013, 87, 30-38.	1.4	30
90	Chemical screening of an inhibitor for gibberellin receptors based on a yeast two-hybrid system. Bioorganic and Medicinal Chemistry Letters, 2013, 23, 1096-1098.	1.0	14

#	ARTICLE	IF	CITATIONS
91	A novel mitochondrial DnaJ/Hsp40 family protein BIL2 promotes plant growth and resistance against environmental stress in brassinosteroid signaling. <i>Planta</i> , 2013, 237, 1509-1525.	1.6	76
92	Exogenous ABA induces salt tolerance in indica rice (<i>Oryza sativa</i> L.): The role of OsP5CS1 and OsP5CR gene expression during salt stress. <i>Environmental and Experimental Botany</i> , 2013, 86, 94-105.	2.0	178
93	Phytohormones in Japanese Mugwort Gall Induction by a Gall-Inducing Gall Midge. <i>Bioscience, Biotechnology and Biochemistry</i> , 2013, 77, 1942-1948.	0.6	58
94	Selective Mimics of Strigolactone Actions and Their Potential Use for Controlling Damage Caused by Root Parasitic Weeds. <i>Molecular Plant</i> , 2013, 6, 88-99.	3.9	71
95	Effects of strigolactone-biosynthesis inhibitor TIS108 on <i>Arabidopsis</i> . <i>Plant Signaling and Behavior</i> , 2013, 8, e24193.	1.2	33
96	Tebuconazole derivatives are potent inhibitors of strigolactone biosynthesis. <i>Journal of Pesticide Sciences</i> , 2013, 38, 147-151.	0.8	12
97	Comparison of indole derivatives as potential intermediates of auxin biosynthesis in <i>Arabidopsis</i> . <i>Plant Biotechnology</i> , 2013, 30, 185-190.	0.5	13
98	Plastid Located WHIRLY1 Enhances the Responsiveness of <i>Arabidopsis</i> Seedlings Toward Abscisic Acid. <i>Frontiers in Plant Science</i> , 2012, 3, 283.	1.7	28
99	Isolation of <i>Arabidopsis</i> ahg11, a weak ABA hypersensitive mutant defective in nad4 RNA editing. <i>Journal of Experimental Botany</i> , 2012, 63, 5301-5310.	2.4	61
100	An Unusual Spliced Variant of DELLA Protein, a Negative Regulator of Gibberellin Signaling, in Lettuce. <i>Bioscience, Biotechnology and Biochemistry</i> , 2012, 76, 544-550.	0.6	3
101	Phytohormones and willow gall induction by a gall-inducing sawfly. <i>New Phytologist</i> , 2012, 196, 586-595.	3.5	119
102	Screening and characterization of a chemical regulator for plant disease resistance. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 1761-1765.	1.0	7
103	Synthesis of novel brassinosteroid biosynthesis inhibitors based on the ketoconazole scaffold. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012, 22, 1625-1628.	1.0	43
104	Effects of Triazole Derivatives on Strigolactone Levels and Growth Retardation in Rice. <i>PLoS ONE</i> , 2011, 6, e21723.	1.1	55
105	Role of nitric oxide in hydrogen peroxide-dependent induction of abiotic stress tolerance by brassinosteroids in cucumber. <i>Plant, Cell and Environment</i> , 2011, 34, 347-358.	2.8	160
106	Induction of systemic stress tolerance by brassinosteroid in <i>Cucumis sativus</i> . <i>New Phytologist</i> , 2011, 191, 706-720.	3.5	124
107	Characterization of brassinosteroid-regulated proteins in a nuclear-enriched fraction of <i>Arabidopsis</i> suspension-cultured cells. <i>Plant Physiology and Biochemistry</i> , 2011, 49, 985-995.	2.8	12
108	New branching inhibitors and their potential as strigolactone mimics in rice. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011, 21, 4905-4908.	1.0	102

#	ARTICLE	IF	CITATIONS
109	Chemical biology of abscisic acid. <i>Journal of Plant Research</i> , 2011, 124, 549-557.	1.2	21
110	AtCAST, a Tool for Exploring Gene Expression Similarities among DNA Microarray Experiments Using Networks. <i>Plant and Cell Physiology</i> , 2011, 52, 169-180.	1.5	21
111	Abamine as a basis for new designs of regulators of strigolactone production. <i>Journal of Pesticide Sciences</i> , 2011, 36, 53-57.	0.8	12
112	Creation of function regulators of plant hormones and their application to physiology, genetics and agriculture. <i>Journal of Pesticide Sciences</i> , 2011, 36, 266-267.	0.8	0
113	Transcription of DWARF4 Plays a Crucial Role in Auxin-Regulated Root Elongation in Addition to Brassinosteroid Homeostasis in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , 2011, 6, e23851.	1.1	63
114	Creation of function regulators of plant hormones and their application to physiology, genetics and agriculture. <i>Journal of Pesticide Sciences</i> , 2011, 36, 278-285.	0.8	0
115	Preparation of multideuterated 5â€œdeoxystrigol for use as an internal standard for quantitative LC/MS. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2010, 53, 763-766.	0.5	22
116	Screening and characterization of an inhibitory chemical specific to <i>Arabidopsis</i> gibberellin 2-oxidases. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010, 20, 4259-4262.	1.0	7
117	The chloroplast protein BPG2 functions in brassinosteroidâ€œmediated postâ€œtranscriptional accumulation of chloroplast rRNA. <i>Plant Journal</i> , 2010, 61, 409-422.	2.8	63
118	The herbicide ketocloromazone inhibits 1-deoxy-D-xylulose 5-phosphate synthase in the 2-C-methyl-D-erythritol 4-phosphate pathway and shows antibacterial activity against <i>Haemophilus influenzae</i> . <i>Journal of Antibiotics</i> , 2010, 63, 583-588.	1.0	53
119	Role of the phytochrome and cryptochrome signaling pathways in hypocotyl phototropism. <i>Plant Journal</i> , 2010, 62, 653-662.	2.8	66
120	Regulation of <i>Arabidopsis</i> Brassinosteroid Signaling by Atypical Basic Helix-Loop-Helix Proteins Â. <i>Plant Cell</i> , 2010, 21, 3781-3791.	3.1	152
121	Auxin Biosynthesis Inhibitors, Identified by a Genomics-Based Approach, Provide Insights into Auxin Biosynthesis. <i>Plant and Cell Physiology</i> , 2010, 51, 524-536.	1.5	140
122	A New Lead Chemical for Strigolactone Biosynthesis Inhibitors. <i>Plant and Cell Physiology</i> , 2010, 51, 1143-1150.	1.5	51
123	A Direct Docking Mechanism for a Plant GSK3-like Kinase to Phosphorylate Its Substrates. <i>Journal of Biological Chemistry</i> , 2010, 285, 24646-24653.	1.6	53
124	FINE CULM1 (FC1) Works Downstream of Strigolactones to Inhibit the Outgrowth of Axillary Buds in Rice. <i>Plant and Cell Physiology</i> , 2010, 51, 1127-1135.	1.5	276
125	Chemical Genetics Reveal the Novel Transmembrane Protein BIL4, Which Mediates Plant Cell Elongation in Brassinosteroid Signaling. <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 415-421.	0.6	28
126	Genome-Wide Identification, Structure and Expression Studies, and Mutant Collection of 22 Early Nodulin-Like Protein Genes in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2452-2459.	0.6	63

#	ARTICLE	IF	CITATIONS
127	<i>BRASSINOSTEROID UPREGULATED1</i> , Encoding a Helix-Loop-Helix Protein, Is a Novel Gene Involved in Brassinosteroid Signaling and Controls Bending of the Lamina Joint in Rice. <i>Plant Physiology</i> , 2009, 151, 669-680.	2.3	194
128	Involvement of C-22-Hydroxylated Brassinosteroids in Auxin-Induced Lamina Joint Bending in Rice. <i>Plant and Cell Physiology</i> , 2009, 50, 1627-1635.	1.5	45
129	The High Light Response in <i>Arabidopsis</i> Involves ABA Signaling between Vascular and Bundle Sheath Cells. <i>Plant Cell</i> , 2009, 21, 2143-2162.	3.1	240
130	Brassinosteroids promote photosynthesis and growth by enhancing activation of Rubisco and expression of photosynthetic genes in <i>Cucumis sativus</i> . <i>Planta</i> , 2009, 230, 1185-1196.	1.6	232
131	<i>Arabidopsis</i> MYB30 is a direct target of BES1 and cooperates with BES1 to regulate brassinosteroid-induced gene expression. <i>Plant Journal</i> , 2009, 58, 275-286.	2.8	228
132	Differential expression and affinities of <i>Arabidopsis</i> gibberellin receptors can explain variation in phenotypes of multiple knockout mutants. <i>Plant Journal</i> , 2009, 60, 48-55.	2.8	52
133	Hormonal regulation of temperature-induced growth in <i>Arabidopsis</i> . <i>Plant Journal</i> , 2009, 60, 589-601.	2.8	271
134	Anti-metatype peptides, a molecular tool with high sensitivity and specificity to monitor small ligands. <i>Analytical Biochemistry</i> , 2009, 388, 63-70.	1.1	11
135	Reactive Oxygen Species Are Involved in Brassinosteroid-Induced Stress Tolerance in Cucumber. <i>Plant Physiology</i> , 2009, 150, 801-814.	2.3	640
136	Feedback-Regulation of Strigolactone Biosynthetic Genes and Strigolactone-Regulated Genes in <i>Arabidopsis</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2009, 73, 2460-2465.	0.6	170
137	Molecular design of strigolactone biosynthetic inhibitors for plant chemical biology. <i>Journal of Pesticide Sciences</i> , 2009, 34, 319-323.	0.8	1
138	Immunomodulation of gibberellin biosynthesis using an anti-precursor gibberellin antibody confers gibberellin-deficient phenotypes. <i>Planta</i> , 2008, 228, 863-873.	1.6	8
139	Asymmetric synthesis and stereochemical structure-activity relationship of (R)- and (S)-8-[1-(2,4-dichlorophenyl)-2-imidazol-1-yl-ethoxy] octanoic acid heptyl ester, a potent inhibitor of allene oxide synthase. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 1090-1095.	1.4	15
140	Immunomodulation of bioactive gibberellin confers gibberellin-deficient phenotypes in plants. <i>Plant Biotechnology Journal</i> , 2008, 6, 355-367.	4.1	13
141	The AtGenExpress hormone and chemical treatment data set: experimental design, data evaluation, model data analysis and data access. <i>Plant Journal</i> , 2008, 55, 526-542.	2.8	467
142	A role of brassinosteroids in early fruit development in cucumber. <i>Journal of Experimental Botany</i> , 2008, 59, 2299-2308.	2.4	155
143	Antagonistic Interaction between Systemic Acquired Resistance and the Abscisic Acid-Mediated Abiotic Stress Response in <i>Arabidopsis</i> . <i>Plant Cell</i> , 2008, 20, 1678-1692.	3.1	465
144	A new gibberellin detection system in living cells based on antibody VH/VL interaction. <i>Biochemical and Biophysical Research Communications</i> , 2008, 376, 134-138.	1.0	5

#	ARTICLE	IF	CITATIONS
145	Brz220 Interacts with DWF4, a Cytochrome P450 Monooxygenase in Brassinosteroid Biosynthesis, and Exerts Biological Activity. <i>Bioscience, Biotechnology and Biochemistry</i> , 2008, 72, 7-12.	0.6	29
146	Defense-Related Signaling by Interaction of Arabinogalactan Proteins and Î²-Glucosyl Yariv Reagent Inhibits Gibberellin Signaling in Barley Aleurone Cells. <i>Plant and Cell Physiology</i> , 2008, 49, 178-190.	1.5	47
147	Loss-of-Function Mutations in the Arabidopsis Heterotrimeric G-protein Î± Subunit Enhance the Developmental Defects of Brassinosteroid Signaling and Biosynthesis Mutants. <i>Plant and Cell Physiology</i> , 2008, 49, 1013-1024.	1.5	53
148	Germination of photoblastic lettuce seeds is regulated via the control of endogenous physiologically active gibberellin content, rather than of gibberellin responsiveness. <i>Journal of Experimental Botany</i> , 2008, 59, 3383-3393.	2.4	44
149	Chemical Genetic Dissection of Brassinosteroid-Ethylene Interaction. <i>Molecular Plant</i> , 2008, 1, 368-379.	3.9	61
150	The AtGenExpress hormone- and chemical-treatment data set: Experimental design, data evaluation, model data analysis, and data access. <i>Plant Journal</i> , 2008, 55, 080414150319983.	2.8	307
151	A Putative Hydroxysteroid Dehydrogenase Involved in Regulating Plant Growth and Development. <i>Plant Physiology</i> , 2007, 145, 87-97.	2.3	94
152	Identification and characterization of an Ipomoea nil glucosyltransferase which metabolizes some phytohormones. <i>Biochemical and Biophysical Research Communications</i> , 2007, 361, 980-986.	1.0	13
153	Simple and Sensitive Method for Pyrroloquinoline Quinone (PQQ) Analysis in Various Foods Using Liquid Chromatography/Electrospray-Ionization Tandem Mass Spectrometry. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7258-7263.	2.4	59
154	Progesterone: Its occurrence in plants and involvement in plant growth. <i>Phytochemistry</i> , 2007, 68, 1664-1673.	1.4	63
155	Multiple loss-of-function of Arabidopsis gibberellin receptor AtGID1s completely shuts down a gibberellin signal. <i>Plant Journal</i> , 2007, 50, 958-966.	2.8	136
156	ABA-Hypersensitive Germination1 encodes a protein phosphatase 2C, an essential component of abscisic acid signaling in Arabidopsis seed. <i>Plant Journal</i> , 2007, 50, 935-949.	2.8	260
157	BAK1 and BKK1 Regulate Brassinosteroid-Dependent Growth and Brassinosteroid-Independent Cell-Death Pathways. <i>Current Biology</i> , 2007, 17, 1109-1115.	1.8	378
158	Characterization of novel imidazole derivative, JM-8686, a potent inhibitor of allene oxide synthase. <i>FEBS Letters</i> , 2006, 580, 5791-5796.	1.3	18
159	CYP707A1 and CYP707A2, Which Encode Abscisic Acid 8-Hydroxylases, Are Indispensable for Proper Control of Seed Dormancy and Germination in Arabidopsis. <i>Plant Physiology</i> , 2006, 141, 97-107.	2.3	473
160	Sequential Regulation of Gibberellin, Brassinosteroid, and Jasmonic Acid Biosynthesis Occurs in Rice Coleoptiles to Control the Transcript Levels of Anti-MicrobialThioninGenes. <i>Bioscience, Biotechnology and Biochemistry</i> , 2006, 70, 2410-2419.	0.6	32
161	ArabidopsisAux/IAAgenes are involved in brassinosteroid-mediated growth responses in a manner dependent on organ type. <i>Plant Journal</i> , 2006, 45, 193-205.	2.8	120
162	A 9-cis-epoxycarotenoid dioxygenase inhibitor for use in the elucidation of abscisic acid action mechanisms. <i>Bioorganic and Medicinal Chemistry</i> , 2006, 14, 5555-5561.	1.4	61

#	ARTICLE	IF	CITATIONS
163	ABA-Hypersensitive Germination3 Encodes a Protein Phosphatase 2C (AtPP2CA) That Strongly Regulates Abscisic Acid Signaling during Germination among Arabidopsis Protein Phosphatase 2Cs. <i>Plant Physiology</i> , 2006, 140, 115-126.	2.3	344
164	Inhibition of Brassinosteroid Biosynthesis by Either a dwarf4 Mutation or a Brassinosteroid Biosynthesis Inhibitor Rescues Defects in Tropic Responses of Hypocotyls in the Arabidopsis Mutant nonphototropic hypocotyl 4 Å. <i>Plant Physiology</i> , 2006, 141, 456-464.	2.3	47
165	Suppression of <i>Wolffia arrhiza</i> growth by brassinazole, an inhibitor of brassinosteroid biosynthesis and its restoration by endogenous 24-epibrassinolide. <i>Phytochemistry</i> , 2005, 66, 1787-1796.	1.4	43
166	Biotin-labeled abscisic acid as a probe for investigating abscisic acid binding sites on plasma membranes of barley aleurone protoplasts. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 3351-3358.	1.4	19
167	Chemical regulation of abscisic acid catabolism in plants by cytochrome P450 inhibitors. <i>Bioorganic and Medicinal Chemistry</i> , 2005, 13, 4491-4498.	1.4	94
168	Analysis of ABA Hypersensitive Germination2 revealed the pivotal functions of PARN in stress response in Arabidopsis. <i>Plant Journal</i> , 2005, 44, 972-984.	2.8	131
169	The leaf morphologies of the subtropical rheophyte <i>Solenogyne mikadoi</i> and its temperate relative <i>S. bellioides</i> (Asteraceae) are affected differently by plant hormones and their biosynthesis inhibitors. <i>Journal of Plant Research</i> , 2005, 118, 181-186.	1.2	3
170	<i>Agrobacterium tumefaciens</i> increases cytokinin production in plastids by modifying the biosynthetic pathway in the host plant. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 9972-9977.	3.3	112
171	Brassinosteroid Homeostasis in Arabidopsis Is Ensured by Feedback Expressions of Multiple Genes Involved in Its Metabolism. <i>Plant Physiology</i> , 2005, 138, 1117-1125.	2.3	218
172	Brassinosteroid Regulates Fiber Development on Cultured Cotton Ovules. <i>Plant and Cell Physiology</i> , 2005, 46, 1384-1391.	1.5	148
173	Identification of a Novel factor, Vanillyl Benzyl Ether, Which Inhibits Somatic Embryogenesis of Japanese Larch (<i>Larix leptolepis</i> Gordon). <i>Plant and Cell Physiology</i> , 2005, 46, 445-453.	1.5	18
174	Identification and Functional Analysis of in Vivo Phosphorylation Sites of the Arabidopsis BRASSINOSTEROID-INSENSITIVE1 Receptor Kinase. <i>Plant Cell</i> , 2005, 17, 1685-1703.	3.1	364
175	A New Class of Transcription Factors Mediates Brassinosteroid-Regulated Gene Expression in Arabidopsis. <i>Cell</i> , 2005, 120, 249-259.	13.5	709
176	Autoregulation and Homodimerization Are Involved in the Activation of the Plant Steroid Receptor BRI1. <i>Developmental Cell</i> , 2005, 8, 855-865.	3.1	257
177	A Novel Inhibitor of 9-cis-Epoxycarotenoid Dioxygenase in Abscisic Acid Biosynthesis in Higher Plants. <i>Plant Physiology</i> , 2004, 135, 1574-1582.	2.3	99
178	Comprehensive Comparison of Auxin-Regulated and Brassinosteroid-Regulated Genes in Arabidopsis. <i>Plant Physiology</i> , 2004, 134, 1555-1573.	2.3	437
179	Overexpression of Constitutive Differential Growth 1 Gene, Which Encodes a RLCKVII-Subfamily Protein Kinase, Causes Abnormal Differential and Elongation Growth after Organ Differentiation in Arabidopsis. <i>Plant Physiology</i> , 2004, 136, 3124-3133.	2.3	47
180	Control of Nodule Number by the Phytohormone Abscisic Acid in the Roots of Two Leguminous Species. <i>Plant and Cell Physiology</i> , 2004, 45, 914-922.	1.5	127

#	ARTICLE	IF	CITATIONS
181	Isolation and Characterization of Novel Mutants Affecting the Abscisic Acid Sensitivity of Arabidopsis Germination and Seedling Growth. <i>Plant and Cell Physiology</i> , 2004, 45, 1485-1499.	1.5	74
182	Brassinosteroids Interact with Auxin to Promote Lateral Root Development in Arabidopsis. <i>Plant Physiology</i> , 2004, 134, 1624-1631.	2.3	306
183	The Arabidopsis cytochrome P450 CYP707A encodes ABA 8 α -hydroxylases: key enzymes in ABA catabolism. <i>EMBO Journal</i> , 2004, 23, 1647-1656.	3.5	872
184	Characterization of the Brassinosteroid Insensitive 1 Genes of Cotton. <i>Plant Molecular Biology</i> , 2004, 54, 221-232.	2.0	72
185	Effects of brassinazole, an inhibitor of brassinosteroid biosynthesis, on light- and dark-grown <i>Chlorella vulgaris</i> . <i>Planta</i> , 2004, 218, 869-877.	1.6	36
186	A new lead compound for abscisic acid biosynthesis inhibitors targeting 9-cis-epoxycarotenoid dioxygenase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2004, 14, 3033-3036.	1.0	34
187	Preparation and Biological Activity of Molecular Probes to Identify and Analyze Jasmonic Acid-binding Proteins. <i>Bioscience, Biotechnology and Biochemistry</i> , 2004, 68, 1461-1466.	0.6	33
188	A mammalian steroid action inhibitor spironolactone retards plant growth by inhibition of brassinosteroid action and induces light-induced gene expression in the dark. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 91, 41-47.	1.2	19
189	The Influence of Chemical Genetics on Plant Science: Shedding Light on Functions and Mechanism of Action of Brassinosteroids Using Biosynthesis Inhibitors. <i>Journal of Plant Growth Regulation</i> , 2003, 22, 336-349.	2.8	57
190	Physiological Roles of Brassinosteroids in Early Growth of Arabidopsis: Brassinosteroids Have a Synergistic Relationship with Gibberellin as well as Auxin in Light-Grown Hypocotyl Elongation. <i>Journal of Plant Growth Regulation</i> , 2003, 22, 259-271.	2.8	104
191	Brassinosteroid functions in a broad range of disease resistance in tobacco and rice. <i>Plant Journal</i> , 2003, 33, 887-898.	2.8	483
192	Functional analysis of the 37 α kDa inner envelope membrane polypeptide in chloroplast biogenesis using a Ds -tagged Arabidopsis pale-green mutant. <i>Plant Journal</i> , 2003, 34, 719-731.	2.8	93
193	Visualization of abscisic acid-perception sites on the plasma membrane of stomatal guard cells. <i>Plant Journal</i> , 2003, 35, 129-139.	2.8	65
194	Chloroplast to nucleus communication triggered by accumulation of Mg-protoporphyrinIX. <i>Nature</i> , 2003, 421, 79-83.	13.7	534
195	AXR1 is involved in BR-mediated elongation and SAUR-AC1 gene expression in Arabidopsis. <i>FEBS Letters</i> , 2003, 553, 28-32.	1.3	36
196	A Novel Inhibitor for Fe-type Nitrile Hydratase: 2-Cyano-2-propyl Hydroperoxide. <i>Journal of the American Chemical Society</i> , 2003, 125, 11532-11538.	6.6	50
197	Global methylation screening in the Arabidopsis thaliana and Mus musculus genome: applications of virtual image restriction landmark genomic scanning (Vi-RLGS). <i>Nucleic Acids Research</i> , 2003, 31, 4490-4496.	6.5	43
198	N-Benzylideneaniline and N-Benzylaniline are Potent Inhibitors of Lignostilbene-1,2-dioxygenase, a Key Enzyme in Oxidative Cleavage of the Central Double Bond of Lignostilbene. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2003, 18, 279-283.	2.5	17

#	ARTICLE	IF	CITATIONS
199	Brassinosteroid Signaling. <i>Journal of Pesticide Sciences</i> , 2003, 28, 448-453.	0.8	1
200	A trans-zeatin riboside in root xylem sap negatively regulates adventitious root formation on cucumber hypocotyls. <i>Journal of Experimental Botany</i> , 2002, 53, 2193-2200.	2.4	62
201	Microarray Analysis of Brassinosteroid-Regulated Genes in Arabidopsis. <i>Plant Physiology</i> , 2002, 130, 1319-1334.	2.3	388
202	Isolation and expression of a novel starch-storing cell-specific gene containing the KH RNA binding domain from tobacco-cultured cells BY-2. <i>Journal of Experimental Botany</i> , 2002, 53, 2451-2452.	2.4	5
203	A Specific and Potent Inhibitor of Brassinosteroid Biosynthesis Possessing a Dioxolane Ring. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 3486-3490.	2.4	68
204	A Unique Short-Chain Dehydrogenase/Reductase in Arabidopsis Glucose Signaling and Abscisic Acid Biosynthesis and Functions. <i>Plant Cell</i> , 2002, 14, 2723-2743.	3.1	764
205	BES1 Accumulates in the Nucleus in Response to Brassinosteroids to Regulate Gene Expression and Promote Stem Elongation. <i>Cell</i> , 2002, 109, 181-191.	13.5	1,124
206	Nuclear-Localized BZR1 Mediates Brassinosteroid-Induced Growth and Feedback Suppression of Brassinosteroid Biosynthesis. <i>Developmental Cell</i> , 2002, 2, 505-513.	3.1	967
207	Brz220 a novel brassinosteroid biosynthesis inhibitor: stereochemical structure-activity relationship. <i>Tetrahedron: Asymmetry</i> , 2002, 13, 1875-1878.	1.8	24
208	Design and synthesis of lignostilbene-1,2-dioxygenase inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 1139-1142.	1.0	15
209	Involvement of xylem sap zeatin-O-glucoside in cucumber shoot greening. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 949-954.	2.8	16
210	Title is missing!. <i>Plant Growth Regulation</i> , 2002, 38, 237-241.	1.8	2
211	Quantitative Trait Loci Controlling Light and Hormone Response in Two Accessions of <i>Arabidopsis thaliana</i> . <i>Genetics</i> , 2002, 160, 683-696.	1.2	127
212	Obtusifoliol 14-Demethylase (CYP51) Antisense Arabidopsis Shows Slow Growth and Long Life. <i>Biochemical and Biophysical Research Communications</i> , 2001, 285, 98-104.	1.0	44
213	Biological Evaluation of 5-Substituted Pyrimidine Derivatives as Inhibitors of Brassinosteroid Biosynthesis. <i>Bioscience, Biotechnology and Biochemistry</i> , 2001, 65, 817-822.	0.6	27
214	A specific brassinosteroid biosynthesis inhibitor, Brz2001: evaluation of its effects on Arabidopsis, cress, tobacco, and rice. <i>Planta</i> , 2001, 213, 716-721.	1.6	91
215	Natural variation in light sensitivity of Arabidopsis. <i>Nature Genetics</i> , 2001, 29, 441-446.	9.4	261
216	Brassinazole, an Inhibitor of Brassinosteroid Biosynthesis, Inhibits Development of Secondary Xylem in Cress Plants (<i>Lepidium sativum</i>). <i>Plant and Cell Physiology</i> , 2001, 42, 1006-1011.	1.5	86

#	ARTICLE	IF	CITATIONS
217	Selective Interaction of Triazole Derivatives with DWF4, a Cytochrome P450 Monooxygenase of the Brassinosteroid Biosynthetic Pathway, Correlates with Brassinosteroid Deficiency in <i>Planta</i> . <i>Journal of Biological Chemistry</i> , 2001, 276, 25687-25691.	1.6	156
218	Cytokinin-induced Gene Expression in Cultured Green Cells of <i>Nicotiana tabacum</i> Identified by Fluorescent Differential Display. <i>Bioscience, Biotechnology and Biochemistry</i> , 2001, 65, 1275-1283.	0.6	12
219	Synthesis and biological activity of 4-methoxy derivatives of abscisic acid. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 1571-1574.	1.0	6
220	Adaptation of Restriction Landmark Genomic Scanning (RLGS) to plant genome analysis. <i>Plant Molecular Biology Reporter</i> , 2000, 18, 331-338.	1.0	7
221	Characterization of Brassinazole, a Triazole-Type Brassinosteroid Biosynthesis Inhibitor. <i>Plant Physiology</i> , 2000, 123, 93-100.	2.3	360
222	The processes inhibited and promoted by abscisic acid in photoperiodic flowering of <i>Pharbitis nil</i> . <i>Journal of Plant Physiology</i> , 2000, 157, 421-427.	1.6	10
223	Isolation and Initial Characterization of 132-Hydroxychlorophyll a Induced by Cyclohexanedione Derivatives in Tobacco Cell Suspension Cultures. <i>Photochemistry and Photobiology</i> , 2000, 71, 84.	1.3	3
224	New lead compounds for brassinosteroid biosynthesis inhibitors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1999, 9, 425-430.	1.0	79
225	Phytotoxic peroxidizing actions of cyclohexanedione (RWH-series) derivatives. <i>Pest Management Science</i> , 1999, 55, 343-345.	0.7	2
226	2-Fluoroabscisic Acid Analogues: Their Synthesis and Biological Activities. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 313-317.	2.4	12
227	Preparation of (\pm)-[1,2- $^{13}\text{C}_2$]Abscisic Acid for Use as a Stable and Pure Internal Standard. <i>Journal of Chemical Research</i> , 1999, 23, 658-659.	0.6	0
228	Fluorescence-labeled Abscisic Acid Possessing Abscisic Acid-like Activity in Barley Aleurone Protoplasts. <i>Bioscience, Biotechnology and Biochemistry</i> , 1997, 61, 1198-1199.	0.6	12
229	Photobleaching Activity of 2-(Phenylamino)methylidencyclohexane-1,3-diones in Tobacco (<i>Nicotianatabacum</i>) Cultured Cells. <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 2728-2734.	2.4	9
230	Title is missing!. <i>Plant Growth Regulation</i> , 1997, 22, 125-129.	1.8	1
231	Synthesis of 2-fluoroabscisic acid: A potential photo-stable abscisic acid. <i>Tetrahedron Letters</i> , 1997, 38, 1797-1800.	0.7	22
232	Amylase induction activity of fluorescein labeled gibberellin in barley aleurone protoplasts. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 2549-2552.	1.0	8
233	Effects of grandinol and related phloroglucinol derivatives on transpiration and stomatal closure. <i>Plant Growth Regulation</i> , 1996, 19, 7-11.	1.8	11
234	Synthesis and biological activities of new fluorinated abscisic acid. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 275-278.	1.0	27

#	ARTICLE	IF	CITATIONS
235	Fluctuation of Endogenous Gibberellin and Abscisic Acid Levels in Germinating Seeds of Barley. <i>Bioscience, Biotechnology and Biochemistry</i> , 1995, 59, 1969-1970.	0.6	15
236	Photosystem II Inhibition by <i>s</i> -Triazines Having Hydrophilic Amino Groups. <i>Bioscience, Biotechnology and Biochemistry</i> , 1995, 59, 2170-2171.	0.6	1
237	One pot synthesis and optical resolution of synthetic mimic of abscisic acid affecting plant's physiology. <i>Tetrahedron Letters</i> , 1994, 35, 6117-6118.	0.7	5
238	Novel compound stimulates amylase induction in barley seeds. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994, 4, 1847-1850.	1.0	5
239	Synthesis and Activity of New Abscisic Acid Analogues Possessing Hetero Five-membered Ring in their Molecules. <i>Heterocycles</i> , 1994, 38, 2739.	0.4	6
240	Simple and Rapid Screening Method for Photosystem II Inhibitory Herbicides Using Photoautotrophically Cultured Plant Cells with Chlorophyll Fluorescence Monitoring. <i>Bioscience, Biotechnology and Biochemistry</i> , 1993, 57, 1389-1390.	0.6	8
241	Inhibition of Photosynthetic Electron Transport (PET) by Halogenated 4-Hydroxypyridine Derivatives. <i>Bioscience, Biotechnology and Biochemistry</i> , 1993, 57, 350-351.	0.6	3
242	New Assay Method for Protoporphyrinogen Oxidase Inhibitors Using Chloroplasts Isolated from <i>Spinacia oleracea</i> L.. <i>Bioscience, Biotechnology and Biochemistry</i> , 1993, 57, 2205-2206.	0.6	2
243	Halogenation Enhances the Photosystem II Inhibitory Activity of 4-Hydroxypyridines: Structure-Activity Relationships and Their Mode of Action. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993, 48, 152-158.	0.6	5
244	Photosystem II Inhibition by Pyran-enamine Derivatives. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1993, 48, 163-167.	0.6	0
245	Synthesis of New Abscisic Acid (ABA) Analogs Possessing a Geometrically Rigid Cyclized Side Chain. <i>Bioscience, Biotechnology and Biochemistry</i> , 1992, 56, 624-629.	0.6	14
246	Inhibition of \pm -Amylase Induction in Barley Seed and the Induction of Stomatal Pore Closure by Artificial Abscisic Acid Analogs (RCA Series). <i>Bioscience, Biotechnology and Biochemistry</i> , 1992, 56, 2089-2090.	0.6	5
247	Structure-activity relationships in photosystem II inhibition by 5-acyl-3-(1-aminoalkylidene)-4-hydroxy-2H-pyran-2,6(3H)-dione derivatives. <i>Pesticide Biochemistry and Physiology</i> , 1991, 41, 288-295.	1.6	2
248	Photosystem II Inhibition by 3-Acyl-5-(1-aminoalkylidene)-4-hydroxy-2H-pyran-2,6(3H)-dione Derivatives. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1990, 45, 1127-1132.	0.6	4
249	Inhibition of photosynthesis by 3-acyl-2,4,6-trihydroxythiobenzamide derivatives.. <i>Agricultural and Biological Chemistry</i> , 1989, 53, 2281-2282.	0.3	8
250	Photosynthetic electron transport inhibition by phlorophenone derivatives.. <i>Agricultural and Biological Chemistry</i> , 1989, 53, 471-475.	0.3	28
251	Biological activity of nitrophenol derivatives.. <i>Agricultural and Biological Chemistry</i> , 1989, 53, 229-233.	0.3	14
252	Photosynthetic electron transport inhibition by 3-acyl-2,4,6-trihydroxybenzamide derivatives.. <i>Agricultural and Biological Chemistry</i> , 1989, 53, 1953-1959.	0.3	12

#	ARTICLE	IF	CITATIONS
253	Photosynthetic inhibitors in <i>Eucalyptus grandis</i> . <i>Phytochemistry</i> , 1988, 27, 1943-1946.	1.4	35
254	Structure-Activity Relationships and Physiological Aspects of New Photosynthetic Electron Transport Inhibitors, 3-Alkylaminoalkyliden-2H-pyran-2,4(3H)-diones (APs). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1988, 43, 857-861.	0.6	7
255	Synthesis and activity of 3-(1-alkylaminoalkylidene)-2H-pyran-2,4(3H)-diones as new photosynthetic electron transport inhibitors.. <i>Agricultural and Biological Chemistry</i> , 1987, 51, 2775-2780.	0.3	7
256	Synthesis of Conjugated Enamino Compounds Inhibiting Photosynthetic Electron Transport. <i>Agricultural and Biological Chemistry</i> , 1987, 51, 205-210.	0.3	1
257	Conjugated Enamino Compounds, a New Molecular Probe for the Mechanism of Photosynthetic Electron Transport. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 1986, 41, 751-757.	0.6	2
258	Photosynthetic Electron Transport Inhibition By Pyrones and Pyridones: Structure-Activity Relationships. <i>Agricultural and Biological Chemistry</i> , 1986, 50, 469-474.	0.3	3
259	Evaluation of the Biostimulant Activity of Zaxinone Mimics (MiZax) in Crop Plants. <i>Frontiers in Plant Science</i> , 0, 13, .	1.7	5