

Terence E Ryan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7554173/publications.pdf>

Version: 2024-02-01

71
papers

2,408
citations

186265

28
h-index

223800

46
g-index

74
all docs

74
docs citations

74
times ranked

2832
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Chronic aryl hydrocarbon receptor activity phenocopies smoking-induced skeletal muscle impairment. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2022, 13, 589-604. | 7.3 | 19 |
| 2 | Deficiency of lncRNA SNHG12 impairs ischemic limb neovascularization by altering an endothelial cell cycle pathway. <i>JCI Insight</i> , 2022, 7, . | 5.0 | 8 |
| 3 | Skeletal myopathy in a rat model of postmenopausal heart failure with preserved ejection fraction. <i>Journal of Applied Physiology</i> , 2022, 132, 106-125. | 2.5 | 4 |
| 4 | Interventional and amputation-stage muscle proteomes in the chronically threatened ischemic limb. <i>Clinical and Translational Medicine</i> , 2022, 12, e658. | 4.0 | 7 |
| 5 | NMR Spectroscopy Identifies Chemicals in Cigarette Smoke Condensate That Impair Skeletal Muscle Mitochondrial Function. <i>Toxics</i> , 2022, 10, 140. | 3.7 | 7 |
| 6 | S100A8 and S100A9 are elevated in chronically threatened ischemic limb muscle and induce ischemic mitochondrial pathology in mice. <i>JVS Vascular Science</i> , 2022, 3, 232-245. | 1.1 | 6 |
| 7 | Assessment of hindlimb myopathy and mitochondrial bioenergetics in a unique mouse model of access-related hand dysfunction. <i>FASEB Journal</i> , 2022, 36, . | 0.5 | 0 |
| 8 | Unique Metabolomic Profile of Skeletal Muscle in Chronic Limb Threatening Ischemia. <i>Journal of Clinical Medicine</i> , 2021, 10, 548. | 2.4 | 16 |
| 9 | Indoxyl sulfate impairs angiogenesis via chronic aryl hydrocarbon receptor activation. <i>American Journal of Physiology - Cell Physiology</i> , 2021, 320, C240-C249. | 4.6 | 18 |
| 10 | Racial differences in the limb skeletal muscle transcriptional programs of patients with critical limb ischemia. <i>Vascular Medicine</i> , 2021, 26, 247-258. | 1.5 | 3 |
| 11 | Mitochondrial Permeability Transition Induces Skeletal Muscle Atrophy in Single Living Myofibers. <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 0 |
| 12 | Exertional Heat Stroke Causes Long-Term Satellite Cell Dysfunction and Delayed Muscle Repair. <i>FASEB Journal</i> , 2021, 35, . | 0.5 | 1 |
| 13 | Skeletal myopathy in CKD: a comparison of adenine-induced nephropathy and 5/6 nephrectomy models in mice. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F106-F119. | 2.7 | 28 |
| 14 | The impact of hindlimb disuse on sepsis-induced myopathy in mice. <i>Physiological Reports</i> , 2021, 9, e14979. | 1.7 | 2 |
| 15 | Nox4 Knockout Does Not Prevent Diaphragm Atrophy, Contractile Dysfunction, or Mitochondrial Maladaptation in the Early Phase Post-Myocardial Infarction in Mice. <i>Cellular Physiology and Biochemistry</i> , 2021, 55, 489-504. | 1.6 | 4 |
| 16 | Mitochondrial Permeability Transition Causes Mitochondrial Reactive Oxygen Species- and Caspase 3-Dependent Atrophy of Single Adult Mouse Skeletal Muscle Fibers. <i>Cells</i> , 2021, 10, 2586. | 4.1 | 9 |
| 17 | Tissue-Specific 1H-NMR Metabolomic Profiling in Mice with Adenine-Induced Chronic Kidney Disease. <i>Metabolites</i> , 2021, 11, 45. | 2.9 | 19 |
| 18 | Impaired muscle mitochondrial energetics is associated with uremic metabolite accumulation in chronic kidney disease. <i>JCI Insight</i> , 2021, 6, . | 5.0 | 47 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | Development of a murine iliac arteriovenous fistula model for examination of hemodialysis access-related limb pathophysiology. <i>JVS Vascular Science</i> , 2021, 2, 247-259. | 1.1 | 4 |
| 20 | Mitochondrial Bioenergetic and Proteomic Phenotyping Reveals Organ-Specific Consequences of Chronic Kidney Disease in Mice. <i>Cells</i> , 2021, 10, 3282. | 4.1 | 13 |
| 21 | Skeletal Muscle Mitochondrial Dysfunction and Oxidative Stress in Peripheral Arterial Disease: A Unifying Mechanism and Therapeutic Target. <i>Antioxidants</i> , 2020, 9, 1304. | 5.1 | 22 |
| 22 | PFKFB3-mediated glycolysis rescues myopathic outcomes in the ischemic limb. <i>JCI Insight</i> , 2020, 5, . | 5.0 | 21 |
| 23 | High-intensity exercise to promote accelerated improvements in cardiorespiratory fitness (HI-PACE): study protocol for a randomized controlled trial. <i>Trials</i> , 2019, 20, 484. | 1.6 | 2 |
| 24 | Mitochondrial respiration and H ₂ O ₂ emission in saponin-permeabilized murine diaphragm fibers: optimization of fiber separation and comparison to limb muscle. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C665-C673. | 4.6 | 9 |
| 25 | Uremic metabolites impair skeletal muscle mitochondrial energetics through disruption of the electron transport system and matrix dehydrogenase activity. <i>American Journal of Physiology - Cell Physiology</i> , 2019, 317, C701-C713. | 4.6 | 66 |
| 26 | Chronic kidney disease exacerbates ischemic limb myopathy in mice via altered mitochondrial energetics. <i>Scientific Reports</i> , 2019, 9, 15547. | 3.3 | 29 |
| 27 | Assessing mitochondrial energetics <i>in vivo</i> with molecular detail: the best of both worlds using mitoRACE. <i>Journal of Physiology</i> , 2019, 597, 5319-5320. | 2.9 | 0 |
| 28 | Mitochondrial PE potentiates respiratory enzymes to amplify skeletal muscle aerobic capacity. <i>Science Advances</i> , 2019, 5, eaax8352. | 10.3 | 66 |
| 29 | Phospholipid methylation regulates muscle metabolic rate through Ca ²⁺ transport efficiency. <i>Nature Metabolism</i> , 2019, 1, 876-885. | 11.9 | 30 |
| 30 | Chronic high-fat diet decreased detrusor mitochondrial respiration and increased nerve-mediated contractions. <i>Neurourology and Urodynamics</i> , 2019, 38, 1524-1532. | 1.5 | 1 |
| 31 | Morphing mitochondria: understanding the development of the mitochondrial reticulum in skeletal muscle. <i>Journal of Physiology</i> , 2019, 597, 2619-2620. | 2.9 | 0 |
| 32 | Induced <i>in vivo</i> knockdown of the Brca1 gene in skeletal muscle results in skeletal muscle weakness. <i>Journal of Physiology</i> , 2019, 597, 869-887. | 2.9 | 9 |
| 33 | Mitochondrial Respiration and H ₂ O ₂ Emission in Saponin-permeabilized Murine Diaphragm Fibers: Optimization of Fiber Separation and Comparison to Limb Muscle. <i>FASEB Journal</i> , 2019, 33, 543.7. | 0.5 | 0 |
| 34 | Renal Dysfunction Exacerbates Ischemic Muscle Injury in Mice Subjected to Hindlimb Ischemia. <i>FASEB Journal</i> , 2019, 33, 868.5. | 0.5 | 0 |
| 35 | Strain-Dependent Variation in Acute Ischemic Muscle Injury. <i>American Journal of Pathology</i> , 2018, 188, 1246-1262. | 3.8 | 30 |
| 36 | Near-infrared spectroscopy detects age-related differences in skeletal muscle oxidative function: promising implications for geroscience. <i>Physiological Reports</i> , 2018, 6, e13588. | 1.7 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | 17 β -Estradiol Directly Lowers Mitochondrial Membrane Microviscosity and Improves Bioenergetic Function in Skeletal Muscle. <i>Cell Metabolism</i> , 2018, 27, 167-179.e7. | 16.2 | 122 |
| 38 | Impact of 17 β -estradiol on complex I kinetics and H ₂ O ₂ production in liver and skeletal muscle mitochondria. <i>Journal of Biological Chemistry</i> , 2018, 293, 16889-16898. | 3.4 | 28 |
| 39 | Commentaries on Viewpoint: Principles, insights, and potential pitfalls of the noninvasive determination of muscle oxidative capacity by near-infrared spectroscopy. <i>Journal of Applied Physiology</i> , 2018, 124, 249-255. | 2.5 | 6 |
| 40 | Characterization and utilization of the flexor digitorum brevis for assessing skeletal muscle function. <i>Skeletal Muscle</i> , 2018, 8, 14. | 4.2 | 41 |
| 41 | Extensive skeletal muscle cell mitochondriopathy distinguishes critical limb ischemia patients from claudicants. <i>JCI Insight</i> , 2018, 3, . | 5.0 | 64 |
| 42 | Diminished force production and mitochondrial respiratory deficits are strain-dependent myopathies of subacute limb ischemia. <i>Journal of Vascular Surgery</i> , 2017, 65, 1504-1514.e11. | 1.1 | 36 |
| 43 | BAG3 (Bcl-2-associated Athanogene-3) Coding Variant in Mice Determines Susceptibility to Ischemic Limb Muscle Myopathy by Directing Autophagy. <i>Circulation</i> , 2017, 136, 281-296. | 1.6 | 51 |
| 44 | Greater Oxidative Capacity in Primary Myotubes from Endurance-trained Women. <i>Medicine and Science in Sports and Exercise</i> , 2017, 49, 2151-2157. | 0.4 | 19 |
| 45 | Endurance neuromuscular electrical stimulation training improves skeletal muscle oxidative capacity in individuals with motor-complete spinal cord injury. <i>Muscle and Nerve</i> , 2017, 55, 669-675. | 2.2 | 34 |
| 46 | Targeted overexpression of mitochondrial catalase protects against cancer chemotherapy-induced skeletal muscle dysfunction. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2016, 311, E293-E301. | 3.5 | 41 |
| 47 | Exercise-induced protection against reperfusion arrhythmia involves stabilization of mitochondrial energetics. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1360-H1370. | 3.2 | 34 |
| 48 | Ceramide-tamoxifen regimen targets bioenergetic elements in acute myelogenous leukemia. <i>Journal of Lipid Research</i> , 2016, 57, 1231-1242. | 4.2 | 29 |
| 49 | The validity and reliability of continuous-wave near-infrared spectroscopy for the assessment of leg blood volume during an orthostatic challenge. <i>Atherosclerosis</i> , 2016, 251, 234-239. | 0.8 | 32 |
| 50 | A Direct Comparison of Metabolic Responses to High-Fat Diet in C57BL/6J and C57BL/6NJ Mice. <i>Diabetes</i> , 2016, 65, 3249-3261. | 0.6 | 102 |
| 51 | Direct real-time quantification of mitochondrial oxidative phosphorylation efficiency in permeabilized skeletal muscle myofibers. <i>American Journal of Physiology - Cell Physiology</i> , 2016, 311, C239-C245. | 4.6 | 66 |
| 52 | Mitochondrial therapy improves limb perfusion and myopathy following hindlimb ischemia. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 97, 191-196. | 1.9 | 26 |
| 53 | Targeted Expression of Catalase to Mitochondria Protects Against Ischemic Myopathy in High-Fat Diet-Fed Mice. <i>Diabetes</i> , 2016, 65, 2553-2568. | 0.6 | 42 |
| 54 | Subacute limb ischemia induces skeletal muscle injury in genetically susceptible mice independent of vascular density. <i>Journal of Vascular Surgery</i> , 2016, 64, 1101-1111.e2. | 1.1 | 40 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Reduced skeletal muscle oxidative capacity and impaired training adaptations in heart failure. <i>Physiological Reports</i> , 2015, 3, e12353. | 1.7 | 40 |
| 56 | Muscle cell derived angiotensin-1 contributes to both myogenesis and angiogenesis in the ischemic environment. <i>Frontiers in Physiology</i> , 2015, 6, 161. | 2.8 | 28 |
| 57 | Protein Kinase A Governs Oxidative Phosphorylation Kinetics and Oxidant Emitting Potential at Complex I. <i>Frontiers in Physiology</i> , 2015, 6, 332. | 2.8 | 21 |
| 58 | Mitochondrial Regulation of the Muscle Microenvironment in Critical Limb Ischemia. <i>Frontiers in Physiology</i> , 2015, 6, 336. | 2.8 | 26 |
| 59 | Effects of Low-Volume, High-Intensity Whole-Body Calisthenics on Army ROTC Cadets. <i>Military Medicine</i> , 2015, 180, 492-498. | 0.8 | 24 |
| 60 | Pyruvate dehydrogenase complex and nicotinamide nucleotide transhydrogenase constitute an energy-consuming redox circuit. <i>Biochemical Journal</i> , 2015, 467, 271-280. | 3.7 | 103 |
| 61 | Isocitrate-to-SENK1 signaling amplifies insulin secretion and rescues dysfunctional β cells. <i>Journal of Clinical Investigation</i> , 2015, 125, 3847-3860. | 8.2 | 148 |
| 62 | Acute Reversal of High Fat Diet-Induced Insulin Resistance is Accompanied by a Restoration of Redox Status in Skeletal Muscle. <i>FASEB Journal</i> , 2015, 29, 824.13. | 0.5 | 0 |
| 63 | Assessment of <i>in vivo</i> skeletal muscle mitochondrial respiratory capacity in humans by near-infrared spectroscopy: a comparison with <i>in situ</i> measurements. <i>Journal of Physiology</i> , 2014, 592, 3231-3241. | 2.9 | 110 |
| 64 | Skeletal muscle oxidative capacity in amyotrophic lateral sclerosis. <i>Muscle and Nerve</i> , 2014, 50, 767-774. | 2.2 | 28 |
| 65 | Near-infrared assessments of skeletal muscle oxidative capacity in persons with spinal cord injury. <i>European Journal of Applied Physiology</i> , 2013, 113, 2275-2283. | 2.5 | 55 |
| 66 | A cross-validation of near-infrared spectroscopy measurements of skeletal muscle oxidative capacity with phosphorus magnetic resonance spectroscopy. <i>Journal of Applied Physiology</i> , 2013, 115, 1757-1766. | 2.5 | 133 |
| 67 | Case Report: Endurance Electrical Stimulation Training Improves Skeletal Muscle Oxidative Capacity in Chronic Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2559-2561. | 0.9 | 26 |
| 68 | Electrically Induced Resistance Training in Individuals With Motor Complete Spinal Cord Injury. <i>Archives of Physical Medicine and Rehabilitation</i> , 2013, 94, 2166-2173. | 0.9 | 64 |
| 69 | A comparison of exercise type and intensity on the noninvasive assessment of skeletal muscle mitochondrial function using near-infrared spectroscopy. <i>Journal of Applied Physiology</i> , 2013, 114, 230-237. | 2.5 | 49 |
| 70 | Noninvasive evaluation of skeletal muscle mitochondrial capacity with near-infrared spectroscopy: correcting for blood volume changes. <i>Journal of Applied Physiology</i> , 2012, 113, 175-183. | 2.5 | 165 |
| 71 | Skeletal muscle metabolism in individuals with spinal cord injury. <i>Journal of Applied Physiology</i> , 2011, 111, 143-148. | 2.5 | 58 |