Jelle Veraart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7554681/publications.pdf

Version: 2024-02-01

66 6,107 34 papers citations h-index

72 72 72 6756
all docs docs citations times ranked citing authors

64

g-index

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | What's new and what's next in diffusion MRI preprocessing. Neurolmage, 2022, 249, 118830. | 4.2 | 43 |
| 2 | Improved diffusion parameter estimation by incorporating T2 relaxation properties into the DKI-FWE model. NeuroImage, 2022, 256, 119219. | 4.2 | 4 |
| 3 | Reproducibility of the Standard Model of diffusion in white matter on clinical MRI systems. Neurolmage, 2022, 257, 119290. | 4.2 | 15 |
| 4 | Improved Task-based Functional MRI Language Mapping in Patients with Brain Tumors through Marchenko-Pastur Principal Component Analysis Denoising. Radiology, 2021, 298, 365-373. | 7.3 | 19 |
| 5 | The variability of MR axon radii estimates in the human white matter. Human Brain Mapping, 2021, 42, 2201-2213. | 3.6 | 30 |
| 6 | Toward more robust and reproducible diffusion kurtosis imaging. Magnetic Resonance in Medicine, 2021, 86, 1600-1613. | 3.0 | 25 |
| 7 | Nanostructure-specific X-ray tomography reveals myelin levels, integrity and axon orientations in mouse and human nervous tissue. Nature Communications, 2021, 12, 2941. | 12.8 | 33 |
| 8 | On the need for bundle-specific microstructure kernels in diffusion MRI. NeuroImage, 2020, 208, 116460. | 4.2 | 9 |
| 9 | Cross-scanner and cross-protocol multi-shell diffusion MRI data harmonization: Algorithms and results. NeuroImage, 2020, 221, 117128. | 4.2 | 54 |
| 10 | The diagnostic role of diffusional kurtosis imaging in glioma grading and differentiation of gliomas from other intra-axial brain tumours: a systematic review with critical appraisal and meta-analysis. Neuroradiology, 2020, 62, 791-802. | 2.2 | 23 |
| 11 | Multi-parametric quantitative in vivo spinal cord MRI with unified signal readout and image denoising. Neurolmage, 2020, 217, 116884. | 4.2 | 34 |
| 12 | Noninvasive quantification of axon radii using diffusion MRI. ELife, 2020, 9, . | 6.0 | 137 |
| 13 | Cross-scanner and cross-protocol diffusion MRI data harmonisation: A benchmark database and evaluation of algorithms. Neurolmage, 2019, 195, 285-299. | 4.2 | 92 |
| 14 | Muti-shell Diffusion MRI Harmonisation and Enhancement Challenge (MUSHAC): Progress and Results. Mathematics and Visualization, 2019, , 217-224. | 0.6 | 12 |
| 15 | Along-axon diameter variation and axonal orientation dispersion revealed with 3D electron microscopy: implications for quantifying brain white matter microstructure with histology and diffusion MRI. Brain Structure and Function, 2019, 224, 1469-1488. | 2.3 | 77 |
| 16 | A resting state fMRI analysis pipeline for pooling inference across diverse cohorts: an ENIGMA rs-fMRI protocol. Brain Imaging and Behavior, 2019, 13, 1453-1467. | 2.1 | 49 |
| 17 | On the scaling behavior of water diffusion in human brain white matter. Neurolmage, 2019, 185, 379-387. | 4.2 | 109 |
| 18 | Diffusion kurtosis imaging with free water elimination: A bayesian estimation approach. Magnetic Resonance in Medicine, 2018, 80, 802-813. | 3.0 | 20 |

| # | Article | lF | Citations |
|----|---|-----|-----------|
| 19 | Miniature pig model of human adolescent brain white matter development. Journal of Neuroscience Methods, 2018, 296, 99-108. | 2.5 | 22 |
| 20 | Rotationally-invariant mapping of scalar and orientational metrics of neuronal microstructure with diffusion MRI. NeuroImage, 2018, 174, 518-538. | 4.2 | 173 |
| 21 | TE dependent Diffusion Imaging (TEdDI) distinguishes between compartmental T2 relaxation times. Neurolmage, 2018, 182, 360-369. | 4.2 | 160 |
| 22 | Integration of routine QA data into megaâ€analysis may improve quality and sensitivity of multisite diffusion tensor imaging studies. Human Brain Mapping, 2018, 39, 1015-1023. | 3.6 | 20 |
| 23 | Characterization of Prostate Microstructure Using Water Diffusion and NMR Relaxation. Frontiers in Physics, 2018, 6, . | 2.1 | 40 |
| 24 | Evaluation of the accuracy and precision of the diffusion parameter EStImation with Gibbs and NoisE removal pipeline. NeuroImage, 2018, 183, 532-543. | 4.2 | 123 |
| 25 | Comparison of heritability estimates on resting state fMRI connectivity phenotypes using the ENIGMA analysis pipeline. Human Brain Mapping, 2018, 39, 4893-4902. | 3.6 | 45 |
| 26 | Heritability estimates on resting state fMRI data using ENIGMA analysis pipeline. Pacific Symposium on Biocomputing, 2018, 23, 307-318. | 0.7 | 14 |
| 27 | Time-Dependent Diffusion in Prostate Cancer. Investigative Radiology, 2017, 52, 405-411. | 6.2 | 58 |
| 28 | Lipid Metabolism, Abdominal Adiposity, and Cerebral Health in the Amish. Obesity, 2017, 25, 1876-1880. | 3.0 | 8 |
| 29 | Semi-automated brain tumor segmentation on multi-parametric MRI using regularized non-negative matrix factorization. BMC Medical Imaging, 2017, 17, 29. | 2.7 | 34 |
| 30 | <i>In vivo</i> measurement of membrane permeability and myofiber size in human muscle using timeâ€dependent diffusion tensor imaging and the random permeable barrier model. NMR in Biomedicine, 2017, 30, e3612. | 2.8 | 44 |
| 31 | The successive projection algorithm as an initialization method for brain tumor segmentation using non-negative matrix factorization. PLoS ONE, 2017, 12, e0180268. | 2.5 | 11 |
| 32 | Diffusion <scp>MRI</scp> noise mapping using random matrix theory. Magnetic Resonance in Medicine, 2016, 76, 1582-1593. | 3.0 | 541 |
| 33 | Comparison of unsupervised classification methods for brain tumor segmentation using multi-parametric MRI. Neurolmage: Clinical, 2016, 12, 753-764. | 2.7 | 64 |
| 34 | Gibbs ringing in diffusion MRI. Magnetic Resonance in Medicine, 2016, 76, 301-314. | 3.0 | 108 |
| 35 | Denoising of diffusion MRI using random matrix theory. Neurolmage, 2016, 142, 394-406. | 4.2 | 1,208 |
| 36 | Diffusion-weighted imaging uncovers likely sources of processing-speed deficits in schizophrenia. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 13504-13509. | 7.1 | 43 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 37 | Superâ€resolution reconstruction of diffusion parameters from diffusionâ€weighted images with different slice orientations. Magnetic Resonance in Medicine, 2016, 75, 181-195. | 3.0 | 40 |
| 38 | Diffusion kurtosis imaging probes cortical alterations and white matter pathology following cuprizone induced demyelination and spontaneous remyelination. NeuroImage, 2016, 125, 363-377. | 4.2 | 122 |
| 39 | Degeneracy in model parameter estimation for multiâ€compartmental diffusion in neuronal tissue. NMR in Biomedicine, 2016, 29, 33-47. | 2.8 | 252 |
| 40 | In vivo quantification of demyelination and recovery using compartment-specific diffusion MRI metrics validated by electron microscopy. Neurolmage, 2016, 132, 104-114. | 4.2 | 156 |
| 41 | In vivo observation and biophysical interpretation of time-dependent diffusion in human white matter. Neurolmage, 2016, 129, 414-427. | 4.2 | 147 |
| 42 | Diffusion Kurtosis Imaging. , 2016, , 407-418. | | 3 |
| 43 | Diffusion Kurtosis Imaging: A Possible MRI Biomarker for AD Diagnosis?. Journal of Alzheimer's Disease, 2015, 48, 937-948. | 2.6 | 50 |
| 44 | Hierarchical non-negative matrix factorization to characterize brain tumor heterogeneity using multi-parametric MRI. NMR in Biomedicine, 2015, 28, 1599-1624. | 2.8 | 29 |
| 45 | Iterative reweighted linear least squares for accurate, fast, and robust estimation of diffusion magnetic resonance parameters. Magnetic Resonance in Medicine, 2015, 73, 2174-2184. | 3.0 | 48 |
| 46 | One diffusion acquisition and different white matter models: How does microstructure change in human early development based on WMTI and NODDI?. NeuroImage, 2015, 107, 242-256. | 4.2 | 179 |
| 47 | Integrating diffusion kurtosis imaging, dynamic susceptibility-weighted contrast-enhanced MRI, and short echo time chemical shift imaging for grading gliomas. Neuro-Oncology, 2014, 16, 1010-1021. | 1.2 | 64 |
| 48 | Superâ€resolution for multislice diffusion tensor imaging. Magnetic Resonance in Medicine, 2013, 69, 103-113. | 3.0 | 50 |
| 49 | Subchronic memantine induced concurrent functional disconnectivity and altered ultra-structural tissue integrity in the rodent brain: revealed by multimodal MRI. Psychopharmacology, 2013, 227, 479-491. | 3.1 | 18 |
| 50 | Altered diffusion tensor imaging measurements in aged transgenic Huntington disease rats. Brain Structure and Function, 2013, 218, 767-778. | 2.3 | 19 |
| 51 | Does the use of hormonal contraceptives cause microstructural changes in cerebral white matter? Preliminary results of a DTI and tractography study. European Radiology, 2013, 23, 57-64. | 4.5 | 54 |
| 52 | Weighted linear least squares estimation of diffusion MRI parameters: Strengths, limitations, and pitfalls. NeuroImage, 2013, 81, 335-346. | 4.2 | 407 |
| 53 | Diffusion kurtosis imaging to detect amyloidosis in an APP/PS1 mouse model for Alzheimer's disease. Magnetic Resonance in Medicine, 2013, 69, 1115-1121. | 3.0 | 46 |
| 54 | Comprehensive framework for accurate diffusion MRI parameter estimation. Magnetic Resonance in Medicine, 2013, 70, 972-984. | 3.0 | 89 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Gliomas: Diffusion Kurtosis MR Imaging in Grading. Radiology, 2012, 263, 492-501. | 7.3 | 311 |
| 56 | Four-point-algorithm for the recovery of the pose of a one-dimensional camera with unknown focal length. IET Computer Vision, 2012, 6, 314. | 2.0 | 3 |
| 57 | A complementary diffusion tensor imaging (DTI)-histological study in a model of Huntington's disease. Neurobiology of Aging, 2012, 33, 945-959. | 3.1 | 29 |
| 58 | Identification and characterization of Huntington related pathology: An in vivo DKI imaging study. NeuroImage, 2012, 63, 653-662. | 4.2 | 34 |
| 59 | Nonlocal maximum likelihood estimation method for denoising multiple-coil magnetic resonance images. Magnetic Resonance Imaging, 2012, 30, 1512-1518. | 1.8 | 59 |
| 60 | Population-averaged diffusion tensor imaging atlas of the Sprague Dawley rat brain. Neurolmage, 2011, 58, 975-983. | 4.2 | 33 |
| 61 | The effect of template selection on diffusion tensor voxel-based analysis results. Neurolmage, 2011, 55, 566-573. | 4.2 | 57 |
| 62 | More accurate estimation of diffusion tensor parameters using diffusion kurtosis imaging. Magnetic Resonance in Medicine, 2011, 65, 138-145. | 3.0 | 202 |
| 63 | Constrained maximum likelihood estimation of the diffusion kurtosis tensor using a Rician noise model. Magnetic Resonance in Medicine, 2011, 66, 678-686. | 3.0 | 77 |
| 64 | Feasibility and Advantages of Diffusion Weighted Imaging Atlas Construction in Q-Space. Lecture Notes in Computer Science, 2011, 14, 166-173. | 1.3 | 13 |
| 65 | Mobile Camera Localization Using Apollonius Circles and Virtual Landmarks. Journal of Intelligent and Robotic Systems: Theory and Applications, 2010, 58, 287-308. | 3.4 | 4 |
| 66 | Non-rigid coregistration of diffusion kurtosis data. , 2010, , . | | 0 |