

# Hannu Kautiainen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7557052/publications.pdf>

Version: 2024-02-01

322  
papers

4,282  
citations

186265  
28  
h-index

206112  
48  
g-index

325  
all docs

325  
docs citations

325  
times ranked

6740  
citing authors

#	ARTICLE	IF	CITATIONS
1	Gestational Diabetes Mellitus Can Be Prevented by Lifestyle Intervention: The Finnish Gestational Diabetes Prevention Study (RADIEL). <i>Diabetes Care</i> , 2016, 39, 24-30.	8.6	330
2	Effects of psychosocial group rehabilitation on social functioning, loneliness and well-being of lonely, older people: randomized controlled trial. <i>Journal of Advanced Nursing</i> , 2009, 65, 297-305.	3.3	144
3	Self-Reported Mental Health Problems Among Adults Born Preterm: A Meta-analysis. <i>Pediatrics</i> , 2017, 139, .	2.1	104
4	Effects of Exercise on Cognition: The Finnish Alzheimer Disease Exercise Trial: A Randomized, Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 731-738.	2.6	100
5	Social isolation, social activity and loneliness as survival indicators in old age; a nationwide survey with a 7-year follow-up. <i>European Geriatric Medicine</i> , 2012, 3, 18-22.	2.8	87
6	Education to Reduce Potentially Harmful Medication Use Among Residents of Assisted Living Facilities: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 892-898.	2.5	82
7	Being Moved by Unfamiliar Sad Music Is Associated with High Empathy. <i>Frontiers in Psychology</i> , 2016, 7, 1176.	2.1	81
8	The Association of Ambient Temperature and Violent Crime. <i>Scientific Reports</i> , 2017, 7, 6543.	3.3	81
9	Effects of Self-Management Groups for People with Dementia and Their Spouses—Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 752-760.	2.6	79
10	Association between suicidal behaviour and impaired glucose metabolism in depressive disorders. <i>BMC Psychiatry</i> , 2015, 15, 163.	2.6	68
11	Immunoscore in mismatch repair-proficient and -deficient colon cancer. <i>Journal of Pathology: Clinical Research</i> , 2017, 3, 203-213.	3.0	62
12	mMRC dyspnoea scale indicates impaired quality of life and increased pain in patients with idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2017, 3, 00084-2017.	2.6	62
13	Cognitive Training Interventions for Patients with Alzheimer's Disease: A Systematic Review. <i>Journal of Alzheimer's Disease</i> , 2017, 56, 1349-1372.	2.6	60
14	Effects of high intensity resistance aquatic training on body composition and walking speed in women with mild knee osteoarthritis: a 4-month RCT with 12-month follow-up. <i>Osteoarthritis and Cartilage</i> , 2017, 25, 1238-1246.	1.3	60
15	Efficacy of progressive aquatic resistance training for tibiofemoral cartilage in postmenopausal women with mild knee osteoarthritis: a randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016, 24, 1708-1717.	1.3	53
16	Validation of EQ-5D and 15D in the assessment of health-related quality of life in chronic pain. <i>Pain</i> , 2017, 158, 1577-1585.	4.2	51
17	Interaction between rs10830963 polymorphism in MTNR1B and lifestyle intervention on occurrence of gestational diabetes. <i>Diabetologia</i> , 2016, 59, 1655-1658.	6.3	41
18	Prevalence of metabolic syndrome in subjects with melancholic and non-melancholic depressive symptoms. A Finnish population-based study. <i>Journal of Affective Disorders</i> , 2012, 136, 543-549.	4.1	40

#	ARTICLE	IF	CITATIONS
19	Targeted treatment with a combination of traditional DMARDs produces excellent clinical and radiographic long-term outcomes in early rheumatoid arthritis regardless of initial infliximab. The 5-year follow-up results of a randomised clinical trial, the NEO-RACo trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1954-1961.	0.9	40
20	Marked deterioration in the quality of life of patients with idiopathic pulmonary fibrosis during the last two years of life. <i>BMC Pulmonary Medicine</i> , 2018, 18, 172.	2.0	38
21	Cancer Patients' Symptom Burden and Health-related Quality of Life (HRQoL) at Tertiary Cancer Center from 2006 to 2013: A Cross-sectional Study. <i>Anticancer Research</i> , 2019, 39, 271-277.	1.1	36
22	Objectively measured physical activity and physical performance in old age. <i>Age and Ageing</i> , 2017, 46, 232-237.	1.6	33
23	Charnley total hip arthroplasty in ankylosing spondylitis: Survivorship analysis of 76 patients followed for 8-28 years. <i>Acta Orthopaedica</i> , 2001, 72, 233-236.	1.4	32
24	Increased mortality after upper extremity fracture requiring inpatient care. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2015, 86, 533-557.	3.3	32
25	Gestational diabetes in primiparous women—impact of age and adiposity: a register-based cohort study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2018, 97, 187-194.	2.8	32
26	High proportions of older people with normal nutritional status have poor protein intake and low diet quality. <i>Archives of Gerontology and Geriatrics</i> , 2016, 67, 40-45.	3.0	30
27	Glycoprotein YKL-40: A potential biomarker of disease activity in rheumatoid arthritis during intensive treatment with csDMARDs and infliximab. Evidence from the randomised controlled NEO-RACo trial. <i>PLoS ONE</i> , 2017, 12, e0183294.	2.5	30
28	Mortality and causes of death among incident cases of systemic lupus erythematosus in Finland 2000–2008. <i>Lupus</i> , 2014, 23, 1430-1434.	1.6	29
29	The effect of cryotherapy on total antioxidative capacity in patients with active seropositive rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1481-1487.	3.0	29
30	Prevention of gestational diabetes with a prepregnancy lifestyle intervention &ndash; findings from a randomized controlled trial. <i>International Journal of Women's Health</i> , 2018, Volume 10, 493-501.	2.6	29
31	Burden of Oral Symptoms and Its Associations With Nutrition, Well-Being, and Survival Among Nursing Home Residents. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 537-543.	2.5	29
32	Relations between subdomains of physical activity, sedentary lifestyle, and quality of life in young adult men. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2018, 28, 1389-1396.	2.9	27
33	Spinopelvic Changes Based on the Simplified SRS-Schwab Adult Spinal Deformity Classification. <i>Spine</i> , 2018, 43, 497-502.	2.0	27
34	Fourteen-Year Trends in the Use of Psychotropic Medications, Opioids, and Other Sedatives Among Institutionalized Older People in Helsinki, Finland. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 305-311.	2.5	27
35	Effect of Protein Supplementation on Physical Performance in Older People With Sarcopenia—A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 226-232.e1.	2.5	27
36	Increased mortality after lower extremity fractures in patients &lt;65 years of age. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2016, 87, 622-625.	3.3	26

#	ARTICLE	IF	CITATIONS
37	Circadian Time Effects on NB-UVB-Induced Erythema in Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2018, 138, 464-467.	0.7	26
38	Relationship between patient activation measurement and self-rated health in patients with chronic diseases. <i>BMC Family Practice</i> , 2020, 21, 225.	2.9	25
39	COVID-19 pandemic and mortality in nursing homes across USA and Europe up to October 2021. <i>European Geriatric Medicine</i> , 2022, 13, 705-709.	2.8	25
40	Constitutive STAT3 Phosphorylation in Circulating CD4+ T Lymphocytes Associates with Disease Activity and Treatment Response in Recent-Onset Rheumatoid Arthritis. <i>PLoS ONE</i> , 2015, 10, e0137385.	2.5	24
41	Low protein and micronutrient intakes in heterogeneous older population samples. <i>Archives of Gerontology and Geriatrics</i> , 2015, 61, 464-471.	3.0	24
42	The shorter the person, the higher the blood pressure. <i>Journal of Hypertension</i> , 2017, 35, 1170-1177.	0.5	24
43	Relationship of musculoskeletal pain and well-being at work – Does pain matter?. <i>Scandinavian Journal of Pain</i> , 2017, 15, 38-43.	1.3	24
44	Assessment of Cartilage Repair Quality With the International Cartilage Repair Society Score and the Oswestry Arthroscopy Score. <i>Journal of Orthopaedic Research</i> , 2020, 38, 555-562.	2.3	24
45	Test-retest reliability and comparability of paper and computer questionnaires for the Finnish version of the Tampa Scale of Kinesiophobia. <i>Physiotherapy</i> , 2014, 100, 356-362.	0.4	23
46	Relationships of leisure-time physical activity and work ability between different occupational physical demands in adult working men. <i>International Archives of Occupational and Environmental Health</i> , 2019, 92, 739-746.	2.3	23
47	Long-term clinical and radiographic outcomes and patient satisfaction after adult spinal deformity correction. <i>Scandinavian Journal of Surgery</i> , 2019, 108, 343-351.	2.6	23
48	Heterogeneity of maternal characteristics and impact on gestational diabetes (GDM) risk – Implications for universal GDM screening?. <i>Annals of Medicine</i> , 2016, 48, 52-58.	3.8	22
49	Ideal cardiovascular health and psychosocial risk factors among Finnish female municipal workers. <i>Scandinavian Journal of Public Health</i> , 2017, 45, 50-56.	2.3	21
50	Effect of a lifestyle intervention during pregnancy – findings from the Finnish gestational diabetes prevention trial (RADIEL). <i>Journal of Perinatology</i> , 2018, 38, 1157-1164.	2.0	21
51	No increased cardiovascular mortality among early rheumatoid arthritis patients: a nationwide register study in 2000-2008. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 391-8.	0.8	21
52	Increased short- and long-term mortality in 8146 hospitalised peptic ulcer patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 234-245.	3.7	20
53	Effects of Cognitive Training on Cognition and Quality of Life of Older Persons with Dementia. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 664-670.	2.6	20
54	Narrowband ultraviolet B phototherapy improves quality of life of psoriasis and atopic dermatitis patients up to 3 months: Results from an observational multicenter study. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019, 35, 332-338.	1.5	20

#	ARTICLE	IF	CITATIONS
55	Increasing incidence and shifting profile of idiopathic inflammatory rheumatic diseases in adults during this millennium. <i>Clinical Rheumatology</i> , 2019, 38, 555-562.	2.2	20
56	Nutrient intake of pregnant women at high risk of gestational diabetes. <i>Food and Nutrition Research</i> , 2015, 59, 26676.	2.6	19
57	Symptoms suggestive of cow's milk allergy in infancy and pediatric inflammatory bowel disease. <i>Pediatric Allergy and Immunology</i> , 2016, 27, 361-367.	2.6	19
58	Burden of Potentially Harmful Medications and the Association With Quality of Life and Mortality Among Institutionalized Older People. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e9-276.e14.	2.5	19
59	Effects of 12-month home-based physiotherapy on duration of living at home and functional capacity among older persons with signs of frailty or with a recent hip fracture - protocol of a randomized controlled trial (HIPFRA study). <i>BMC Geriatrics</i> , 2018, 18, 232.	2.7	19
60	Beliefs and attitudes towards lifestyle change and risks in primary care – a community-based study. <i>BMC Public Health</i> , 2019, 19, 1049.	2.9	19
61	Relationship between Friedâ€™s frailty phenotype and oral frailty in long-term care residents. <i>Age and Ageing</i> , 2021, 50, 2133-2139.	1.6	19
62	Both lean and fat body mass associate with blood pressure. <i>European Journal of Internal Medicine</i> , 2021, 91, 40-44.	2.2	19
63	Impact of physiciansâ€™ adherence to treat-to-target strategy on outcomes in early rheumatoid arthritis in the NEO-RACo trial. <i>Scandinavian Journal of Rheumatology</i> , 2015, 44, 449-455.	1.1	18
64	Healthy Food Intake Index (HFII) – Validity and reproducibility in a gestational-diabetes-risk population. <i>BMC Public Health</i> , 2016, 16, 680.	2.9	18
65	Effect of progressive high-impact exercise on femoral neck structural strength in postmenopausal women with mild knee osteoarthritis: a 12-month RCT. <i>Osteoporosis International</i> , 2017, 28, 1323-1333.	3.1	18
66	Glycemic control and health-related quality of life among older home-dwelling primary care patients with diabetes. <i>Primary Care Diabetes</i> , 2017, 11, 577-582.	1.8	18
67	“The Burden of Pregnancy”, heavier for the heaviest? The changes in Health Related Quality of Life (<sc>HRQ</sc>) assessed by the 15D instrument during pregnancy and postpartum in different body mass index groups: a longitudinal survey. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2017, 96, 352-358.	2.8	18
68	Changes in disability, self-rated health, comorbidities and psychological wellbeing in community-dwelling 75–95-year-old cohorts over two decades in Helsinki. <i>Scandinavian Journal of Primary Health Care</i> , 2017, 35, 279-285.	1.5	18
69	The profiles of health care utilization among a non-depressed population and patients with depressive symptoms with and without clinical depression. <i>Scandinavian Journal of Primary Health Care</i> , 2019, 37, 312-318.	1.5	18
70	Regular physical exercise before entering military service may protect young adult men from fatigue fractures. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 126.	1.9	18
71	Oral hygiene and health-related quality of life in institutionalized older people. <i>European Geriatric Medicine</i> , 2022, 13, 213-220.	2.8	18
72	Altering a computerized laboratory test order form rationalizes ordering of laboratory tests in primary care physicians. <i>International Journal of Medical Informatics</i> , 2016, 86, 49-53.	3.3	17

#	ARTICLE	IF	CITATIONS
73	Relationship of Neuropsychiatric Symptoms with Falls in Alzheimer's Disease – Does Exercise Modify the Risk?. <i>Journal of the American Geriatrics Society</i> , 2018, 66, 2377-2381.	2.6	17
74	Oral glucose tolerance test results in early pregnancy: A Finnish population-based cohort study. <i>Diabetes Research and Clinical Practice</i> , 2020, 162, 108077.	2.8	17
75	Long-term health-related quality of life of breast cancer survivors remains impaired compared to the age-matched general population especially in young women. Results from the prospective controlled BREX exercise study. <i>Breast</i> , 2021, 59, 110-116.	2.2	17
76	Disability and health-related quality of life are associated with restricted social participation in young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 105-113.	1.1	16
77	Comparison of laparoscopic and open colonic resection within fast-track and traditional perioperative care pathways: clinical outcomes and in-hospital costs. <i>Scandinavian Journal of Surgery</i> , 2015, 104, 211-218.	2.6	15
78	Nurse Education to Reduce Harmful Medication Use in Assisted Living Facilities: Effects of a Randomized Controlled Trial on Falls and Cognition. <i>Drugs and Aging</i> , 2015, 32, 947-955.	2.7	15
79	STAT6 and STAT1 Pathway Activation in Circulating Lymphocytes and Monocytes as Predictor of Treatment Response in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0167975.	2.5	15
80	Use of Anticholinergic Drugs and its Relationship With Psychological Well-Being and Mortality in Long-Term Care Facilities in Helsinki. <i>Journal of the American Medical Directors Association</i> , 2018, 19, 511-515.	2.5	15
81	Prevalence of restless legs symptoms according to depressive symptoms and depression type: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2018, 72, 51-56.	1.3	15
82	Temporal Trends in the Use of Anticholinergic Drugs Among Older People Living in Long-Term Care Facilities in Helsinki. <i>Drugs and Aging</i> , 2020, 37, 27-34.	2.7	15
83	Health-related Quality of Life of Breast Cancer Survivors Attending an Exercise Intervention Study: A Five-year Follow-up. <i>In Vivo</i> , 2020, 34, 667-674.	1.3	15
84	Screening for cardiovascular risk factors and self-rated health in a community setting: a cross-sectional study in Finland. <i>British Journal of General Practice</i> , 2014, 64, e611-e615.	1.4	14
85	Longterm Work Productivity Costs Due to Absenteeism and Permanent Work Disability in Patients with Early Rheumatoid Arthritis: A Nationwide Register Study of 7831 Patients. <i>Journal of Rheumatology</i> , 2016, 43, 2101-2105.	2.0	14
86	Pulsed electromagnetic field therapy in the treatment of pain and other symptoms in fibromyalgia: A randomized controlled study. <i>Bioelectromagnetics</i> , 2018, 39, 405-413.	1.6	14
87	Reliability and validity of the Finnish version of the Visual Analogue Scale Foot and Ankle (VAS-FA). <i>Foot and Ankle Surgery</i> , 2018, 24, 474-480.	1.7	14
88	Impact of maternal income on the risk of gestational diabetes mellitus in primiparous women. <i>Diabetic Medicine</i> , 2019, 36, 214-220.	2.3	14
89	Effects of progressive aquatic resistance training on symptoms and quality of life in women with knee osteoarthritis: A secondary analysis. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1064-1072.	2.9	14
90	The short-term effect of dark chocolate flavanols on cognition in older adults: A randomized controlled trial (FlaSeCo). <i>Experimental Gerontology</i> , 2020, 136, 110933.	2.8	14

#	ARTICLE	IF	CITATIONS
91	Psychiatric disorders in incident patients with juvenile idiopathic arthritis - a case-control cohort study. <i>Pediatric Rheumatology</i> , 2021, 19, 105.	2.1	14
92	Prevalence of Musculoskeletal Pain and Analgesic Treatment Among Community-Dwelling Older Adults: Changes from 1999 to 2019. <i>Drugs and Aging</i> , 2021, 38, 931-937.	2.7	14
93	Psychotropic drugs and homicide: A prospective cohort study from Finland. <i>World Psychiatry</i> , 2015, 14, 245-247.	10.4	13
94	The effect of dietary counselling on food intakes in pregnant women at risk for gestational diabetes: a secondary analysis of a randomised controlled trial RADIEL. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 912-917.	2.9	13
95	The nationwide register-based prevalence of intellectual disability during childhood and adolescence. <i>Journal of Intellectual Disability Research</i> , 2017, 61, 802-809.	2.0	13
96	Baseline JAK phosphorylation profile of peripheral blood leukocytes, studied by whole blood phosphospecific flow cytometry, is associated with 1-year treatment response in early rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2017, 19, 75.	3.5	13
97	Adult height and glucose tolerance: a reappraisal of the importance of body mass index. <i>Diabetic Medicine</i> , 2017, 34, 1129-1135.	2.3	13
98	Three out of four disease-modifying anti-rheumatic drug-naïve rheumatoid arthritis patients meet 28-joint Disease Activity Score remission at 12 months: results from the FIN-ERA cohort. <i>Scandinavian Journal of Rheumatology</i> , 2017, 46, 425-431.	1.1	13
99	How Do Community-Dwelling Persons with Alzheimer Disease Fall Falls in the FINALEX Study. <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2017, 7, 195-203.	1.3	13
100	Work-loss years among people diagnosed with diabetes: a reappraisal from a life course perspective. <i>Acta Diabetologica</i> , 2018, 55, 485-491.	2.5	13
101	Statin Treatment Is Associated With a Neutral Effect on Health-Related Quality of Life Among Community-Dwelling Octogenarian Men: The Helsinki Businessmen Study. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1418-1423.	3.6	13
102	Psychopathy and Mortality. <i>Journal of Forensic Sciences</i> , 2018, 63, 474-477.	1.6	13
103	Frequent pain in older people with and without diabetes – Finnish community based study. <i>BMC Geriatrics</i> , 2018, 18, 73.	2.7	13
104	Major cardiovascular disease (CVD) risk factors in midlife and extreme longevity. <i>Aging Clinical and Experimental Research</i> , 2020, 32, 299-304.	2.9	13
105	Non-melancholic depressive symptoms increase risk for incident cardiovascular disease: A prospective study in a primary care population at risk for cardiovascular disease and type 2 diabetes. <i>Journal of Psychosomatic Research</i> , 2020, 129, 109887.	2.6	13
106	Association between folate intake and melancholic depressive symptoms. A Finnish population-based study. <i>Journal of Affective Disorders</i> , 2012, 138, 473-478.	4.1	12
107	Increased Metabotropic Glutamate 2/3 Receptor Binding in the Perigenual Anterior Cingulate Cortex of Cloninger Type 2 Alcoholics: A Whole-Hemisphere Autoradiography Study. <i>Alcohol and Alcoholism</i> , 2015, 50, 62-67.	1.6	12
108	Incidence and risk factors of exercise-related knee disorders in young adult men. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 340.	1.9	12



#	ARTICLE	IF	CITATIONS
109	Body surface area and glucose tolerance – The smaller the person, the greater the 2-hour plasma glucose. <i>Diabetes Research and Clinical Practice</i> , 2019, 157, 107877.	2.8	12
110	Cervical Spine Involvement among Patients with Rheumatoid Arthritis Treated Actively with Treat-to-target Strategy: 10-year Results of the NEO-RACo Study. <i>Journal of Rheumatology</i> , 2020, 47, 1160-1164.	2.0	12
111	Effect of 12-Month Supervised, Home-Based Physical Exercise on Functioning Among Persons With Signs of Frailty: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 2283-2290.	0.9	12
112	A high lean body mass is not protecting from type 2 diabetes in the presence of a high body fat mass. <i>Diabetes and Metabolism</i> , 2021, 47, 101219.	2.9	12
113	Pulse pressure and subclinical peripheral artery disease. <i>Journal of Human Hypertension</i> , 2014, 28, 242-245.	2.2	11
114	The Relationship between Thyroid Function and Depressive Symptoms – the FIN-D2D Population-Based Study. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2015, 8, CMED.S24111.	1.9	11
115	Associations of physical activity with self-rated health and well-being in middle-aged Finnish men. <i>Scandinavian Journal of Public Health</i> , 2015, 43, 190-196.	2.3	11
116	Incidence and predictive factors of spinal cord stimulation treatment after lumbar spine surgery. <i>Journal of Pain Research</i> , 2017, Volume 10, 2405-2411.	2.0	11
117	Effect of Exercise on Drug-Related Falls Among Persons with Alzheimer's Disease: A Secondary Analysis of the FINALEX Study. <i>Drugs and Aging</i> , 2018, 35, 1017-1023.	2.7	11
118	Change in physical activity and health-related quality of life in old age – A 10-year follow-up study. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2019, 29, 1797-1804.	2.9	11
119	Reliability and Validity of The Finnish Version of The Boston Carpal Tunnel Questionnaire among Surgically Treated Carpal Tunnel Syndrome Patients. <i>Scandinavian Journal of Surgery</i> , 2020, 109, 343-350.	2.6	11
120	Impact of smoking on gestational diabetes mellitus and offspring birthweight in primiparous women. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2020, 99, 1632-1639.	2.8	11
121	Effects of Home-Based Physical Exercise on Days at Home and Cost-Effectiveness in Pre-Frail and Frail Persons: Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 773-779.	2.5	11
122	The Association between Healthy Diet and Burnout Symptoms among Finnish Municipal Employees. <i>Nutrients</i> , 2021, 13, 2393.	4.1	11
123	Being moved by listening to unfamiliar sad music induces reward-related hormonal changes in empathic listeners. <i>Annals of the New York Academy of Sciences</i> , 2021, 1502, 121-131.	3.8	11
124	Increased steroid hormone dehydroepiandrosterone and pregnenolone levels in post-mortem brain samples of alcoholics. <i>Alcohol</i> , 2016, 52, 63-70.	1.7	10
125	Depressive symptoms are associated with poor outcome for lumbar spine surgery. <i>Scandinavian Journal of Pain</i> , 2016, 12, 13-17.	1.3	10
126	Perceived Financial Satisfaction, Health Related Quality of Life and depressive Symptoms in Early Pregnancy. <i>Maternal and Child Health Journal</i> , 2017, 21, 1493-1499.	1.5	10



#	ARTICLE	IF	CITATIONS
127	Higher serum phenylalanine concentration is associated with more rapid telomere shortening in men. <i>American Journal of Clinical Nutrition</i> , 2017, 105, 144-150.	4.7	10
128	Criminal Behavior in the Four Years Preceding Diagnosis of Neurocognitive Disorder: A Nationwide Register Study in Finland. <i>American Journal of Geriatric Psychiatry</i> , 2021, 29, 657-665.	1.2	10
129	Paroxetine Markedly Increases Plasma Concentrations of Ophthalmic Timolol; CYP2D6 Inhibitors May Increase the Risk of Cardiovascular Adverse Effects of 0.5% Timolol Eye Drops. <i>Drug Metabolism and Disposition</i> , 2014, 42, 2068-2076.	3.3	9
130	Does adding a 12-month exercise programme to usual care after a rotator cuff repair effect disability and quality of life at 12 months? A randomized controlled trial. <i>Clinical Rehabilitation</i> , 2015, 29, 447-456.	2.2	9
131	Laparoscopic Wide Mesocolic Excision and Central Vascular Ligation for Carcinoma of the Colon. <i>Scandinavian Journal of Surgery</i> , 2016, 105, 228-234.	2.6	9
132	Patient-reported outcomes as predictors of remission in early rheumatoid arthritis patients treated with tight control treat-to-target approach. <i>Rheumatology International</i> , 2017, 37, 825-830.	3.0	9
133	Incidence of inflammatory joint diseases in Finland: results from a population-based epidemiological study. <i>Rheumatology International</i> , 2017, 37, 1693-1700.	3.0	9
134	The effect of pre-pregnancy lifestyle counselling on food intakes and association between food intakes and gestational diabetes in high-risk women: results from a randomised controlled trial. <i>Journal of Human Nutrition and Dietetics</i> , 2018, 31, 301-305.	2.5	9
135	Health-related quality of life as a predictor of mortality in heterogeneous samples of older adults. <i>European Geriatric Medicine</i> , 2018, 9, 227-234.	2.8	9
136	<p>The role of psychosocial risk factors in the burden of headache</p>. <i>Journal of Pain Research</i> , 2019, Volume 12, 1733-1741.	2.0	9
137	Pain interference and associated factors in young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2019, 48, 408-414.	1.1	9
138	Treatment of telangiectasia on the cheeks with a compact yellow (585â€%nm) semiconductor laser and a green (532â€%nm) KTP laser: a randomized double-blind split-face trial. <i>Lasers in Surgery and Medicine</i> , 2019, 51, 223-229.	2.1	9
139	The Effects of Preventive Home Visits on Older Peopleâ€™s Use of Health Care and Social Services and Related Costs. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2020, 75, 1586-1593.	3.6	9
140	Mortality in SLE patients compared with population controls in Finland in years 2000â€“2015. <i>Rheumatology</i> , 2021, 60, 4238-4244.	1.9	9
141	Biomechanical Changes of Repair Tissue after Autologous Chondrocyte Implantation at Long-Term Follow-Up. <i>Cartilage</i> , 2021, 13, 1085S-1091S.	2.7	9
142	A cross-sectional study of antenatal depressive symptoms in women at high risk for gestational diabetes mellitus. <i>Journal of Psychosomatic Research</i> , 2015, 79, 646-650.	2.6	8
143	Musculoskeletal Pain in Melancholic and Atypical Depression. <i>Pain Medicine</i> , 2017, 18, pnw202.	1.9	8
144	Obesity has an impact on outcome in lumbar disc surgery. <i>Scandinavian Journal of Pain</i> , 2016, 10, 85-89.	1.3	8

#	ARTICLE	IF	CITATIONS
145	Day-care laparoscopic cholecystectomy with diathermy hook versus fundus-first ultrasonic dissection: a randomized study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016, 30, 3867-3872.	2.4	8
146	Drugs used in incident systemic lupus erythematosus – results from the Finnish nationwide register 2000–2007. <i>Lupus</i> , 2016, 25, 666-670.	1.6	8
147	High burden of adverse events is associated with reduced remission rates in early rheumatoid arthritis. <i>Clinical Rheumatology</i> , 2018, 37, 1689-1694.	2.2	8
148	Comorbid opioid use is undertreated among forensic patients with schizophrenia. <i>Substance Abuse Treatment, Prevention, and Policy</i> , 2018, 13, 39.	2.2	8
149	Use of opioids during pregnancy and effects of pregnancy outcomes. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1239-1245.	1.9	8
150	Leisure time physical activity and its relation to psychiatric comorbidities in depression. Findings from Finnish Depression and Metabolic Syndrome in Adults (FDMSA) study. <i>Journal of Affective Disorders</i> , 2019, 259, 150-153.	4.1	8
151	Increased [ <sup>3</sup> H]quisqualic acid binding density in the dorsal striatum and anterior insula of alcoholics: A post-mortem whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , 2019, 287, 63-69.	1.8	8
152	Increased interleukin-6 and C-reactive protein levels after instrumented lumbar spine fusion in older patients. <i>Journal of Orthopaedic Surgery</i> , 2019, 27, 230949901982640.	1.0	8
153	Changes in prevalence of loneliness over time in institutional settings, and associated factors. <i>Archives of Gerontology and Geriatrics</i> , 2020, 89, 104043.	3.0	8
154	Physical Activity and Telomeres in Old Age: A Longitudinal 10-Year Follow-Up Study. <i>Gerontology</i> , 2020, 66, 315-322.	2.8	8
155	Effects of Staff Training on Nursing Home Residents' End-Of-Life Care: A Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 1699-1705.e1.	2.5	8
156	Impaired glucose regulation, depressive symptoms, and health-related quality of life. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e001568.	2.8	8
157	Decreased [ <sup>3</sup> H]naloxone Binding in the Dentate Gyrus of Cloninger Type 1 Anxiety-Prone Alcoholics: A Postmortem Whole-Hemisphere Autoradiography Study. <i>Alcoholism: Clinical and Experimental Research</i> , 2015, 39, 1352-1359.	2.4	7
158	Antipsychotic drug use and associations with neuropsychiatric symptoms in persons with impaired cognition: a cross-sectional study. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 621-625.	1.3	7
159	Association between diet quality measured by the Healthy Food Intake Index and later risk of gestational diabetes – a secondary analysis of the RADIEL trial. <i>European Journal of Clinical Nutrition</i> , 2017, 71, 555-557.	2.9	7
160	Impaired Akt Phosphorylation in Monocytes of Patients with Rheumatoid Arthritis. <i>Scandinavian Journal of Immunology</i> , 2017, 85, 155-161.	2.7	7
161	The effect of vernal solar UV radiation on serum 25-hydroxyvitamin D concentration depends on the baseline level: observations from a high latitude in Finland. <i>International Journal of Circumpolar Health</i> , 2017, 76, 1272790.	1.2	7
162	Relationship of Blood Pressure and Erectile Dysfunction in Men Without Previously Diagnosed Hypertension. <i>Journal of Sexual Medicine</i> , 2017, 14, 1336-1341.	0.6	7

#	ARTICLE	IF	CITATIONS
163	Use of Anticholinergic Drugs According to Various Criteria and Their Association With Psychological Well-Being and Mortality in Long-Term Care Facilities. <i>Journal of the American Medical Directors Association</i> , 2019, 20, 1156-1162.	2.5	7
164	Relationship of non-melancholic and melancholic depressive symptoms with all-cause mortality: A prospective study in a primary care population. <i>Journal of Psychosomatic Research</i> , 2020, 133, 110107.	2.6	7
165	Oral disease burden of dentate older adults living in long-term care facilities: FINORAL study. <i>BMC Oral Health</i> , 2021, 21, 624.	2.3	7
166	Failure in Longterm Treatment is Rare in Actively Treated Patients with Rheumatoid Arthritis, But May Be Predicted by High Health Assessment Score at Baseline and by Residual Disease Activity at 3 and 6 Months: The 5-year Followup Results of the Randomized Clinical NEO-RACo Trial. <i>Journal of Rheumatology</i> , 2014, 41, 2379-2385.	2.0	6
167	Lower [3H]Citalopram Binding in Brain Areas Related to Social Cognition in Alcoholics. <i>Alcohol and Alcoholism</i> , 2015, 50, 46-50.	1.6	6
168	[3H]Ifenprodil binding in post-mortem brains of Cloninger type 1 and 2 alcoholics: A whole-hemisphere autoradiography study. <i>Psychiatry Research - Neuroimaging</i> , 2015, 231, 197-201.	1.8	6
169	Decreasing cholesterol levels in the community – lifestyle change with statin?. <i>BMC Family Practice</i> , 2015, 16, 29.	2.9	6
170	Self-rated health in patients with rheumatoid arthritis is associated with health-related quality of life but not with clinical variables. <i>Scandinavian Journal of Rheumatology</i> , 2016, 45, 288-293.	1.1	6
171	Short primiparous women are at an increased risk for gestational diabetes mellitus. <i>Public Health</i> , 2018, 156, 101-108.	2.9	6
172	The gap between behavioral risk status and willingness to change behavior among healthcare professionals. <i>Perspectives in Public Health</i> , 2018, 138, 311-315.	1.6	6
173	Narrow-band ultraviolet B (NB UV-B) exposures improve mood in healthy individuals differently depending on chronotype. <i>Chronobiology International</i> , 2019, 36, 1570-1580.	2.0	6
174	Telomere length and physical performance among older people – The Helsinki Birth Cohort Study. <i>Mechanisms of Ageing and Development</i> , 2019, 183, 111145.	4.6	6
175	Clinically relevant drug-drug interactions and the risk for drug adverse effects among home-dwelling older persons with and without type 2 diabetes. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 735-741.	1.5	6
176	Change in Prescribing for – Secondary Prevention of Stroke and Coronary Heart Disease in Finnish Nursing Homes and Assisted Living Facilities. <i>Drugs and Aging</i> , 2019, 36, 571-579.	2.7	6
177	Older persons with signs of frailty in a home-based physical exercise intervention: baseline characteristics of an RCT. <i>Aging Clinical and Experimental Research</i> , 2019, 31, 1419-1427.	2.9	6
178	Factor analysis identifies three separate symptom clusters in idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020, 6, 00347-2020.	2.6	6
179	&lt;p>&gt;The Impact of Self-Reported Recurrent Headache on Absenteeism and Presenteeism at Work Among Finnish Municipal Female Employees&lt;p>&gt;. <i>Journal of Pain Research</i> , 2020, Volume 13, 2135-2142.	2.0	6
180	The impact of educational attainment on the occurrence of gestational diabetes mellitus in two successive pregnancies of Finnish primiparous women: a population-based cohort study. <i>Acta Diabetologica</i> , 2020, 57, 1035-1042.	2.5	6

#	ARTICLE	IF	CITATIONS
181	Impact of gestational diabetes mellitus on the duration of breastfeeding in primiparous women: an observational cohort study. <i>International Breastfeeding Journal</i> , 2021, 16, 19.	2.6	6
182	Secular trends in functional abilities, health and psychological well-being among community-dwelling 75- to 95-year-old cohorts over three decades in Helsinki, Finland. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 524-531.	2.3	6
183	Advanced glycation end products measured by skin autofluorescence are associated with melancholic depressive symptoms â€” Findings from Helsinki Birth Cohort Study. <i>Journal of Psychosomatic Research</i> , 2021, 145, 110488.	2.6	6
184	Influence of Depressive Symptoms on the Outcome of Lumbar Spine Fusionâ€”A 5-year Follow-up Study. <i>Spine</i> , 2021, 46, 408-412.	2.0	6
185	Effects of a 12-month home-based exercise program on functioning after hip fracture â€” Secondary analyses of an RCT. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 2561-2570.	2.6	6
186	Association of Modic changes with health-related quality of life among patients referred to spine surgery. <i>Scandinavian Journal of Pain</i> , 2014, 5, 36-40.	1.3	5
187	Results of lumbar spine surgery: A postal survey. <i>Scandinavian Journal of Pain</i> , 2015, 6, 9-13.	1.3	5
188	Physical Activity Improves Borderline Ankle-Brachial Index Values in a Cardiovascular Risk Population. <i>Annals of Vascular Surgery</i> , 2016, 32, 50-56.	0.9	5
189	Physical restraints and associations with neuropsychiatric symptoms and personal characteristics in residential care: a cross-sectional study. <i>International Journal of Geriatric Psychiatry</i> , 2017, 32, 1418-1424.	2.7	5
190	Impact of early systemic lupus erythematosus on work disabilityâ€”results from the Finnish nationwide register 2000â€”2007. <i>Clinical Rheumatology</i> , 2018, 37, 1413-1416.	2.2	5
191	Pain and self-rated health in older people with and without type 2 diabetes. <i>European Geriatric Medicine</i> , 2018, 9, 127-131.	2.8	5
192	Elevation of tumor necrosis factor alpha levels is associated with restless legs symptoms in clinically depressed patients. <i>Journal of Psychosomatic Research</i> , 2018, 115, 1-5.	2.6	5
193	Training nursing home staff to improve residentsâ€™ end-of-life care: design and baseline findings from a randomized controlled trial. <i>European Geriatric Medicine</i> , 2019, 10, 649-657.	2.8	5
194	Oral Health in Women with a History of High Gestational Diabetes Risk. <i>Dentistry Journal</i> , 2019, 7, 92.	2.3	5
195	Risk of preterm birth in primiparous women with exposure to antidepressant medication before pregnancy and/or during pregnancy â€” impact of body mass index. <i>Annals of Medicine</i> , 2019, 51, 51-57.	3.8	5
196	Neuropsychiatric Symptoms as Predictors of Falls in Long-Term Care Residents With Cognitive Impairment. <i>Journal of the American Medical Directors Association</i> , 2020, 21, 1243-1248.	2.5	5
197	Association of rheumatoid arthritis disease activity and antibodies to periodontal bacteria with serum lipoprotein profile in drug naive patients. <i>Annals of Medicine</i> , 2020, 52, 32-42.	3.8	5
198	Kidney function and nephrotoxic drug use among older home-dwelling persons with or without diabetes in Finland. <i>BMC Nephrology</i> , 2020, 21, 11.	1.8	5

#	ARTICLE	IF	CITATIONS
199	Monetary value of informal caregiving in dementia from a societal perspective. <i>Age and Ageing</i> , 2021, 50, 861-867.	1.6	5
200	Higher carotid-radial pulse wave velocity is associated with non-melancholic depressive symptoms in men – findings from Helsinki Birth Cohort Study. <i>Annals of Medicine</i> , 2021, 53, 531-540.	3.8	5
201	Body surface area may explain sex differences in findings from the oral glucose tolerance test among subjects with normal glucose tolerance. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 2678-2684.	2.6	5
202	The relationship between health-related quality of life and melancholic depressive symptoms is modified by brain insulin receptor gene network. <i>Scientific Reports</i> , 2021, 11, 21588.	3.3	5
203	Intra-articular glucocorticoid injections should not be neglected in the remission targeted treatment of early rheumatoid arthritis: a post hoc analysis from the NEO-RACo trial. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 1038-1044.	0.8	5
204	OPO147...Targeted treatment with combination DMARDs produces excellent clinical and radiographic long-term outcomes in early rheumatoid arthritis regardless of initial infliximab. The 5-year follow-up results of the neo-raco trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 103.2-103.	0.9	4
205	Paid expenditures and productivity costs associated with permanent disability pensions in patients with spinal disorders: Nationwide Finnish Register-based Study, 1990–2010. <i>European Spine Journal</i> , 2016, 25, 275-281.	2.2	4
206	Costs of diabetes medication among male former elite athletes in later life. <i>Acta Diabetologica</i> , 2017, 54, 335-341.	2.5	4
207	Reliability and validity of the Finnish version of the prosthesis evaluation questionnaire. <i>Disability and Rehabilitation</i> , 2018, 40, 2081-2087.	1.8	4
208	Severity of both neuropsychiatric symptoms and dementia is associated with quality of life in nursing home residents. <i>European Geriatric Medicine</i> , 2019, 10, 793-800.	2.8	4
209	Early Targeted Combination Treatment With Conventional Synthetic Disease-Modifying Antirheumatic Drugs and Long-Term Outcomes in Rheumatoid Arthritis: Ten-Year Follow-Up Results of a Randomized Clinical Trial. <i>Arthritis Care and Research</i> , 2019, 71, 1450-1458.	3.4	4
210	Lean body mass is not beneficial, but may be detrimental for glucose tolerance – Splitting body mass index according to body composition. <i>Primary Care Diabetes</i> , 2020, 14, 747-752.	1.8	4
211	Age-dependency in mortality of family caregivers: a nationwide register-based study. <i>Aging Clinical and Experimental Research</i> , 2020, 33, 1971-1980.	2.9	4
212	Maternal use of sedative drugs and its effects on pregnancy outcomes: a Finnish birth cohort study. <i>Scientific Reports</i> , 2021, 11, 4467.	3.3	4
213	Use of antidepressants among Finnish family caregivers: a nationwide register-based study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021, 56, 2209-2216.	3.1	4
214	Randomized controlled study of the impact of a participatory patient care plan among primary care patients with common chronic diseases: a one-year follow-up study. <i>BMC Health Services Research</i> , 2021, 21, 715.	2.2	4
215	Effects of Home-Based Physical Exercise on Days at Home, Health Care Utilization, and Functional Independence Among Patients With Hip Fractures: A Randomized Controlled Trial. <i>Archives of Physical Medicine and Rehabilitation</i> , 2021, 102, 1692-1699.	0.9	4
216	Training Staff in Long-Term Care Facilities – Effects on Residents'™ Symptoms, Psychological Well-Being, and Proxy Satisfaction. <i>Journal of Pain and Symptom Management</i> , 2021, 62, e4-e12.	1.2	4

#	ARTICLE	IF	CITATIONS
217	Associations of neck muscle strength and cervical spine mobility with future neck pain and disability: a prospective 16-year study. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 911.	1.9	4
218	Type D personality and metabolic syndrome among Finnish female municipal workers. <i>BMC Women's Health</i> , 2020, 20, 202.	2.0	4
219	Is long-term radiographic joint damage different between men and women? Prospective longitudinal data analysis of four early RA cohorts with greater than 15 years follow-up. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 641-5.	0.8	4
220	Transition to adult care in Finnish adolescents with juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2022, 51, 490-494.	1.1	4
221	Patients with resistant hypertension have more peripheral arterial disease than other uncontrolled hypertensives. <i>Journal of Human Hypertension</i> , 2015, 29, 46-49.	2.2	3
222	The prevalence of intellectual disability among 1-year cohorts of Finnish elderly as determined with the multiple register method. <i>Journal of Intellectual and Developmental Disability</i> , 2016, 41, 267-271.	1.6	3
223	Opioid abuse and hospitalization rates in patients with schizophrenia. <i>Nordic Journal of Psychiatry</i> , 2016, 70, 128-132.	1.3	3
224	Is improvement in the Healthy Food Intake Index (HFII) related to a lower risk for gestational diabetes?. <i>British Journal of Nutrition</i> , 2017, 117, 1103-1109.	2.3	3
225	High Intake of Nonmilk Extrinsic Sugars Is Associated With Protein and Micronutrient Dilution in Home-Dwelling and Institutionalized Older People. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 301-305.	2.5	3
226	A randomized lifestyle intervention preventing gestational diabetes: effects on self-rated health from pregnancy to postpartum. <i>Journal of Psychosomatic Obstetrics and Gynaecology</i> , 2018, 39, 1-6.	2.1	3
227	Risk severity moderated effectiveness of pain treatment in adolescents. <i>Scandinavian Journal of Pain</i> , 2019, 19, 287-298.	1.3	3
228	Tanning dependence and seasonal affective disorder are frequent among sunbathers but are not associated. <i>Psychiatry Research</i> , 2019, 272, 387-391.	3.3	3
229	Impact of maternal height and gestational diabetes mellitus on offspring birthweight. <i>Diabetes Research and Clinical Practice</i> , 2019, 148, 110-118.	2.8	3
230	Anticholinergic drug use and its association with self-reported symptoms among older persons with and without diabetes. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2019, 44, 229-235.	1.5	3
231	Incidence and Risk Factors of Foot and Ankle Disorders in Male Finnish Conscripts. <i>Military Medicine</i> , 2019, 184, e352-e358.	0.8	3
232	Trends towards more active introduction of drug therapy, emphasizing methotrexate and biologic agents, for juvenile idiopathic arthritis. <i>Clinical Rheumatology</i> , 2020, 39, 263-268.	2.2	3
233	Impact of sunshine on the risk of gestational diabetes mellitus in primiparous women. <i>International Journal of Circumpolar Health</i> , 2020, 79, 1703882.	1.2	3
234	Chondral and Osteochondritis Dissecans Lesions Treated by Autologous Chondrocytes Implantation: A Mid- to Long-Term Nonrandomized Comparison. <i>Cartilage</i> , 2021, 13, 1105S-1112S.	2.7	3



#	ARTICLE	IF	CITATIONS
235	Opioid Use among Patients with Early Inflammatory Arthritides Compared to the General Population. <i>Journal of Rheumatology</i> , 2020, 47, 1285-1292.	2.0	3
236	Initiating disease-modifying anti-rheumatic drugs rapidly reduces purchases of analgesic drugs in juvenile idiopathic arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 28-33.	1.1	3
237	Oral Health and Frailty Among Older Long-Term Care Residents in Finland. <i>Journal of the American Medical Directors Association</i> , 2021, 22, 2394-2395.	2.5	3
238	Isthmic Spondylolisthesis is Associated with Less Revisions for Adjacent Segment Disease After Lumbar Spine Fusion Than Degenerative Spinal Conditions. <i>Spine</i> , 2022, 47, 303-308.	2.0	3
239	A longitudinal study of restless legs symptoms among patients with depression. <i>Nordic Journal of Psychiatry</i> , 2022, 76, 584-590.	1.3	3
240	The Relationship between Dietary Habits and Work Engagement among Female Finnish Municipal Employees. <i>Nutrients</i> , 2022, 14, 1267.	4.1	3
241	THU0119â€¦Impact of Neglecting Intra-Articular Glucocorticoid-Injections in Remission Targeted Treatment of Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 237.2-237.	0.9	2
242	The effects of health counseling and exercise training on self-rated health and well-being in middle-aged men: a randomized trial. <i>Journal of Sports Medicine and Physical Fitness</i> , 2017, 57, 916-922.	0.7	2
243	Association of midlife value priorities with health-related quality of life, frailty and mortality among older men: a 26-year follow-up of the Helsinki Businessmen Study (HBS). <i>Quality of Life Research</i> , 2018, 27, 1269-1275.	3.1	2
244	Relationship between physical activity and physical performance in later life in different birth weight groups. <i>Journal of Developmental Origins of Health and Disease</i> , 2018, 9, 95-101.	1.4	2
245	First-year drug therapy of new-onset rheumatoid and undifferentiated arthritis: a nationwide register-based study. <i>BMC Rheumatology</i> , 2020, 4, 34.	1.6	2
246	Antibodies to malondialdehyde-acetaldehyde modified low-density lipoprotein in patients with newly diagnosed inflammatory joint disease. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 113-117.	1.1	2
247	Associations of perceived poor societal treatment among the oldest-old. <i>Archives of Gerontology and Geriatrics</i> , 2021, 93, 104318.	3.0	2
248	Opioid use frequency in early axial spondyloarthritis in Finlandâ€”A pharmacoepidemic register study. <i>Joint Bone Spine</i> , 2022, 89, 105302.	1.6	2
249	Low incidence of clinically relevant bleeding complications after fast-track arthroplasty: a register study of 8,511 arthroplasties. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2022, 93, 348-354.	3.3	2
250	Healthâ€related quality of life in patients with chronic orofacial pain compared with other chronic pain patients. <i>Clinical and Experimental Dental Research</i> , 2022, , .	1.9	2
251	Abdominal pain in Finnish young adults with juvenile idiopathic arthritis. <i>Scandinavian Journal of Gastroenterology</i> , 2022, 57, 1189-1194.	1.5	2
252	Feasibility and baseline findings of an educational intervention in a randomized trial to optimize drug treatment among residents in assisted living facilities. <i>European Geriatric Medicine</i> , 2014, 5, 195-199.	2.8	1



#	ARTICLE	IF	CITATIONS
253	FRI0061...The Concomitance of Inflammatory Bowel Disease with Incident Rheumatoid Arthritis and Ankylosing Spondylitis in Finland. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 403.3-404.	0.9	1
254	FRI0032...Patient Reported Outcomes Correlated with the Concentrations of Glycoprotein Acetyls in Patients with Early Untreated Rheumatoid Arthritis: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 430.1-430.	0.9	1
255	Body size at birth and coronary heart disease-related hospital care in adult men – findings from the Helsinki Birth Cohort Study. <i>Annals of Medicine</i> , 2017, 49, 126-133.	3.8	1
256	Health-related quality of life in metabolically healthy obese individuals. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 499-500.	1.8	1
257	Prolonged, widespread, disabling musculoskeletal pain of adolescents among referrals to the Pediatric Rheumatology Outpatient Clinic from the PÄijÄt-HÄme Hospital District in southern Finland. <i>Scandinavian Journal of Pain</i> , 2018, 18, 621-628.	1.3	1
258	Work careers in adults separated temporarily from their parents in childhood during World War II. <i>Journal of Psychosomatic Research</i> , 2019, 118, 63-68.	2.6	1
259	FRI0233...MORTALITY IN SLE PATIENTS COMPARED TO POPULATION CONTROLS IN FINLAND IN YEARS 2000-2015. , 2019, , .		1
260	The impact of maternal weight in pregnancy on glucose metabolism in non-diabetic offspring in late adulthood. <i>Diabetes Research and Clinical Practice</i> , 2019, 158, 107926.	2.8	1
261	Neuropsychological outcome of cognitive training in mild to moderate dementia: A randomized controlled trial. <i>Neuropsychological Rehabilitation</i> , 2021, 31, 935-953.	1.6	1
262	Fibromyalgia is often connected with disability pension: a very long-term follow-up study in Finland. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 167-168.	1.1	1
263	Induction of remission in female rheumatoid arthritis patients is associated with stabilization of myocardial abnormalities: a prospective cardiac magnetic resonance follow-up study. <i>Scandinavian Journal of Rheumatology</i> , 2021, 50, 104-112.	1.1	1
264	Physical activity and ability to meet different work requirements among adult working men with or without current depressive symptoms. <i>International Archives of Occupational and Environmental Health</i> , 2021, 94, 451-458.	2.3	1
265	Comment on: Decrease of anticholinergic drug use in nursing home residents in the United States. <i>Journal of the American Geriatrics Society</i> , 2021, 69, 2033-2035.	2.6	1
266	Glucose regulation and pain in older people – The Helsinki Birth Cohort Study. <i>Primary Care Diabetes</i> , 2021, 15, 561-566.	1.8	1
267	Symptom burden in community-dwelling older people: temporal trends in the Helsinki Aging Study. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 3065-3071.	2.9	1
268	SAT0488...ETANERCEPT CONCENTRATION IN PATIENTS WITH JUVENILE IDIOPATHIC ARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020, 79, 1200-1201.	0.9	1
269	Does baseline leisure-time physical activity level predict future depressive symptoms or physical activity among depressive patients? Findings from a Finnish five-year cohort study. <i>Nordic Journal of Psychiatry</i> , 2021, 75, 356-361.	1.3	1
270	Work incapacity among family caregivers: a record linkage study. <i>Journal of Epidemiology and Community Health</i> , 2022, 76, 580-585.	3.7	1

#	ARTICLE	IF	CITATIONS
271	Non-melancholic depressive symptoms are associated with above average fat mass index in the Helsinki birth cohort study. <i>Scientific Reports</i> , 2022, 12, 6987.	3.3	1
272	THU0524â€¦Antidepressant use among Persons with Recent-Onset Rheumatoid Arthritis: A Nationwide Register-Based Study in Finland. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A341.2-A341.	0.9	0
273	SAT0028â€¦Strict Acr-Remission within 6 Months Predicts Sustained Long-Term Very Low Disease Activity in Actively Treated Rheumatoid Arthritis Patients, 5-Year Results of the Neo-Raco Trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A589.1-A589.	0.9	0
274	FRI0092â€¦Disease activity at three months is an excellent predictor of long-term treatment failure in actively treated rheumatoid arthritis patients, 5-year results of the neo-raco trial. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A400.2-A401.	0.9	0
275	SAT0027â€¦Targeted Treatment and Combination Dmard Therapy are Additively Important for Maintaining Work Ability in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A588.3-A589.	0.9	0
276	FRI0533â€¦Marked differences in occurrence of co-existing diseases at the time of diagnosis of various inflammatory rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A555.1-A555.	0.9	0
277	SAT0026â€¦Targeted Treatment and Combination Dmard Therapy are Additively Important for Reaching Remission in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A588.2-A588.	0.9	0
278	Long-Term Work Productivity Costs Among Subjects With Early Rheumatoid Arthritis - A Nationwide Analysis Based on 7,831 Subjects' Sickness Absence Days and Income. <i>Value in Health</i> , 2014, 17, A383.	0.3	0
279	AB0491â€¦Treatment of Incident Sle, Results from the Finnish Nationwide Register 2000-2007. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 969.3-969.	0.9	0
280	AB1038â€¦Metabolic Syndrome in Patients with Newly Diagnosed Inflammatory Joint Diseases. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1143.3-1143.	0.9	0
281	AB1037â€¦Adipokines in Patients with Newly Diagnosed Inflammatory Joint Diseases. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 1143.2-1143.	0.9	0
282	FRI0203â€¦Mortality and Causes of Death among Incident Cases of SLE in Finland 2000-2008. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 456.2-456.	0.9	0
283	OP0065â€¦Initial Infliximab is not Cost-Effective in Otherwise Actively Treated Early Rheumatoid Arthritis. the 2-Year Follow-Up Results of the Randomized Clinical Neo-Raco Trial. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 85.1-85.	0.9	0
284	SAT0154â€¦A 6-Month Induction Treatment with Infliximab Added on Intensive Combination Therapy with Conventional Dmards and Low-Dose Prednisolone Saves Work Productivity Loss During the First Treatment Year in Patients with Early Rheumatoid Arthritis: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 707.2-708.	0.9	0
285	AB0362â€¦Depressive Symptoms and the Risk of Work Disability in Early Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 1014.2-1014.	0.9	0
286	AB0299â€¦Patient Reported Outcomes Correlated with the Concentrations of 3-Hydroxybutyrate but not Lactate in Patients with Early Untreated Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 993.2-993.	0.9	0
287	AB0237â€¦Patient Reported General Health Associated with Amino Acid Metabolism in Patients with Early Untreated Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 970.3-971.	0.9	0
288	Can Vascular Calcification be Associated with Warfarin Treatment?. <i>Clinical Therapeutics</i> , 2016, 38, e25.	2.5	0

#	ARTICLE	IF	CITATIONS
289	Letter: risk factor and mortality of peptic ulcer disease – authors’ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2016, 44, 425-425.	3.7	0
290	THU0160 – Excellent Outcomes Sustained Even in Long-Term When Targeted Treatment with A Combination of Traditional DMARDs Is Used in Early Rheumatoid Arthritis. The 10-Year Follow-Up Results of A Randomized Clinical Trial, The NEO-RACO Trial. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 240.2-241.	0.9	0
291	FRI0560 – The Increase in The Nationwide Incidence of Inflammatory Rheumatic Diseases in Finland during This Millennium. <i>Annals of the Rheumatic Diseases</i> , 2016, 75, 643.3-644.	0.9	0
292	THU0515 – Disability and lower quality of life is associated with socioeconomic passivity in young adults with juvenile idiopathic arthritis. , 2017, , .		0
293	THU0163 – The association between inflammatory joint disorders and coronary heart disease: nationwide register study in 50 444 patients. , 2017, , .		0
294	OP0024 – Drug trough levels and antidrug antibodies in nonselected ankylosing spondylitis patients using self-injected antitnf drugs. , 2017, , .		0
295	HIGH INTAKE OF NON-MILK EXTRINSIC SUGARS IS ASSOCIATED WITH POOR NUTRIENT INTAKES IN OLDER PEOPLE. <i>Innovation in Aging</i> , 2017, 1, 215-216.	0.1	0
296	CHILDHOOD ADVERSITIES AND HOME ATMOSPHERE AS DETERMINANTS OF DISABILITY AND UNEMPLOYMENT PENSION. <i>Innovation in Aging</i> , 2017, 1, 801-801.	0.1	0
297	OP0215 – Time-related trends in opioid purchases among patients with early inflammatory arthritides. , 2018, , .		0
298	FRI0372 – DMARD TREATMENT AND OPIOID USE IN EARLY SPONDYLOARTHRITIS IN FINLAND. , 2019, , .		0
299	THU0542 – THE PSYCHIATRIC DISORDERS IN CHILDHOOD, ADOLESCENCE AND YOUNG ADULTS WITH JUVENILE IDIOPATHIC ARTHRITIS PATIENTS IN FINLAND. , 2019, , .		0
300	Response to Malt's Letter to the Editor. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110140.	2.6	0
301	Use of pain relieving drugs in community-dwelling older people with and without type 2 diabetes. <i>Primary Care Diabetes</i> , 2020, 14, 736-740.	1.8	0
302	The influence of restless legs symptoms on musculoskeletal pain in depression. <i>Scandinavian Journal of Pain</i> , 2020, 20, 603-610.	1.3	0
303	Reply to the Letter – Coffee consumption and extreme longevity: a risk assessment. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 201-201.	2.9	0
304	Skin Autofluorescence in Young Adult Offspring of Women with Type 1 Diabetes: A Cross-Sectional Case-Control Study. <i>Diabetes Therapy</i> , 2021, 12, 669-677.	2.5	0
305	Response to: – Correspondence on – Non-surgical and surgical treatments for rotator cuff disease: a pragmatic randomised clinical trial with 2-year follow-up after initial rehabilitation – by Randelli et al. <i>Annals of the Rheumatic Diseases</i> , 2023, 82, e103-e103.	0.9	0
306	Temporal trends in nutrition intake among older long-term care residents. <i>Clinical Nutrition</i> , 2021, 40, 3793-3797.	5.0	0

#	ARTICLE	IF	CITATIONS
307	Prevalence of and Risk Factors for Back Pain Among Young Male Conscripts During Compulsory Finnish Military Service. <i>Military Medicine</i> , 2021, , .	0.8	0
308	Short stature in men is associated with subclinical peripheral arterial disease. <i>Vasa - European Journal of Vascular Medicine</i> , 2016, 45, 486-490.	1.4	0
309	THU0583â€¦Pain interference associated factors in a cohort of Finnish young adults with juvenile idiopathic arthritis. , 2018, , .		0
310	Occupational physical heaviness and sitting as predictors of mortality: a 26-year follow-up. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
311	Headache and quality of life in Finnish female municipal employees. <i>Scandinavian Journal of Pain</i> , 2022, 22, 457-463.	1.3	0
312	Measuring functional outcome in upper extremity soft tissue sarcoma: Validation of the Toronto Extremity Salvage Score and the QuickDASH patient-reported outcome instruments. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021, , .	1.0	0
313	Age-dependency in mortality of Finnish family caregivers: a nationwide register-based study. <i>European Journal of Public Health</i> , 2020, 30, .	0.3	0
314	Comparison Between Arthroscopic and Histological International Cartilage Repair Society Scoring Systems in Porcine Cartilage Repair Model. <i>Cartilage</i> , 2022, 13, 194760352110692.	2.7	0
315	Diurnal Preference Contributes to Maximal UVB Sensitivity by the Hour of the Day in Human Skin In Vivo. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2289-2291.e5.	0.7	0
316	Profile of initial drug therapy in paediatric systemic lupus erythematosus in Finland, 2000-2007. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 352.	0.8	0
317	The mortality rate and causes of death among juvenile idiopathic arthritis patients in Finland. <i>Clinical and Experimental Rheumatology</i> , 2019, 37, 508-511.	0.8	0
318	Usage of drugs for cardiovascular diseases is increased in systemic lupus erythematosus (SLE) patients already before diagnosis of SLE. <i>Clinical and Experimental Rheumatology</i> , 2021, , .	0.8	0
319	Usage of drugs for cardiovascular diseases is increased in systemic lupus erythematosus (SLE) patients already before diagnosis of SLE. <i>Clinical and Experimental Rheumatology</i> , 2022, 40, 39-43.	0.8	0
320	Female Psychopathy and Mortality. <i>Frontiers in Psychiatry</i> , 2022, 13, 831410.	2.6	0
321	Occupational physical heaviness and sitting as predictors of mortality: a 26-year follow-up. <i>European Journal of Public Health</i> , 2018, 28, .	0.3	0
322	Cost-effectiveness of an educational intervention to reduce potentially inappropriate medication. <i>Age and Ageing</i> , 2022, 51, .	1.6	0